

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 1

October 19, 2019

Section Data for Car 10 - Denes, Phillippe

| Lap | T/SF to I1 | I1 to I2 | I2 to I3A | I3A to I4 | I5 to I6 | I6 to I8 | I8 to SF | Lap | |
|-----|------------|----------|-----------|-----------|----------|----------|----------|---------|----------|
| 1 | T | 6.7731 | 10.9613 | 4.1108 | 18.9148 | 8.0379 | 13.8200 | 13.7297 | 89.1039 |
| | S | 135.093 | 83.040 | 95.038 | 109.150 | 91.866 | 90.580 | 105.478 | 98.541 |
| 2 | T | 6.7049 | 11.0696 | 4.0045 | 17.9880 | 7.6985 | 14.8569 | | 110.3576 |
| | S | 136.467 | 82.228 | 97.561 | 114.773 | 95.916 | 84.258 | | 79.563 |
| 3 | T | | 13.9467 | 4.6349 | 19.3625 | 8.0230 | 13.4735 | 13.1419 | 632.8365 |
| | S | | 65.265 | 84.291 | 106.626 | 92.037 | 92.910 | 110.196 | 13.875 |
| 4 | T | 6.3227 | 10.9026 | 4.0818 | 17.8552 | 7.8023 | 13.1626 | 12.7881 | 84.6678 |
| | S | 144.717 | 83.487 | 95.713 | 115.627 | 94.640 | 95.104 | 113.244 | 103.704 |
| 5 | T | 6.0366 | 9.6781 | 3.8509 | 17.4043 | 7.7043 | 12.9425 | 12.6685 | 81.7080 |
| | S | 151.575 | 94.050 | 101.452 | 118.623 | 95.844 | 96.722 | 114.314 | 107.461 |
| 6 | T | 5.9916 | 9.5755 | 3.7885 | 17.1269 | 7.4757 | 12.6513 | 12.9470 | 81.0097 |
| | S | 152.714 | 95.058 | 103.123 | 120.544 | 98.775 | 98.948 | 111.855 | 108.387 |
| 7 | T | 6.0051 | 9.4604 | 3.7776 | 17.0863 | 7.3980 | 12.6232 | 12.8166 | 80.4555 |
| | S | 152.370 | 96.214 | 103.421 | 120.830 | 99.812 | 99.168 | 112.993 | 109.134 |
| 8 | T | 6.0083 | 9.4313 | 3.8147 | 17.0466 | 7.8008 | 12.6543 | 12.7507 | 81.3347 |
| | S | 152.289 | 96.511 | 102.415 | 121.112 | 94.658 | 98.924 | 113.577 | 107.954 |
| 9 | T | 6.0494 | 9.6313 | 3.8437 | 17.1284 | 7.5185 | | | 97.5094 |
| | S | 151.255 | 94.507 | 101.642 | 120.533 | 98.212 | | | 90.047 |
| 10 | T | | | 3.9219 | 17.8676 | 7.6318 | 13.0505 | 12.7735 | 464.8496 |
| | S | | | 99.615 | 115.547 | 96.754 | 95.921 | 113.374 | 18.889 |
| 11 | T | 6.1092 | 9.6386 | 3.7596 | 17.1737 | 7.3696 | 12.5427 | 12.7282 | 80.7063 |
| | S | 149.774 | 94.436 | 103.916 | 120.216 | 100.197 | 99.805 | 113.777 | 108.794 |
| 12 | T | 6.0734 | | | 17.5618 | 7.3681 | 12.5155 | 12.7499 | 83.2654 |
| | S | 150.657 | | | 117.559 | 100.217 | 100.021 | 113.584 | 105.451 |
| 13 | T | 6.0550 | 9.4912 | 3.7645 | 17.0983 | 7.4054 | 12.4858 | 12.7865 | 80.2947 |
| | S | 151.115 | 95.902 | 103.781 | 120.746 | 99.712 | 100.259 | 113.259 | 109.352 |
| 14 | T | 6.0566 | 9.4328 | 3.8107 | 17.1695 | 7.4722 | 12.6001 | 12.9293 | 80.7137 |
| | S | 151.075 | 96.496 | 102.522 | 120.245 | 98.821 | 99.350 | 112.008 | 108.785 |
| 15 | T | 6.0621 | 9.3923 | 3.7715 | 17.1177 | 7.3917 | 12.5555 | 12.6861 | 80.3503 |
| | S | 150.938 | 96.912 | 103.588 | 120.609 | 99.897 | 99.703 | 114.155 | 109.277 |
| 16 | T | 6.0578 | 9.4463 | 3.7579 | 17.1483 | 7.4388 | | | 92.1915 |
| | S | 151.045 | 96.358 | 103.963 | 120.394 | 99.265 | | | 95.241 |
| 17 | T | | | 3.7560 | 17.2945 | 7.5389 | 12.6850 | 12.7926 | 230.1515 |
| | S | | | 104.015 | 119.376 | 97.947 | 98.685 | 113.205 | 38.151 |
| 18 | T | 6.0735 | 9.4887 | 3.7412 | 17.0181 | 7.5729 | 12.5066 | 12.8043 | 80.5437 |
| | S | 150.654 | 95.928 | 104.427 | 121.315 | 97.507 | 100.093 | 113.101 | 109.014 |
| 19 | T | 6.0715 | 9.3828 | 3.7550 | 17.0852 | 7.4335 | | | |
| | S | 150.704 | 97.010 | 104.043 | 120.838 | 99.335 | | | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 1

October 19, 2019

Section Data for Car 12 - Thompson, Parker

| Lap | T/SF to I1 | I1 to I2 | I2 to I3A | I3A to I4 | I5 to I6 | I6 to I8 | I8 to SF | Lap |
|-----|------------|----------|-----------|-----------|----------|----------|----------|----------|
| 1 | T | | 4.5739 | 21.1967 | 8.5087 | 14.2008 | 13.6652 | 105.7207 |
| | S | | 85.415 | 97.399 | 86.783 | 88.151 | 105.976 | 83.053 |
| 2 | T | 6.1606 | 11.1843 | 3.9094 | 18.3765 | 7.8030 | 13.6187 | 86.2158 |
| | S | 148.524 | 81.384 | 99.934 | 112.347 | 94.631 | 91.919 | 113.911 |
| 3 | T | 6.0697 | 10.0706 | 3.8211 | 17.4964 | 7.5438 | 13.0919 | 82.6670 |
| | S | 150.749 | 90.385 | 102.243 | 117.998 | 97.883 | 95.618 | 114.023 |
| 4 | T | 6.0321 | 9.6449 | 3.8135 | 17.1884 | 7.4000 | 12.9189 | 81.3900 |
| | S | 151.688 | 94.374 | 102.447 | 120.113 | 99.785 | 96.898 | 114.924 |
| 5 | T | 6.0436 | | | 17.5853 | 7.4333 | 12.7198 | 82.6653 |
| | S | 151.400 | | | 117.402 | 99.338 | 98.415 | 114.984 |
| 6 | T | 6.0388 | 9.6692 | 3.7802 | 17.0960 | 7.3302 | 12.7054 | 80.7870 |
| | S | 151.520 | 94.137 | 103.350 | 120.762 | 100.735 | 98.526 | 114.578 |
| 7 | T | 6.0606 | 9.4980 | 3.7230 | 17.1104 | 7.3815 | 12.5985 | 80.2458 |
| | S | 150.975 | 95.834 | 104.937 | 120.660 | 100.035 | 99.362 | 114.642 |
| 8 | T | 6.0244 | 9.5726 | 3.7716 | 17.0582 | 7.3848 | 12.7652 | 80.5261 |
| | S | 151.882 | 95.087 | 103.585 | 121.030 | 99.990 | 98.065 | 115.023 |
| 9 | T | 6.0264 | 9.4924 | 3.7291 | 17.0889 | 7.3409 | 12.6051 | 80.1011 |
| | S | 151.832 | 95.890 | 104.766 | 120.812 | 100.588 | 99.310 | 114.524 |
| 10 | T | 6.0437 | | | 17.3733 | 7.3595 | 12.6280 | 83.6165 |
| | S | 151.397 | | | 118.834 | 100.334 | 99.130 | 115.417 |
| 11 | T | 6.0457 | 9.6444 | 3.7428 | 17.0183 | 7.4345 | | |
| | S | 151.347 | 94.379 | 104.382 | 121.313 | 99.322 | | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 1

October 19, 2019

Section Data for Car 18 - McElrea, Hunter (R)

| Lap | T/SF to I1 | I1 to I2 | I2 to I3A | I3A to I4 | I5 to I6 | I6 to I8 | I8 to SF | Lap | |
|-----|------------|----------|-----------|-----------|----------|----------|----------|---------|----------|
| 1 | T | | 17.2715 | 6.3103 | 29.3054 | 9.0418 | 16.0914 | 14.4254 | 131.9038 |
| | S | | 52.701 | 61.912 | 70.449 | 81.666 | 77.794 | 100.391 | 66.567 |
| 2 | T | 6.7989 | 11.4511 | 4.2494 | 19.1596 | 7.9924 | 13.3449 | 13.7869 | 89.9772 |
| | S | 134.581 | 79.488 | 91.938 | 107.755 | 92.389 | 93.805 | 105.040 | 97.585 |
| 3 | T | 6.3319 | 11.0373 | 3.8716 | 17.6986 | 7.8326 | 14.3467 | | 630.1453 |
| | S | 144.506 | 82.468 | 100.910 | 116.650 | 94.274 | 87.255 | | 13.934 |
| 4 | T | | 13.4984 | 4.5747 | 18.6850 | 7.9797 | 14.8348 | 13.0638 | 107.0832 |
| | S | | 67.432 | 85.401 | 110.492 | 92.536 | 84.384 | 110.855 | 81.996 |
| 5 | T | 6.4595 | 10.4838 | 3.8701 | 17.6899 | 7.6288 | 13.1698 | 12.6272 | 85.5966 |
| | S | 141.652 | 86.822 | 100.949 | 116.708 | 96.792 | 95.052 | 114.687 | 102.579 |
| 6 | T | 6.0175 | 9.8205 | 3.7619 | 17.1562 | 7.5370 | 12.8426 | 12.5870 | 81.6064 |
| | S | 152.057 | 92.686 | 103.852 | 120.338 | 97.971 | 97.474 | 115.054 | 107.595 |
| 7 | T | 6.0035 | 9.6583 | 3.9173 | 17.1471 | 7.4203 | 12.6554 | 12.3770 | 80.7247 |
| | S | 152.411 | 94.243 | 99.732 | 120.402 | 99.512 | 98.916 | 117.006 | 108.770 |
| 8 | T | 6.0109 | 9.3203 | 3.7357 | 17.1741 | 7.4339 | 12.5100 | 12.5127 | 80.1771 |
| | S | 152.223 | 97.661 | 104.581 | 120.213 | 99.330 | 100.065 | 115.737 | 109.513 |
| 9 | T | 6.0423 | 9.4501 | 3.7164 | 17.1389 | 7.3927 | | | 563.4483 |
| | S | 151.432 | 96.319 | 105.124 | 120.460 | 99.884 | | | 15.583 |
| 10 | T | | | 5.7243 | 22.4197 | 8.5403 | 16.0289 | 13.3037 | 115.0757 |
| | S | | | 68.250 | 92.086 | 86.462 | 78.098 | 108.856 | 76.301 |
| 11 | T | 6.1695 | 10.6998 | 3.8735 | 17.9696 | 7.6584 | 13.0185 | 12.5119 | 84.4485 |
| | S | 148.310 | 85.070 | 100.860 | 114.891 | 96.418 | 96.157 | 115.744 | 103.973 |
| 12 | T | 6.0392 | 9.9759 | 3.8703 | 17.2042 | 7.4351 | 12.7025 | 12.4549 | 81.2936 |
| | S | 151.510 | 91.243 | 100.944 | 120.002 | 99.314 | 98.549 | 116.274 | 108.009 |
| 13 | T | 6.0170 | 9.3671 | 3.7250 | 20.3657 | 7.3796 | 12.5792 | 12.3803 | 85.0345 |
| | S | 152.069 | 97.173 | 104.881 | 101.374 | 100.061 | 99.515 | 116.975 | 103.257 |
| 14 | T | 5.9692 | 9.4265 | 3.8969 | 16.8912 | 7.8788 | 13.0132 | 12.4303 | 84.4747 |
| | S | 153.287 | 96.560 | 100.255 | 122.226 | 93.721 | 96.196 | 116.504 | 103.941 |
| 15 | T | 5.9913 | 9.3871 | 3.7408 | 16.9201 | 7.3538 | 12.9031 | 12.3758 | 80.0365 |
| | S | 152.721 | 96.966 | 104.438 | 122.017 | 100.412 | 97.017 | 117.017 | 109.705 |
| 16 | T | 5.9763 | 9.4136 | 3.6786 | 17.2524 | 8.2802 | 14.0715 | 12.3652 | 84.3324 |
| | S | 153.105 | 96.693 | 106.204 | 119.667 | 89.178 | 88.961 | 117.118 | 104.117 |
| 17 | T | 6.0256 | 9.4016 | 3.7313 | 17.1605 | 7.3749 | 12.7654 | 12.4289 | 80.1871 |
| | S | 151.852 | 96.816 | 104.704 | 120.308 | 100.125 | 98.063 | 116.517 | 109.499 |
| 18 | T | 5.9835 | 10.1406 | 4.1346 | 18.3851 | 7.5761 | 13.3127 | 12.3149 | 84.0581 |
| | S | 152.921 | 89.761 | 94.491 | 112.294 | 97.466 | 94.032 | 117.596 | 104.456 |
| 19 | T | 6.0084 | 9.3820 | 3.8524 | 17.0828 | 7.4308 | 12.6091 | 12.8465 | 80.4425 |
| | S | 152.287 | 97.018 | 101.413 | 120.855 | 99.371 | 99.279 | 112.730 | 109.151 |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 1

October 19, 2019

Section Data for Car 18 - McElrea, Hunter (R)

| Lap | T/SF to I1 | I1 to I2 | I2 to I3A | I3A to I4 | I5 to I6 | I6 to I8 | I8 to SF | Lap |
|-----|------------|----------|-----------|-----------|----------|----------|----------|-----|
| 20 | T | 6.1209 | 9.9903 | 3.7871 | 17.1805 | 7.6089 | | |
| | S | 149.488 | 91.111 | 103.161 | 120.168 | 97.045 | | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 1

October 19, 2019

Section Data for Car 19 - Kaminsky, Colin (R)

| Lap | T/SF to I1 | I1 to I2 | I2 to I3A | I3A to I4 | I5 to I6 | I6 to I8 | I8 to SF | Lap | |
|-----|------------|----------|-----------|-----------|----------|----------|----------|---------|----------|
| 1 | T | | 16.7615 | 5.8333 | 25.8188 | 8.5089 | 14.2096 | 13.3776 | 121.4600 |
| | S | | 54.305 | 66.974 | 79.963 | 86.781 | 88.097 | 108.254 | 72.290 |
| 2 | T | 6.2222 | 10.4184 | 3.9382 | 17.7351 | 7.7335 | 12.9755 | 12.5796 | 83.9884 |
| | S | 147.054 | 87.367 | 99.203 | 116.410 | 95.482 | 96.476 | 115.121 | 104.543 |
| 3 | T | 6.0925 | 10.1617 | 3.8645 | 17.2521 | 7.4678 | 14.2354 | | 644.8653 |
| | S | 150.185 | 89.574 | 101.095 | 119.669 | 98.879 | 87.937 | | 13.616 |
| 4 | T | | 13.2404 | 4.3322 | 19.8815 | 9.5395 | 14.6151 | 12.5722 | 107.4270 |
| | S | | 68.746 | 90.181 | 103.843 | 77.405 | 85.652 | 115.189 | 81.734 |
| 5 | T | 6.0298 | 10.6019 | 3.8996 | 17.6283 | 7.6827 | 13.5104 | 12.3687 | 84.3475 |
| | S | 151.746 | 85.855 | 100.185 | 117.115 | 96.113 | 92.656 | 117.084 | 104.098 |
| 6 | T | 5.9701 | 9.7347 | 3.7558 | 17.2733 | 7.6222 | 12.7961 | 12.3396 | 81.1064 |
| | S | 153.264 | 93.503 | 104.021 | 119.522 | 96.876 | 97.828 | 117.361 | 108.258 |
| 7 | T | 7.0712 | 10.3709 | 3.7557 | 17.1268 | 7.4603 | 12.9798 | 12.3972 | 82.5967 |
| | S | 129.398 | 87.767 | 104.024 | 120.545 | 98.978 | 96.444 | 116.815 | 106.304 |
| 8 | T | 5.9428 | 9.9655 | 3.8274 | 17.1664 | 7.3944 | 12.5402 | 12.3863 | 80.5382 |
| | S | 153.968 | 91.338 | 102.075 | 120.267 | 99.861 | 99.824 | 116.918 | 109.022 |
| 9 | T | 6.0353 | 9.5080 | 3.7744 | 17.0664 | 7.3451 | | | 562.1802 |
| | S | 151.608 | 95.733 | 103.508 | 120.971 | 100.531 | | | 15.618 |
| 10 | T | | | 8.0968 | 26.1212 | 8.1764 | 13.8931 | 13.2223 | 118.0764 |
| | S | | | 48.251 | 79.037 | 90.310 | 90.104 | 109.526 | 74.362 |
| 11 | T | 6.9924 | 10.5895 | 3.9166 | 17.3203 | 7.5496 | 13.9958 | 12.4915 | 84.7562 |
| | S | 130.856 | 85.956 | 99.750 | 119.198 | 97.808 | 89.442 | 115.933 | 103.596 |
| 12 | T | 6.0475 | 9.7017 | 3.7576 | 16.9775 | 7.3501 | 12.5219 | 12.4701 | 80.2395 |
| | S | 151.302 | 93.821 | 103.971 | 121.605 | 100.462 | 99.970 | 116.132 | 109.427 |
| 13 | T | 6.0343 | 9.5690 | 3.8726 | 17.0132 | 7.3883 | 12.8029 | 12.4425 | 80.4074 |
| | S | 151.633 | 95.123 | 100.884 | 121.350 | 99.943 | 97.776 | 116.390 | 109.199 |
| 14 | T | 6.0176 | 9.5753 | 3.7380 | 17.2415 | 7.3835 | 16.3620 | 12.4585 | 84.1333 |
| | S | 152.054 | 95.060 | 104.516 | 119.743 | 100.008 | 76.508 | 116.240 | 104.363 |
| 15 | T | 6.0304 | 9.5517 | 3.8460 | 16.9658 | 9.4857 | 14.2485 | 12.4563 | 87.9999 |
| | S | 151.731 | 95.295 | 101.581 | 121.689 | 77.844 | 87.856 | 116.261 | 99.777 |
| 16 | T | 6.0566 | 9.4391 | 3.7362 | 17.0315 | 7.3580 | 13.7846 | 12.9736 | 81.7040 |
| | S | 151.075 | 96.432 | 104.567 | 121.219 | 100.355 | 90.813 | 111.625 | 107.466 |
| 17 | T | 6.0086 | 10.2885 | 3.8110 | 17.1613 | 7.5515 | 12.6970 | 12.4214 | 81.5561 |
| | S | 152.282 | 88.470 | 102.514 | 120.302 | 97.783 | 98.592 | 116.588 | 107.661 |
| 18 | T | 6.0566 | 9.4318 | 3.6964 | 17.1413 | 7.5604 | 12.9839 | 12.3867 | 80.4732 |
| | S | 151.075 | 96.506 | 105.693 | 120.443 | 97.668 | 96.413 | 116.914 | 109.110 |
| 19 | T | 6.0196 | 9.4317 | 3.7106 | 17.0480 | 7.3111 | 12.6891 | 12.4934 | 79.9270 |
| | S | 152.003 | 96.507 | 105.288 | 121.102 | 100.998 | 98.653 | 115.916 | 109.855 |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 1

October 19, 2019

Section Data for Car 19 - Kaminsky, Colin (R)

| Lap | T/SF to I1 | I1 to I2 | I2 to I3A | I3A to I4 | I5 to I6 | I6 to I8 | I8 to SF | Lap |
|-----|------------|----------|-----------|-----------|----------|----------|----------|-----|
| 20 | T | 5.9769 | 9.8948 | 3.7297 | 17.1482 | 7.5310 | | |
| | S | 153.089 | 91.990 | 104.749 | 120.394 | 98.049 | | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 1

October 19, 2019

Section Data for Car 2 - Locke, Parker

| Lap | T/SF to I1 | I1 to I2 | I2 to I3A | I3A to I4 | I5 to I6 | I6 to I8 | I8 to SF | Lap | |
|-----|------------|----------|-----------|-----------|----------|----------|----------|---------|----------|
| 1 | T | | 14.4920 | 4.9670 | 22.4418 | 8.8500 | 15.1821 | 14.1416 | 821.1218 |
| | S | | 62.809 | 78.655 | 91.996 | 83.436 | 82.454 | 102.406 | 10.693 |
| 2 | T | 6.3156 | 11.4118 | 4.1328 | 18.8461 | 8.5110 | 14.2906 | 13.0144 | 89.6862 |
| | S | 144.879 | 79.762 | 94.532 | 109.548 | 86.759 | 87.597 | 111.275 | 97.901 |
| 3 | T | 6.0371 | 10.6219 | 3.9303 | 17.8224 | 7.9832 | 14.8968 | 13.0662 | 87.1685 |
| | S | 151.563 | 85.693 | 99.403 | 115.840 | 92.495 | 84.033 | 110.834 | 100.729 |
| 4 | T | 5.9605 | 10.4964 | 3.9410 | 17.9147 | 8.1023 | 14.0844 | 12.9042 | 85.8851 |
| | S | 153.511 | 86.718 | 99.133 | 115.243 | 91.136 | 88.880 | 112.226 | 102.234 |
| 5 | T | 6.0396 | 10.3345 | 3.8312 | 17.6602 | 7.8306 | 13.5155 | 12.7969 | 84.2728 |
| | S | 151.500 | 88.077 | 101.974 | 116.904 | 94.298 | 92.621 | 113.167 | 104.190 |
| 6 | T | 6.0379 | 9.9924 | 3.8093 | 17.4458 | 7.8259 | 13.5192 | 12.8382 | 83.5278 |
| | S | 151.543 | 91.092 | 102.560 | 118.341 | 94.355 | 92.596 | 112.803 | 105.119 |
| 7 | T | 6.0526 | 10.4527 | 3.9253 | 18.3683 | 7.9481 | | | 104.9971 |
| | S | 151.175 | 87.081 | 99.529 | 112.397 | 92.904 | | | 83.625 |
| 8 | T | | | 3.9257 | 18.2192 | 8.0021 | 13.7132 | 13.0504 | 446.3010 |
| | S | | | 99.519 | 113.317 | 92.277 | 91.286 | 110.968 | 19.674 |
| 9 | T | 6.0862 | 10.6686 | 3.9251 | 20.3904 | 8.0818 | | | 105.8684 |
| | S | 150.340 | 85.318 | 99.534 | 101.251 | 91.367 | | | 82.937 |
| 10 | T | | | 4.2910 | 19.4416 | 7.8221 | 14.1585 | 12.9548 | 165.6632 |
| | S | | | 91.047 | 106.192 | 94.400 | 88.415 | 111.787 | 53.002 |
| 11 | T | 6.0254 | 9.9978 | 3.8371 | 17.5209 | 7.7294 | 13.4664 | 12.7989 | 83.4420 |
| | S | 151.857 | 91.043 | 101.817 | 117.833 | 95.533 | 92.959 | 113.149 | 105.228 |
| 12 | T | 5.9703 | 10.3184 | 3.9657 | 17.3526 | 7.7103 | 13.3613 | 12.6833 | 83.4212 |
| | S | 153.259 | 88.214 | 98.515 | 118.976 | 95.769 | 93.690 | 114.180 | 105.254 |
| 13 | T | 6.0260 | 9.7338 | 3.7710 | 17.2469 | 7.7012 | 13.1479 | 12.7131 | 82.1336 |
| | S | 151.842 | 93.512 | 103.602 | 119.705 | 95.882 | 95.211 | 113.913 | 106.904 |
| 14 | T | 6.0303 | 9.7468 | 3.7749 | 17.3173 | 7.7010 | 13.2066 | 12.8657 | 82.5232 |
| | S | 151.734 | 93.387 | 103.495 | 119.219 | 95.885 | 94.787 | 112.561 | 106.399 |
| 15 | T | 6.0521 | 9.7156 | 3.8060 | 17.3211 | 7.7180 | 13.1901 | 13.0211 | 83.2424 |
| | S | 151.187 | 93.687 | 102.649 | 119.193 | 95.674 | 94.906 | 111.218 | 105.480 |
| 16 | T | 6.0974 | 9.8127 | 3.7904 | 17.4739 | 7.6410 | 13.3991 | 12.7408 | 82.6712 |
| | S | 150.064 | 92.760 | 103.071 | 118.150 | 96.638 | 93.426 | 113.665 | 106.209 |
| 17 | T | 6.0365 | 10.9906 | 3.9161 | 17.2913 | 7.7577 | | | |
| | S | 151.578 | 82.819 | 99.763 | 119.398 | 95.184 | | | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 1

October 19, 2019

Section Data for Car 28 - Sulaiman, Manuel (R)

| Lap | T/SF to I1 | I1 to I2 | I2 to I3A | I3A to I4 | I5 to I6 | I6 to I8 | I8 to SF | Lap | |
|-----|------------|----------|-----------|-----------|----------|----------|----------|---------|----------|
| 1 | T | 6.2075 | 11.4414 | 4.2896 | 18.7892 | 8.0299 | 13.7667 | 12.9102 | 88.2600 |
| | S | 147.402 | 79.556 | 91.077 | 109.879 | 91.957 | 90.931 | 112.173 | 99.483 |
| 2 | T | 6.1579 | 11.5821 | 3.9219 | 17.9662 | 7.8566 | 14.8392 | | 110.3010 |
| | S | 148.590 | 78.589 | 99.615 | 114.913 | 93.986 | 84.359 | | 79.604 |
| 3 | T | | 12.4017 | 4.3964 | 20.1788 | 8.3063 | 13.8820 | 12.9031 | 630.1990 |
| | S | | 73.395 | 88.864 | 102.313 | 88.897 | 90.176 | 112.235 | 13.933 |
| 4 | T | 6.0684 | 10.2605 | 3.9829 | 17.4593 | 8.1550 | 13.2761 | 12.7073 | 84.0447 |
| | S | 150.781 | 88.712 | 98.090 | 118.249 | 90.547 | 94.291 | 113.965 | 104.473 |
| 5 | T | 5.9934 | 10.0446 | 3.8307 | 17.2326 | 7.5559 | 13.0920 | 12.6540 | 82.2784 |
| | S | 152.668 | 90.619 | 101.987 | 119.805 | 97.726 | 95.617 | 114.445 | 106.716 |
| 6 | T | 5.9906 | 9.9261 | 3.7890 | 17.2115 | 7.5051 | 12.8632 | 12.5970 | 81.4973 |
| | S | 152.739 | 91.700 | 103.109 | 119.952 | 98.388 | 97.318 | 114.962 | 107.739 |
| 7 | T | 5.9712 | 9.8649 | 3.8563 | 17.3300 | 7.5810 | 13.0511 | 16.4745 | 86.0410 |
| | S | 153.236 | 92.269 | 101.310 | 119.131 | 97.403 | 95.917 | 87.904 | 102.049 |
| 8 | T | 16.7101 | 27.1483 | | | | | | 770.6102 |
| | S | 54.757 | 33.528 | | | | | | 11.394 |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 1

October 19, 2019

Section Data for Car 3 - Comeau, Antoine

| Lap | T/SF to I1 | I1 to I2 | I2 to I3A | I3A to I4 | I5 to I6 | I6 to I8 | I8 to SF | Lap |
|-----|------------|----------|-----------|-----------|----------|----------|----------|-----------|
| 1 | T | 16.6280 | 5.2869 | 23.0630 | 10.8414 | | | 646.7816 |
| | S | 54.741 | 73.896 | 89.518 | 68.110 | | | 13.576 |
| 2 | T | 46.7832 | 1161.2977 | | | | | 1233.8538 |
| | S | 19.558 | 0.784 | | | | | 7.116 |
| 3 | T | | 4.8722 | 21.6388 | 9.0809 | 16.3069 | 18.8885 | 121.7084 |
| | S | | 80.186 | 95.409 | 81.315 | 76.766 | 76.670 | 72.143 |
| 4 | T | 6.8438 | 10.9683 | 4.1446 | 19.9775 | 8.3558 | 14.2997 | 91.3877 |
| | S | 133.698 | 82.987 | 94.263 | 103.344 | 88.371 | 87.542 | 106.771 |
| 5 | T | 6.1872 | 10.8572 | 4.0430 | 18.7898 | 7.9936 | 14.6616 | 89.8496 |
| | S | 147.886 | 83.836 | 96.632 | 109.876 | 92.375 | 85.381 | 108.824 |
| 6 | T | 6.1364 | 10.5387 | 3.9234 | 18.0269 | 8.0773 | 13.6784 | 85.6428 |
| | S | 149.110 | 86.370 | 99.577 | 114.526 | 91.418 | 91.518 | 111.320 |
| 7 | T | 6.0546 | 11.2828 | 4.5282 | 18.0745 | 7.8658 | 15.8496 | 88.6753 |
| | S | 151.125 | 80.674 | 86.278 | 114.224 | 93.876 | 78.981 | 111.767 |
| 8 | T | 6.0866 | 10.0905 | 3.8155 | 17.7427 | 7.7369 | 13.6709 | 84.7849 |
| | S | 150.330 | 90.206 | 102.393 | 116.360 | 95.440 | 91.568 | 106.434 |
| 9 | T | 6.1249 | 10.8219 | 3.9127 | 20.8026 | 7.8219 | 13.8340 | 88.1277 |
| | S | 149.390 | 84.110 | 99.850 | 99.245 | 94.403 | 90.489 | 112.303 |
| 10 | T | 6.0715 | 9.9006 | 3.8686 | 17.8563 | 7.8796 | 13.3245 | 83.6291 |
| | S | 150.704 | 91.937 | 100.988 | 115.620 | 93.711 | 93.949 | 112.604 |
| 11 | T | 6.0993 | 9.9360 | 3.8703 | 17.6932 | 7.6979 | 13.0235 | 83.0709 |
| | S | 150.017 | 91.609 | 100.944 | 116.686 | 95.923 | 96.120 | 111.474 |
| 12 | T | 6.1057 | 9.9184 | 3.9120 | 18.4039 | 7.7080 | | |
| | S | 149.860 | 91.772 | 99.868 | 112.180 | 95.798 | | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 1

October 19, 2019

Section Data for Car 4 - Bogle, Christian (R)

| Lap | T/SF to I1 | I1 to I2 | I2 to I3A | I3A to I4 | I5 to I6 | I6 to I8 | I8 to SF | Lap | |
|-----|------------|----------|-----------|-----------|----------|----------|----------|----------|----------|
| 1 | T | | 5.0478 | 21.3364 | 9.2027 | | | 821.5075 | |
| | S | | 77.396 | 96.762 | 80.238 | | | 10.688 | |
| 2 | T | | 4.3320 | 19.3289 | 8.3052 | 13.9854 | 12.9220 | 102.3442 | |
| | S | | 90.185 | 106.811 | 88.909 | 89.509 | 112.071 | 85.793 | |
| 3 | T | 6.0902 | 10.3743 | 3.9066 | 17.8357 | 7.8079 | 13.1193 | 12.7955 | 84.5345 |
| | S | 150.241 | 87.739 | 100.006 | 115.754 | 94.572 | 95.418 | 113.179 | 103.868 |
| 4 | T | 6.0862 | 10.1188 | 3.8095 | 17.5083 | 7.9824 | 15.1440 | 12.8615 | 85.9116 |
| | S | 150.340 | 89.954 | 102.555 | 117.918 | 92.505 | 82.661 | 112.598 | 102.203 |
| 5 | T | 6.1761 | 12.6263 | 5.0430 | 19.1099 | 8.0284 | | | 494.6752 |
| | S | 148.152 | 72.090 | 77.470 | 108.035 | 91.975 | | | 17.750 |
| 6 | T | | | 4.2897 | 19.5091 | 7.8370 | 13.8755 | 12.7947 | 102.5525 |
| | S | | | 91.074 | 105.825 | 94.221 | 90.218 | 113.186 | 85.619 |
| 7 | T | 6.0639 | 10.1334 | 3.8295 | 17.6002 | 7.5857 | 12.9787 | 12.6742 | 82.9393 |
| | S | 150.893 | 89.824 | 102.019 | 117.302 | 97.342 | 96.452 | 114.262 | 105.865 |
| 8 | T | 6.0357 | 9.8537 | 3.7864 | 17.3458 | 7.5460 | 12.8597 | 12.6322 | 81.9499 |
| | S | 151.598 | 92.374 | 103.180 | 119.023 | 97.854 | 97.344 | 114.642 | 107.144 |
| 9 | T | 6.0231 | 9.9430 | 3.8017 | 17.4789 | 7.7791 | 13.6130 | 12.7424 | 83.5285 |
| | S | 151.915 | 91.545 | 102.765 | 118.116 | 94.922 | 91.958 | 113.651 | 105.119 |
| 10 | T | 6.0596 | 9.7535 | 3.7271 | 17.3734 | 7.6049 | 12.9076 | 12.6396 | 81.6250 |
| | S | 151.000 | 93.323 | 104.822 | 118.834 | 97.096 | 96.983 | 114.575 | 107.570 |
| 11 | T | 6.0441 | 9.9641 | 3.7739 | 17.3368 | 7.6453 | | | 129.2655 |
| | S | 151.387 | 91.351 | 103.522 | 119.085 | 96.583 | | | 67.925 |
| 12 | T | | | 3.7541 | 17.4914 | 7.6042 | 12.8622 | 12.6237 | 95.0327 |
| | S | | | 104.068 | 118.032 | 97.105 | 97.325 | 114.719 | 92.393 |
| 13 | T | 6.0427 | 9.9354 | 3.7413 | 17.4131 | 7.5865 | 12.8615 | 12.5958 | 81.8144 |
| | S | 151.422 | 91.615 | 104.424 | 118.563 | 97.332 | 97.331 | 114.973 | 107.321 |
| 14 | T | 6.0586 | 9.7518 | 3.7252 | 17.7453 | 7.5861 | 12.9990 | 12.6911 | 82.0533 |
| | S | 151.025 | 93.339 | 104.875 | 116.343 | 97.337 | 96.301 | 114.110 | 107.008 |
| 15 | T | 6.1700 | 10.5104 | 3.7841 | 17.4636 | 7.5350 | 12.9826 | 12.6832 | 82.8344 |
| | S | 148.298 | 86.603 | 103.243 | 118.220 | 97.997 | 96.423 | 114.181 | 105.999 |
| 16 | T | 6.0523 | 10.4902 | 3.8505 | 17.7412 | 7.6683 | | | |
| | S | 151.182 | 86.769 | 101.463 | 116.370 | 96.294 | | | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 1

October 19, 2019

Section Data for Car 5 - Petrov, Artem

| Lap | T/SF to I1 | I1 to I2 | I2 to I3A | I3A to I4 | I5 to I6 | I6 to I8 | I8 to SF | Lap | |
|-----|------------|----------|-----------|-----------|----------|----------|----------|---------|----------|
| 1 | T | 6.2065 | 12.5023 | 4.0681 | 18.1463 | 9.5412 | 14.0850 | 13.7875 | 91.7703 |
| | S | 147.426 | 72.805 | 96.035 | 113.772 | 77.392 | 88.876 | 105.036 | 95.678 |
| 2 | T | 6.0924 | 12.6601 | 4.0821 | 18.3595 | 7.8304 | 15.6713 | | 107.8229 |
| | S | 150.187 | 71.897 | 95.706 | 112.451 | 94.300 | 79.880 | | 81.434 |
| 3 | T | | 14.3631 | 4.9873 | 20.3656 | 8.3657 | 30.9719 | 13.5585 | 650.6436 |
| | S | | 63.373 | 78.335 | 101.374 | 88.266 | 40.418 | 106.810 | 13.495 |
| 4 | T | 6.0484 | | | 18.2369 | 7.8466 | 12.6967 | 18.0284 | 95.8580 |
| | S | 151.280 | | | 113.207 | 94.106 | 98.594 | 80.328 | 91.598 |
| 5 | T | 6.1996 | 11.0314 | 4.0327 | 17.7532 | 7.6428 | 13.6711 | 12.5501 | 84.8803 |
| | S | 147.590 | 82.512 | 96.878 | 116.291 | 96.615 | 91.567 | 115.392 | 103.444 |
| 6 | T | 5.9816 | | | 17.7204 | 7.8301 | 13.3630 | 12.4655 | 87.1142 |
| | S | 152.969 | | | 116.507 | 94.304 | 93.678 | 116.175 | 100.792 |
| 7 | T | 5.9590 | 10.3639 | 3.7476 | 17.2791 | 7.5282 | 12.7333 | 12.5689 | 82.1465 |
| | S | 153.549 | 87.827 | 104.249 | 119.482 | 98.086 | 98.311 | 115.219 | 106.887 |
| 8 | T | 5.9975 | | | 17.2993 | 7.4382 | 12.9319 | 12.5949 | 83.8707 |
| | S | 152.564 | | | 119.343 | 99.273 | 96.801 | 114.982 | 104.690 |
| 9 | T | 6.0030 | 10.1997 | 3.8088 | 17.2976 | 7.5865 | | | 99.7037 |
| | S | 152.424 | 89.241 | 102.573 | 119.354 | 97.332 | | | 88.065 |
| 10 | T | | | 3.9620 | 17.8001 | 7.9735 | 13.8909 | 12.7529 | 437.6598 |
| | S | | | 98.607 | 115.985 | 92.608 | 90.118 | 113.557 | 20.062 |
| 11 | T | 5.9119 | 10.3619 | 3.8106 | 17.2806 | 7.5965 | 12.9803 | 12.6986 | 82.3602 |
| | S | 154.773 | 87.844 | 102.525 | 119.472 | 97.204 | 96.440 | 114.043 | 106.610 |
| 12 | T | 6.0150 | 10.2858 | 3.6940 | 17.2577 | 7.4763 | 12.6955 | 12.5870 | 81.6190 |
| | S | 152.120 | 88.494 | 105.761 | 119.630 | 98.767 | 98.603 | 115.054 | 107.578 |
| 13 | T | 5.9892 | 9.9726 | 3.7912 | 17.2696 | 7.3287 | 12.4824 | 12.8527 | 81.2525 |
| | S | 152.775 | 91.273 | 103.050 | 119.548 | 100.756 | 100.287 | 112.675 | 108.063 |
| 14 | T | 5.9957 | 9.8549 | 3.7251 | 17.2044 | 7.4273 | 12.7212 | 12.4292 | 80.6117 |
| | S | 152.609 | 92.363 | 104.878 | 120.001 | 99.418 | 98.404 | 116.514 | 108.922 |
| 15 | T | 5.9739 | 9.6247 | 3.7287 | 17.0746 | 7.4101 | 12.6474 | 12.7217 | 80.6096 |
| | S | 153.166 | 94.572 | 104.777 | 120.913 | 99.649 | 98.978 | 113.836 | 108.925 |
| 16 | T | 6.0021 | 9.7282 | 3.7389 | 17.3552 | 7.4238 | 12.8610 | 12.4756 | 80.8886 |
| | S | 152.447 | 93.566 | 104.491 | 118.958 | 99.465 | 97.334 | 116.081 | 108.549 |
| 17 | T | 6.0006 | 9.7444 | 3.7190 | 17.2042 | 7.5014 | 12.9819 | 12.4836 | 80.9025 |
| | S | 152.485 | 93.410 | 105.050 | 120.002 | 98.436 | 96.428 | 116.007 | 108.531 |
| 18 | T | 6.0090 | 9.7272 | 3.7622 | 17.2714 | 7.4132 | 18.9597 | 13.0430 | 87.6427 |
| | S | 152.272 | 93.575 | 103.844 | 119.536 | 99.607 | 66.025 | 111.031 | 100.184 |
| 19 | T | 5.9817 | 9.8908 | 3.7758 | 17.0963 | 7.4309 | 12.9268 | 12.4282 | 81.0475 |
| | S | 152.967 | 92.028 | 103.470 | 120.760 | 99.370 | 96.839 | 116.524 | 108.336 |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 1

October 19, 2019

Section Data for Car 5 - Petrov, Artem

| Lap | T/SF to I1 | I1 to I2 | I2 to I3A | I3A to I4 | I5 to I6 | I6 to I8 | I8 to SF | Lap | |
|-----|------------|----------|-----------|-----------|----------|----------|----------|---------|---------|
| 20 | T | 5.9174 | 10.0194 | 3.7273 | 17.1798 | 7.4479 | 12.6796 | 12.4606 | 80.9423 |
| | S | 154.629 | 90.846 | 104.816 | 120.173 | 99.143 | 98.727 | 116.221 | 108.477 |
| 21 | T | 5.9941 | 10.8257 | 3.8077 | 17.1585 | 7.6519 | | | |
| | S | 152.650 | 84.080 | 102.603 | 120.322 | 96.500 | | | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 1

October 19, 2019

Section Data for Car 51 - Abel, Jacob

| Lap | T/SF to I1 | I1 to I2 | I2 to I3A | I3A to I4 | I5 to I6 | I6 to I8 | I8 to SF | Lap |
|-----|------------|----------|-----------|-----------|----------|----------|----------|----------|
| 1 | T | | 13.9780 | 4.6958 | 21.2624 | 8.9633 | 16.6041 | 852.6183 |
| | S | | 65.119 | 83.198 | 97.098 | 82.381 | 75.392 | 10.298 |
| 2 | T | | 13.9374 | 4.7851 | 21.6590 | 8.5469 | 14.3090 | 13.4851 |
| | S | | 65.308 | 81.645 | 95.320 | 86.395 | 87.485 | 107.391 |
| 3 | T | 6.1948 | 10.9463 | 3.9690 | 17.9521 | 7.8866 | 13.7047 | 12.8464 |
| | S | 147.705 | 83.154 | 98.433 | 115.003 | 93.628 | 91.342 | 112.731 |
| 4 | T | 6.0518 | 10.2782 | 3.8284 | 17.4957 | 7.7220 | 13.4459 | 12.8109 |
| | S | 151.195 | 88.559 | 102.048 | 118.003 | 95.624 | 93.100 | 113.043 |
| 5 | T | 6.0497 | 10.2207 | 3.8224 | 17.3599 | 7.6306 | 13.1790 | 12.6679 |
| | S | 151.247 | 89.057 | 102.209 | 118.926 | 96.769 | 94.986 | 114.319 |
| 6 | T | 6.0010 | 10.4411 | 3.7980 | 17.3232 | 7.5638 | | 644.6681 |
| | S | 152.475 | 87.177 | 102.865 | 119.178 | 97.624 | | 13.620 |
| 7 | T | | | 4.3622 | 18.2215 | 7.8952 | 13.4133 | 13.0625 |
| | S | | | 89.561 | 113.303 | 93.526 | 93.327 | 110.866 |
| 8 | T | 6.0038 | 10.8572 | 3.9029 | 18.2202 | 7.8168 | 13.6765 | 12.6645 |
| | S | 152.403 | 83.836 | 100.100 | 113.311 | 94.464 | 91.531 | 114.350 |
| 9 | T | 5.9530 | 10.2258 | 3.7831 | 17.2229 | 9.3110 | 14.0587 | 12.9053 |
| | S | 153.704 | 89.013 | 103.270 | 119.872 | 79.305 | 89.042 | 112.216 |
| 10 | T | 6.0076 | 9.7599 | 3.8245 | 17.7703 | 7.6492 | 13.3910 | 12.8651 |
| | S | 152.307 | 93.262 | 102.152 | 116.180 | 96.534 | 93.482 | 112.567 |
| 11 | T | 6.0315 | 9.8330 | 3.7438 | 17.1689 | 7.5009 | 12.9014 | 12.5967 |
| | S | 151.704 | 92.569 | 104.354 | 120.249 | 98.443 | 97.030 | 114.965 |
| 12 | T | 5.9843 | 9.8316 | 3.7466 | 17.1784 | 7.5239 | 12.9821 | 12.6168 |
| | S | 152.900 | 92.582 | 104.276 | 120.183 | 98.142 | 96.426 | 114.782 |
| 13 | T | 6.0347 | 9.9128 | 3.7736 | 17.2218 | 7.5457 | 12.8102 | 12.7180 |
| | S | 151.623 | 91.823 | 103.530 | 119.880 | 97.858 | 97.720 | 113.869 |
| 14 | T | 6.0330 | 9.7687 | 3.7177 | 17.4238 | 7.4830 | 12.8308 | 12.7313 |
| | S | 151.666 | 93.178 | 105.087 | 118.490 | 98.678 | 97.564 | 113.750 |
| 15 | T | 6.0279 | 9.6071 | 3.7366 | 17.2991 | 7.4598 | 12.8439 | 12.6013 |
| | S | 151.794 | 94.745 | 104.555 | 119.344 | 98.985 | 97.464 | 114.923 |
| 16 | T | 6.0458 | 9.5569 | 3.7333 | 17.6595 | 7.5226 | 12.8420 | 12.7246 |
| | S | 151.345 | 95.243 | 104.648 | 116.908 | 98.159 | 97.478 | 113.810 |
| 17 | T | 6.0368 | 9.8906 | 3.7269 | 17.3522 | 7.5596 | | |
| | S | 151.570 | 92.030 | 104.828 | 118.979 | 97.678 | | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 1

October 19, 2019

Section Data for Car 6 - de la Vara, Moises

| Lap | T/SF to I1 | I1 to I2 | I2 to I3A | I3A to I4 | I5 to I6 | I6 to I8 | I8 to SF | Lap | |
|-----|------------|----------|-----------|-----------|----------|----------|----------|---------|----------|
| 1 | T | | 13.7141 | 13.2086 | 22.5629 | 8.6044 | 13.9877 | 13.9965 | 122.1214 |
| | S | | 66.372 | 29.578 | 91.502 | 85.818 | 89.494 | 103.467 | 71.899 |
| 2 | T | 6.3073 | 10.9168 | 4.0538 | 18.2667 | 7.9886 | 13.6454 | 12.7867 | 86.5074 |
| | S | 145.070 | 83.379 | 96.374 | 113.022 | 92.433 | 91.739 | 113.257 | 101.499 |
| 3 | T | 6.1895 | | | 18.3403 | 7.9237 | 13.6803 | | 644.8223 |
| | S | 147.831 | | | 112.569 | 93.190 | 91.505 | | 13.617 |
| 4 | T | | 13.3705 | 4.4884 | 19.1162 | 8.1173 | 13.7690 | 12.9234 | 104.9777 |
| | S | | 68.077 | 87.043 | 108.000 | 90.967 | 90.916 | 112.059 | 83.641 |
| 5 | T | 6.2169 | 10.5703 | 3.8354 | 17.8955 | 7.7526 | 13.2003 | 12.8412 | 84.6426 |
| | S | 147.179 | 86.112 | 101.862 | 115.367 | 95.247 | 94.833 | 112.776 | 103.735 |
| 6 | T | 6.1722 | 10.0773 | 3.8834 | 17.4485 | 7.6028 | 12.8357 | 12.8392 | 82.7267 |
| | S | 148.245 | 90.325 | 100.603 | 118.322 | 97.123 | 97.526 | 112.794 | 106.137 |
| 7 | T | 6.1506 | 9.8057 | 3.7599 | 17.3835 | 7.5963 | 12.9708 | 12.9129 | 82.2990 |
| | S | 148.766 | 92.826 | 103.908 | 118.765 | 97.206 | 96.510 | 112.150 | 106.689 |
| 8 | T | 6.1260 | | | 17.7004 | 7.5974 | 12.8788 | 12.7686 | 90.1920 |
| | S | 149.363 | | | 116.638 | 97.192 | 97.200 | 113.417 | 97.352 |
| 9 | T | 6.1166 | 9.7179 | 3.7745 | 17.4525 | 8.2761 | 13.0391 | 12.9254 | 84.5815 |
| | S | 149.593 | 93.665 | 103.506 | 118.295 | 89.222 | 96.005 | 112.042 | 103.810 |
| 10 | T | 6.0967 | 9.8227 | 3.7319 | 17.3331 | 7.6565 | | | 819.5417 |
| | S | 150.081 | 92.666 | 104.687 | 119.110 | 96.442 | | | 10.714 |
| 11 | T | | | 4.0272 | 18.0654 | 7.9478 | 13.4086 | 12.7856 | 98.1953 |
| | S | | | 97.011 | 114.282 | 92.907 | 93.359 | 113.267 | 89.418 |
| 12 | T | 5.9660 | 10.4220 | 3.9118 | 17.3372 | 7.6202 | 12.6974 | 12.7468 | 82.5686 |
| | S | 153.369 | 87.337 | 99.873 | 119.082 | 96.902 | 98.589 | 113.611 | 106.341 |
| 13 | T | 6.1057 | 9.7435 | 3.7665 | 17.2932 | 7.6466 | 12.7639 | 12.7496 | 81.6438 |
| | S | 149.860 | 93.419 | 103.725 | 119.385 | 96.567 | 98.075 | 113.586 | 107.545 |
| 14 | T | 6.0933 | 9.7151 | 3.7836 | 17.1681 | 7.5871 | 12.7009 | 12.7667 | 81.3464 |
| | S | 150.165 | 93.692 | 103.257 | 120.255 | 97.324 | 98.561 | 113.434 | 107.938 |
| 15 | T | 6.0869 | 9.6714 | 3.9765 | 17.8338 | 7.5105 | 13.0417 | 12.7523 | 82.4332 |
| | S | 150.323 | 94.115 | 98.248 | 115.766 | 98.317 | 95.986 | 113.562 | 106.515 |
| 16 | T | 6.1137 | 9.9616 | 3.9203 | 17.3192 | 7.6374 | 12.7999 | 12.7257 | 82.1012 |
| | S | 149.664 | 91.374 | 99.656 | 119.206 | 96.683 | 97.799 | 113.800 | 106.946 |
| 17 | T | 6.1058 | 9.7010 | 3.7549 | 18.4013 | 7.7360 | | | |
| | S | 149.858 | 93.828 | 104.046 | 112.196 | 95.451 | | | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 1

October 19, 2019

Section Data for Car 68 - Hyman, Raoul (R)

| Lap | T/SF to I1 | I1 to I2 | I2 to I3A | I3A to I4 | I5 to I6 | I6 to I8 | I8 to SF | Lap | |
|-----|------------|----------|-----------|-----------|----------|----------|----------|---------|----------|
| 1 | T | | 28.1121 | 5.3565 | 24.0186 | 9.4682 | 15.5384 | 14.1054 | 136.9364 |
| | S | | 32.378 | 72.936 | 85.956 | 77.988 | 80.563 | 102.669 | 64.120 |
| 2 | T | 6.2722 | 11.9728 | 4.3693 | 19.3826 | 8.0644 | 15.6330 | | 704.7928 |
| | S | 145.882 | 76.025 | 89.415 | 106.515 | 91.564 | 80.075 | | 12.458 |
| 3 | T | | 13.5699 | 5.2659 | 20.3083 | 8.5301 | 13.9733 | 13.4814 | 109.6113 |
| | S | | 67.077 | 74.191 | 101.660 | 86.565 | 89.586 | 107.421 | 80.105 |
| 4 | T | 6.5072 | 10.7890 | 4.0881 | 17.7784 | 7.7534 | 14.3553 | 13.1260 | 87.1234 |
| | S | 140.613 | 84.366 | 95.566 | 116.127 | 95.237 | 87.203 | 110.329 | 100.781 |
| 5 | T | 7.1222 | 10.5785 | 3.9278 | 17.4328 | 8.0580 | 15.4764 | 12.5690 | 87.6850 |
| | S | 128.472 | 86.045 | 99.466 | 118.429 | 91.637 | 80.886 | 115.219 | 100.136 |
| 6 | T | 5.9756 | 9.9329 | 3.8560 | 17.3969 | 7.6766 | 13.5060 | 12.5348 | 82.8289 |
| | S | 153.123 | 91.638 | 101.318 | 118.673 | 96.190 | 92.686 | 115.533 | 106.006 |
| 7 | T | 5.9070 | 10.3376 | 3.8781 | 17.3249 | 7.4402 | 18.4576 | 12.5705 | 87.7472 |
| | S | 154.901 | 88.050 | 100.741 | 119.166 | 99.246 | 67.821 | 115.205 | 100.065 |
| 8 | T | 5.9886 | 10.0000 | 3.8252 | 17.3336 | 7.6035 | 12.9006 | 12.5787 | 81.7389 |
| | S | 152.790 | 91.023 | 102.134 | 119.107 | 97.114 | 97.036 | 115.130 | 107.420 |
| 9 | T | 6.0002 | 9.7460 | 3.7885 | 17.1930 | 7.7580 | | | 461.7634 |
| | S | 152.495 | 93.395 | 103.123 | 120.081 | 95.180 | | | 19.015 |
| 10 | T | | | 3.9792 | 17.8710 | 7.6738 | 13.0501 | 12.5618 | 96.7026 |
| | S | | | 98.181 | 115.525 | 96.225 | 95.924 | 115.285 | 90.798 |
| 11 | T | 5.9872 | 9.7521 | 3.7968 | 18.4184 | 7.3778 | 12.7104 | 12.7574 | 82.6229 |
| | S | 152.826 | 93.337 | 102.898 | 112.091 | 100.085 | 98.488 | 113.517 | 106.271 |
| 12 | T | 5.9514 | 9.8512 | 3.7737 | 17.1052 | 7.5283 | 13.6471 | 12.4111 | 82.0248 |
| | S | 153.745 | 92.398 | 103.528 | 120.697 | 98.084 | 91.728 | 116.684 | 107.046 |
| 13 | T | 5.9813 | 9.5553 | 3.7765 | 17.2134 | 7.3574 | 12.6364 | 12.6319 | 80.7988 |
| | S | 152.977 | 95.259 | 103.451 | 119.938 | 100.363 | 99.064 | 114.645 | 108.670 |
| 14 | T | 5.9600 | 10.0217 | 4.8090 | 17.5462 | 7.3902 | 14.1062 | 12.4624 | 83.8540 |
| | S | 153.523 | 90.826 | 81.240 | 117.663 | 99.917 | 88.742 | 116.204 | 104.711 |
| 15 | T | 5.9701 | 9.9306 | 3.7462 | 17.1379 | 7.3434 | 12.9770 | 12.4754 | 81.1379 |
| | S | 153.264 | 91.659 | 104.287 | 120.467 | 100.554 | 96.464 | 116.083 | 108.216 |
| 16 | T | 5.9872 | 9.5693 | 3.7390 | 17.1365 | 7.6032 | 12.7026 | 12.5488 | 80.7943 |
| | S | 152.826 | 95.120 | 104.488 | 120.476 | 97.118 | 98.548 | 115.404 | 108.676 |
| 17 | T | 5.9814 | 9.4278 | 3.7591 | 17.0914 | 7.3607 | 12.6305 | 12.4592 | 80.3201 |
| | S | 152.974 | 96.547 | 103.930 | 120.794 | 100.318 | 99.111 | 116.234 | 109.318 |
| 18 | T | 5.9084 | 11.6321 | 4.4423 | 17.5233 | 7.3985 | 12.8417 | 12.4591 | 83.8720 |
| | S | 154.864 | 78.251 | 87.946 | 117.817 | 99.805 | 97.481 | 116.235 | 104.688 |
| 19 | T | 5.9589 | 9.5424 | 3.7510 | 16.9909 | 7.5344 | 17.7477 | 12.4649 | 85.5398 |
| | S | 153.552 | 95.388 | 104.154 | 121.509 | 98.005 | 70.534 | 116.181 | 102.647 |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 1

October 19, 2019

Section Data for Car 68 - Hyman, Raoul (R)

| Lap | T/SF to I1 | I1 to I2 | I2 to I3A | I3A to I4 | I5 to I6 | I6 to I8 | I8 to SF | Lap | |
|-----|------------|----------|-----------|-----------|----------|----------|----------|---------|---------|
| 20 | T | 6.0139 | 9.4309 | 3.7685 | 17.0311 | 7.3563 | 12.9751 | 12.5416 | 80.5400 |
| | S | 152.148 | 96.515 | 103.670 | 121.222 | 100.378 | 96.478 | 115.470 | 109.019 |
| 21 | T | 6.0735 | 9.4556 | 4.5633 | 17.7032 | 7.4438 | 12.8630 | 12.7276 | |
| | S | 150.654 | 96.263 | 85.614 | 116.620 | 99.198 | 97.319 | 113.783 | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 1

October 19, 2019

Section Data for Car 7 - Enders, Kory

| Lap | T/SF to I1 | I1 to I2 | I2 to I3A | I3A to I4 | I5 to I6 | I6 to I8 | I8 to SF | Lap | |
|-----|------------|----------|-----------|-----------|----------|----------|----------|---------|----------|
| 1 | T | | 15.1780 | 5.7912 | 24.9201 | 9.3376 | 18.0512 | 15.6986 | 126.4403 |
| | S | | 59.970 | 67.461 | 82.847 | 79.079 | 69.348 | 92.249 | 69.443 |
| 2 | T | 8.1193 | 11.7279 | 4.2286 | 18.5709 | 8.0806 | 14.2298 | 12.9735 | 91.0266 |
| | S | 112.694 | 77.612 | 92.390 | 111.171 | 91.380 | 87.972 | 111.626 | 96.460 |
| 3 | T | 6.1755 | 11.8103 | 4.2025 | 20.7115 | 7.7242 | 15.3116 | | 688.4190 |
| | S | 148.166 | 77.071 | 92.964 | 99.681 | 95.597 | 81.756 | | 12.754 |
| 4 | T | | | 4.3341 | 20.4117 | 9.6874 | | | 956.3467 |
| | S | | | 90.141 | 101.145 | 76.224 | | | 9.181 |
| 5 | T | | | 4.1919 | 21.2695 | 8.2156 | 13.9149 | 12.9328 | 108.3985 |
| | S | | | 93.199 | 97.066 | 89.879 | 89.962 | 111.977 | 81.001 |
| 6 | T | 6.1230 | 10.3109 | 3.8291 | 17.6009 | 7.6040 | 13.0809 | 12.7600 | 83.4610 |
| | S | 149.437 | 88.278 | 102.030 | 117.298 | 97.108 | 95.698 | 113.494 | 105.204 |
| 7 | T | 6.0822 | 9.9788 | 3.7445 | 17.3616 | 7.4842 | 17.1475 | 12.9282 | 86.5020 |
| | S | 150.439 | 91.216 | 104.335 | 118.914 | 98.662 | 73.003 | 112.017 | 101.505 |
| 8 | T | 6.0905 | 10.2271 | 3.7974 | 17.3744 | 7.4203 | 12.9729 | 12.6788 | 82.3622 |
| | S | 150.234 | 89.002 | 102.881 | 118.827 | 99.512 | 96.495 | 114.221 | 106.607 |
| 9 | T | 6.0809 | 9.6426 | 3.7268 | 17.2334 | 7.5167 | 18.4023 | 12.8121 | 87.1093 |
| | S | 150.471 | 94.396 | 104.830 | 119.799 | 98.236 | 68.025 | 113.032 | 100.798 |
| 10 | T | 6.1020 | 9.8194 | 3.7282 | 17.2832 | 7.5012 | 12.9100 | 12.6832 | 81.5963 |
| | S | 149.951 | 92.697 | 104.791 | 119.454 | 98.439 | 96.965 | 114.181 | 107.608 |
| 11 | T | 6.0454 | 9.6995 | 3.6979 | 17.2000 | 7.4608 | 12.9127 | 12.7122 | 81.3526 |
| | S | 151.355 | 93.843 | 105.650 | 120.032 | 98.972 | 96.945 | 113.921 | 107.930 |
| 12 | T | 6.0188 | 9.8435 | 3.8066 | 18.9345 | 7.6957 | 12.8155 | 12.7198 | 83.4777 |
| | S | 152.024 | 92.470 | 102.633 | 109.036 | 95.951 | 97.680 | 113.853 | 105.183 |
| 13 | T | 6.0682 | 9.6592 | 3.7600 | 17.3926 | 7.4817 | 12.7726 | 12.7665 | 81.4812 |
| | S | 150.786 | 94.234 | 103.905 | 118.703 | 98.695 | 98.008 | 113.436 | 107.760 |
| 14 | T | 6.0965 | 9.6761 | 3.6995 | 17.4291 | 7.4669 | 12.8420 | 12.7884 | 81.5147 |
| | S | 150.086 | 94.070 | 105.604 | 118.454 | 98.891 | 97.478 | 113.242 | 107.716 |
| 15 | T | 6.1090 | 9.8420 | 3.7676 | 17.3631 | 7.5991 | | | |
| | S | 149.779 | 92.484 | 103.695 | 118.904 | 97.171 | | | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 1

October 19, 2019

Section Data for Car 8 - Lazier, Flinn (R)

| Lap | T/SF to I1 | I1 to I2 | I2 to I3A | I3A to I4 | I5 to I6 | I6 to I8 | I8 to SF | Lap |
|-----|------------|----------|-----------|-----------|----------|----------|----------|----------|
| 1 | T | | 14.9256 | 6.3809 | 22.2270 | 9.0125 | 16.9792 | 851.2058 |
| | S | | 60.984 | 61.227 | 92.885 | 81.932 | 73.727 | 10.315 |
| 2 | T | | 15.3059 | 4.7709 | 20.2833 | 8.6113 | 14.5225 | 128.9844 |
| | S | | 59.469 | 81.888 | 101.785 | 85.749 | 86.199 | 105.004 |
| 3 | T | 6.1633 | | | 18.7573 | 8.4180 | 13.6665 | 13.2502 |
| | S | 148.459 | | | 110.066 | 87.718 | 91.598 | 109.295 |
| 4 | T | 6.0395 | 11.0209 | 4.0013 | 17.9790 | 7.8345 | 13.3404 | 12.8901 |
| | S | 151.503 | 82.591 | 97.639 | 114.831 | 94.251 | 93.837 | 112.348 |
| 5 | T | 6.0419 | 10.2950 | 3.9437 | 17.7154 | 7.8287 | 13.0497 | 12.9410 |
| | S | 151.442 | 88.414 | 99.065 | 116.540 | 94.321 | 95.927 | 111.906 |
| 6 | T | 6.0650 | | | 17.7980 | 7.5813 | 12.9703 | 12.7517 |
| | S | 150.866 | | | 115.999 | 97.399 | 96.514 | 113.568 |
| 7 | T | 6.0554 | 10.2228 | 3.8793 | 17.4061 | 7.5472 | 12.8511 | 12.7409 |
| | S | 151.105 | 89.039 | 100.709 | 118.610 | 97.839 | 97.409 | 113.664 |
| 8 | T | 6.0348 | 9.9342 | 3.8081 | 17.3886 | 7.4887 | | 450.9122 |
| | S | 151.621 | 91.626 | 102.592 | 118.730 | 98.603 | | 19.473 |
| 9 | T | | | 3.9240 | 18.9714 | 7.6615 | 13.8687 | 12.7212 |
| | S | | | 99.562 | 108.824 | 96.379 | 90.262 | 113.840 |
| 10 | T | 6.0575 | 10.7410 | 3.8721 | 17.3986 | 7.6063 | 12.9000 | 12.6994 |
| | S | 151.052 | 84.743 | 100.897 | 118.662 | 97.079 | 97.040 | 114.035 |
| 11 | T | 6.0672 | 9.7878 | 3.7311 | 17.2853 | 7.6421 | 12.8230 | 12.8320 |
| | S | 150.811 | 92.996 | 104.710 | 119.439 | 96.624 | 97.623 | 112.857 |
| 12 | T | 6.0145 | 9.7199 | 3.7821 | 18.3765 | 7.5593 | 12.7562 | 12.7759 |
| | S | 152.132 | 93.646 | 103.298 | 112.347 | 97.682 | 98.134 | 113.353 |
| 13 | T | 5.9963 | 9.8443 | 3.9131 | 17.3434 | 7.7094 | 12.9044 | 12.6192 |
| | S | 152.594 | 92.462 | 99.839 | 119.039 | 95.780 | 97.007 | 114.760 |
| 14 | T | 6.0310 | 9.6286 | 3.7693 | 17.2805 | 7.4879 | 12.7933 | 12.6832 |
| | S | 151.716 | 94.534 | 103.648 | 119.473 | 98.614 | 97.850 | 114.181 |
| 15 | T | 6.0628 | 9.6200 | 3.7986 | 17.3161 | 7.4558 | 12.7258 | 12.6534 |
| | S | 150.920 | 94.618 | 102.849 | 119.227 | 99.038 | 98.369 | 114.450 |
| 16 | T | 6.0343 | 9.5339 | 3.7966 | 17.3448 | 7.5600 | 12.6685 | 12.6216 |
| | S | 151.633 | 95.473 | 102.903 | 119.030 | 97.673 | 98.813 | 114.738 |
| 17 | T | 6.0300 | 9.5309 | 3.7480 | 17.3577 | 7.4511 | 12.7373 | 12.9591 |
| | S | 151.741 | 95.503 | 104.237 | 118.941 | 99.101 | 98.280 | 111.750 |
| 18 | T | 6.0760 | 9.5843 | 3.7222 | 17.3705 | 7.5375 | 12.7688 | 12.5725 |
| | S | 150.592 | 94.971 | 104.960 | 118.854 | 97.965 | 98.037 | 115.186 |
| 19 | T | 6.0466 | 9.5944 | 3.7650 | 17.2682 | 7.5499 | | |
| | S | 151.325 | 94.871 | 103.767 | 119.558 | 97.804 | | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 1

October 19, 2019

Section Data for Car 9 - Round-Garrido, Matt

| Lap | T/SF to I1 | I1 to I2 | I2 to I3A | I3A to I4 | I5 to I6 | I6 to I8 | I8 to SF | Lap | |
|-----|------------|----------|-----------|-----------|----------|----------|----------|---------|----------|
| 1 | T | 8.0174 | 11.2356 | 4.3679 | 19.2677 | 8.9591 | 16.2618 | 15.2308 | 112.0079 |
| | S | 114.127 | 81.013 | 89.444 | 107.151 | 82.420 | 76.979 | 95.082 | 78.391 |
| 2 | T | | 12.5306 | 4.3890 | 19.5539 | 7.9438 | 13.4318 | 12.7337 | 705.4074 |
| | S | | 72.640 | 89.014 | 105.582 | 92.954 | 93.198 | 113.728 | 12.447 |
| 3 | T | 6.0471 | 9.8728 | 3.8453 | 17.4720 | 7.5054 | 12.8149 | 12.5411 | 81.9451 |
| | S | 151.312 | 92.195 | 101.600 | 118.163 | 98.384 | 97.685 | 115.475 | 107.150 |
| 4 | T | 5.9843 | 9.5459 | 3.7899 | 17.1624 | 7.5316 | 13.1879 | 12.6184 | 81.4110 |
| | S | 152.900 | 95.353 | 103.085 | 120.295 | 98.041 | 94.922 | 114.767 | 107.853 |
| 5 | T | 5.9769 | 9.7360 | 3.7925 | 17.1854 | 7.4629 | 12.7185 | 12.5622 | 80.8635 |
| | S | 153.089 | 93.491 | 103.014 | 120.134 | 98.944 | 98.425 | 115.281 | 108.583 |
| 6 | T | 6.0187 | 9.6197 | 3.7838 | 17.1173 | 7.5598 | 12.7546 | 12.6296 | 80.9075 |
| | S | 152.026 | 94.621 | 103.251 | 120.612 | 97.676 | 98.146 | 114.666 | 108.524 |
| 7 | T | 6.0279 | 9.5008 | 3.7729 | 17.0618 | 7.4605 | 12.9245 | 12.5179 | 80.7409 |
| | S | 151.794 | 95.805 | 103.549 | 121.004 | 98.976 | 96.856 | 115.689 | 108.748 |
| 8 | T | 6.0152 | 9.4138 | 3.7654 | 17.2235 | 8.4872 | | | 101.9060 |
| | S | 152.115 | 96.691 | 103.756 | 119.868 | 87.003 | | | 86.162 |
| 9 | T | | | 3.9215 | 17.9685 | 7.6953 | 19.4572 | 12.7070 | 448.4940 |
| | S | | | 99.626 | 114.898 | 95.956 | 64.337 | 113.967 | 19.578 |
| 10 | T | 6.0212 | 9.5715 | 3.7726 | 17.1442 | 7.9262 | 14.6252 | 12.5393 | 83.3410 |
| | S | 151.963 | 95.098 | 103.558 | 120.422 | 93.161 | 85.593 | 115.491 | 105.355 |
| 11 | T | 6.0246 | 9.4918 | 3.7687 | 17.1670 | 7.4150 | 12.7398 | 12.6178 | 80.6055 |
| | S | 151.877 | 95.896 | 103.665 | 120.262 | 99.583 | 98.260 | 114.773 | 108.931 |
| 12 | T | 5.9888 | 9.6116 | 3.7967 | 17.0578 | 7.3816 | 12.6830 | 12.5647 | 80.3589 |
| | S | 152.785 | 94.701 | 102.900 | 121.032 | 100.034 | 98.700 | 115.258 | 109.265 |
| 13 | T | 5.9772 | 9.5695 | 3.8106 | 17.1167 | 7.4396 | 12.8161 | 12.5311 | 80.6430 |
| | S | 153.082 | 95.118 | 102.525 | 120.616 | 99.254 | 97.675 | 115.567 | 108.880 |
| 14 | T | 5.9735 | 9.5306 | 3.7758 | 17.1318 | 7.4366 | 12.8160 | 12.5474 | 80.6475 |
| | S | 153.177 | 95.506 | 103.470 | 120.510 | 99.294 | 97.676 | 115.417 | 108.874 |
| 15 | T | 5.9624 | 9.6184 | 3.7734 | 17.1030 | 7.4172 | | | 97.3487 |
| | S | 153.462 | 94.634 | 103.536 | 120.712 | 99.554 | | | 90.195 |
| 16 | T | | | 3.7489 | 17.4711 | 7.4538 | 12.7571 | 12.5514 | 209.1234 |
| | S | | | 104.212 | 118.169 | 99.065 | 98.127 | 115.380 | 41.987 |
| 17 | T | 6.0636 | 9.6475 | 3.7739 | 17.0674 | 7.4038 | 12.8204 | 12.6459 | 80.8523 |
| | S | 150.900 | 94.349 | 103.522 | 120.964 | 99.734 | 97.643 | 114.518 | 108.598 |
| 18 | T | 6.0624 | 9.5749 | 3.7637 | 17.2379 | 7.5135 | | | |
| | S | 150.930 | 95.064 | 103.803 | 119.768 | 98.278 | | | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 1

October 19, 2019

Section Data for Car 90 - Ritter, Kellen (R)

| Lap | T/SF to I1 | I1 to I2 | I2 to I3A | I3A to I4 | I5 to I6 | I6 to I8 | I8 to SF | Lap |
|-----|------------|----------|-----------|-----------|----------|----------|----------|----------|
| 1 | T | | 18.1264 | 5.4568 | 25.4093 | 9.5258 | 17.7182 | 841.8778 |
| | S | | 50.216 | 71.595 | 81.252 | 77.517 | 70.652 | 10.430 |
| 2 | T | | 13.9611 | 5.6382 | 21.5592 | 9.3087 | 14.8484 | 14.2434 |
| | S | | 65.197 | 69.292 | 95.762 | 79.325 | 84.307 | 101.674 |
| 3 | T | 6.2335 | 11.5813 | 4.3191 | 19.1329 | 8.1535 | 14.8121 | 13.5094 |
| | S | 146.788 | 78.595 | 90.454 | 107.906 | 90.563 | 84.513 | 107.198 |
| 4 | T | 6.1077 | 11.2987 | 4.0740 | 19.8105 | 7.9031 | 13.8133 | 13.3420 |
| | S | 149.811 | 80.560 | 95.896 | 104.215 | 93.433 | 90.624 | 108.543 |
| 5 | T | 6.0858 | 10.5696 | 3.9918 | 18.4734 | 10.4815 | 15.3859 | 14.4398 |
| | S | 150.350 | 86.117 | 97.871 | 111.758 | 70.449 | 81.361 | 100.291 |
| 6 | T | 8.4506 | 13.1140 | 4.5491 | 27.5061 | 9.9272 | | 612.0306 |
| | S | 108.276 | 69.409 | 85.881 | 75.058 | 74.382 | | 14.346 |
| 7 | T | | | 4.5115 | 19.5444 | 8.0820 | 27.3144 | 14.0593 |
| | S | | | 86.597 | 105.634 | 91.365 | 45.830 | 103.005 |
| 8 | T | 6.1535 | 11.0355 | 4.0467 | 18.0262 | 7.8628 | 13.6752 | 13.0369 |
| | S | 148.696 | 82.482 | 96.543 | 114.530 | 93.912 | 91.539 | 111.083 |
| 9 | T | 6.0847 | 10.4020 | 3.9548 | 17.9031 | 7.6901 | 13.2760 | 12.9983 |
| | S | 150.377 | 87.505 | 98.787 | 115.318 | 96.021 | 94.292 | 111.413 |
| 10 | T | 6.0543 | 10.0222 | 3.9131 | 17.4848 | 7.6549 | 13.2516 | 13.0395 |
| | S | 151.132 | 90.821 | 99.839 | 118.077 | 96.462 | 94.465 | 111.061 |
| 11 | T | 6.0655 | 9.8908 | 3.8353 | 17.5705 | 7.5456 | 13.1004 | 12.8724 |
| | S | 150.853 | 92.028 | 101.865 | 117.501 | 97.860 | 95.556 | 112.503 |
| 12 | T | 6.0479 | 9.8944 | 3.7934 | 17.6524 | 7.5242 | 12.9871 | 12.8163 |
| | S | 151.292 | 91.994 | 102.990 | 116.956 | 98.138 | 96.389 | 112.995 |
| 13 | T | 6.0392 | 10.0567 | 3.8196 | 17.4324 | 7.5927 | 13.1300 | 12.6923 |
| | S | 151.510 | 90.510 | 102.283 | 118.432 | 97.253 | 95.340 | 114.099 |
| 14 | T | 6.0188 | 9.8381 | 3.8098 | 17.4006 | 7.5306 | 12.9950 | 12.7718 |
| | S | 152.024 | 92.521 | 102.547 | 118.648 | 98.054 | 96.331 | 113.389 |
| 15 | T | 5.9992 | 9.8402 | 3.9140 | 17.3743 | 7.4742 | | |
| | S | 152.520 | 92.501 | 99.817 | 118.828 | 98.794 | | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 1

October 19, 2019

Section Data for Car 91 - Eves, Braden (R)

| Lap | T/SF to I1 | I1 to I2 | I2 to I3A | I3A to I4 | I5 to I6 | I6 to I8 | I8 to SF | Lap |
|-----|------------|----------|-----------|-----------|----------|----------|----------|----------|
| 1 | T | | 17.0004 | 5.5580 | 24.3500 | 9.6365 | 17.0313 | 853.0161 |
| | S | | 53.542 | 70.292 | 84.786 | 76.626 | 73.501 | 10.293 |
| 2 | T | | 13.5462 | 4.7761 | 21.5812 | 8.4324 | 14.3911 | 13.6261 |
| | S | | 67.194 | 81.799 | 95.664 | 87.568 | 86.986 | 106.280 |
| 3 | T | 6.1259 | 10.7810 | 3.9509 | 18.0289 | 7.8743 | 13.6594 | 12.9287 |
| | S | 149.366 | 84.429 | 98.884 | 114.513 | 93.775 | 91.645 | 112.013 |
| 4 | T | 5.9586 | 10.0460 | 3.8527 | 17.5258 | 7.6504 | 13.2319 | 12.9353 |
| | S | 153.560 | 90.606 | 101.405 | 117.800 | 96.519 | 94.606 | 111.956 |
| 5 | T | 5.9902 | 10.0293 | 3.8314 | 17.3929 | 7.5604 | 12.8502 | 12.6102 |
| | S | 152.749 | 90.757 | 101.968 | 118.700 | 97.668 | 97.416 | 114.842 |
| 6 | T | 5.9806 | 9.7866 | 3.8533 | 17.1905 | 7.5165 | 12.6213 | 12.8136 |
| | S | 152.995 | 93.008 | 101.389 | 120.098 | 98.238 | 99.183 | 113.019 |
| 7 | T | 6.0182 | 9.7045 | 3.7250 | 17.2234 | 7.6124 | | 547.0423 |
| | S | 152.039 | 93.794 | 104.881 | 119.869 | 97.001 | | 16.051 |
| 8 | T | | | 3.8943 | 17.7193 | 7.6855 | 13.2687 | 13.0911 |
| | S | | | 100.321 | 116.514 | 96.078 | 94.344 | 110.623 |
| 9 | T | 5.9402 | 10.5037 | 3.8473 | 18.3668 | 7.5201 | 12.6925 | 12.8091 |
| | S | 154.035 | 86.658 | 101.547 | 112.406 | 98.191 | 98.627 | 113.059 |
| 10 | T | 6.0042 | 9.7339 | 3.8032 | 17.1637 | 7.4479 | 12.6496 | 12.7016 |
| | S | 152.393 | 93.511 | 102.724 | 120.286 | 99.143 | 98.961 | 114.016 |
| 11 | T | 5.9640 | 9.6624 | 3.7568 | 17.1762 | 7.5115 | 12.7073 | 12.7250 |
| | S | 153.421 | 94.203 | 103.993 | 120.198 | 98.304 | 98.512 | 113.806 |
| 12 | T | 5.9665 | 9.6991 | 3.7517 | 17.1641 | 7.5955 | 12.7080 | 12.7212 |
| | S | 153.356 | 93.847 | 104.135 | 120.283 | 97.217 | 98.506 | 113.840 |
| 13 | T | 6.0030 | 9.6532 | 3.7348 | 17.1188 | 7.5143 | 12.6984 | 12.6341 |
| | S | 152.424 | 94.293 | 104.606 | 120.601 | 98.267 | 98.581 | 114.625 |
| 14 | T | 6.0026 | 9.6463 | 3.7960 | 17.1596 | 7.4840 | 12.6761 | 12.6850 |
| | S | 152.434 | 94.360 | 102.919 | 120.314 | 98.665 | 98.754 | 114.165 |
| 15 | T | 5.9921 | 9.6120 | 3.7128 | 17.2947 | 7.4830 | 12.6271 | 12.6786 |
| | S | 152.701 | 94.697 | 105.226 | 119.374 | 98.678 | 99.137 | 114.223 |
| 16 | T | 5.9934 | 9.6188 | 3.6915 | 17.2049 | 7.4810 | 12.6203 | 12.6260 |
| | S | 152.668 | 94.630 | 105.833 | 119.998 | 98.705 | 99.191 | 114.698 |
| 17 | T | 6.0488 | 9.5673 | 3.6739 | 17.2669 | 7.5070 | 12.6365 | 12.6350 |
| | S | 151.270 | 95.139 | 106.340 | 119.567 | 98.363 | 99.064 | 114.617 |
| 18 | T | 6.0327 | 9.5863 | 3.6926 | 17.2149 | 7.4328 | 12.6753 | 12.6710 |
| | S | 151.673 | 94.951 | 105.801 | 119.928 | 99.345 | 98.760 | 114.291 |
| 19 | T | 6.0542 | 10.6404 | 3.7061 | 17.2390 | 7.7121 | | |
| | S | 151.135 | 85.544 | 105.416 | 119.760 | 95.747 | | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship






Session: Test Session 1


October 19, 2019

Section Data for Car

Report Support Information

| Section Legend | |
|----------------|----------------|
| Name | Length |
| SF to I1 | 0.254167 miles |
| I1 to I2 | 0.252841 miles |
| I2 to I3A | 0.108523 miles |
| I3A to I3 | 0.232197 miles |
| I3A to I4 | 0.573485 miles |
| I3 to I4 | 0.341288 miles |
| I4 to I5A | 0.165720 miles |
| I5A to I5 | 0.129167 miles |
| I5 to I6 | 0.205114 miles |
| I6 to I7 | 0.195265 miles |
| I6 to I8 | 0.347727 miles |
| I7 to I8 | 0.152462 miles |
| I8 to I9 | 0.237879 miles |
| I8 to SF | 0.402273 miles |
| I9 to SF | 0.164394 miles |
| I2 to I3 | 0.340720 miles |
| I4 to I5 | 0.294886 miles |
| Lap | 2.439000 miles |
| PI to PO | 0.394602 miles |
| PO to SF | 2.239110 miles |
| SF to PI | 2.223106 miles |
| PO to I2 | 0.307102 miles |
| I7 to PI | 0.338826 miles |

| Color Legend | |
|---|-----------------------|
|  | Fastest Lap |
|  | Section Under Caution |
|  | Section Under Green |
|  | Section Time Data |
|  | Section Speed Data |



Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 1

October 19, 2019

Section Data for Car

| | |
|----------|----------------|
| PO to PI | 2.023201 miles |
|----------|----------------|