

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 1**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 1 - Eves, Braden (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI	
1	T	4.1747	3.9691	4.8971	4.4697	4.8376	6.2146	5.1235	4.3149	57.4018	99.5588	40.7963	39.9877
	S	138.987	109.253	106.371	127.373	117.827	106.311	114.712	133.839	78.395	10.759	98.087	98.093
2	T				4.8229	4.1837	5.5640	4.7653	4.2017	117.7676		35.6229	
	S				118.045	136.243	118.742	123.335	137.444	38.211		112.332	
3	T	4.0495	3.6609	4.5269	4.2671	3.9356	5.4086	4.6671	4.1318	34.6475			
	S	143.284	118.451	115.070	133.420	144.832	122.154	125.930	139.770	129.880			
4	T	3.9896	3.5540	4.4161	4.2108	3.9010	5.2177	4.6422	4.1525	34.0839			
	S	145.435	122.014	117.957	135.204	146.116	126.623	126.605	139.073	132.027			
5	T	4.0055	3.6235	4.4498	4.2268	3.8987	5.1420	4.5848	4.1345	34.0656			
	S	144.858	119.673	117.063	134.692	146.203	128.487	128.190	139.678	132.098			
6	T	3.9638	3.4884	4.4152	4.1965	3.8853	5.0475	4.4823	4.0583	33.5373			
	S	146.382	124.308	117.981	135.665	146.707	130.893	131.122	142.301	134.179			
7	T	3.9197	3.4800	4.3650	4.1654	3.8697	5.0168	4.4593	4.0234	33.2993			
	S	148.028	124.608	119.338	136.678	147.298	131.694	131.798	143.535	135.138			
8	T	3.8778	3.4639	4.3392	4.1331	3.8138	5.0966	4.4474	3.9891	33.1609			
	S	149.628	125.187	120.047	137.746	149.457	129.632	132.151	144.769	135.702			
9	T	3.8562	3.5973	4.4427	4.2237	3.8951	5.0150	4.4679	4.0537	33.5516			
	S	150.466	120.545	117.251	134.791	146.338	131.741	131.544	142.462	134.122			
10	T	3.9314	3.4836	4.3870	4.1844	3.8966	4.9740	4.4879	4.0682	33.4131			
	S	147.588	124.479	118.739	136.057	146.281	132.827	130.958	141.955	134.678			
11	T	3.9264	3.4692	4.3493	4.1706	3.8768	4.9655	4.4631	4.0552	33.2761			
	S	147.776	124.996	119.768	136.508	147.028	133.054	131.686	142.410	135.232			
12	T	3.9177	3.4508	4.4200	4.2078	3.8907	4.9779	4.4781	4.0735	33.4165			
	S	148.104	125.663	117.853	135.301	146.503	132.723	131.245	141.770	134.664			
13	T	3.9121	3.4371	4.3180	4.1545	3.8585	4.9201	4.4456	4.0416	33.0875			
	S	148.316	126.163	120.637	137.037	147.726	134.282	132.204	142.889	136.003			
14	T	3.8941	3.4198	4.4033	4.1515	3.8248	5.1079	4.4801	4.0563	33.3378			
	S	149.002	126.802	118.300	137.136	149.027	129.345	131.186	142.371	134.982			
15	T	3.8949	3.4908	4.4639	4.2091	3.9027	4.9964	4.4574	4.0748	33.4900			
	S	148.971	124.223	116.694	135.259	146.053	132.232	131.854	141.725	134.368			
16	T	3.9484	3.5031	4.3200	4.1781	3.9028	4.9719	4.4365	4.0586	33.3194			
	S	146.953	123.786	120.581	136.262	146.049	132.883	132.475	142.290	135.056			
17	T	3.9418	3.4495	4.2743	4.1509	3.8944	4.9577	4.4228	4.0461	33.1375			
	S	147.199	125.710	121.870	137.155	146.364	133.264	132.886	142.730	135.798			
18	T	3.9292			4.3699	4.6660				55.7705	429.3300		38.3580
	S	147.671			130.282	122.160				80.688	2.495		102.260
19	T				4.6842	4.0596	5.4924	4.6288	4.1142	446.5159		34.5984	
	S				121.540	140.408	120.290	126.972	140.368	10.078		115.658	

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 1**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 1 - Eves, Braden (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	3.9747	3.5276	4.3606	4.2049	3.9253	5.1248	4.4358	4.0292	33.5829		
	S	145.980	122.927	119.458	135.394	145.212	128.919	132.496	143.329	133.997		
21	T	3.9120	3.4675	4.2770	4.1544	3.8987	5.0615	4.4083	4.0142	33.1936		
	S	148.320	125.057	121.793	137.040	146.203	130.531	133.323	143.864	135.568		
22	T	3.9038	3.4443	4.2557	4.1996	4.1470	4.9159	4.4047	4.0093	33.2803		
	S	148.631	125.900	122.403	135.565	137.449	134.397	133.432	144.040	135.215		
23	T	3.8559	3.4636	4.2945	4.1341	3.8631	4.8753	4.3641	4.0084	32.8590		
	S	150.478	125.198	121.297	137.713	147.550	135.516	134.673	144.072	136.949		
24	T	3.8663	3.4087	4.2228	4.1105	3.8709	4.8519	4.3621	4.0145	32.7077		
	S	150.073	127.215	123.356	138.503	147.253	136.170	134.735	143.854	137.582		
25	T	3.8718	3.3805	4.2209	4.1137	3.8724	4.8488	4.3975	4.0023	32.7079		
	S	149.860	128.276	123.412	138.396	147.196	136.257	133.650	144.292	137.581		
26	T	3.8584	3.3740	4.2589	4.1360	3.8787	4.8710	4.3480	3.9830	32.7080		
	S	150.380	128.523	122.311	137.649	146.956	135.636	135.172	144.991	137.581		
27	T	3.8563	3.5258	4.3645	4.1249	3.8484	4.9549	4.4294	4.0476	33.1518		
	S	150.462	122.989	119.351	138.020	148.114	133.339	132.688	142.677	135.739		
28	T	3.8874	3.4042	4.2738	4.1267	3.8519	4.8415	4.3822	3.9980	32.7657		
	S	149.258	127.383	121.884	137.960	147.979	136.462	134.117	144.447	137.339		
29	T	3.8760	3.4465	4.2584	4.1445	3.8964	4.9171	4.4170	4.0468	33.0027		
	S	149.697	125.819	122.325	137.367	146.289	134.364	133.060	142.705	136.352		
30	T	3.9133	3.4166	4.2297	4.1286	3.8907	4.8112	4.3706	4.0278	32.7885		
	S	148.271	126.920	123.155	137.896	146.503	137.322	134.473	143.379	137.243		
31	T	3.8995	3.4182	4.2654	4.1429	3.8927	4.8196	4.4033	4.0403	32.8819		
	S	148.795	126.861	122.124	137.420	146.428	137.082	133.474	142.935	136.853		
32	T	3.9116	3.4736	4.2513	4.1424	3.8955	4.9100	4.4311	4.0599	33.0754		
	S	148.335	124.838	122.529	137.437	146.323	134.558	132.637	142.245	136.053		
33	T	3.9237	3.3849	4.2548	4.1477	3.9011	4.8411	4.3930	4.0277	32.8740		
	S	147.878	128.109	122.429	137.261	146.113	136.473	133.787	143.382	136.886		
34	T	3.9049	3.4264	4.2722	4.1577	4.2816				51.4239	183.2750	34.1051
	S	148.590	126.557	121.930	136.931	133.128				87.508	5.844	115.012
35	T				4.7072	4.1725	5.2029	4.4275	4.0090	200.0771		34.1209
	S				120.946	136.609	126.983	132.745	144.051	22.491		117.277
36	T	3.8914	3.4452	4.2524	4.1249	3.8636	4.8264	4.3351	3.9966	32.7356		
	S	149.105	125.867	122.498	138.020	147.531	136.889	135.574	144.498	137.465		
37	T	3.8705	3.3954	4.1677	4.0896	3.8519	4.7467	4.3064	3.9700	32.3982		
	S	149.910	127.713	124.987	139.211	147.979	139.188	136.478	145.466	138.897		
38	T	3.8393	3.3493	4.1921	4.1047	3.8593	5.1880	4.5327	4.0591	33.1245		
	S	151.128	129.471	124.260	138.699	147.695	127.348	129.664	142.273	135.851		

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 1**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 1 - Eves, Braden (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	T	3.9187	3.4397	4.2084	4.1216	3.8895	4.8195	4.3507	4.0005	32.7486		
	S	148.066	126.068	123.778	138.130	146.548	137.085	135.088	144.357	137.410		
40	T	3.8859	3.3986	4.1676	4.1086	3.8872	4.7965	4.3234	3.9916	32.5594		
	S	149.316	127.593	124.990	138.567	146.635	137.742	135.941	144.679	138.209		
41	T	3.8778	3.4039	4.1636	4.1042	3.8832	4.7528	4.3077	3.9941	32.4873		
	S	149.628	127.394	125.110	138.716	146.786	139.009	136.436	144.588	138.516		
42	T	3.8880	3.4860	4.3187	4.1884	4.2882				50.5750	259.2844	33.4178
	S	149.235	124.394	120.617	135.927	132.923				88.977	4.131	117.378
43	T				4.8006	4.1567	5.3492	4.5382	4.0768	278.7510		36.6238
	S				118.593	137.128	123.510	129.507	141.655	16.143		109.262
44	T	3.9291	3.5274	4.3341	4.1733	3.8945	4.8912	4.3674	4.0149	33.1319		
	S	147.674	122.934	120.189	136.419	146.360	135.076	134.571	143.839	135.821		
45	T	3.8720	3.4134	4.2305	4.1211	3.8786	4.7795	4.3268	3.9796	32.6015		
	S	149.852	127.039	123.132	138.147	146.960	138.232	135.834	145.115	138.030		
46	T	3.8560	3.3873	4.2389	4.1167	3.8866	4.8058	4.3235	3.9927	32.6075		
	S	150.474	128.018	122.888	138.295	146.658	137.476	135.938	144.639	138.005		
47	T	3.8723	3.3537	4.1853	4.0960	3.8767	4.7473	4.3066	3.9759	32.4138		
	S	149.840	129.301	124.462	138.994	147.032	139.170	136.471	145.250	138.830		
48	T	3.8667	3.3641	4.1532	4.0756	3.8708	4.7559	4.2876	3.9714	32.3453		
	S	150.057	128.901	125.424	139.689	147.256	138.918	137.076	145.415	139.124		
49	T	3.8469	3.3672	4.1251	4.0715	3.8625	4.7447	4.2829	3.9586	32.2594		
	S	150.830	128.782	126.278	139.830	147.573	139.246	137.226	145.885	139.494		
50	T	3.8143	3.4039	4.1493	4.0560	3.8291	4.7579	4.3031	3.9352	32.2488		
	S	152.119	127.394	125.541	140.364	148.860	138.860	136.582	146.752	139.540		
51	T	3.9007	3.7140	4.7680	4.5328	5.9796						45.0761
	S	148.750	116.757	109.251	125.600	95.324						87.020

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 1**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 17 - DeFrancesco, Devlin (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	4.0618	3.8002	4.5585	4.3461	3.9740	4.9737	4.4878	4.1042	34.3063		37.5209
	S	142.850	114.109	114.272	130.995	143.432	132.835	130.961	140.710	131.171		106.650
2	T	3.9677	3.6244	4.4764	4.2720	3.9362	5.0122	4.4841	4.0875	33.8605		
	S	146.238	119.644	116.368	133.267	144.810	131.815	131.069	141.284	132.898		
3	T	4.1376	3.8597	4.5300	4.2519	3.8865	5.1467	4.4587	4.0589	34.3300		
	S	140.233	112.350	114.991	133.897	146.662	128.370	131.816	142.280	131.081		
4	T	3.9211	3.6389	4.3584	4.2097	3.8759	4.9938	4.3757	4.0064	33.3799		
	S	147.976	119.167	119.518	135.240	147.063	132.300	134.316	144.144	134.812		
5	T	3.8903	3.6122	4.3852	4.2012	3.8712	4.8561	4.3387	3.9977	33.1526		
	S	149.147	120.048	118.788	135.513	147.241	136.052	135.462	144.458	135.736		
6	T	3.8764	3.5703	4.3357	4.1667	3.8614	4.8332	4.3388	4.0083	32.9908		
	S	149.682	121.457	120.144	136.635	147.615	136.697	135.458	144.076	136.402		
7	T	3.8763	3.5352	4.2648	4.1198	3.8442	4.8329	4.3297	3.9786	32.7815		
	S	149.686	122.662	122.142	138.191	148.275	136.705	135.743	145.152	137.273		
8	T	3.8459	3.5091	4.3488	4.1653	3.8455	5.1229	4.4060	3.9644	33.2079		
	S	150.869	123.575	119.782	136.681	148.225	128.966	133.392	145.671	135.510		
9	T	3.8717	3.5643	4.4149	4.1869	3.8644	4.9343	4.4158	4.0339	33.2862		
	S	149.864	121.661	117.989	135.976	147.500	133.896	133.096	143.162	135.191		
10	T	3.8977	3.7567	4.5039	4.1787	3.8205	5.1026	4.3828	3.9912	33.6341		
	S	148.864	115.430	115.657	136.243	149.195	129.479	134.099	144.693	133.793		
11	T	3.8748	3.5109	4.2467	4.1250	3.8594	4.8878	4.3803	4.0180	32.9029		
	S	149.744	123.511	122.662	138.017	147.691	135.170	134.175	143.728	136.766		
12	T	3.8669	3.5286	4.3142	4.1339	3.8145	5.1031	4.5330	4.0384	33.3326		
	S	150.050	122.892	120.743	137.719	149.430	129.467	129.655	143.002	135.003		
13	T	3.9008	3.5537	4.2880	4.1421	3.8638	4.8459	4.3572	4.0026	32.9541		
	S	148.746	122.024	121.481	137.447	147.523	136.338	134.886	144.281	136.554		
14	T	3.8746	3.5650	4.2344	4.1148	3.8622	4.8948	4.3434	4.0097	32.8989		
	S	149.752	121.637	123.018	138.359	147.584	134.976	135.315	144.026	136.783		
15	T	3.8877	3.5645	4.2674	4.1647	5.7233				61.7646	824.4173	44.9782
	S	149.247	121.654	122.067	136.701	99.593				72.857	1.299	87.209
16	T				4.7906	4.1194	5.2161	4.3759	3.9832	843.5750		35.9441
	S				118.841	138.370	126.662	134.310	144.984	5.334		111.328
17	T	3.8600	3.5450	4.2456	4.1245	3.8529	4.8365	4.2887	3.9773	32.7305		
	S	150.318	122.323	122.694	138.033	147.941	136.603	137.041	145.199	137.486		
18	T	3.8535	3.5078	4.2037	4.0944	3.8374	4.7721	4.2804	3.9740	32.5233		
	S	150.571	123.621	123.917	139.048	148.538	138.447	137.307	145.320	138.362		
19	T	3.8273	3.4578	4.2115	4.0793	3.8234	4.7688	4.2701	3.9486	32.3868		
	S	151.602	125.408	123.687	139.563	149.082	138.543	137.638	146.254	138.945		

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 1**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 17 - DeFrancesco, Devlin (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	3.8242	3.5384	4.2468	4.0849	3.7874	5.1231	4.3849	3.9817	32.9714		
	S	151.725	122.552	122.659	139.371	150.499	128.961	134.034	145.039	136.482		
21	T	3.8626	3.4951	4.2408	4.1166	3.8538	4.7824	4.2997	3.9768	32.6278		
	S	150.217	124.070	122.833	138.298	147.906	138.149	136.690	145.217	137.919		
22	T	3.8452	3.4397	4.2656	4.1556	5.3723				60.2818	256.5690	43.8928
	S	150.897	126.068	122.119	137.000	106.100				74.649	4.175	89.365
23	T				4.8014	4.1425	5.0708	4.3217	3.9573	274.8422		34.6622
	S				118.573	137.598	130.291	135.994	145.933	16.373		115.445
24	T	3.8520	3.4679	4.1745	4.1116	3.8701	4.8083	4.2608	3.9545	32.4997		
	S	150.630	125.043	124.784	138.466	147.283	137.404	137.938	146.036	138.463		
25	T	3.8432	3.4504	4.1561	4.0850	3.8487	4.7454	4.2734	3.9539	32.3561		
	S	150.975	125.677	125.336	139.368	148.102	139.226	137.532	146.058	139.077		
26	T	3.8269	3.4632	4.1539	4.0825	3.8434	4.7668	4.2592	3.9345	32.3304		
	S	151.618	125.213	125.402	139.453	148.306	138.601	137.990	146.778	139.188		
27	T	3.9213	3.7807	4.8030	5.3409	6.4255				61.4350	103.2911	44.6232
	S	147.968	114.697	108.455	106.596	88.709				73.248	10.370	87.903
28	T				4.7030	4.0783	4.9231	4.2488	3.9242	121.5551		35.0758
	S				121.054	139.764	134.200	138.328	147.164	37.020		114.084
29	T	3.8067	3.4267	4.1341	4.0466	3.8153	4.6913	4.2563	3.9433	32.1203		
	S	152.423	126.546	126.003	140.691	149.398	140.831	138.084	146.451	140.098		
30	T	3.8612	3.7630	4.8197	4.6812	5.4847				57.9382	194.9196	41.1220
	S	150.271	115.237	108.079	121.618	103.925				77.669	5.495	95.387
31	T				5.9843	5.6707	5.8323	4.5147	4.0308	217.6968		39.5934
	S				95.135	100.517	113.280	130.181	143.272	20.671		101.067
32	T	3.8806	3.5428	4.4172	4.8059	4.2602	4.9115	4.2904	3.9642	34.0728		
	S	149.520	122.399	117.927	118.462	133.797	134.517	136.987	145.679	132.070		
33	T	3.8353	3.4882	4.1732	4.0920	3.8522	4.7754	4.2761	3.9531	32.4455		
	S	151.286	124.315	124.822	139.130	147.967	138.351	137.445	146.088	138.694		
34	T	3.8191	3.4297	4.1540	4.0799	3.8444	4.6999	4.2745	3.9383	32.2398		
	S	151.928	126.436	125.399	139.542	148.268	140.574	137.496	146.637	139.579		
35	T	3.8067	3.3960	4.1309	4.0605	3.8355	4.6732	4.1958	3.9164	32.0150		
	S	152.423	127.690	126.101	140.209	148.612	141.377	140.075	147.457	140.559		
36	T	3.7964	3.4284	4.1470	4.0683	3.8340	4.7716	4.2894	3.9557	32.2908		
	S	152.836	126.484	125.611	139.940	148.670	138.461	137.019	145.992	139.359		
37	T	3.8076	3.4040	4.1395	4.0449	3.8178	4.7088	4.2826	3.9341	32.1393		
	S	152.387	127.390	125.839	140.750	149.301	140.308	137.236	146.793	140.015		
38	T	3.7962	3.4094	4.3327	4.7615	6.4290				62.4369		45.7441
	S	152.844	127.188	120.227	119.567	88.661				72.073		85.749

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 1**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 18 - McElrea, Hunter (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	4.6589	4.5019	5.0196	4.4494	4.0859	5.6067	4.8677	4.2175	37.4076		40.8407
	S	124.542	96.323	103.775	127.954	139.504	117.838	120.740	136.929	120.296		97.980
2	T	4.1681	3.8450	4.5539	4.2884	3.9509	5.1830	4.5715	4.1262	34.6870		
	S	139.207	112.779	114.387	132.758	144.271	127.471	128.563	139.959	129.732		
3	T	4.0614	3.6553	4.4696	4.2463	3.9130	5.1235	4.5326	4.0874	34.0891		
	S	142.864	118.632	116.545	134.074	145.668	128.951	129.667	141.288	132.007		
4	T	3.9473	3.6125	4.6948	4.2602	3.9290	5.1789	4.5383	4.0922	34.2532		
	S	146.993	120.038	110.954	133.636	145.075	127.572	129.504	141.122	131.375		
5	T	3.9652	3.7216	4.7651	4.3840	5.4065				55.3726	98.3724	38.6823
	S	146.330	116.519	109.318	129.863	105.429				81.268	10.889	101.403
6	T				4.7784	4.1654	5.3863	4.6704	4.1262	116.2893		34.6072
	S				119.144	136.842	122.660	125.841	139.959	38.697		115.629
7	T	4.0415	3.6041	4.4685	4.2405	3.9003	5.0760	4.4916	4.0791	33.9016		
	S	143.567	120.318	116.574	134.257	146.143	130.158	130.850	141.575	132.737		
8	T	3.9861	3.6317	4.5654	4.2615	3.9012	4.9966	4.5311	4.0866	33.9602		
	S	145.563	119.403	114.099	133.596	146.109	132.226	129.710	141.316	132.508		
9	T	3.9421	3.5642	4.7482	4.7506	4.1875	5.0517	4.4657	4.0626	34.7726		
	S	147.187	121.664	109.707	119.841	136.119	130.784	131.609	142.150	129.412		
10	T	3.9514	3.5125	4.4295	4.1811	3.8773	4.9197	4.3889	4.0134	33.2738		
	S	146.841	123.455	117.600	136.165	147.010	134.293	133.912	143.893	135.242		
11	T	3.9213	3.4996	4.4143	4.1979	3.8668	4.9056	4.6558	4.1473	33.6086		
	S	147.968	123.910	118.005	135.620	147.409	134.679	126.236	139.247	133.894		
12	T	4.0012	3.5391	4.4362	4.2152	3.8803	4.9194	4.4404	4.0556	33.4874		
	S	145.013	122.527	117.422	135.063	146.896	134.301	132.359	142.396	134.379		
13	T	3.9364	3.4853	4.3843	4.1803	3.8681	4.8833	4.4233	4.0524	33.2134		
	S	147.400	124.419	118.812	136.191	147.359	135.294	132.871	142.508	135.487		
14	T	3.9243	3.4553	4.3834	4.1821	3.8700	4.8497	4.3920	4.0179	33.0747		
	S	147.855	125.499	118.837	136.132	147.287	136.231	133.818	143.732	136.056		
15	T	3.9206	3.4734	4.3887	4.1848	3.8736	4.9062	4.3979	3.9973	33.1425		
	S	147.995	124.845	118.693	136.044	147.150	134.663	133.638	144.473	135.777		
16	T	3.9821	3.7059	4.6557	4.5572	5.5451				57.3520	490.5833	40.6411
	S	145.709	117.012	111.886	124.927	102.793				78.463	2.183	96.516
17	T				4.7423	4.1329	5.2218	4.5426	4.1110	508.1881		34.3157
	S				120.051	137.918	126.524	129.381	140.477	8.855		116.611
18	T	4.0120	3.5575	4.3782	4.2111	3.9084	4.9120	4.3988	4.0266	33.4046		
	S	144.623	121.894	118.978	135.195	145.840	134.504	133.611	143.421	134.712		
19	T	3.9480	3.4932	4.3065	4.1586	3.8864	4.7896	4.3761	4.0055	32.9639		
	S	146.967	124.137	120.959	136.901	146.665	137.941	134.304	144.177	136.513		

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 1**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 18 - McElrea, Hunter (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	3.9102	3.4387	4.3005	4.1407	3.8748	4.7643	4.3755	4.0013	32.8060		
	S	148.388	126.105	121.128	137.493	147.104	138.673	134.322	144.328	137.170		
21	T	3.8734	3.3654	4.3597	4.1655	3.8733	4.8076	4.3990	4.0114	32.8553		
	S	149.798	128.851	119.483	136.675	147.161	137.424	133.605	143.965	136.964		
22	T	3.8880	3.4127	4.3468	4.1750	3.8854	4.8174	4.3859	4.0085	32.9197		
	S	149.235	127.065	119.837	136.364	146.703	137.145	134.004	144.069	136.696		
23	T	3.8841	3.4054	4.3396	4.4821	4.4932	5.0085	4.4275	4.0216	34.0620		
	S	149.385	127.338	120.036	127.020	126.858	131.912	132.745	143.600	132.112		
24	T	3.8882	3.4546	4.3964	4.1507	3.8255	5.1062	4.5943	4.1300	33.5459		
	S	149.228	125.524	118.485	137.162	149.000	129.388	127.925	139.831	134.145		
25	T	3.9308	3.3883	4.3445	4.1618	3.8757	4.8077	4.3891	4.0139	32.9118		
	S	147.610	127.981	119.901	136.796	147.070	137.422	133.906	143.875	136.729		
26	T	3.8923	3.4043	4.3480	4.2029	3.8963	4.7886	4.3936	4.0188	32.9448		
	S	149.071	127.379	119.804	135.458	146.293	137.970	133.769	143.700	136.592		
27	T	3.9092	3.4476	4.5511	4.9401	4.5895				54.1224	190.0582	37.4256
	S	148.426	125.779	114.458	115.244	124.197				83.145	5.636	104.808
28	T				4.7118	4.1026	5.0422	4.4000	4.0402	206.8991		33.5377
	S				120.828	138.936	131.030	133.574	142.938	21.750		119.316
29	T	3.9256	3.4422	4.2507	4.1383	3.8731	4.7600	4.2815	3.9683	32.6397		
	S	147.806	125.977	122.547	137.573	147.169	138.799	137.271	145.528	137.869		
30	T	3.8647	3.3545	4.4357	4.2161	3.9065	4.8073	4.3066	3.9670	32.8584		
	S	150.135	129.270	117.436	135.034	145.911	137.433	136.471	145.576	136.951		
31	T	3.8756	3.4026	4.2667	4.1436	3.8827	4.7153	4.2987	3.9618	32.5470		
	S	149.713	127.443	122.087	137.397	146.805	140.114	136.722	145.767	138.262		
32	T	3.8582	3.3795	4.2384	4.1209	3.8747	4.8679	4.4421	4.0170	32.7987		
	S	150.388	128.314	122.902	138.154	147.108	135.722	132.308	143.764	137.201		
33	T	3.8875	3.4346	4.3588	4.1526	3.8114	4.8379	4.3827	3.9939	32.8594		
	S	149.255	126.255	119.507	137.099	149.551	136.564	134.102	144.596	136.947		
34	T	3.8877	3.4288	4.2546	4.1395	3.8762	4.7345	4.3329	3.9693	32.6235		
	S	149.247	126.469	122.434	137.533	147.051	139.546	135.643	145.492	137.937		
35	T	3.8566	3.3861	4.2558	4.1364	3.8689	4.7627	4.3220	3.9656	32.5541		
	S	150.450	128.064	122.400	137.636	147.329	138.720	135.985	145.627	138.231		
36	T	3.8480	3.3920	4.2418	4.1142	3.8605	4.7614	4.3390	3.9702	32.5271		
	S	150.787	127.841	122.804	138.379	147.649	138.758	135.452	145.459	138.346		
37	T	3.8368	3.3517	4.3423	4.1902	3.8812	4.7957	4.3257	3.9789	32.7025		
	S	151.227	129.378	119.962	135.869	146.862	137.765	135.869	145.141	137.604		
38	T	3.8524	3.4464	4.2786	4.1209	3.8383	4.9709	5.0525	4.4669	34.0269		
	S	150.614	125.823	121.748	138.154	148.503	132.910	116.324	129.284	132.248		

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 1**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 18 - McElrea, Hunter (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	T	4.2860	3.7172	4.3053	4.1507	3.8629	4.8784	4.3275	3.9713	33.4993		
	S	135.377	116.657	120.993	137.162	147.558	135.430	135.812	145.418	134.331		
40	T	3.8561	3.5004	4.6094	4.3215	3.9517	4.8722	4.3060	3.9707	33.3880		
	S	150.470	123.882	113.010	131.741	144.242	135.602	136.490	145.440	134.779		
41	T	3.8412	3.4020	4.2860	4.1265	3.8616	4.7562	4.2921	3.9541	32.5197		
	S	151.054	127.465	121.537	137.966	147.607	138.910	136.932	146.051	138.378		
42	T	3.8220	3.3598	4.3335	4.2985	5.0980				54.0013	201.3777	37.3527
	S	151.812	129.066	120.205	132.446	111.809				83.331	5.319	105.012
43	T				4.7276	4.1350	5.1962	4.4823	4.0673	219.1650		34.4359
	S				120.424	137.848	127.147	131.122	141.986	20.532		116.204
44	T	3.9631	3.5137	4.2812	4.1596	3.8913	4.8467	4.3731	4.0101	33.0388		
	S	146.407	123.413	121.674	136.868	146.481	136.316	134.396	144.011	136.203		
45	T	3.8900	3.4234	4.2717	4.1412	3.8735	4.7805	4.4817	4.0332	32.8952		
	S	149.159	126.668	121.944	137.477	147.154	138.203	131.139	143.187	136.798		
46	T	3.8799	3.3738	4.3126	4.1454	3.8711	4.7537	4.5893	4.1247	33.0505		
	S	149.547	128.531	120.788	137.337	147.245	138.983	128.065	140.010	136.155		
47	T	3.9351	3.4355	4.3101	4.1451	3.8746	4.8129	4.3830	4.0083	32.9046		
	S	147.449	126.222	120.858	137.347	147.112	137.273	134.092	144.076	136.759		
48	T	3.8614	3.3543	4.2707	4.1189	3.8689	4.7373	4.4416	4.0226	32.6757		
	S	150.263	129.278	121.973	138.221	147.329	139.464	132.323	143.564	137.717		
49	T	3.8677	3.4020	4.5882	4.7995	5.4812				56.8519		40.1552
	S	150.019	127.465	113.532	118.620	103.992				79.153		97.683

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 1**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 19 - Kaminsky, Colin (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	4.4766	4.3281	5.0594	4.4479	4.0800	5.6706	5.0071	4.2889	37.3586		41.5490
	S	129.613	100.191	102.959	127.997	139.706	116.510	117.379	134.650	120.454		96.310
2	T	4.1317	3.7971	4.7008	4.3634	4.0861	5.7190	4.8881	4.2176	35.9038		
	S	140.433	114.202	110.813	130.476	139.497	115.524	120.236	136.926	125.335		
3	T	4.8083	4.2887	5.1792	5.3036	4.4013	5.4119	4.8264	4.1961	38.4155		
	S	120.672	101.111	100.577	107.346	129.507	122.079	121.773	137.628	117.140		
4	T	4.0786	3.6201	4.5256	4.2791	3.9688	5.4409	4.7816	4.1616	34.8563		
	S	142.261	119.786	115.103	133.046	143.620	121.429	122.914	138.769	129.101		
5	T	4.0613	3.7134	4.5766	4.3021	4.0158	5.3786	4.6790	4.1174	34.8442		
	S	142.867	116.776	113.820	132.335	141.939	122.835	125.610	140.258	129.146		
6	T	4.0825	3.7117	4.5725	4.2989	3.9651	5.4214	4.7291	4.1405	34.9217		
	S	142.125	116.830	113.922	132.433	143.754	121.866	124.279	139.476	128.860		
7	T	4.0202	3.5797	4.5154	4.2563	3.9454	5.2332	4.6086	4.0963	34.2551		
	S	144.328	121.138	115.363	133.759	144.472	126.248	127.528	140.981	131.367		
8	T	4.0055	3.6656	4.5704	4.2942	3.9536	5.2664	4.6604	4.1845	34.6006		
	S	144.858	118.299	113.975	132.578	144.172	125.452	126.111	138.009	130.056		
9	T	4.0557	3.6954	4.6229	4.4173	5.5268				55.4718	170.3298	38.3131
	S	143.065	117.345	112.680	128.884	103.134				81.122	6.289	102.380
10	T				5.0072	4.9920	5.6283	4.7231	4.1529	189.9832		36.8121
	S				113.700	114.183	117.386	124.437	139.059	23.686		108.703
11	T	4.0263	3.6216	4.5174	4.2654	3.9234	5.0775	4.5348	4.1150	34.0814		
	S	144.109	119.736	115.312	133.474	145.282	130.120	129.604	140.340	132.037		
12	T	4.0004	3.5630	4.4340	4.2015	3.8980	5.0317	4.4774	4.0701	33.6761		
	S	145.042	121.705	117.481	135.504	146.229	131.304	131.265	141.888	133.626		
13	T	3.9333	3.4754	4.4281	4.2022	3.8807	5.0068	4.4948	4.0749	33.4962		
	S	147.517	124.773	117.637	135.481	146.881	131.957	130.757	141.721	134.344		
14	T	3.9577	3.5453	4.4553	4.2104	3.8883	5.0020	4.5431	4.0905	33.6926		
	S	146.607	122.313	116.919	135.217	146.594	132.084	129.367	141.181	133.560		
15	T	3.9616			4.2261	3.9052	5.0096	4.5135	4.0866	33.6747		
	S	146.463			134.715	145.959	131.883	130.215	141.316	133.631		
16	T	4.5622	4.7412	6.1311	5.8756	6.8480				65.9670	397.2872	48.4844
	S	127.181	91.461	84.962	96.895	83.236				68.216	2.696	80.902
17	T				4.8009	4.1543	5.7834	4.9839	4.2181	415.8055		36.0009
	S				118.586	137.207	114.238	117.925	136.910	10.822		111.153
18	T	4.0339	3.6314	4.5394	4.2866	3.9284	4.9998	4.5835	4.1839	34.1869		
	S	143.838	119.413	114.753	132.813	145.097	132.142	128.227	138.029	131.629		
19	T	4.0357	3.6019	4.4850	4.2304	3.8728	4.9579	4.4530	4.0463	33.6830		
	S	143.774	120.391	116.145	134.578	147.180	133.258	131.985	142.723	133.599		

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 1**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 19 - Kaminsky, Colin (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	3.9573	3.5543	4.3832	4.1602	3.8689	4.9378	4.4285	4.0339	33.3241		
	S	146.622	122.003	118.842	136.849	147.329	133.801	132.715	143.162	135.037		
21	T	3.9135	3.4781	4.4004	4.1857	3.8827	4.8638	4.4213	4.0247	33.1702		
	S	148.263	124.676	118.378	136.015	146.805	135.837	132.931	143.489	135.664		
22	T	3.8917	3.4310	4.3880	4.1812	3.8820	4.9514	4.4339	4.0357	33.1949		
	S	149.094	126.388	118.712	136.161	146.832	133.433	132.553	143.098	135.563		
23	T	3.9064	3.4587	4.4120	4.1900	3.8809	4.8697	4.4067	4.0189	33.1433		
	S	148.532	125.376	118.066	135.875	146.873	135.672	133.371	143.696	135.774		
24	T	3.8917	3.4465	4.3897	4.1827	3.8870	4.8216	4.4358	4.0283	33.0833		
	S	149.094	125.819	118.666	136.113	146.643	137.025	132.496	143.361	136.020		
25	T	3.8876	3.4110	4.3766	4.1846	3.8798	4.8610	4.3989	4.0370	33.0365		
	S	149.251	127.129	119.021	136.051	146.915	135.915	133.608	143.052	136.213		
26	T	3.9142	3.4441	4.4127	4.2064	3.8895	4.8232	4.4326	4.0209	33.1436		
	S	148.236	125.907	118.048	135.346	146.548	136.980	132.592	143.625	135.773		
27	T	3.8938	3.4198	4.3274	4.1433	3.8434	4.8604	4.4218	4.0291	32.9390		
	S	149.013	126.802	120.375	137.407	148.306	135.932	132.916	143.332	136.616		
28	T	3.8740	3.4089	4.4954	4.2361	3.8884	4.9410	4.5048	4.0733	33.4219		
	S	149.775	127.207	115.876	134.397	146.590	133.714	130.467	141.777	134.642		
29	T	3.9470	3.5326	4.4560	4.2025	3.9317	5.1275	4.5396	4.0859	33.8228		
	S	147.005	122.753	116.901	135.471	144.975	128.851	129.467	141.340	133.046		
30	T	3.9620	3.5951	4.4372	4.1882	4.0128	5.1156	4.4722	4.0395	33.8226		
	S	146.448	120.619	117.396	135.934	142.045	129.150	131.418	142.963	133.047		
31	T	3.9496	3.5503	4.4493	4.1633	3.8287	5.0642	4.4982	4.0130	33.5166		
	S	146.908	122.141	117.077	136.747	148.876	130.461	130.658	143.907	134.262		
32	T	3.9223	3.6606	4.4562	4.2051	3.8894	4.8279	4.3890	4.0044	33.3549		
	S	147.930	118.460	116.895	135.388	146.552	136.847	133.909	144.216	134.913		
33	T	3.8912	3.4334	4.3429	4.1643	3.8739	4.7850	4.3699	3.9976	32.8582		
	S	149.113	126.299	119.945	136.714	147.139	138.074	134.494	144.462	136.952		
34	T	3.8710	3.3796	4.3290	4.1496	3.8634	4.7444	4.3884	4.0056	32.7310		
	S	149.891	128.310	120.330	137.198	147.538	139.255	133.927	144.173	137.484		
35	T	3.8789	3.4250	4.2715	4.1294	3.8596	4.7789	4.3302	3.9860	32.6595		
	S	149.586	126.609	121.950	137.869	147.684	138.250	135.728	144.882	137.785		
36	T	3.8696	3.3975	4.3260	4.1737	3.8801	5.2914	4.7148	4.1624	33.8155		
	S	149.945	127.634	120.414	136.406	146.903	124.860	124.656	138.742	133.075		
37	T	3.9579	3.4830	4.4234	4.2457	5.2515				54.9844	156.3069	38.4744
	S	146.600	124.501	117.762	134.093	108.540				81.841	6.853	101.951
38	T				4.9723	4.4330	6.0880	4.9621	4.2195	177.1256		37.3287
	S				114.498	128.581	108.522	118.443	136.865	25.406		107.199

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 1**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 19 - Kaminsky, Colin (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	T	4.0460	3.5968	4.4391	4.2236	3.9064	4.8431	4.4111	4.0118	33.4779		
	S	143.408	120.562	117.346	134.795	145.914	136.417	133.238	143.950	134.417		
40	T	3.9125	3.4521	4.2770	4.1261	3.8610	4.8138	4.3361	3.9878	32.7664		
	S	148.301	125.615	121.793	137.980	147.630	137.247	135.543	144.817	137.336		
41	T	3.8684	3.3859	4.2650	4.1550	4.9325				52.3462	105.5119	35.3945
	S	149.992	128.071	122.136	137.020	115.560				85.966	10.152	110.822
42	T				6.4579	6.8313				160.9434	80.0384	
	S				88.158	83.439				27.960	13.383	
43	T				4.8281	4.1659	5.0516	4.4703	4.0740	96.9103	34.9263	
	S				117.918	136.825	130.787	131.474	141.753	46.435	114.572	
44	T	3.9680	3.5218	4.3914	4.2144	3.9130	4.8339	4.3674	4.0073	33.2172		
	S	146.227	123.129	118.620	135.089	145.668	136.677	134.571	144.112	135.472		
45	T	3.9023	3.4288	4.2631	4.1452	3.8888	4.7598	4.3521	4.0044	32.7445		
	S	148.689	126.469	122.190	137.344	146.575	138.805	135.045	144.216	137.428		
46	T	3.8871	3.3825	4.2587	4.1329	3.8790	4.7319	4.3410	3.9879	32.6010		
	S	149.270	128.200	122.316	137.753	146.945	139.623	135.390	144.813	138.033		
47	T	3.8835	3.4020	4.2870	4.1502	3.8829	4.7527	4.3004	3.9752	32.6339		
	S	149.408	127.465	121.509	137.178	146.797	139.012	136.668	145.276	137.893		
48	T	3.8796	3.4155	4.2885	4.1397	3.8798	4.7018	4.2895	3.9675	32.5619		
	S	149.559	126.961	121.467	137.526	146.915	140.517	137.015	145.558	138.198		
49	T	3.8581	3.3913	4.3445	4.1680	3.8915	4.7369	4.3869	4.0073	32.7845		
	S	150.392	127.867	119.901	136.593	146.473	139.476	133.973	144.112	137.260		
50	T	3.8847	3.3860	4.3322	4.1677	3.8852	4.7417	4.3501	3.9918	32.7394		
	S	149.362	128.067	120.241	136.602	146.711	139.334	135.107	144.672	137.449		
51	T	4.3077	4.0663	4.9488	4.8487	5.4192						42.2681
	S	134.695	106.642	105.260	117.417	105.182						92.800

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 1**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 2 - Robb, Sting Ray

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	4.0087	3.7033	4.6427	4.3092	3.9681	5.1445	4.5974	4.1325	34.5064		37.1259
	S	144.742	117.095	112.200	132.117	143.646	128.425	127.839	139.746	130.411		107.784
2	T	3.9815	3.5742	4.4797	4.2436	3.9374	5.1229	4.5254	4.0785	33.9432		
	S	145.731	121.324	116.282	134.159	144.766	128.966	129.873	141.596	132.574		
3	T	3.9266	3.6262	4.5951	4.2718	3.9296	5.0218	4.6245	4.1099	34.1055		
	S	147.768	119.584	113.362	133.274	145.053	131.563	127.090	140.514	131.944		
4	T	3.9523	3.5730	4.3818	4.1865	3.8998	5.0456	4.4391	3.9923	33.4704		
	S	146.807	121.365	118.880	135.989	146.161	130.942	132.398	144.653	134.447		
5	T	3.9131	3.6664	4.4974	4.1955	3.8476	5.1168	4.4640	3.9699	33.6707		
	S	148.278	118.273	115.824	135.697	148.144	129.120	131.659	145.470	133.647		
6	T	3.8158	3.4812	4.3899	4.1713	3.8656	4.8481	4.4497	4.0130	33.0346		
	S	152.059	124.565	118.661	136.485	147.454	136.276	132.082	143.907	136.221		
7	T	3.8487	3.4717	4.4223	4.2067	3.8913	4.8322	4.3722	3.9942	33.0393		
	S	150.759	124.906	117.791	135.336	146.481	136.725	134.424	144.585	136.201		
8	T	3.8514	3.3911	4.3832	4.1636	3.8525	4.9400	4.4479	4.0078	33.0375		
	S	150.654	127.875	118.842	136.737	147.956	133.741	132.136	144.094	136.209		
9	T	3.8643	3.5317	4.4508	4.1978	3.8562	5.1084	4.4225	3.9857	33.4174		
	S	150.151	122.784	117.037	135.623	147.814	129.332	132.895	144.893	134.660		
10	T	3.8611	3.6333	4.4585	4.1925	3.8501	4.9903	4.4329	3.9787	33.3974		
	S	150.275	119.351	116.835	135.794	148.048	132.393	132.583	145.148	134.741		
11	T	3.8167	3.4926	4.3253	4.1711	3.8850	4.8323	4.3341	4.0119	32.8690		
	S	152.023	124.159	120.433	136.491	146.718	136.722	135.605	143.947	136.907		
12	T	3.8931	3.5200	4.2944	4.1517	3.8839	4.7480	4.3880	4.0212	32.9003		
	S	149.040	123.192	121.300	137.129	146.760	139.149	133.940	143.614	136.777		
13	T	3.9001	3.5386	4.3301	4.1620	3.8804	4.8164	4.3404	3.9883	32.9563		
	S	148.772	122.545	120.300	136.790	146.892	137.173	135.409	144.799	136.544		
14	T	3.8704	3.4536	4.2570	4.1211	3.8563	4.8011	4.3309	3.9741	32.6645		
	S	149.914	125.561	122.365	138.147	147.810	137.611	135.706	145.316	137.764		
15	T	3.8745	3.5856	4.3955	4.1893	4.1176				51.2335	462.8233	34.3670
	S	149.755	120.938	118.510	135.898	138.430				87.833	2.314	114.136
16	T				5.0475	4.2700	5.1843	4.5108	4.0878	480.5786		34.6218
	S				112.792	133.489	127.439	130.293	141.274	9.364		115.580
17	T	3.9526	3.6069	4.3907	4.1990	3.9123	4.8964	4.5354	4.0776	33.5709		
	S	146.796	120.224	118.639	135.584	145.694	134.932	129.587	141.627	134.045		
18	T	3.9234	3.4722	4.3118	4.1527	3.8877	4.7509	4.3218	3.9777	32.7982		
	S	147.889	124.888	120.810	137.096	146.616	139.065	135.991	145.184	137.203		
19	T	3.8553	3.4358	4.2390	4.1150	3.8511	4.9002	4.5775	4.1532	33.1271		
	S	150.501	126.211	122.885	138.352	148.010	134.828	128.395	139.049	135.840		

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 1**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 2 - Robb, Sting Ray

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	3.9469	3.5485	4.4216	4.1731	3.8479	4.7966	4.4104	3.9833	33.1283		
	S	147.008	122.203	117.810	136.426	148.133	137.740	133.259	144.980	135.836		
21	T	3.8103	3.4450	4.3292	4.0989	3.8250	4.9900	4.4556	3.9943	32.9483		
	S	152.279	125.874	120.325	138.895	149.020	132.401	131.908	144.581	136.578		
22	T	3.8645	3.5113	4.3976	4.1520	3.8323	4.7638	4.3371	3.9732	32.8318		
	S	150.143	123.497	118.453	137.119	148.736	138.688	135.512	145.349	137.062		
23	T	3.8028	3.3720	4.3474	4.1509	3.8519	4.6939	4.3904	3.9801	32.5894		
	S	152.579	128.599	119.821	137.155	147.979	140.753	133.866	145.097	138.082		
24	T	3.8423	3.4631	4.2191	4.0994	4.3168				52.1963	394.5445	35.1719
	S	151.010	125.216	123.465	138.878	132.042				86.213	2.715	111.524
25	T				4.8245	4.1611	4.9802	4.4193	4.0384	411.5466		34.0265
	S				118.006	136.983	132.662	132.991	143.002	10.934		117.602
26	T	3.8959	3.5189	4.4475	4.2049	3.9164	5.1057	4.5102	4.0122	33.6117		
	S	148.933	123.231	117.124	135.394	145.542	129.401	130.311	143.936	133.882		
27	T	3.8435	3.5077	4.2704	4.1021	3.8314	4.8019	4.3237	3.9230	32.6037		
	S	150.963	123.624	121.981	138.787	148.771	137.588	135.932	147.209	138.021		
28	T	3.7747	3.4642	4.2757	4.0933	3.8097	4.8208	4.3641	3.9324	32.5349		
	S	153.715	125.176	121.830	139.085	149.618	137.048	134.673	146.857	138.313		
29	T	3.7667	3.4392	4.2904	4.0844	3.7992	4.8065	4.4180	3.9697	32.5741		
	S	154.041	126.086	121.413	139.388	150.032	137.456	133.030	145.477	138.147		
30	T	3.9023	3.5589	4.1852	4.0612	3.8016	4.8187	4.3086	3.9031	32.5396		
	S	148.689	121.846	124.465	140.185	149.937	137.108	136.408	147.959	138.293		
31	T	3.7813	3.5643	4.2720	4.0603	3.7542	4.8531	4.3767	3.9881	32.6500		
	S	153.447	121.661	121.936	140.216	151.830	136.136	134.285	144.806	137.825		
32	T	3.8266	3.4063	4.2141	4.0808	3.8320	5.0390	4.5870	4.1078	33.0936		
	S	151.630	127.304	123.611	139.511	148.747	131.114	128.129	140.586	135.978		
33	T	3.9202	3.4206	4.2670	4.1308	3.8753	4.6769	4.3198	3.9565	32.5671		
	S	148.010	126.772	122.079	137.823	147.085	141.265	136.054	145.962	138.176		
34	T	3.8345	3.3858	4.2434	4.1165	3.8713	4.7666	4.3362	3.9797	32.5340		
	S	151.318	128.075	122.757	138.302	147.237	138.607	135.540	145.111	138.317		
35	T	3.8448	3.4618	4.1653	4.0966	4.2494				51.3719	178.3055	34.4790
	S	150.912	125.263	125.059	138.973	134.137				87.597	6.007	113.765
36	T				4.8173	4.1520	4.9555	4.3992	4.0114	195.3866		33.9740
	S				118.182	137.283	133.323	133.599	143.965	23.031		117.784
37	T	3.8765	3.5162	4.2525	4.1405	3.8893	4.7932	4.3971	3.9941	32.8594		
	S	149.678	123.325	122.495	137.500	146.556	137.837	133.662	144.588	136.947		
38	T	3.8451	3.5036	4.2785	4.1349	3.8783	4.7321	4.3096	3.9610	32.6431		
	S	150.900	123.769	121.750	137.686	146.972	139.617	136.376	145.797	137.855		

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 1**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 2 - Robb, Sting Ray

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	T	3.8255	3.4552	4.2202	4.1081	3.8671	4.7342	4.2872	3.9490	32.4465		
	S	151.674	125.503	123.432	138.584	147.397	139.555	137.089	146.240	138.690		
40	T	3.8143	3.4366	4.1912	4.0903	3.8562	4.7369	4.3121	3.9544	32.3920		
	S	152.119	126.182	124.286	139.187	147.814	139.476	136.297	146.040	138.923		
41	T	3.8240	3.4229	4.1773	4.0780	3.8399	4.7556	4.3124	3.9481	32.3582		
	S	151.733	126.687	124.700	139.607	148.441	138.927	136.288	146.273	139.068		
42	T	3.8074	3.4029	4.1619	4.0680	3.8438	4.7042	4.3083	3.9545	32.2510		
	S	152.395	127.431	125.161	139.950	148.291	140.445	136.417	146.036	139.531		
43	T	3.8154	3.3988	4.2018	4.0912	3.8603	4.7317	4.3141	3.9705	32.3838		
	S	152.075	127.585	123.973	139.157	147.657	139.629	136.234	145.448	138.958		
44	T	3.8336	3.3653	4.1660	4.0737	3.8479	4.7102	4.2697	3.9530	32.2194		
	S	151.353	128.855	125.038	139.755	148.133	140.266	137.651	146.092	139.667		
45	T	3.8401	3.4482	4.1687	4.7039	6.2718						41.1363
	S	151.097	125.757	124.957	121.031	90.883						95.354

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 1**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 20 - Swanson, Kody (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	4.4062	4.3729	4.9714	4.5267	4.1658	5.8013	4.9412	4.3678	37.5533		42.7486
	S	131.684	99.164	104.781	125.769	136.828	113.885	118.944	132.218	119.830		93.608
2	T	4.2269	4.1465	4.7751	4.4319	4.1377	5.6635	4.8304	4.2987	36.5107		
	S	137.270	104.579	109.089	128.459	137.758	116.656	121.673	134.343	123.252		
3	T	4.1969	4.0960	4.7574	4.4314	4.1083	5.4950	4.7295	4.2516	36.0661		
	S	138.251	105.868	109.494	128.474	138.744	120.233	124.268	135.831	124.771		
4	T	4.1707	3.9764	4.5410	4.3401	4.0637	5.3024	4.5959	4.1898	35.1800		
	S	139.120	109.053	114.712	131.176	140.266	124.601	127.881	137.835	127.914		
5	T	4.1039	3.8226	4.4655	4.3006	4.0273	5.1434	4.5188	4.1395	34.5216		
	S	141.384	113.440	116.652	132.381	141.534	128.452	130.063	139.510	130.353		
6	T	4.0525	3.7629	4.4019	4.2549	3.9986	5.1837	4.4977	4.1278	34.2800		
	S	143.178	115.240	118.337	133.803	142.550	127.454	130.673	139.905	131.272		
7	T	4.0497	3.8104	4.4344	4.2713	4.0128	5.2803	4.8218	4.2653	34.9460		
	S	143.277	113.803	117.470	133.289	142.045	125.122	121.890	135.395	128.770		
8	T	4.0560	3.8020	4.4195	4.2218	3.9344	5.2385	4.6167	4.1615	34.4504		
	S	143.054	114.055	117.866	134.852	144.876	126.120	127.305	138.772	130.623		
9	T	4.0334	3.7550	4.4141	4.2562	3.9949	5.1530	4.5242	4.1561	34.2869		
	S	143.856	115.482	118.010	133.762	142.682	128.213	129.907	138.952	131.245		
10	T	4.0944	3.8710	4.5229	4.3091	4.9417				56.2595	785.5317	39.6600
	S	141.712	112.022	115.171	132.120	115.345				79.986	1.364	98.903
11	T				4.9102	4.2404	5.6006	4.7501	4.2799	806.3363		37.4041
	S				115.946	134.421	117.966	123.729	134.933	5.581		106.983
12	T	4.1194	3.8328	4.4989	4.2988	4.0328	5.2357	4.5486	4.1467	34.7137		
	S	140.852	113.138	115.786	132.437	141.341	126.188	129.211	139.267	129.632		
13	T	4.0362	3.6934	4.3201	4.2239	3.9917	5.0777	4.4310	4.0862	33.8602		
	S	143.756	117.408	120.578	134.785	142.796	130.114	132.640	141.329	132.899		
14	T	4.0015	3.6875	4.3216	4.2202	3.9884	5.0573	4.4538	4.0936	33.8239		
	S	145.002	117.596	120.536	134.903	142.914	130.639	131.961	141.074	133.042		
15	T	4.0123	3.6804	4.3622	4.2240	3.9872	5.1446	4.4413	4.0951	33.9471		
	S	144.612	117.823	119.414	134.782	142.957	128.422	132.332	141.022	132.559		
16	T	4.0122	3.6995	4.2794	4.1923	3.9626	5.0417	4.4269	4.0819	33.6965		
	S	144.616	117.215	121.725	135.801	143.845	131.043	132.763	141.478	133.545		
17	T	4.0076	3.7278	4.2990	4.1868	3.9581	5.0484	4.4565	4.0976	33.7818		
	S	144.782	116.325	121.170	135.979	144.008	130.870	131.881	140.936	133.208		
18	T	4.0025	3.6539	4.3134	4.2051	3.9745	5.1322	4.4995	4.1323	33.9134		
	S	144.966	118.678	120.765	135.388	143.414	128.733	130.621	139.753	132.691		
19	T	4.0707	3.7707	4.3034	4.1588	3.9092	5.0160	4.4551	4.0895	33.7734		
	S	142.537	115.002	121.046	136.895	145.810	131.715	131.922	141.215	133.241		

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 1**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 20 - Swanson, Kody (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	3.9771	3.7278	4.4908	4.2537	4.0618	5.4229	4.5726	4.1302	34.6369		
	S	145.892	116.325	115.995	133.841	140.332	121.832	128.532	139.824	129.919		
21	T	4.0102	3.7971	4.3971	4.2159	3.9586	5.1366	4.4730	4.1132	34.1017		
	S	144.688	114.202	118.467	135.041	143.990	128.622	131.394	140.402	131.958		
22	T	4.0201	3.7496	4.3903	4.2145	3.9732	5.0809	4.3930	4.0861	33.9077		
	S	144.332	115.649	118.650	135.086	143.461	130.032	133.787	141.333	132.713		
23	T	3.9843	3.7100	4.2726	4.1876	3.9617	5.0631	4.4498	4.1063	33.7354		
	S	145.628	116.883	121.919	135.953	143.878	130.490	132.079	140.638	133.391		
24	T	3.9952	3.6868	4.3732	4.2279	3.9990	5.4916	4.7712	4.2333	34.7782		
	S	145.231	117.619	119.114	134.657	142.536	120.308	123.182	136.418	129.391		
25	T	4.0741	3.6406	4.3290	4.1761	3.8987	4.9829	4.3464	4.0374	33.4852		
	S	142.419	119.111	120.330	136.328	146.203	132.590	135.222	143.038	134.388		
26	T	3.9334	3.6114	4.3355	4.1925	3.9255	4.9886	4.4138	4.0633	33.4640		
	S	147.513	120.074	120.150	135.794	145.204	132.438	133.157	142.126	134.473		
27	T	3.9605	3.5930	4.6007	4.7917	5.6757				59.8923	376.1348	43.1417
	S	146.504	120.689	113.224	118.813	100.428				75.135	2.848	90.921
28	T				4.8976	4.2146	5.2984	4.6278	4.1917	396.4377		37.0535
	S				116.244	135.244	124.695	126.999	137.772	11.351		107.995
29	T	4.0273	3.6312	4.3513	4.2287	3.9919	5.0106	4.4278	4.0830	33.7518		
	S	144.074	119.420	119.713	134.632	142.789	131.857	132.736	141.440	133.326		
30	T	3.9841	3.5932	4.2926	4.1992	3.9757	4.9831	4.3675	4.0472	33.4426		
	S	145.636	120.683	121.350	135.578	143.371	132.584	134.568	142.691	134.559		
31	T	3.9253	3.6062	4.3120	4.2014	3.9784	4.9519	4.3356	4.0424	33.3532		
	S	147.817	120.247	120.805	135.507	143.274	133.420	135.558	142.861	134.920		
32	T	3.9417	3.5186	4.4459	5.1345	6.7903				67.6958	84.8363	50.9713
	S	147.202	123.241	117.166	110.881	83.943				66.474	12.626	76.955
33	T				4.7396	4.1393	5.0184	4.3749	4.0356	102.7740		34.6622
	S				120.119	137.704	131.652	134.341	143.101	43.785		115.445
34	T	3.8869	3.4684	4.2406	4.1374	3.8714	4.9112	4.4152	4.0030	32.9341		
	S	149.278	125.025	122.839	137.603	147.234	134.526	133.115	144.267	136.636		
35	T	3.8565	3.5874	4.3514	4.2106	3.9663	4.8920	4.3269	4.0279	33.2190		
	S	150.454	120.878	119.711	135.211	143.711	135.054	135.831	143.375	135.465		
36	T	3.9238	3.4446	4.2071	4.1392	3.9291	4.8701	4.3199	4.0258	32.8596		
	S	147.874	125.889	123.817	137.543	145.071	135.661	136.051	143.450	136.946		
37	T	3.9121	3.4135	4.1866	4.1265	3.9138	4.8284	4.2906	4.0068	32.6783		
	S	148.316	127.036	124.423	137.966	145.639	136.832	136.980	144.130	137.706		
38	T	3.9095	3.4460	4.1493	4.1128	3.9160	4.8476	4.3184	4.0187	32.7183		
	S	148.415	125.838	125.541	138.426	145.557	136.290	136.098	143.703	137.538		

Event: Indy Pro 2000 WWT OT
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Test Session 1

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 20 - Swanson, Kody (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	T	3.9115	3.4579	4.1811	4.1135	3.9081	4.8573	4.3085	4.0208	32.7587		
	S	148.339	125.405	124.587	138.402	145.851	136.018	136.411	143.628	137.368		
40	T	3.9150	3.4536	4.1974	4.1245	3.9141	4.8190	4.2664	4.0019	32.6919		
	S	148.206	125.561	124.103	138.033	145.627	137.099	137.757	144.306	137.649		
41	T	3.9270	3.5964	4.8268	4.9235	5.4115						42.4901
	S	147.753	120.575	107.920	115.633	105.331						92.316

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 1**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 3 - Comeau, Antoine

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	4.5306	4.3052	5.2011	4.7217	4.2491	5.9319	5.0121	4.3150	38.2667		42.0387
	S	128.069	100.724	100.154	120.575	134.146	111.378	117.262	133.835	117.596		95.188
2	T	4.1409	4.1073	5.0032	4.5755	4.1623	5.5953	4.8683	4.2570	36.7098		
	S	140.121	105.577	104.115	124.428	136.944	118.078	120.725	135.659	122.583		
3	T	4.0894	3.9196	4.8050	4.4799	4.1067	5.5918	4.9641	4.3024	36.2589		
	S	141.886	110.633	108.410	127.083	138.798	118.152	118.396	134.227	124.107		
4	T	4.1471	3.9378	4.8402	4.4913	4.1073	5.5037	4.8003	4.2158	36.0435		
	S	139.912	110.121	107.621	126.760	138.777	120.043	122.436	136.985	124.849		
5	T	4.0987	3.8798	4.7368	4.4236	4.0846	5.4957	4.8097	4.2234	35.7523		
	S	141.564	111.768	109.971	128.700	139.549	120.218	122.196	136.738	125.866		
6	T	4.0687	3.8476	4.6910	4.3817	4.1477	5.7132	4.7988	4.1708	35.8195		
	S	142.608	112.703	111.044	129.931	137.426	115.641	122.474	138.463	125.630		
7	T	4.0428	3.8432	4.6468	4.3726	4.0253	5.3513	4.6440	4.1138	35.0398		
	S	143.521	112.832	112.101	130.201	141.604	123.462	126.556	140.381	128.425		
8	T	4.0017	3.7869	4.6484	4.3687	3.9881	5.2199	4.5982	4.0853	34.6972		
	S	144.995	114.510	112.062	130.318	142.925	126.570	127.817	141.360	129.693		
9	T	3.9833	3.7159	4.6236	4.3661	4.0896	5.3969	4.6494	4.1632	34.9880		
	S	145.665	116.698	112.663	130.395	139.378	122.419	126.409	138.715	128.616		
10	T	4.0256	3.7952	4.5752	4.3400	4.0006	5.2510	4.6496	4.1424	34.7796		
	S	144.134	114.259	113.855	131.179	142.479	125.820	126.404	139.412	129.386		
11	T	4.0147	3.7430	4.5732	4.3398	4.0595	5.3568	4.5443	4.0408	34.6721		
	S	144.526	115.853	113.905	131.185	140.411	123.335	129.333	142.917	129.787		
12	T	3.9341	3.7261	4.5291	4.2699	3.9618	5.3845	4.6514	4.0811	34.5380		
	S	147.487	116.378	115.014	133.333	143.874	122.701	126.355	141.506	130.291		
13	T	4.0191	3.9401	4.6154	4.3033	3.9575	5.5008	4.6410	4.0954	35.0726		
	S	144.367	110.057	112.863	132.298	144.030	120.106	126.638	141.012	128.305		
14	T	3.9375	3.7043	4.5947	4.3065	3.9608	5.1921	4.5445	4.0939	34.3343		
	S	147.359	117.063	113.372	132.200	143.910	127.248	129.327	141.064	131.064		
15	T	3.9857	3.7482	4.7529	4.7928	5.3672				56.5869	631.1158	39.4006
	S	145.577	115.692	109.598	118.786	106.201				79.524	1.697	99.554
16	T				5.1475	4.3092	5.5307	4.8088	4.2169	651.1674		37.2379
	S				110.601	132.275	119.457	122.219	136.949	6.911		107.460
17	T	4.0788	3.7392	4.6947	4.4316	4.0315	5.2387	4.7515	4.1781	35.1441		
	S	142.254	115.970	110.957	128.468	141.387	126.116	123.693	138.221	128.044		
18	T	4.0100	3.6823	4.6905	4.3985	4.0194	5.2462	4.7049	4.2093	34.9611		
	S	144.695	117.762	111.056	129.435	141.812	125.935	124.918	137.196	128.714		
19	T	4.2879	3.9071	4.6807	4.3388	3.9480	5.0683	4.5659	4.0868	34.8835		
	S	135.317	110.987	111.289	131.216	144.377	130.356	128.721	141.309	129.001		

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 1**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 3 - Comeau, Antoine

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	3.9587	3.6461	4.5570	4.3109	3.9725	5.0843	4.5400	4.0641	34.1336		
	S	146.570	118.932	114.310	132.065	143.486	129.945	129.455	142.098	131.835		
21	T	3.9390	3.6477	4.4473	4.2523	3.9583	5.2364	4.6136	4.1510	34.2456		
	S	147.303	118.879	117.129	133.885	144.001	126.171	127.390	139.123	131.404		
22	T	4.1580	3.8673	4.5280	4.2574	4.0230	5.4481	4.5788	4.0791	34.9397		
	S	139.545	112.129	115.042	133.724	141.685	121.268	128.358	141.575	128.793		
23	T	3.9707	3.6735	4.4657	4.2391	3.9647	5.3035	4.5646	4.0722	34.2540		
	S	146.127	118.044	116.647	134.302	143.769	124.575	128.758	141.815	131.372		
24	T	3.9051	3.5306	4.4945	4.2795	3.9421	5.0098	4.4676	4.0345	33.6637		
	S	148.582	122.822	115.899	133.034	144.593	131.878	131.553	143.140	133.675		
25	T	3.9159	3.5464	4.5518	4.3287	3.9692	5.0703	4.4940	4.0550	33.9313		
	S	148.172	122.275	114.440	131.522	143.606	130.304	130.780	142.417	132.621		
26	T	3.9467	3.6229	4.5256	4.2963	3.9530	5.0382	4.4966	4.0653	33.9446		
	S	147.016	119.693	115.103	132.514	144.194	131.134	130.705	142.056	132.569		
27	T	3.9523	3.6337	4.5276	4.3136	3.9643	5.0702	4.5202	4.0709	34.0528		
	S	146.807	119.337	115.052	131.982	143.783	130.307	130.022	141.861	132.148		
28	T	3.9503	3.6105	4.4894	4.2916	3.9564	5.0608	4.4913	4.0480	33.8983		
	S	146.882	120.104	116.031	132.659	144.070	130.549	130.859	142.663	132.750		
29	T	3.9183	3.5565	4.4087	4.2289	3.9188	5.0529	4.5564	4.0826	33.7231		
	S	148.081	121.928	118.155	134.626	145.453	130.753	128.989	141.454	133.440		
30	T	3.9684	3.8948	4.5814	4.2569	4.1978	5.3618	4.5493	4.0726	34.8830		
	S	146.212	111.337	113.701	133.740	135.785	123.220	129.191	141.801	129.003		
31	T	3.9111	3.5432	4.3744	4.2155	3.9181	5.0152	4.4495	4.0319	33.4589		
	S	148.354	122.386	119.081	135.054	145.479	131.736	132.088	143.233	134.493		
32	T	3.9170	3.6542	4.6381	4.4584	5.0918				55.6020	322.7059	39.0278
	S	148.131	118.668	112.311	127.696	111.945				80.932	3.319	100.505
33	T				5.0837	4.2601	5.5111	4.7804	4.2116	342.7315		36.5998
	S				111.989	133.800	119.882	122.945	137.121	13.130		109.334
34	T	4.0112	3.6471	4.4317	4.2575	3.9506	5.0439	4.4617	4.0449	33.8486		
	S	144.652	118.899	117.542	133.721	144.282	130.986	131.727	142.772	132.945		
35	T	3.9541	3.5317	4.4130	4.2624	3.9490	5.0387	4.3924	4.0086	33.5499		
	S	146.741	122.784	118.040	133.568	144.340	131.121	133.805	144.065	134.129		
36	T	3.9136	3.5016	4.3180	4.2108	3.9311	5.0609	4.4919	4.0467	33.4746		
	S	148.259	123.839	120.637	135.204	144.998	130.546	130.842	142.709	134.430		
37	T	3.9115	3.4962	4.3571	4.2199	3.9305	5.0596	4.4314	4.0277	33.4339		
	S	148.339	124.031	119.554	134.913	145.020	130.580	132.628	143.382	134.594		
38	T	3.9088	3.5433	4.5769	4.6421	5.6807				63.8679	95.5355	43.3835
	S	148.441	122.382	113.813	122.642	100.340				70.458	11.212	90.415

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 1**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 3 - Comeau, Antoine

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	T			4.8141	4.1692	5.1690	4.5249	4.0481	109.9701		34.9190	
	S			118.261	136.717	127.816	129.887	142.660	40.920		114.596	
40	T	3.9175	3.5417	4.4027	4.2496	3.9357	5.0244	4.4556	4.0521	33.5793		
	S	148.112	122.437	118.316	133.970	144.828	131.495	131.908	142.519	134.011		
41	T	3.9546	3.7828	4.5909	4.2772	3.9896	5.3083	4.5245	4.0347	34.4626		
	S	146.722	114.634	113.466	133.105	142.871	124.462	129.899	143.133	130.576		
42	T	3.8737	3.5347	4.3583	4.2031	3.9201	5.0155	4.4800	4.0264	33.4118		
	S	149.786	122.680	119.521	135.452	145.404	131.728	131.189	143.428	134.683		
43	T	3.8820	3.5082	4.3230	4.1909	3.9186	4.9368	4.4941	4.0441	33.2977		
	S	149.466	123.607	120.497	135.846	145.460	133.828	130.778	142.801	135.144		
44	T	3.8956	3.5047	4.3176	4.1959	3.9293	4.9687	4.3938	4.0117	33.2173		
	S	148.944	123.730	120.648	135.684	145.064	132.969	133.763	143.954	135.472		
45	T	3.8822	3.4565	4.3542	4.2103	3.9260	4.9840	4.4636	4.0341	33.3109		
	S	149.458	125.455	119.634	135.220	145.186	132.561	131.671	143.155	135.091		
46	T	3.9387	3.8060	4.7156	4.5709	5.3957				56.0609		38.6757
	S	147.314	113.935	110.465	124.553	105.640				80.270		101.420

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 1**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 42 - Petrov, Artem

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	4.0882	3.9776	4.7343	4.3890	3.9915	5.0653	4.5340	4.1145	34.8944		36.4972
	S	141.927	109.020	110.029	129.715	142.803	130.433	129.627	140.357	128.961		109.641
2	T	3.9794	3.7982	4.5741	4.2756	3.9226	4.9596	4.4273	4.0000	33.9368		
	S	145.808	114.169	113.882	133.155	145.312	133.213	132.751	144.375	132.599		
3	T	3.8472	3.6224	4.5399	4.2524	3.8982	5.0177	4.5592	4.0770	33.8140		
	S	150.818	119.710	114.740	133.882	146.221	131.670	128.910	141.648	133.081		
4	T	3.9220	3.6867	4.4647	4.2154	3.9001	4.8739	4.4019	4.0360	33.5007		
	S	147.942	117.622	116.673	135.057	146.150	135.555	133.517	143.087	134.326		
5	T	3.8699	3.5506	4.4062	4.1999	3.8936	4.8111	4.4018	4.0108	33.1439		
	S	149.933	122.130	118.222	135.555	146.394	137.324	133.520	143.986	135.772		
6	T	3.8452	3.5036	4.3544	4.1372	3.8200	4.9743	4.4619	4.0768	33.1734		
	S	150.897	123.769	119.628	137.610	149.215	132.819	131.721	141.655	135.651		
7	T	3.9213	3.5784	4.3879	4.1784	3.8722	4.7867	4.3389	4.0002	33.0640		
	S	147.968	121.182	118.715	136.253	147.203	138.024	135.455	144.368	136.100		
8	T	3.8588	3.5424	4.3088	4.1612	3.8752	4.7296	4.3248	4.0017	32.8025		
	S	150.365	122.413	120.894	136.816	147.089	139.691	135.897	144.314	137.185		
9	T	3.8781	3.4818	4.2957	4.1561	3.8758	4.7164	4.3867	4.0324	32.8230		
	S	149.616	124.544	121.263	136.984	147.066	140.082	133.979	143.215	137.099		
10	T	3.8934	3.5131	4.3240	4.1771	3.8877	4.6675	4.3537	4.0264	32.8429		
	S	149.028	123.434	120.469	136.295	146.616	141.549	134.995	143.428	137.016		
11	T	3.8921	3.4803	4.2565	4.1369	3.8710	4.7153	4.3543	4.0354	32.7418		
	S	149.078	124.597	122.380	137.620	147.249	140.114	134.976	143.108	137.439		
12	T	3.9063	3.4834	4.3023	4.1579	3.8810	4.6652	4.4291	4.0423	32.8675		
	S	148.536	124.487	121.077	136.924	146.869	141.619	132.697	142.864	136.913		
13	T	3.9012	3.4874	4.3032	4.1604	3.8773	4.7023	4.3758	4.0260	32.8336		
	S	148.730	124.344	121.052	136.842	147.010	140.502	134.313	143.443	137.055		
14	T	3.8952	3.4931	4.3245	4.1719	3.8868	4.7674	4.4127	4.0546	33.0062		
	S	148.960	124.141	120.455	136.465	146.650	138.583	133.190	142.431	136.338		
15	T				5.8830	7.5312				63.3105	404.2156	46.6729
	S				96.773	75.685				71.078	2.650	84.042
16	T				5.2082	4.3539	5.2791	4.5668	4.0648	423.2162		35.6382
	S				109.312	130.917	125.150	128.696	142.073	10.633		112.284
17	T	3.8924	3.6057	4.4315	4.2122	3.8904	4.7736	4.3401	3.9789	33.1248		
	S	149.067	120.264	117.547	135.159	146.514	138.403	135.418	145.141	135.850		
18	T	3.8175	3.4603	4.3155	4.1380	3.8440	4.6945	4.3198	3.9403	32.5299		
	S	151.991	125.318	120.707	137.583	148.283	140.735	136.054	146.562	138.334		
19	T	3.7764	3.4193	4.3078	4.1275	3.8299	4.7549	4.4016	3.9845	32.6019		
	S	153.646	126.820	120.922	137.933	148.829	138.948	133.526	144.937	138.029		

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 1**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 42 - Petrov, Artem

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	3.8436	3.4193	4.3224	4.1517	3.8671	4.7414	4.3759	3.9890	32.7104		
	S	150.959	126.820	120.514	137.129	147.397	139.343	134.310	144.773	137.571		
21	T	3.8185	3.5071	4.4801	4.1913	3.8747	4.8965	4.3950	4.0230	33.1862		
	S	151.952	123.645	116.272	135.833	147.108	134.929	133.726	143.550	135.599		
22	T	3.8495	3.4511	4.3259	4.1573	3.8636	4.6460	4.3057	3.9721	32.5712		
	S	150.728	125.652	120.416	136.944	147.531	142.204	136.500	145.389	138.159		
23	T	3.8220	3.3697	4.2362	4.1158	3.8553	4.6401	4.3270	3.9854	32.3515		
	S	151.812	128.687	122.966	138.325	147.848	142.385	135.828	144.904	139.097		
24	T	3.8358	3.3356	4.2426	4.1060	3.8557	4.6744	4.5107	4.0758	32.6366		
	S	151.266	130.003	122.781	138.655	147.833	141.340	130.296	141.690	137.882		
25	T	3.8863	3.3817	4.3020	4.1458	3.8687	4.7617	4.3763	4.0037	32.7262		
	S	149.301	128.230	121.085	137.324	147.336	138.749	134.298	144.242	137.505		
26	T	3.8457	3.4288	4.2846	4.1328	3.8636	4.7387	4.4450	4.0214	32.7606		
	S	150.877	126.469	121.577	137.756	147.531	139.423	132.222	143.607	137.360		
27	T	3.8461	3.3950	4.2802	4.1338	3.8642	4.7615	4.3607	3.9996	32.6411		
	S	150.861	127.728	121.702	137.723	147.508	138.755	134.778	144.389	137.863		
28	T	3.8332	3.4057	4.2338	4.1395	4.8773				54.1806	337.0710	37.6021
	S	151.369	127.327	123.036	137.533	116.868				83.056	3.178	104.316
29	T				4.7852	4.1332	5.2399	4.5311	4.0478	35.1159		34.6234
	S				118.975	137.908	126.087	129.710	142.670	12.672		115.575
30	T	3.9036	3.6652	4.3969	4.2273	3.9149	4.7853	4.3422	3.9908	33.2262		
	S	148.639	118.312	118.472	134.677	145.598	138.065	135.352	144.708	135.435		
31	T	3.8514	3.4351	4.2310	4.1243	3.8698	4.6784	4.2557	3.9438	32.3895		
	S	150.654	126.237	123.117	138.040	147.294	141.220	138.104	146.432	138.934		
32	T	3.8244	3.3305	4.2066	4.1078	3.8595	4.6531	4.2590	3.9456	32.1865		
	S	151.717	130.202	123.831	138.594	147.688	141.987	137.997	146.366	139.810		
33	T	3.8245	3.3576	4.1903	4.0968	3.8574	4.6475	4.2714	3.9510	32.1965		
	S	151.713	129.151	124.313	138.967	147.768	142.159	137.596	146.166	139.767		
34	T	3.8231	3.3357	4.1850	4.0879	3.8558	4.6012	4.2524	3.9380	32.0791		
	S	151.769	129.999	124.471	139.269	147.829	143.589	138.211	146.648	140.278		
35	T	3.8037	3.2798	4.2531	4.1289	3.8705	4.6524	4.3054	3.9642	32.2580		
	S	152.543	132.214	122.478	137.886	147.268	142.009	136.509	145.679	139.500		
36	T	3.8032	3.3400	4.1925	4.0888	3.8542	4.6157	4.2940	3.9276	32.1160		
	S	152.563	129.831	124.248	139.238	147.891	143.138	136.872	147.036	140.117		
37	T	3.7718	3.3313	4.2518	4.1042	3.8189	4.6880	4.3367	3.9811	32.2838		
	S	153.833	130.170	122.515	138.716	149.258	140.930	135.524	145.060	139.389		
38	T	3.8189	3.3156	4.2911	4.1519	3.8791	4.6335	4.3043	3.9505	32.3449		
	S	151.936	130.787	121.393	137.122	146.941	142.588	136.544	146.184	139.125		

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 1**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 42 - Petrov, Artem

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	T	3.7974	3.3526	4.1999	4.0920	3.8511	4.6185	4.3090	3.9651	32.1856		
	S	152.796	129.343	124.029	139.130	148.010	143.051	136.395	145.646	139.814		
40	T	4.7989	4.8277	6.3761	6.6002	7.3889				67.9823	148.7307	51.1318
	S	120.908	89.823	81.697	86.258	77.143				66.194	7.202	76.714
41	T				4.7027	4.0921	4.9458	4.4225	4.0345	166.2592		34.3790
	S				121.062	139.293	133.584	132.895	143.140	27.066		116.396
42	T	3.8570	3.4423	4.2144	4.1115	3.8616	4.6505	4.2594	3.9415	32.3382		
	S	150.435	125.973	123.602	138.470	147.607	142.067	137.984	146.518	139.154		
43	T	3.8044	3.2983	4.1179	4.0465	3.8176	4.5834	4.2975	3.9409	31.9065		
	S	152.515	131.473	126.499	140.694	149.308	144.147	136.760	146.540	141.037		
44	T	3.7825	3.2824	4.2661	4.1028	3.8302	4.6736	4.3414	3.9833	32.2623		
	S	153.398	132.110	122.104	138.763	148.817	141.365	135.377	144.980	139.482		
45	T	3.7917	3.3688	4.2484	4.0940	3.8222	4.6699	4.3384	3.9652	32.2986		
	S	153.026	128.721	122.613	139.062	149.129	141.477	135.471	145.642	139.325		
46	T	3.7822	3.3728	4.2658	4.1060	3.8241	4.6562	4.3240	3.9508	32.2819		
	S	153.410	128.569	122.113	138.655	149.055	141.893	135.922	146.173	139.397		
47	T	4.0355	3.8854	4.7967	4.7265	5.9063						41.9664
	S	143.781	111.607	108.597	120.452	96.507						93.468

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 1**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 51 - Abel, Jacob

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	4.2275	4.3032	5.2613	4.6576	4.1800	6.0361	5.2279	4.4156	38.3092		41.8624
	S	137.251	100.771	99.008	122.234	136.364	109.455	112.421	130.786	117.465		95.589
2	T	4.1460	4.0873	4.9589	4.5020	4.7962				56.1486	139.4464	38.4559
	S	139.949	106.094	105.045	126.459	118.844				80.144	7.681	102.000
3	T				4.9818	4.2417	5.7571	4.8549	4.2409	158.3554		36.6017
	S				114.280	134.380	114.759	121.059	136.174	28.417		109.328
4	T	4.0874	3.9707	4.6079	4.3057	3.9714	5.3920	4.7822	4.2426	35.3599		
	S	141.955	109.209	113.047	132.224	143.526	122.530	122.899	136.119	127.263		
5	T	4.1287	3.8665	4.5467	4.2637	3.9178	5.4096	4.6694	4.1577	34.9601		
	S	140.535	112.152	114.569	133.527	145.490	122.131	125.868	138.899	128.718		
6	T	3.9995	3.9162	4.5957	4.2776	3.9486	5.2713	4.5754	4.1245	34.7088		
	S	145.075	110.729	113.347	133.093	144.355	125.336	128.454	140.017	129.650		
7	T	3.9508	3.8874	4.5674	4.2461	3.8994	5.0853	4.4814	4.0710	34.1888		
	S	146.863	111.549	114.049	134.080	146.176	129.920	131.148	141.857	131.622		
8	T	3.9231	3.7220	4.4290	4.1961	3.9125	5.0813	4.5048	4.0910	33.8598		
	S	147.900	116.506	117.613	135.678	145.687	130.022	130.467	141.164	132.901		
9	T	3.9273	3.6018	4.4208	4.2064	3.9196	5.1084	4.5715	4.1225	33.8783		
	S	147.742	120.394	117.831	135.346	145.423	129.332	128.563	140.085	132.828		
10	T	3.9642	3.6529	4.4078	4.1893	3.8988	5.0668	4.5083	4.0959	33.7840		
	S	146.367	118.710	118.179	135.898	146.199	130.394	130.366	140.995	133.199		
11	T	3.9370	3.6824	4.4546	4.2350	3.9178	5.0157	4.4574	4.1030	33.8029		
	S	147.378	117.759	116.937	134.432	145.490	131.723	131.854	140.751	133.125		
12	T	3.9764	3.6028	4.3259	4.1728	3.9008	5.0197	4.4598	4.1053	33.5635		
	S	145.918	120.361	120.416	136.436	146.124	131.618	131.783	140.672	134.074		
13	T	3.9681	3.6153	4.3687	4.1890	3.9056	4.9476	4.4219	4.0748	33.4910		
	S	146.223	119.945	119.237	135.908	145.944	133.536	132.913	141.725	134.364		
14	T	3.9625	3.6028	4.4004	4.2098	3.9171	5.0400	4.4666	4.0932	33.6924		
	S	146.430	120.361	118.378	135.236	145.516	131.088	131.583	141.088	133.561		
15	T	3.9824	3.5930	4.3585	4.1826	3.9074	4.9890	4.4473	4.0788	33.5390		
	S	145.698	120.689	119.516	136.116	145.877	132.428	132.154	141.586	134.172		
16	T	3.9655			4.2572	4.5400				54.4282	479.8125	37.7088
	S	146.319			133.731	125.551				82.678	2.232	104.021
17	T				4.8804	4.2060	5.2683	4.5000	4.0904	497.8879		34.7948
	S				116.654	135.521	125.407	130.606	141.184	9.038		115.005
18	T	3.9534	3.7211	4.4167	4.1632	3.8746	5.0066	4.3972	4.0037	33.5365		
	S	146.767	116.534	117.941	136.750	147.112	131.962	133.659	144.242	134.182		
19	T	3.8666	3.5779	4.3193	4.1331	3.8488	5.0062	4.4398	4.0251	33.2168		
	S	150.061	121.199	120.600	137.746	148.098	131.973	132.377	143.475	135.474		

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 1**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 51 - Abel, Jacob

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	3.8628	3.5700	4.3186	4.1464	3.8533	4.9021	4.4080	4.0029	33.0641		
	S	150.209	121.467	120.620	137.304	147.925	134.775	133.332	144.270	136.099		
21	T	3.8527	3.5550	4.3033	4.1243	3.8381	4.9695	4.4150	4.0065	33.0644		
	S	150.603	121.979	121.049	138.040	148.511	132.947	133.121	144.141	136.098		
22	T	3.8623	3.5420	4.3479	4.1445	3.8351	5.0100	4.4231	4.0181	33.1830		
	S	150.228	122.427	119.807	137.367	148.627	131.873	132.877	143.725	135.612		
23	T	3.8347	3.5231	4.3539	4.1437	3.8405	4.9331	4.4250	4.0189	33.0729		
	S	151.310	123.084	119.642	137.394	148.418	133.928	132.820	143.696	136.063		
24	T	3.8504	3.5073	4.3374	4.1349	3.8433	4.9416	4.4219	4.0278	33.0646		
	S	150.693	123.638	120.097	137.686	148.310	133.698	132.913	143.379	136.097		
25	T	3.9000	3.5868	4.2975	4.1401	3.8417	4.9352	4.4424	4.0171	33.1608		
	S	148.776	120.898	121.212	137.513	148.372	133.871	132.299	143.760	135.702		
26	T	3.9057	3.7496	4.7239	4.6697	5.2933				54.4321	219.9282	37.8392
	S	148.559	115.649	110.271	121.918	107.683				82.672	4.870	103.662
27	T				4.7821	4.1284	5.1923	4.4592	4.0676	237.4157		34.0804
	S				119.052	138.068	127.243	131.801	141.976	18.954		117.416
28	T	3.9480	3.5767	4.3168	4.1733	3.8998	4.8931	4.3787	4.0218	33.2082		
	S	146.967	121.239	120.670	136.419	146.161	135.023	134.224	143.592	135.509		
29	T	3.9044	3.5104	4.2501	4.1383	3.8887	4.9677	4.3966	4.0283	33.0845		
	S	148.609	123.529	122.564	137.573	146.579	132.996	133.678	143.361	136.015		
30	T	3.9056	3.4947	4.2319	4.1291	3.8835	4.8881	4.3650	4.0132	32.9111		
	S	148.563	124.084	123.091	137.879	146.775	135.161	134.645	143.900	136.732		
31	T	3.9136	3.8094	4.7036	4.4520	4.5405				53.1747	190.9288	36.5708
	S	148.259	113.833	110.747	127.879	125.537				84.627	5.610	107.258
32	T				4.7486	4.1178	5.2619	4.4872	3.9962	208.2437		33.9188
	S				119.892	138.423	125.560	130.979	144.512	21.609		117.976
33	T	3.8713	3.5788	4.3234	4.1598	3.8793	4.8837	4.3541	3.9881	33.0385		
	S	149.879	121.168	120.486	136.862	146.934	135.283	134.982	144.806	136.205		
34	T	3.8647	3.4798	4.2121	4.1170	3.8805	4.9194	4.3612	4.0031	32.8378		
	S	150.135	124.615	123.670	138.285	146.888	134.301	134.763	144.263	137.037		
35	T	3.8945	3.4839	4.2313	4.1411	3.8956	4.8961	4.3894	4.0143	32.9462		
	S	148.986	124.469	123.109	137.480	146.319	134.940	133.897	143.861	136.586		
36	T	3.8970	3.5072	4.1860	4.1133	3.8825	4.8510	4.3534	3.9928	32.7832		
	S	148.891	123.642	124.441	138.409	146.813	136.195	135.004	144.635	137.265		
37	T	4.0646	4.1284	6.5595	6.8004	6.2215				64.0813	78.0602	46.6732
	S	142.751	105.037	79.413	83.718	91.618				70.223	13.722	84.042
38	T				4.7770	4.0973	5.0920	4.4210	3.9858	94.9944		34.3423
	S				119.179	139.116	129.749	132.940	144.889	47.371		116.521

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 1**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 51 - Abel, Jacob

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	T	3.8387	3.5003	4.2525	4.1123	3.8608	4.9702	4.3888	3.9784	32.9020		
	S	151.152	123.885	122.495	138.443	147.638	132.929	133.915	145.159	136.770		
40	T	3.8256	3.6512	4.4210	4.1936	3.8584	4.9956	4.3989	3.9956	33.3399		
	S	151.670	118.765	117.826	135.759	147.730	132.253	133.608	144.534	134.973		
41	T	3.8357	3.4705	4.2707	4.1215	3.8600	4.9035	4.3641	3.9836	32.8096		
	S	151.270	124.949	121.973	138.134	147.668	134.737	134.673	144.969	137.155		
42	T	3.8251	3.4531	4.2689	4.1111	3.8433	4.8448	4.3406	3.9793	32.6662		
	S	151.689	125.579	122.024	138.483	148.310	136.369	135.402	145.126	137.757		
43	T	3.8204	3.4385	4.2647	4.1156	3.8484	4.8520	4.3532	3.9786	32.6714		
	S	151.876	126.112	122.144	138.332	148.114	136.167	135.010	145.152	137.735		
44	T	3.8155	3.4662	4.3152	4.1317	3.8494	4.8690	4.3843	3.9953	32.8266		
	S	152.071	125.104	120.715	137.793	148.075	135.691	134.053	144.545	137.084		
45	T	3.8298	3.5096	4.2776	4.1224	3.8531	4.9063	4.3822	4.0008	32.8818		
	S	151.503	123.557	121.776	138.104	147.933	134.660	134.117	144.346	136.854		
46	T	3.9550	3.8558	4.7701	5.4686	5.9147						43.0355
	S	146.707	112.463	109.203	104.107	96.370						91.146

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 1**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 6 - de la Vara, Moises

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	4.0801	3.9877	4.6791	4.4317	4.0704	5.1349	4.5161	4.1158	35.0158		38.2001
	S	142.209	108.743	111.327	128.465	140.035	128.665	130.140	140.313	128.513		104.753
2	T	3.9654	3.6094	4.4405	4.2947	3.9845	4.9928	4.4591	4.1246	33.8710		
	S	146.323	120.141	117.309	132.563	143.054	132.327	131.804	140.014	132.857		
3	T	3.9629	3.5249	4.4262	4.2791	3.9748	4.8529	4.4090	4.0875	33.5173		
	S	146.415	123.021	117.688	133.046	143.403	136.142	133.302	141.284	134.259		
4	T	3.9343	3.4774	4.3499	4.2292	3.9485	4.7936	4.3639	4.0249	33.1217		
	S	147.479	124.701	119.752	134.616	144.359	137.826	134.679	143.482	135.863		
5	T	3.8954	3.5249	4.5146	4.2655	3.9390	5.0129	4.4512	4.1022	33.7057		
	S	148.952	123.021	115.383	133.470	144.707	131.796	132.038	140.778	133.509		
6	T	3.9323	3.4860	4.2908	4.1710	4.3278				49.6367	129.5608	33.2218
	S	147.554	124.394	121.401	136.494	131.707				90.659	8.267	118.070
7	T				5.0644	4.5398	5.3700	4.4761	3.9857	148.0679		34.9220
	S				112.416	125.556	123.032	131.303	144.893	30.391		114.587
8	T	3.8879	3.6677	4.4046	4.2394	3.9179	4.8160	4.3660	4.0485	33.3480		
	S	149.239	118.231	118.265	134.292	145.486	137.185	134.615	142.645	134.941		
9	T	3.9006	3.5027	4.2860	4.1618	3.8962	4.7642	4.3262	3.9722	32.8099		
	S	148.753	123.801	121.537	136.796	146.296	138.676	135.853	145.385	137.154		
10	T	3.8395	3.6835	4.5552	4.2951	3.8896	5.1625	4.4853	4.1254	34.0361		
	S	151.121	117.724	114.355	132.551	146.545	127.977	131.034	139.986	132.213		
11	T	3.9566	3.4916	4.2752	4.1749	3.8971	4.7531	4.3176	4.0335	32.8996		
	S	146.648	124.194	121.844	136.367	146.263	139.000	136.124	143.176	136.780		
12	T	3.9002	3.4482	4.2981	4.1745	3.8890	4.7304	4.3769	4.0603	32.8776		
	S	148.769	125.757	121.195	136.380	146.567	139.667	134.279	142.231	136.871		
13	T	3.9070	3.4595	4.3346	4.1970	3.9007	4.7427	4.3131	4.0406	32.8952		
	S	148.510	125.347	120.175	135.649	146.128	139.305	136.266	142.924	136.798		
14	T	3.9107	3.4272	4.2642	4.1533	3.8934	4.7302	4.3062	4.0256	32.7108		
	S	148.369	126.528	122.159	137.076	146.402	139.673	136.484	143.457	137.569		
15	T	3.9161	3.4050	4.2217	4.1385	3.8815	4.6820	4.3145	4.0244	32.5837		
	S	148.165	127.353	123.388	137.566	146.850	141.111	136.221	143.500	138.106		
16	T	3.9096	3.3562	4.1721	4.1056	3.8647	4.7231	4.3222	4.0047	32.4582		
	S	148.411	129.205	124.855	138.669	147.489	139.883	135.979	144.206	138.640		
17	T	3.9047	3.4367	4.2802	4.1632	4.0872				49.4282	511.8213	32.6267
	S	148.597	126.178	121.702	136.750	139.460				91.041	2.093	120.224
18	T				4.7165	4.1664	5.1748	4.4596	4.0691	528.6839		33.6641
	S				120.708	136.809	127.673	131.789	141.923	8.512		118.868
19	T	3.9360	3.4914	4.3144	4.2015	3.9712	5.5653	4.6993	4.2085	34.3876		
	S	147.415	124.201	120.737	135.504	143.533	118.715	125.067	137.222	130.861		

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 1**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 6 - de la Vara, Moises

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	4.0360	3.5766	4.3281	4.2132	3.9472	4.8284	4.3675	4.0487	33.3457		
	S	143.763	121.243	120.355	135.127	144.406	136.832	134.568	142.638	134.950		
21	T	3.9171	3.3832	4.1993	4.1463	3.9090	4.7509	4.3191	4.0247	32.6496		
	S	148.127	128.173	124.047	137.308	145.817	139.065	136.076	143.489	137.827		
22	T	3.9007	3.3521	4.1847	4.1291	3.8954	4.7060	4.2835	3.9779	32.4294		
	S	148.750	129.363	124.479	137.879	146.326	140.391	137.207	145.177	138.763		
23	T	3.8487	3.3025	4.2853	4.1648	3.8942	4.7223	4.2680	3.9833	32.4691		
	S	150.759	131.305	121.557	136.698	146.372	139.907	137.706	144.980	138.593		
24	T	3.8620	3.3858	4.2253	4.1343	3.8581	4.8284	4.3391	3.9833	32.6163		
	S	150.240	128.075	123.283	137.706	147.741	136.832	135.449	144.980	137.968		
25	T	3.8509	3.4428	4.2271	4.1580	3.9195	4.6613	4.2544	3.9885	32.5025		
	S	150.673	125.955	123.231	136.921	145.427	141.738	138.146	144.791	138.451		
26	T	3.8894	3.3630	4.2727	4.1795	3.9293	4.7237	4.3216	4.0206	32.6998		
	S	149.182	128.943	121.916	136.217	145.064	139.865	135.998	143.635	137.616		
27	T	3.9026	3.3846	4.2391	4.1624	3.9146	4.7289	4.3272	4.0152	32.6746		
	S	148.677	128.120	122.882	136.776	145.609	139.712	135.822	143.828	137.722		
28	T	3.8871	3.3552	4.1805	4.1218	3.8959	4.7420	4.3628	4.0473	32.5926		
	S	149.270	129.243	124.604	138.124	146.308	139.326	134.713	142.688	138.068		
29	T	3.9035	3.4068	4.1916	4.1170	3.8730	4.7174	4.2786	3.9749	32.4628		
	S	148.643	127.286	124.275	138.285	147.173	140.052	137.364	145.287	138.620		
30	T	3.8470	3.4985	4.3415	4.1841	4.1256				50.1868	264.0755	33.3931
	S	150.826	123.949	119.984	136.067	138.162				89.665	4.056	117.464
31	T				4.9299	4.3802	5.5618	4.5510	4.1273	283.4279		36.1461
	S				115.483	130.131	118.789	129.142	139.922	15.877		110.706
32	T	3.9930	3.6385	4.4056	4.2651	3.9762	5.0750	4.4564	4.1189	33.9287		
	S	145.311	119.180	118.238	133.483	143.353	130.184	131.884	140.207	132.631		
33	T	3.9516	3.4161	4.7694	4.5305	4.0892	4.9789	4.4284	4.0883	34.2524		
	S	146.834	126.939	109.219	125.663	139.392	132.696	132.718	141.257	131.378		
34	T	3.9398	3.5157	4.3269	4.2150	3.9452	4.8113	4.3653	4.0511	33.1703		
	S	147.273	123.343	120.389	135.070	144.479	137.319	134.636	142.554	135.664		
35	T	3.9122	3.4184	4.3396	4.2386	3.9417	4.8371	4.3718	4.0389	33.0983		
	S	148.312	126.854	120.036	134.318	144.608	136.586	134.436	142.984	135.959		
36	T	3.8918	3.4393	4.3067	4.1836	3.8998	5.4209	4.6938	4.2107	34.0466		
	S	149.090	126.083	120.953	136.083	146.161	121.877	125.214	137.151	132.172		
37	T	4.0195	3.5703	4.3808	4.2039	3.8966	4.8183	4.4348	4.0680	33.3922		
	S	144.353	121.457	118.907	135.426	146.281	137.119	132.526	141.962	134.762		
38	T	3.8985	3.4798	4.5819	4.3206	4.0546				49.2872	298.6517	33.6770
	S	148.833	124.615	113.688	131.768	140.581				91.302	3.587	116.474

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 1**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 6 - de la Vara, Moises

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	T			4.7450	4.1794	5.1748	4.5883	4.1771	317.4912		34.4497	
	S			119.983	136.383	127.673	128.093	138.254	14.174		116.157	
40	T	4.0015	3.5516	4.3282	4.2139	3.9585	4.8508	4.3678	4.0545	33.3268		
	S	145.002	122.096	120.352	135.105	143.994	136.201	134.559	142.434	135.026		
41	T	3.9324	3.4683	4.2646	4.1787	3.9352	4.8348	4.3529	4.0493	33.0162		
	S	147.550	125.029	122.147	136.243	144.847	136.651	135.020	142.617	136.297		
42	T	3.9188	3.3981	4.2080	4.1463	3.9219	4.7525	4.3215	4.0280	32.6951		
	S	148.062	127.611	123.790	137.308	145.338	139.018	136.001	143.371	137.635		
43	T	3.8971	3.3224	4.1251	4.1023	3.8981	4.7250	4.3100	4.0111	32.3911		
	S	148.887	130.519	126.278	138.780	146.225	139.827	136.364	143.975	138.927		
44	T	3.8903	3.3195	4.2072	4.1411	3.9183	4.7263	4.2738	3.9976	32.4741		
	S	149.147	130.633	123.814	137.480	145.471	139.788	137.519	144.462	138.572		
45	T	3.8871	3.3602	4.1464	4.1237	4.6538						40.7505
	S	149.270	129.051	125.629	138.060	122.481						96.256

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 1**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 68 - Frost, Danial

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	3.9409	3.8297	4.4881	4.2487	3.8966	5.1119	4.4944	4.0796	34.0899		36.0794
	S	147.232	113.230	116.065	133.998	146.281	129.244	130.769	141.558	132.004		110.911
2	T	3.9072	3.7879	4.3695	4.1772	3.8515	5.0587	4.4496	4.0128	33.6144		
	S	148.502	114.479	119.215	136.292	147.994	130.603	132.085	143.914	133.871		
3	T	3.8257	3.7122	4.3236	4.1738	3.8837	4.8573	4.3143	3.9897	33.0803		
	S	151.666	116.814	120.480	136.403	146.767	136.018	136.228	144.748	136.033		
4	T	3.8663	3.6491	4.5484	4.3895	3.9721	4.7676	4.3106	4.0056	33.5092		
	S	150.073	118.834	114.526	129.700	143.501	138.577	136.345	144.173	134.291		
5	T	3.8774	3.5614	4.2607	4.1456	3.8721	4.7559	4.2839	3.9787	32.7357		
	S	149.643	121.760	122.259	137.331	147.207	138.918	137.194	145.148	137.465		
6	T	3.8445	3.5842	4.2848	4.1403	3.8707	4.7432	4.2444	3.9545	32.6666		
	S	150.924	120.986	121.571	137.507	147.260	139.290	138.471	146.036	137.755		
7	T	3.8295	3.4774	4.2631	4.1246	3.8511	4.7135	4.2915	3.9554	32.5061		
	S	151.515	124.701	122.190	138.030	148.010	140.168	136.951	146.003	138.436		
8	T	3.8157	3.4399	4.1776	4.0688	3.7945	4.9953	4.4939	4.0242	32.8099		
	S	152.063	126.061	124.691	139.923	150.217	132.261	130.783	143.507	137.154		
9	T	3.8306	3.5697	4.2709	4.1249	3.8619	4.6922	4.2479	3.9253	32.5234		
	S	151.472	121.477	121.967	138.020	147.596	140.804	138.357	147.123	138.362		
10	T	3.7849	3.4268	4.2299	4.0893	3.8412	4.6155	4.2128	3.9256	32.1260		
	S	153.301	126.543	123.149	139.221	148.391	143.144	139.510	147.111	140.073		
11	T	3.8144	3.3928	4.1750	4.0910	3.8423	4.8459	4.3889	3.9916	32.5419		
	S	152.115	127.811	124.769	139.164	148.349	136.338	133.912	144.679	138.283		
12	T	3.8511	3.5274	4.4489	4.2641	3.9146	4.6977	4.2464	3.9501	32.9003		
	S	150.665	122.934	117.087	133.514	145.609	140.639	138.406	146.199	136.777		
13	T	3.8188	3.4039	4.1889	4.0953	3.8471	4.6773	4.2771	3.9493	32.2577		
	S	151.940	127.394	124.355	139.017	148.164	141.253	137.413	146.228	139.502		
14	T	3.8199	3.3831	4.1733	4.0689	3.8203	4.6693	4.2299	3.8989	32.0636		
	S	151.896	128.177	124.819	139.919	149.203	141.495	138.946	148.119	140.346		
15	T	3.7695	3.4124	4.3299	4.1450	3.8520	4.6796	4.2293	3.9350	32.3527		
	S	153.927	127.077	120.305	137.351	147.975	141.183	138.966	146.760	139.092		
16	T	3.8191	3.4471	4.1844	4.0872	4.0127				49.1767	632.1412	32.5326
	S	151.928	125.797	124.488	139.293	142.049				91.507	1.694	120.571
17	T				4.8151	4.2752	5.5017	4.5956	4.0731	651.1507		35.6536
	S				118.236	133.327	120.087	127.889	141.784	6.911		112.235
18	T	3.8924	3.5100	4.2618	4.1253	3.8098	4.8471	4.4332	3.9953	32.8749		
	S	149.067	123.543	122.227	138.006	149.614	136.305	132.574	144.545	136.883		
19	T	3.8214	3.4982	4.3566	4.1189	3.8369	4.7080	4.2846	3.9305	32.5551		
	S	151.836	123.960	119.568	138.221	148.557	140.332	137.172	146.928	138.227		

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 1**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 68 - Frost, Danial

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	3.7820	3.5091	4.2324	4.0712	3.8001	4.6310	4.3466	3.9686	32.3410		
	S	153.418	123.575	123.077	139.840	149.996	142.665	135.215	145.517	139.142		
21	T	3.8242	3.3901	4.1397	4.0599	3.8223	4.6737	4.2224	3.9278	32.0601		
	S	151.725	127.913	125.833	140.230	149.125	141.362	139.193	147.029	140.361		
22	T	3.7893	3.3589	4.1915	4.0717	3.8207	4.6257	4.2206	3.9127	31.9911		
	S	153.123	129.101	124.277	139.823	149.187	142.829	139.252	147.596	140.664		
23	T	3.7701	3.3663	4.2280	4.0864	3.8165	4.6025	4.2249	3.9146	32.0093		
	S	153.902	128.817	123.205	139.320	149.352	143.548	139.110	147.525	140.584		
24	T	3.7891	3.6206	4.2755	4.1577	3.8675	4.6771	4.2342	3.9494	32.5711		
	S	153.131	119.769	121.836	136.931	147.382	141.259	138.805	146.225	138.159		
25	T	3.8224	3.3577	4.2356	4.1051	3.8406	4.6288	4.2164	3.9200	32.1266		
	S	151.797	129.147	122.984	138.686	148.414	142.733	139.391	147.321	140.071		
26	T	3.8054	3.4254	4.1550	4.0744	4.0085				48.7847	303.7975	32.1479
	S	152.475	126.594	125.369	139.731	142.198				92.242	3.526	122.014
27	T				4.7541	4.0972	4.8678	4.3385	4.0095	320.1987		33.0380
	S				119.753	139.119	135.725	135.468	144.033	14.054		121.121
28	T	3.8499	3.4251	4.3944	4.2648	3.9269	4.7826	4.4070	4.1578	33.2085		
	S	150.712	126.605	118.539	133.492	145.153	138.143	133.362	138.896	135.507		
29	T	3.9381	3.3856	4.1082	4.1492	4.1784				52.5491	500.8433	35.5656
	S	147.337	128.083	126.797	137.212	136.416				85.634	2.139	110.289
30	T				4.8409	4.1654	4.9923	4.3575	3.9403	517.7799		33.9201
	S				117.606	136.842	132.340	134.877	146.562	8.691		117.971
31	T	3.7959	3.5570	4.3436	4.1869	3.8945	4.6781	4.2489	3.9340	32.6389		
	S	152.856	121.911	119.926	135.976	146.360	141.229	138.325	146.797	137.872		
32	T	3.8038	3.3736	4.1309	4.0706	3.8386	4.6472	4.2672	3.9284	32.0603		
	S	152.539	128.538	126.101	139.861	148.492	142.168	137.731	147.006	140.361		
33	T	3.7882	3.4186	4.2044	4.0893	3.8459	4.6311	4.3198	3.9324	32.2297		
	S	153.167	126.846	123.896	139.221	148.210	142.662	136.054	146.857	139.623		
34	T	3.7887	3.3540	4.1657	4.0650	3.8172	4.6231	4.2559	3.8920	31.9616		
	S	153.147	129.289	125.047	140.054	149.324	142.909	138.097	148.381	140.794		
35	T	3.7445	3.5257	4.3834	4.1139	3.8019	4.7726	4.3208	3.9751	32.6379		
	S	154.955	122.993	118.837	138.389	149.925	138.432	136.023	145.279	137.877		
36	T	3.8223	3.3437	4.1445	4.0649	3.8282	4.5784	4.2571	3.9224	31.9615		
	S	151.801	129.688	125.687	140.057	148.895	144.304	138.058	147.231	140.794		
37	T	3.7807	3.2833	4.1015	4.0341	3.8069	4.5391	4.2328	3.9106	31.6890		
	S	153.471	132.073	127.005	141.126	149.728	145.553	138.851	147.676	142.005		
38	T	3.7753	3.3202	4.7275	4.9657	5.2363				51.7527		35.3124
	S	153.690	130.605	110.187	114.650	108.855				86.952		111.080

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 1**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 7 - Enders, Kory

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	4.1966	4.2150	5.0169	4.5643	4.1126	5.7341	4.8275	4.2066	36.8736		39.3606
	S	138.261	102.879	103.831	124.733	138.598	115.220	121.746	137.284	122.039		101.665
2	T	4.0708	3.9750	4.8651	4.4652	4.0599	5.6428	4.7661	4.1820	36.0269		
	S	142.534	109.091	107.071	127.501	140.398	117.084	123.314	138.092	124.907		
3	T	4.0175	3.8854	4.6808	4.3794	4.0020	5.5434	4.6902	4.1388	35.3375		
	S	144.425	111.607	111.286	129.999	142.429	119.184	125.310	139.533	127.343		
4	T	4.0098	3.8134	4.6101	4.3466	3.9821	5.3726	4.5978	4.0981	34.8305		
	S	144.702	113.714	112.993	130.980	143.141	122.972	127.828	140.919	129.197		
5	T	3.9746	3.7521	4.6003	4.3362	3.9889	5.4115	4.5276	4.0678	34.6590		
	S	145.984	115.572	113.234	131.294	142.897	122.088	129.810	141.969	129.836		
6	T	3.9679	3.7609	4.5077	4.2735	3.9513	5.3017	4.5507	4.1221	34.4358		
	S	146.230	115.301	115.560	133.221	144.256	124.617	129.151	140.098	130.678		
7	T	3.9895	3.8385	4.5663	4.2823	3.9441	5.2661	4.4636	4.0890	34.4394		
	S	145.439	112.970	114.077	132.947	144.520	125.459	131.671	141.233	130.664		
8	T	3.9707	3.7769	4.5842	4.2952	3.9441	5.1721	4.4598	4.0847	34.2877		
	S	146.127	114.813	113.631	132.548	144.520	127.740	131.783	141.381	131.242		
9	T	3.9675	3.6815	4.4231	4.2229	3.9226	5.1871	4.4816	4.0875	33.9738		
	S	146.245	117.788	117.770	134.817	145.312	127.370	131.142	141.284	132.455		
10	T	3.9727	3.6704	4.4445	4.2358	3.9340	5.1055	4.3904	4.0446	33.7979		
	S	146.054	118.144	117.203	134.406	144.891	129.406	133.866	142.783	133.144		
11	T	3.9410	3.6803	4.4920	4.2768	3.9512	5.0642	4.4093	4.0532	33.8680		
	S	147.228	117.826	115.964	133.118	144.260	130.461	133.293	142.480	132.869		
12	T	3.9303	3.6472	4.4212	4.2226	3.9178	5.0368	4.3950	4.0507	33.6216		
	S	147.629	118.896	117.821	134.826	145.490	131.171	133.726	142.568	133.843		
13	T	3.9441	3.6595	4.5134	4.2681	3.9386	4.9654	4.3362	4.0195	33.6448		
	S	147.113	118.496	115.414	133.389	144.721	133.057	135.540	143.675	133.750		
14	T	3.9182	3.6454	4.5016	4.2655	3.9241	4.9824	4.3911	4.0436	33.6719		
	S	148.085	118.954	115.716	133.470	145.256	132.603	133.845	142.818	133.643		
15	T	3.9302	3.5592	4.3728	4.2008	3.9001	5.0389	4.4695	4.0834	33.5549		
	S	147.633	121.835	119.125	135.526	146.150	131.116	131.497	141.426	134.109		
16	T	3.9780	3.8301	4.5520	4.2738	3.9108	5.1541	4.4974	4.1150	34.3112		
	S	145.859	113.218	114.435	133.211	145.750	128.186	130.682	140.340	131.153		
17	T	3.9599	3.6193	4.4327	4.2102	3.8974	5.0146	4.3985	4.0585	33.5911		
	S	146.526	119.812	117.515	135.224	146.251	131.752	133.620	142.294	133.964		
18	T	3.9231	3.5970	4.4063	4.3601	5.6290				56.5820	643.4486	39.9661
	S	147.900	120.555	118.219	130.575	101.261				79.531	1.665	98.146
19	T				5.0111	4.2260	5.5945	4.6580	4.1311	663.7599		36.9272
	S				113.611	134.879	118.095	126.176	139.793	6.780		108.364

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 1**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 7 - Enders, Kory

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	3.9954	3.7073	4.4422	4.2489	3.9463	5.1301	4.4647	4.0959	34.0308		
	S	145.224	116.968	117.264	133.992	144.439	128.785	131.639	140.995	132.233		
21	T	3.9695	3.6267	4.3982	4.2290	3.9224	5.0468	4.3973	4.0500	33.6399		
	S	146.171	119.568	118.437	134.622	145.319	130.911	133.656	142.593	133.770		
22	T	3.9077	3.5605	4.3280	4.1780	3.8996	4.9818	4.3642	4.0409	33.2607		
	S	148.483	121.791	120.358	136.266	146.169	132.619	134.670	142.914	135.295		
23	T	3.9103	3.5272	4.3776	4.2130	3.9170	4.9243	4.3313	4.0233	33.2240		
	S	148.384	122.941	118.994	135.134	145.520	134.168	135.693	143.539	135.444		
24	T	4.3135	3.7154	4.3950	4.1841	3.8771	4.9923	4.3410	4.0073	33.8257		
	S	134.514	116.713	118.523	136.067	147.017	132.340	135.390	144.112	133.035		
25	T	3.8744	3.4499	4.2905	4.1515	3.8700	4.8353	4.2827	3.9811	32.7354		
	S	149.759	125.695	121.410	137.136	147.287	136.637	137.233	145.060	137.466		
26	T	3.8492	3.4757	4.3363	4.1584	3.8811	4.8135	4.2785	3.9739	32.7666		
	S	150.740	124.762	120.128	136.908	146.866	137.256	137.368	145.323	137.335		
27	T	3.8422	3.4833	4.2734	4.1284	3.8626	4.7933	4.2437	3.9647	32.5916		
	S	151.014	124.490	121.896	137.903	147.569	137.834	138.494	145.660	138.072		
28	T	3.8399	3.4883	4.2225	4.1005	3.8497	4.7280	4.2281	3.9458	32.4028		
	S	151.105	124.312	123.365	138.841	148.063	139.738	139.005	146.358	138.877		
29	T	3.8175	3.4593	4.2253	4.1044	3.8311	4.9919	4.4101	4.0709	32.9105		
	S	151.991	125.354	123.283	138.709	148.782	132.351	133.268	141.861	136.734		
30	T	3.9396	3.5305	4.2729	4.1580	3.8837	4.8640	4.2966	3.9880	32.9333		
	S	147.281	122.826	121.910	136.921	146.767	135.831	136.789	144.809	136.640		
31	T	3.8805	3.5248	4.2469	4.1385	3.8739	4.8383	4.2593	3.9604	32.7226		
	S	149.524	123.024	122.656	137.566	147.139	136.552	137.987	145.819	137.520		
32	T	3.8503	3.5847	4.2709	4.1358	3.8760	5.0454	4.4246	4.0586	33.2463		
	S	150.697	120.969	121.967	137.656	147.059	130.947	132.832	142.290	135.353		
33	T	3.9199	3.5296	4.2856	4.1612	3.8915	4.9282	4.3154	4.0062	33.0376		
	S	148.021	122.857	121.549	136.816	146.473	134.061	136.193	144.152	136.208		
34	T	3.9020	3.5012	4.1866	4.1056	3.8702	4.7989	4.2578	3.9683	32.5906		
	S	148.700	123.854	124.423	138.669	147.279	137.674	138.035	145.528	138.077		
35	T	3.8655	3.4710	4.6519	4.5680	5.4625				57.6758	370.0779	41.0433
	S	150.104	124.931	111.978	124.632	104.348				78.022	2.894	95.570
36	T				5.2755	4.5636	5.6239	4.7783	4.2580	391.0174		37.5720
	S				107.917	124.901	117.478	122.999	135.627	11.508		106.505
37	T	4.0581	3.7757	5.0696	6.0840	5.8749				60.3167	91.6257	43.7326
	S	142.980	114.849	102.752	93.576	97.023				74.606	11.690	89.693
38	T				4.8625	4.1768	5.2485	4.5213	4.1019	109.9433		34.9017
	S				117.083	136.468	125.880	129.991	140.788	40.930		114.653

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 1**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 7 - Enders, Kory

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	T	3.9365	3.8442	4.4146	4.2202	3.9127	4.9789	4.3056	3.9792	33.5919		
	S	147.397	112.803	117.997	134.903	145.679	132.696	136.503	145.130	133.961		
40	T	3.8357	3.4880	4.2308	4.1209	3.8691	4.7807	4.2375	3.9515	32.5142		
	S	151.270	124.322	123.123	138.154	147.321	138.198	138.697	146.147	138.401		
41	T	3.8199	3.4257	4.1345	4.0655	3.8360	4.6978	4.2452	3.9524	32.1770		
	S	151.896	126.583	125.991	140.036	148.592	140.636	138.445	146.114	139.851		
42	T	3.8177	3.4103	4.1396	4.0669	3.8451	4.6998	4.1898	3.9272	32.0964		
	S	151.983	127.155	125.836	139.988	148.241	140.577	140.276	147.051	140.203		
43	T	3.8080	3.4320	4.1738	4.0552	3.8225	4.7583	4.2171	3.9082	32.1751		
	S	152.371	126.351	124.805	140.392	149.117	138.848	139.368	147.766	139.860		
44	T	3.7681	3.4827	4.7767	4.7756	4.1310	4.8280	4.2315	3.9550	33.9486		
	S	153.984	124.512	109.052	119.214	137.981	136.844	138.893	146.018	132.553		
45	T	3.8105	3.4561	4.1652	4.0690	3.8468	4.7337	4.1989	3.9370	32.2172		
	S	152.271	125.470	125.062	139.916	148.175	139.570	139.972	146.685	139.677		
46	T	3.8111	3.4786	4.1382	4.0490	3.8209	4.6849	4.1916	3.9141	32.0884		
	S	152.247	124.658	125.878	140.607	149.180	141.024	140.215	147.543	140.238		
47	T	4.0453	3.8213	4.5982	4.5070	5.2776						39.8416
	S	143.432	113.479	113.285	126.319	108.004						98.452

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 1**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 8 - Sulaiman, Manuel (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	4.2629	4.2196	4.8919	4.5190	4.1135	5.5286	4.7758	4.2930	36.6043		41.4754
	S	136.111	102.767	106.484	125.983	138.568	119.503	123.064	134.521	122.936		96.481
2	T	4.2115	4.0263	4.5564	4.3416	4.0023	5.3992	4.6479	4.2209	35.4061		
	S	137.772	107.701	114.325	131.131	142.418	122.367	126.450	136.819	127.097		
3	T	4.1236	3.8515	4.4974	4.2923	3.9714	5.3958	4.6027	4.1832	34.9179		
	S	140.709	112.589	115.824	132.637	143.526	122.444	127.692	138.052	128.874		
4	T	4.0951	3.8954	4.4964	4.2897	3.9548	5.2652	4.5435	4.1461	34.6862		
	S	141.688	111.320	115.850	132.717	144.129	125.481	129.356	139.288	129.735		
5	T	4.0232	3.7265	4.3661	4.2171	3.9152	5.0818	4.4661	4.0933	33.8893		
	S	144.220	116.366	119.308	135.002	145.586	130.009	131.597	141.084	132.785		
6	T	3.9948	3.6572	4.3793	4.2188	3.9097	5.1589	4.4792	4.0686	33.8665		
	S	145.246	118.571	118.948	134.948	145.791	128.066	131.213	141.941	132.875		
7	T	4.0034	3.8673	4.5420	4.2611	3.9091	5.2945	4.5315	4.1038	34.5127		
	S	144.934	112.129	114.687	133.608	145.814	124.786	129.698	140.723	130.387		
8	T	3.9608	3.7666	4.5068	4.2590	3.9291	5.2978	4.4823	4.0811	34.2835		
	S	146.492	115.127	115.583	133.674	145.071	124.709	131.122	141.506	131.258		
9	T	3.9450	3.7281	4.3906	4.2213	3.9197	5.7704	4.8830	4.2249	35.0830		
	S	147.079	116.316	118.642	134.868	145.419	114.495	120.362	136.690	128.267		
10	T	4.0177	3.6331	4.3926	4.2348	3.9224	5.0904	4.4410	4.0944	33.8264		
	S	144.418	119.357	118.588	134.438	145.319	129.790	132.341	141.046	133.032		
11	T	3.9731	3.6294	4.3398	4.2147	3.9099	4.9598	4.4178	4.0647	33.5092		
	S	146.039	119.479	120.031	135.079	145.784	133.207	133.036	142.077	134.291		
12	T	3.9434	3.6546	4.4182	5.7418	6.2015	5.9195	4.5722	4.0947	38.5459		
	S	147.139	118.655	117.901	99.153	91.913	111.611	128.544	141.036	116.744		
13	T	3.9661	3.5995	4.3274	4.1999	3.9229	5.0356	4.4039	4.0742	33.5295		
	S	146.297	120.471	120.375	135.555	145.301	131.202	133.456	141.746	134.210		
14	T	3.9358	3.5275	4.2319	4.2921	4.7780	5.3299	4.3596	4.0018	34.4566		
	S	147.423	122.930	123.091	132.643	119.297	123.958	134.812	144.310	130.599		
15	T	3.9146	3.5546	4.2168	4.1291	3.8609	4.8827	4.3241	4.0469	32.9297		
	S	148.221	121.993	123.532	137.879	147.634	135.311	135.919	142.702	136.655		
16	T	3.9184	3.5205	4.1699	4.1155	3.8747	4.8561	4.3566	4.0804	32.8921		
	S	148.078	123.175	124.921	138.335	147.108	136.052	134.905	141.530	136.811		
17	T	3.9475	3.4789	4.1823	4.1154	3.8688	4.8229	4.3590	4.0707	32.8455		
	S	146.986	124.648	124.551	138.338	147.333	136.988	134.831	141.867	137.005		
18	T	3.9455	3.5300	4.1953	4.1244	3.8782	4.8393	4.4366	4.0757	33.0250		
	S	147.061	122.843	124.165	138.037	146.975	136.524	132.472	141.693	136.260		
19	T	3.9291	3.5138	4.2396	4.1461	3.8851	4.8299	4.3472	4.0453	32.9361		
	S	147.674	123.410	122.868	137.314	146.714	136.790	135.197	142.758	136.628		

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 1**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 8 - Sulaiman, Manuel (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	3.9292	3.5058	4.1656	4.1053	3.8705	4.8067	4.3095	4.0268	32.7194		
	S	147.671	123.691	125.050	138.679	147.268	137.450	136.379	143.414	137.533		
21	T				4.1289	5.7471				67.1980	686.9570	49.3281
	S				137.886	99.180				66.966	1.559	79.519
22	T				4.6959	4.1235	5.2877	4.5361	4.1602	704.5915		35.5044
	S				121.237	138.232	124.947	129.567	138.815	6.387		112.707
23	T	4.0240	3.6532	4.3187	4.2076	3.9323	4.8802	4.3412	4.0460	33.4032		
	S	144.192	118.700	120.617	135.307	144.953	135.380	135.384	142.734	134.718		
24	T	3.9368	3.4913	4.2149	4.1453	3.8837	4.8935	4.3460	4.0067	32.9182		
	S	147.386	124.205	123.588	137.341	146.767	135.012	135.234	144.134	136.702		
25	T	3.9005	3.5795	4.1887	4.1278	3.8965	4.8279	4.3111	4.0333	32.8653		
	S	148.757	121.144	124.361	137.923	146.285	136.847	136.329	143.183	136.923		
26	T	3.9125	3.4784	4.1641	4.1142	3.8866	4.7475	4.2889	4.0169	32.6091		
	S	148.301	124.665	125.095	138.379	146.658	139.164	137.035	143.768	137.998		
27	T	3.8987	3.4782	4.1322	4.0968	3.8627	4.7913	4.3246	4.0223	32.6068		
	S	148.826	124.673	126.061	138.967	147.565	137.892	135.903	143.575	138.008		
28	T	3.8882	3.4979	4.1592	4.0963	3.8561	4.7521	4.2842	3.9636	32.4976		
	S	149.228	123.970	125.243	138.984	147.818	139.029	137.185	145.701	138.472		
29	T	3.8290	3.6151	4.3998	4.1794	3.8676	4.9030	4.3307	3.9895	33.1141		
	S	151.535	119.951	118.394	136.220	147.378	134.751	135.712	144.755	135.894		
30	T	3.8457	3.5191	4.2258	4.1057	3.8267	4.9572	4.3698	4.0265	32.8765		
	S	150.877	123.224	123.269	138.665	148.953	133.277	134.498	143.425	136.876		
31	T	3.8659	3.5023	4.1856	4.0967	3.8257	4.8301	4.3465	4.0133	32.6661		
	S	150.089	123.815	124.453	138.970	148.992	136.784	135.219	143.897	137.757		
32	T	3.8590	3.5031	4.1719	4.0713	3.8046	4.8436	4.3150	3.9865	32.5550		
	S	150.357	123.786	124.861	139.837	149.819	136.403	136.206	144.864	138.228		
33	T	3.8282	3.5142	4.2274	4.0876	3.7860	5.0563	4.4839	4.1051	33.0887		
	S	151.567	123.395	123.222	139.279	150.555	130.665	131.075	140.679	135.998		
34	T	3.9378	3.5024	4.1240	4.0846	3.8715	4.7696	4.3140	4.0180	32.6219		
	S	147.348	123.811	126.312	139.382	147.230	138.519	136.237	143.728	137.944		
35	T	3.8883	3.4317	4.1045	4.0770	3.8657	4.7399	4.2831	4.0042	32.3944		
	S	149.224	126.362	126.912	139.641	147.451	139.387	137.220	144.224	138.913		
36	T	3.8826	3.4462	4.1046	4.0905	5.0392				51.8436	336.8997	35.3362
	S	149.443	125.830	126.909	139.181	113.113				86.800	3.179	111.005
37	T				5.7624	7.0482				392.6403	74.3939	
	S				98.799	80.872				11.461	14.398	
38	T				4.7989	4.1882	5.2339	4.4619	4.1126	95.3066		38.3117
	S				118.635	136.097	126.231	131.721	140.422	47.216		104.448

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 1**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 8 - Sulaiman, Manuel (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	T	3.9705	3.5663	4.1560	4.1211	3.8960	4.7909	4.2885	4.0015	32.7908		
	S	146.135	121.593	125.339	138.147	146.304	137.903	137.047	144.321	137.234		
40	T	3.8724	3.4085	4.0504	4.0555	3.8461	4.7436	4.2322	3.9508	32.1595		
	S	149.837	127.222	128.607	140.382	148.202	139.279	138.870	146.173	139.928		
41	T	3.8406	3.4140	4.1043	4.0596	3.8290	4.7262	4.2401	3.9465	32.1603		
	S	151.077	127.017	126.918	140.240	148.864	139.791	138.612	146.332	139.924		
42	T	3.8275	3.4274	4.1045	4.0507	3.8183	4.7758	4.2705	3.9748	32.2495		
	S	151.594	126.521	126.912	140.548	149.281	138.340	137.625	145.290	139.537		
43	T	3.8367	3.4476	4.0933	4.0464	3.8301	4.7362	4.2550	3.9547	32.2000		
	S	151.231	125.779	127.259	140.697	148.821	139.496	138.126	146.029	139.752		
44	T	3.8266	3.4415	4.1457	4.8320	4.3913	4.9081	4.3001	4.0056	33.8509		
	S	151.630	126.002	125.650	117.822	129.802	134.611	136.678	144.173	132.936		
45	T	3.8669	3.4654	4.0855	4.0623	3.8594	4.7451	4.2746	3.9904	32.3496		
	S	150.050	125.133	127.502	140.147	147.691	139.235	137.493	144.722	139.105		
46	T	3.8623	3.4299	4.0867	4.4235	6.0254						44.2609
	S	150.228	126.428	127.464	128.703	94.600						88.622

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 1**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 83 - Finelli, Charles

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	4.7773	4.5063	5.6484	5.0192	4.4993	6.0442	5.3072	4.5408	40.3427		44.6489
	S	121.455	96.229	92.222	113.428	126.686	109.308	110.741	127.180	111.544		89.624
2	T	4.5495	4.4211	5.3979	4.7205	4.4045	6.0805	5.1568	4.4708	39.2016		
	S	127.536	98.083	96.502	120.605	129.413	108.656	113.971	129.172	114.791		
3	T	4.5256	4.1729	5.1437	4.7349	4.9594	6.1897	5.0036	4.6105	39.3403		
	S	128.210	103.917	101.271	120.239	114.933	106.739	117.461	125.258	114.387		
4	T	4.7587	4.0285	4.9237	4.5906	4.3014	5.7396	4.8778	4.3350	37.5553		
	S	121.930	107.642	105.796	124.018	132.515	115.109	120.490	133.218	119.823		
5	T	4.4059	4.1094	5.0502	4.6249	4.2838	5.7030	4.8600	4.3082	37.3454		
	S	131.693	105.523	103.146	123.098	133.059	115.848	120.932	134.047	120.497		
6	T	4.4526	4.1171	4.8329	4.5324	5.0762	6.0801	4.7503	4.2407	38.0823		
	S	130.312	105.326	107.784	125.611	112.289	108.663	123.724	136.180	118.165		
7	T	4.4709	4.0918	4.7799	4.6960	5.1246	5.9672	4.7224	4.2275	38.0803		
	S	129.779	105.977	108.979	121.235	111.228	110.719	124.455	136.606	118.171		
8	T	4.3212	3.8961	4.6683	4.4297	4.1435	5.4482	4.6689	4.2063	35.7822		
	S	134.275	111.300	111.584	128.523	137.565	121.266	125.881	137.294	125.761		
9	T	4.3030	3.9124	4.6981	4.4652	4.1754	5.3976	4.6825	4.2314	35.8656		
	S	134.842	110.836	110.877	127.501	136.514	122.403	125.516	136.480	125.468		
10	T	4.2592	3.8370	4.8638	4.5894	4.2634	5.4928	4.6950	4.2310	36.2316		
	S	136.229	113.014	107.099	124.051	133.696	120.281	125.182	136.493	124.201		
11	T	4.2552	3.8779	4.7153	4.4690	4.1759	5.5645	4.7212	4.3608	36.1398		
	S	136.357	111.822	110.472	127.393	136.498	118.732	124.487	132.430	124.516		
12	T	4.4602	3.9318	4.6671	4.8392	5.3573	5.8885	4.7922	4.4144	38.3507		
	S	130.090	110.290	111.613	117.647	106.397	112.199	122.642	130.822	117.338		
13	T	4.4803	3.9463	4.6142	4.3951	4.1092	5.5246	4.6887	4.2301	35.9885		
	S	129.506	109.884	112.893	129.535	138.713	119.589	125.350	136.522	125.040		
14	T	4.2224	3.8685	4.6905	4.4239	4.1495	5.5406	4.7286	4.2448	35.8688		
	S	137.416	112.094	111.056	128.691	137.366	119.244	124.292	136.049	125.457		
15	T	4.2783	3.8981	4.6269	4.4402	4.1623	5.5570	4.7248	4.2583	35.9459		
	S	135.621	111.243	112.583	128.219	136.944	118.892	124.392	135.617	125.188		
16	T	4.2985	3.9066	4.7086	4.4998	4.1552	5.3855	4.7796	4.2487	35.9825		
	S	134.984	111.001	110.629	126.521	137.178	122.678	122.966	135.924	125.061		
17	T	4.2429	3.8261	4.6043	4.4286	4.1519	5.3480	4.5992	4.1776	35.3786		
	S	136.753	113.336	113.135	128.555	137.287	123.538	127.789	138.237	127.196		
18	T	4.2603	3.9186	4.6629	4.3945	4.2273	5.4757	4.7444	4.2681	35.9518		
	S	136.194	110.661	111.714	129.552	134.838	120.657	123.878	135.306	125.168		
19	T	4.3488			4.7070	5.6792				68.7855	424.9115	51.6701
	S	133.422			120.951	100.366				65.421	2.521	75.914

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 1**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 83 - Finelli, Charles

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T			5.4403	4.7414	6.1489	5.2861	4.5828	449.7845		41.9884	
	S			104.648	120.218	107.447	111.184	126.015	10.005		95.302	
21	T	4.4937	3.9722	4.8103	4.5309	4.2571	5.6320	4.8681	4.3210	36.8853		
	S	129.120	109.168	108.290	125.652	133.894	117.309	120.730	133.650	122.000		
22	T	4.2601	3.8818	4.8975	4.5548	4.2695	5.8104	4.8368	4.2851	36.7960		
	S	136.200	111.710	106.362	124.993	133.505	113.707	121.512	134.769	122.296		
23	T	4.3396	3.7738	4.5962	4.3998	4.1305	5.4049	4.6469	4.2838	35.5755		
	S	133.705	114.907	113.335	129.396	137.998	122.238	126.477	134.810	126.492		
24	T	4.1864	3.6631	4.5082	4.3402	4.2016	5.3634	4.5510	4.1333	34.9472		
	S	138.598	118.380	115.547	131.173	135.663	123.183	129.142	139.719	128.766		
25	T	4.1377	3.6156	4.6595	4.3895	4.1444	5.3886	4.6403	4.1962	35.1718		
	S	140.229	119.935	111.795	129.700	137.535	122.607	126.657	137.625	127.943		
26	T	4.2349	3.8057	4.7646	4.5262	4.1574	5.3430	4.6261	4.2740	35.7319		
	S	137.011	113.944	109.329	125.783	137.105	123.654	127.046	135.119	125.938		
27	T	5.0048	4.1045	4.7021	4.4269	4.1075	5.3222	5.1744	4.3747	37.2171		
	S	115.934	105.649	110.782	128.604	138.771	124.137	113.584	132.009	120.912		
28	T	4.4872	3.8934	4.6082	4.3786	4.0965	5.2479	4.5863	4.1733	35.4714		
	S	129.307	111.377	113.040	130.023	139.143	125.895	128.148	138.380	126.863		
29	T	4.1406	3.7006	4.6033	4.4006	4.1159	5.2948	4.6162	4.1926	35.0646		
	S	140.131	117.180	113.160	129.373	138.487	124.779	127.318	137.743	128.335		
30	T	4.2170	3.7080	4.5349	4.3718	4.0890	5.2963	4.5495	4.1528	34.9193		
	S	137.592	116.946	114.867	130.225	139.398	124.744	129.185	139.063	128.869		
31	T	4.2072	3.7432	4.5636	4.3702	4.0971	5.2426	4.6052	4.1667	34.9958		
	S	137.913	115.846	114.144	130.273	139.123	126.022	127.623	138.599	128.587		
32	T	4.1842	3.6726	4.6057	4.4321	4.1208	5.2491	4.5626	4.1674	34.9945		
	S	138.671	118.073	113.101	128.453	138.323	125.866	128.814	138.576	128.592		
33	T	4.1781	3.7773	4.6246	4.4186	4.1160	5.3125	4.6161	4.1814	35.2246		
	S	138.873	114.801	112.639	128.846	138.484	124.364	127.321	138.112	127.752		
34	T	4.1722	3.7575	4.7225	4.4770	4.1527	5.3644	4.6894	4.2075	35.5432		
	S	139.070	115.406	110.304	127.165	137.260	123.160	125.331	137.255	126.606		
35	T	4.1760	3.7655	4.5388	4.3845	4.1349	5.3994	4.6288	4.1681	35.1960		
	S	138.943	115.160	114.768	129.848	137.851	122.362	126.972	138.552	127.855		
36	T	4.1601	3.7359	4.6633	4.5257	6.5610				71.6063	93.4100	53.8431
	S	139.474	116.073	111.704	125.797	86.877				62.844	11.467	72.851
37	T				5.5353	4.6566	6.0281	5.1667	4.4507	118.0648		42.4180
	S				102.852	122.407	109.600	113.753	129.755	38.115		94.337
38	T	4.4611	4.1406	4.9727	4.6344	4.2906	5.4682	4.6608	4.2030	36.8314		
	S	130.064	104.728	104.754	122.846	132.849	120.823	126.100	137.402	122.178		

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 1**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 83 - Finelli, Charles

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	T	4.2470	3.8278	4.7856	4.5514	4.2392	5.5223	4.6483	4.3403	36.1619		
	S	136.621	113.286	108.849	125.086	134.459	119.639	126.439	133.055	124.440		
40	T	4.3525	3.7881	4.6356	4.4316	4.1152	5.2728	4.5632	4.1340	35.2930		
	S	133.309	114.473	112.371	128.468	138.511	125.300	128.797	139.695	127.504		
41	T	4.1426	3.6665	4.5862	4.3976	4.0928	5.1806	4.5521	4.1430	34.7614		
	S	140.064	118.270	113.582	129.461	139.269	127.530	129.111	139.392	129.454		
42	T	4.1856	3.7195	4.5810	4.4133	4.1655	5.4394	4.7437	4.6032	35.8512		
	S	138.625	116.585	113.711	129.001	136.838	121.462	123.896	125.456	125.519		
43	T	4.5035	3.9360	4.7314	4.4579	4.1558	5.3828	4.5851	4.1253	35.8778		
	S	128.839	110.172	110.096	127.710	137.158	122.739	128.182	139.990	125.426		
44	T	4.1691	3.7153	4.5525	4.3254	4.0818	5.2576	4.5267	4.1183	34.7467		
	S	139.173	116.716	114.423	131.622	139.644	125.662	129.836	140.228	129.509		
45	T	4.1684	3.7854	4.5885	4.3932	4.1420	5.3680	4.6793	4.1653	35.2901		
	S	139.197	114.555	113.525	129.591	137.615	123.078	125.602	138.645	127.515		
46	T	4.1493	3.7882	4.5677	4.3761	4.0750	5.2434	4.5435	4.1383	34.8815		
	S	139.837	114.470	114.042	130.097	139.877	126.003	129.356	139.550	129.008		
47	T	4.0850	3.6593	6.1518	33.0720	5.8481				90.0108		72.1583
	S	142.039	118.503	84.676	17.215	97.468				49.994		54.360

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 1**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 9 - Thompson, Parker

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	4.1475	4.0815	4.5916	4.3316	4.0231	5.4236	4.5687	4.0966	35.2642		37.3507
	S	139.898	106.244	113.448	131.434	141.682	121.816	128.642	140.971	127.608		107.136
2	T	4.0054	3.7518	4.4124	4.2258	3.9149	5.1170	4.5447	4.1321	34.1041		
	S	144.861	115.581	118.056	134.724	145.598	129.115	129.321	139.759	131.949		
3	T	3.9856	3.6677	4.4188	4.2305	3.9054	4.9942	4.4260	4.0416	33.6698		
	S	145.581	118.231	117.885	134.575	145.952	132.290	132.790	142.889	133.651		
4	T	3.9219	3.6596	4.3625	4.2061	3.9279	5.6550	4.8403	4.2092	34.7825		
	S	147.945	118.493	119.406	135.355	145.116	116.831	121.424	137.199	129.375		
5	T	4.0274	3.5999	4.3547	4.2025	3.9098	4.9403	4.3914	4.0486	33.4746		
	S	144.070	120.458	119.620	135.471	145.788	133.733	133.836	142.642	134.430		
6	T	3.9325	3.5671	4.2756	4.1724	3.9017	4.8542	4.3112	4.0155	33.0302		
	S	147.547	121.566	121.833	136.449	146.090	136.105	136.326	143.818	136.239		
7	T	3.9052	3.5650	4.2393	4.1287	3.8789	4.8331	4.3628	4.0273	32.9403		
	S	148.578	121.637	122.876	137.893	146.949	136.699	134.713	143.396	136.611		
8	T	3.9126	3.5589	4.2318	4.1312	3.8803	4.7808	4.3114	4.0048	32.8118		
	S	148.297	121.846	123.094	137.809	146.896	138.195	136.319	144.202	137.146		
9	T	3.8822	3.5312	4.2112	4.1123	3.8658	4.7951	4.3423	4.0027	32.7428		
	S	149.458	122.801	123.696	138.443	147.447	137.783	135.349	144.278	137.435		
10	T	3.8692	3.4804	4.1980	4.1030	3.8439	4.8109	4.3260	3.9398	32.5712		
	S	149.961	124.594	124.085	138.757	148.287	137.330	135.859	146.581	138.159		
11	T	3.8543	3.8008	4.5761	4.1885	3.8596	4.8980	4.3364	3.9691	33.4828		
	S	150.540	114.091	113.833	135.924	147.684	134.888	135.533	145.499	134.397		
12	T	3.8217	3.5416	4.3621	4.1333	3.8346	5.0456	4.3255	3.9590	33.0234		
	S	151.824	122.441	119.417	137.739	148.647	130.942	135.875	145.870	136.267		
13	T	3.8270	3.6118	4.2426	4.0702	3.8057	5.2131	4.6534	4.1050	33.5288		
	S	151.614	120.061	122.781	139.875	149.775	126.735	126.301	140.682	134.213		
14	T	3.8661	3.6872	4.3995	4.1889	3.8615	4.8508	4.3098	3.9868	33.1506		
	S	150.081	117.606	118.402	135.911	147.611	136.201	136.370	144.853	135.744		
15	T	3.8877	3.5758	4.2051	4.0827	3.8247	4.9258	4.3971	4.0515	32.9504		
	S	149.247	121.270	123.876	139.446	149.031	134.127	133.662	142.540	136.569		
16	T	3.9439	3.5871	4.1967	4.0937	3.8362	4.8261	4.3146	4.0195	32.8178		
	S	147.120	120.888	124.123	139.072	148.585	136.898	136.218	143.675	137.121		
17	T	3.8996	3.5335	4.2020	4.0992	3.8282	4.8008	4.3037	4.0156	32.6826		
	S	148.791	122.721	123.967	138.885	148.895	137.619	136.563	143.814	137.688		
18	T	3.9024	3.5612	4.2408	4.1318	4.3065				51.3755	567.9801	34.2338
	S	148.685	121.767	122.833	137.789	132.358				87.590	1.886	114.580
19	T				4.7904	4.2062	5.5546	4.8290	4.2325	586.4889		35.6505
	S				118.846	135.514	118.943	121.708	136.444	7.673		112.245

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 1**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 9 - Thompson, Parker

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	4.0374	3.6646	4.2453	4.1564	3.9041	4.9288	4.3162	4.0078	33.2606		
	S	143.713	118.331	122.703	136.974	146.000	134.045	136.168	144.094	135.295		
21	T	3.9275	3.6055	4.2566	4.1585	3.8992	4.8637	4.3139	4.0060	33.0309		
	S	147.735	120.271	122.377	136.905	146.184	135.839	136.240	144.159	136.236		
22	T	3.9112	3.5202	4.1985	4.1187	3.8836	4.7927	4.3046	3.9971	32.7266		
	S	148.350	123.185	124.070	138.228	146.771	137.852	136.535	144.480	137.503		
23	T	3.8924	3.4906	4.1999	4.1237	3.8790	4.7784	4.3498	4.0220	32.7358		
	S	149.067	124.230	124.029	138.060	146.945	138.264	135.116	143.585	137.464		
24	T	3.9039	3.4951	4.1998	4.1213	3.8671	4.7911	4.3085	3.9981	32.6849		
	S	148.628	124.070	124.032	138.140	147.397	137.898	136.411	144.444	137.678		
25	T	3.8762	3.4835	4.1803	4.1039	3.8516	4.7072	4.3009	3.9848	32.4884		
	S	149.690	124.483	124.610	138.726	147.990	140.356	136.652	144.926	138.511		
26	T	3.8759	3.4886	4.2471	4.1167	3.8418	4.8460	4.3644	3.9677	32.7482		
	S	149.701	124.301	122.651	138.295	148.368	136.335	134.664	145.550	137.412		
27	T	3.8582	3.4802	4.1920	4.1149	3.8758	4.7535	4.2632	3.9801	32.5179		
	S	150.388	124.601	124.263	138.355	147.066	138.988	137.861	145.097	138.385		
28	T	3.8837	3.5215	4.2191	4.1386	4.1339				50.9599	88.2812	33.6571
	S	149.401	123.140	123.465	137.563	137.884				88.305	12.133	116.543
29	T				4.7742	4.1349	5.0405	4.4031	4.0589	105.1338		34.1554
	S				119.249	137.851	131.075	133.480	142.280	42.803		117.158
30	T	3.9557	3.6020	4.2042	4.1201	3.8768	4.7731	4.2632	3.9795	32.7746		
	S	146.681	120.388	123.902	138.181	147.028	138.418	137.861	145.119	137.301		
31	T	3.8945	3.5249	4.1726	4.1069	3.8728	4.7327	4.2693	3.9792	32.5529		
	S	148.986	123.021	124.840	138.625	147.180	139.599	137.664	145.130	138.237		
32	T	3.8899	3.5274	4.1484	4.1063	3.8748	4.7970	4.2978	3.9969	32.6385		
	S	149.163	122.934	125.569	138.645	147.104	137.728	136.751	144.487	137.874		
33	T	3.9059	3.5301	4.1974	4.1255	3.8789	4.8491	4.3481	4.0356	32.8706		
	S	148.551	122.840	124.103	138.000	146.949	136.248	135.169	143.101	136.900		
34	T	3.9256	3.5557	4.2130	4.1408	4.3418				54.5365	396.9031	37.0179
	S	147.806	121.955	123.643	137.490	131.282				82.514	2.699	105.962
35	T				4.8184	4.2068	5.4868	4.5612	4.0823	414.6135		35.2290
	S				118.155	135.495	120.413	128.854	141.464	10.853		113.588
36	T	3.9806	3.7596	4.3713	4.2233	3.9371	4.9841	4.3783	4.0250	33.6593		
	S	145.764	115.341	119.166	134.804	144.777	132.558	134.236	143.478	133.693		
37	T	3.9217	3.6164	5.4720	5.6664	5.6027				61.5287	87.6446	42.4385
	S	147.953	119.908	95.195	100.473	101.737				73.137	12.221	92.428
38	T				4.6619	4.0780	5.1194	4.4060	4.0091	101.8702		33.3158
	S				122.121	139.774	129.055	133.392	144.047	44.174		120.111

Event: **Indy Pro 2000 WWT OT**
Track: **World Wide Technology Raceway**
Report: **Section Data Report**
Session: **Test Session 1**

1.25 mile(s)



Indy Pro 2000 Championship
August 28, 2020

Section Data for Car 9 - Thompson, Parker

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	T	3.9125	3.6300	4.2864	4.1710	3.8799	4.8506	4.3319	4.0042	33.0665		
	S	148.301	119.459	121.526	136.494	146.911	136.206	135.674	144.224	136.089		
40	T	3.8763	3.5499	4.2346	4.1283	3.8577	4.7966	4.3445	4.0103	32.7982		
	S	149.686	122.155	123.013	137.906	147.756	137.740	135.281	144.004	137.203		
41	T	3.8745	3.5097	4.2110	4.1136	3.8571	4.7901	4.3262	3.9817	32.6639		
	S	149.755	123.554	123.702	138.399	147.779	137.927	135.853	145.039	137.767		
42	T	3.8530	3.5239	4.2591	4.1455	3.8738	4.7894	4.3287	4.0008	32.7742		
	S	150.591	123.056	122.305	137.334	147.142	137.947	135.775	144.346	137.303		
43	T	3.8733	3.6331	4.3809	4.1803	3.9070	5.0379	4.4046	4.0181	33.4352		
	S	149.802	119.357	118.905	136.191	145.892	131.142	133.435	143.725	134.589		
44	T	3.8521	3.5556	4.2730	4.1318	3.8536	4.8102	4.3412	4.0104	32.8279		
	S	150.626	121.959	121.907	137.789	147.914	137.350	135.384	144.001	137.079		
45	T	3.8680	3.5110	4.2195	4.1136	3.8548	4.7566	4.2785	3.9797	32.5817		
	S	150.007	123.508	123.453	138.399	147.868	138.898	137.368	145.111	138.114		
46	T	3.8652	3.5122	4.2064	4.1160	3.8693	4.7394	4.3067	4.0051	32.6203		
	S	150.116	123.466	123.837	138.318	147.313	139.402	136.468	144.191	137.951		
47	T	3.9732	3.8890	4.5513	4.3790	5.1567						38.7587
	S	146.035	111.503	114.453	130.011	110.536						101.203

Event: Indy Pro 2000 WWT OT
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Test Session 1

1.25 mile(s)



Indy Pro 2000 Championship
 August 28, 2020

Section Data for Car

Report Support Information

Section Legend	
Name	Length
SF to T1	0.161174 miles
T1 to SS1	0.120455 miles
SS1 to T2	0.144697 miles
T2 to BS	0.158144 miles
BS to T3	0.158333 miles
T3 to SS2	0.183523 miles
SS2 to T4	0.163258 miles
T4 to SF	0.160417 miles
T1 to T2	0.265152 miles
T2 to T3	0.316477 miles
T3 to T4	0.346780 miles
Lap	1.250000 miles
PI to PO	0.297538 miles
PO to SF	1.111553 miles
SF to PI	1.089583 miles
PO to T2	0.287879 miles
T3 to PI	0.346780 miles
PO to PI	0.951136 miles

Color Legend	
	Fastest Lap
	Section Under Caution
	Section Under Green
	Section Time Data
	Section Speed Data

