

Event: Portland RTI Open Test
Track: Portland International Raceway
Report: Section Data Report
Session: Indy Pro 2000 Test Session 1

1.964 mile(s)



Indy Pro 2000 Championship
August 29, 2019

Section Data for Car 10 - Lindh, Rasmus (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T		4.4559	8.1518	6.2019	4.4916	8.9674	8.5526			294.2701	205.5158		
	S		40.090	76.531	59.586	108.536	111.768	82.989			24.027	4.568		
2	T		3.7964	6.8814	5.4822	4.3505	7.3388	7.0201	8.1243	6.4378	83.7865		79.5236	
	S		47.054	90.659	67.408	112.056	136.572	101.106	78.552	123.701	84.386		87.007	
3	T	1.6792	5.9610	3.2700	6.3638	5.0996	4.2930	7.2669	6.1305	7.6960	6.3378	73.7150		
	S	139.271	88.873	54.629	98.033	72.466	113.557	137.923	115.777	82.924	125.653	95.915		
4	T	1.6661	5.6011	3.2251	6.2770	5.0057	4.2773	7.2364	6.0199		86.8310			66.9343
	S	140.366	94.584	55.389	99.389	73.825	113.974	138.504	117.904		81.427			93.735

Event: **Portland RTI Open Test**
Track: **Portland International Raceway**
Report: **Section Data Report**
Session: **Indy Pro 2000 Test Session 1**

1.964 mile(s)



Indy Pro 2000 Championship
August 29, 2019

Section Data for Car 11 - Serravalle, Antonio

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T		4.9210		7.1787	5.4334	8.7860	10.2596	10.0873	6.7692	104.3223	343.2559	100.4405	
	S		36.301		51.478	89.723	114.076	69.181	63.266	117.645	67.775	2.735	68.887	
2	T	2.0075	7.4819	4.3233		6.6067	4.6990	8.2409	9.7997	9.6288	6.6956	92.2373		
	S	116.495	70.807	41.319		55.935	103.745	121.622	72.428	66.278	118.938	76.654		
3	T	1.7474	7.2980	3.9240	7.4105	6.3608	4.7268	7.6628	9.1458	9.3667	7.4499	89.5250		
	S	133.835	72.591	45.524	84.186	58.097	103.135	130.797	77.606	68.133	106.896	78.977		
4	T	1.8504	7.3172	3.9928	7.2250	6.3886	4.6204	7.3922	8.7848	9.0837	6.4135	87.2675		
	S	126.385	72.401	44.740	86.348	57.845	105.510	135.585	80.796	70.256	124.170	81.020		
5	T	1.6628	6.7503	3.8830	7.0213	6.5384	4.4954	7.2923	8.5800	9.0950	6.4016	85.1250		
	S	140.644	78.481	46.005	88.853	56.519	108.444	137.443	82.724	70.168	124.401	83.059		
6	T	1.6559	6.7492	3.9556	6.9176	6.3094	4.5491	7.3136	8.2746	8.9225	6.4046	84.0245		
	S	141.231	78.494	45.160	90.185	58.571	107.164	137.042	85.777	71.525	124.342	84.147		
7	T	1.6615	6.5083	4.0378	6.7828	6.1416	4.4871	7.2857	8.2391	8.9816	6.3972	83.7722		
	S	140.755	81.400	44.241	91.977	60.171	108.645	137.567	86.147	71.054	124.486	84.400		
8	T	1.6646	6.4657	4.0377	6.7731	6.2108	4.4952	7.2907	8.4127			263.5188	186.8069	80.6090
	S	140.492	81.936	44.242	92.109	59.500	108.449	137.473	84.369			26.831	5.026	77.834
9	T			4.2729	6.8912	6.5616	4.5336	7.2809	7.9031	8.4640	6.3327	89.5056		85.6085
	S			41.807	90.530	56.319	107.530	137.658	89.809	75.400	125.754	78.994		80.822
10	T	1.6580	6.2453	3.6633	6.5511	6.1296	4.4310	7.2431	7.6562	8.4282	6.3212	80.3044		
	S	141.052	84.827	48.764	95.230	60.289	110.020	138.376	92.706	75.720	125.983	88.045		
11	T	1.6542	6.2313	3.6133	6.4948	6.1156	4.4230	7.2347	7.4271	8.1708	6.2608	79.2641		
	S	141.376	85.018	49.439	96.056	60.427	110.219	138.537	95.565	78.105	127.198	89.201		
12	T	1.6421	6.1289	3.5407	6.4782	6.0455	4.4130	7.2272	7.2765	8.1027	6.2584	78.0925		
	S	142.417	86.438	50.452	96.302	61.127	110.469	138.681	97.543	78.762	127.247	90.539		
13	T	1.6379	5.9836	3.7174	6.3922	6.1493	4.5476	7.4461	7.6931	8.2636	6.3242	79.1566		
	S	142.783	88.537	48.054	97.598	60.096	107.199	134.604	92.261	77.228	125.923	89.322		
14	T	1.6452	6.3198	3.4576	6.3750	5.7520	4.3382	7.2316	7.2672			584.8180	514.3365	74.5502
	S	142.149	83.827	51.665	97.861	64.246	112.374	138.596	97.668			12.090	1.825	84.159
15	T			4.4061	8.2429	7.0037	4.6130	7.4746	8.0980	8.3826	6.2519	93.3000		89.2313
	S			40.543	75.685	52.764	105.680	134.090	87.648	76.132	127.379	75.781		77.541
16	T	1.6387	6.3893	3.6280	6.6693	6.7117	4.3198	7.1595	7.4495	8.1356	6.2321	80.2303		
	S	142.713	82.916	49.238	93.543	55.060	112.852	139.992	95.278	78.443	127.784	88.126		
17	T	1.6353	6.0460	3.4849	6.3549	6.4861	5.5611	8.0610	7.1168	7.9634	6.2116	80.5086		
	S	143.010	87.624	51.260	98.170	56.975	87.663	124.336	99.732	80.139	128.206	87.822		
18	T	1.6261	5.8666	3.4193	6.3207	5.7835	4.4523	7.9347	7.2364			295.3500	224.5808	74.3302
	S	143.819	90.303	52.244	98.702	63.897	109.494	126.315	98.084			23.939	4.181	84.408
19	T			4.0444	6.5797	5.6737	4.3233	7.1375	7.0357	7.7685	6.1813	82.4230		78.8620
	S			44.169	94.816	65.133	112.761	140.423	100.882	82.150	128.834	85.782		87.737

Event: Portland RTI Open Test
Track: Portland International Raceway
Report: Section Data Report
Session: Indy Pro 2000 Test Session 1

1.964 mile(s)



Indy Pro 2000 Championship
August 29, 2019

Section Data for Car 11 - Serravalle, Antonio

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PI to PO	PO to SF	SF to PI	
20	T	1.6295	5.5032	3.3515	6.3511	5.5368	4.3153	7.1323	6.4651	7.6235	6.1618	73.8777			
	S	143.519	96.266	53.300	98.229	66.744	112.970	140.526	109.785	83.712	129.242	95.704			
21	T	1.6198	5.3275	3.3791	6.2533	5.3784	4.2666	7.0910	6.4325	7.7764	6.2376	73.2867			
	S	144.378	99.441	52.865	99.766	68.709	114.260	141.344	110.342	82.066	127.671	96.476			
22	T	1.6265	5.9956	3.6201	6.7279	5.3553	4.3867	7.1456	6.3064						70.4106
	S	143.783	88.360	49.346	92.728	69.006	111.131	140.264	112.548						89.107

Event: Portland RTI Open Test
Track: Portland International Raceway
Report: Section Data Report
Session: Indy Pro 2000 Test Session 1

1.964 mile(s)



Indy Pro 2000 Championship
August 29, 2019

Section Data for Car 2 - Robb, Sting Ray

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PI to PO	PO to SF	SF to PI	
1	T			4.2545	7.8448	6.7589	4.7052	8.0715	8.4413	9.0318	6.5119	93.5931		89.6776	
	S			41.988	79.526	54.675	103.609	124.174	84.083	70.659	122.294	75.544		77.155	
2	T	1.7074	7.1690	3.6553	6.9230	6.5744	4.3942	7.3259	7.7112	8.9867	6.5047	82.9513			
	S	136.971	73.898	48.871	90.115	56.210	110.942	136.812	92.044	71.014	122.429	85.236			
3	T	1.6893	6.8329	3.5632	6.6795	6.2757	4.4082	7.3210	7.7303	8.6148	6.4088	81.1241			
	S	138.438	77.533	50.134	93.400	58.885	110.589	136.904	91.817	74.080	124.261	87.155			
4	T	1.6706	6.4567	3.5451	6.6408	6.2127	4.4080	7.2892	7.6056	8.8147	6.4451	80.6547			
	S	139.988	82.050	50.390	93.944	59.482	110.594	137.501	93.322	72.400	123.561	87.663			
5	T	1.6837	6.5749	3.3930	6.5705	6.3749	4.3187	7.2712	7.4051	8.4538	6.3988	79.3907			
	S	138.899	80.575	52.649	94.949	57.969	112.881	137.841	95.849	75.491	124.455	89.058			
6	T	1.6751	6.5604	3.4265	6.6038	6.0895	4.3144	7.5336	7.2555	8.3245	6.3990	79.0181			
	S	139.612	80.753	52.134	94.470	60.686	112.994	133.040	97.825	76.663	124.451	89.478			
7	T	1.6831	6.4362	3.4011	6.5424	6.2170	4.3549	7.3101	7.3022	8.3426	6.4105	78.6184			
	S	138.948	82.311	52.523	95.357	59.441	111.943	137.108	97.200	76.497	124.228	89.933			
8	T	1.6867	6.3473	3.3497	6.4814	6.2718	4.3518	7.3449	7.3810			1291.3291	1220.2254		74.9374
	S	138.652	83.464	53.329	96.254	58.922	112.023	136.458	96.162			5.475	0.769		83.724
9	T			4.4446	7.5587	6.0651	4.5665	8.4520	7.8589			317.9188	234.1808		
	S			40.192	82.536	60.930	106.756	118.584	90.315			22.240	4.009		
10	T			3.5263	6.5667	5.2799	4.2889	7.2365	6.6984	8.0113	6.3466	80.9039		77.1558	
	S			50.658	95.004	69.991	113.666	138.502	105.962	79.660	125.479	87.393		89.677	
11	T	1.6604	5.8162	3.3568	6.3470	5.0693	4.2237	7.1504	6.1839	7.6179	6.2629	73.4440			
	S	140.848	91.086	53.216	98.293	72.899	115.420	140.170	114.778	83.774	127.156	96.269			
12	T	1.6511	5.4557	3.2260	6.2267	4.8979	4.2086	7.1462	5.8951	7.6100	6.2465	70.9038			
	S	141.641	97.104	55.374	100.192	75.450	115.834	140.253	120.400	83.861	127.490	99.718			
13	T	1.6419	5.4944	3.1158	6.1351	4.9145	4.2429	7.1537	6.0681						66.7364
	S	142.435	96.420	57.332	101.688	75.195	114.898	140.106	116.968						94.013

Event: **Portland RTI Open Test**
Track: **Portland International Raceway**
Report: **Section Data Report**
Session: **Indy Pro 2000 Test Session 1**

1.964 mile(s)



Indy Pro 2000 Championship
August 29, 2019

Section Data for Car 27 - Round-Garrido, Matt (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T		5.4991	8.7851	7.1783	5.1366	8.5952	9.5604			534.0784	438.4062		
	S		32.485	71.014	51.481	94.907	116.608	74.241			13.239	2.142		
2	T		4.6269	7.8988	7.2416	4.8695	7.7797	8.7434	9.6245	6.6785	98.2690		94.6575	
	S		38.608	78.982	51.031	100.113	128.832	81.178	66.308	119.243	71.949		73.096	
3	T	1.7439	8.2623	4.4095	7.1026	6.6847	4.6889	7.5413	8.3843	8.9811	6.5400	88.1242		
	S	134.104	64.119	40.512	87.836	55.282	103.969	132.905	84.655	71.058	121.768	80.232		
4	T	1.7052	7.1401	4.4583	7.0666	6.6975	4.6642	7.4774	7.8238	8.6923	6.4875	85.3690		
	S	137.147	74.197	40.068	88.283	55.177	104.520	134.040	90.720	73.419	122.754	82.822		
5	T	1.7033	6.9857	4.2529	6.8762	6.3723	4.5168	7.3969	7.5111	8.4045	6.4351	83.2062		
	S	137.300	75.837	42.003	90.728	57.992	107.930	135.499	94.497	75.933	123.753	84.974		
6	T	1.7010	6.9402	3.9635	6.6279	6.3197	4.4771	7.3641	7.2871	8.2828	6.4175	81.7322		
	S	137.486	76.334	45.070	94.127	58.475	108.887	136.103	97.401	77.049	124.093	86.507		
7	T	1.6798	6.8188	3.9087	6.4708	6.2343	4.4113	7.3730	7.0855	8.1409	6.3960	80.1198		
	S	139.221	77.693	45.702	96.412	59.276	110.512	135.938	100.173	78.392	124.510	88.248		
8	T	1.6946	6.9994	3.7682	6.3932	6.0727	4.4279	7.3271	6.9810	8.0420	6.3996	79.3563		
	S	138.005	75.688	47.406	97.582	60.854	110.097	136.790	101.672	79.356	124.440	89.097		
9	T	1.6835	6.4759	3.6087	6.5095			7.2955	6.8055	7.8899	6.3698	77.8751		
	S	138.915	81.807	49.502	95.839			137.382	104.294	80.886	125.022	90.792		
10	T	1.6701	6.7141	3.5474	6.5212	6.2413	4.7802	9.3373	10.4747			427.1954	347.0293	83.7055
	S	140.030	78.905	50.357	95.667	59.219	101.983	107.341	67.761			16.551	2.705	74.954
11	T			4.2380	6.8442	6.2144	4.5533	8.3515	8.0602	10.8366	6.4429	93.5267		89.9873
	S			42.151	91.152	59.466	107.065	120.011	88.059	58.891	123.603	75.598		76.890
12	T	1.6791	5.9265	3.3599	6.3194	5.4359	4.2781	7.2412	6.6070	7.7956	6.3111	75.1080		
	S	139.279	89.390	53.167	98.722	67.982	113.952	138.413	107.427	81.864	126.185	94.136		
13	T	1.6607	5.6921	3.2523	6.2462	5.4252	4.3099	7.2225	8.6194	7.6500	6.2712	76.7022		
	S	140.822	93.072	54.926	99.879	68.116	113.112	138.771	82.346	83.422	126.987	92.180		
14	T	1.6588	5.5835	3.1878	6.2590	6.1708	4.6284	9.3176	8.9354			298.0460	220.0668	81.5106
	S	140.984	94.882	56.038	99.675	59.886	105.328	107.568	79.434			23.723	4.266	76.973
15	T			3.5483	6.4283	5.3179	4.2986	7.2696	6.6649	7.6840	6.3252	80.5135		76.9821
	S			50.344	97.050	69.491	113.409	137.872	106.494	83.053	125.903	87.816		89.879
16	T	1.6636	5.5944	3.2747	6.2712	5.1874	4.2737	7.2317	6.1563	7.3406	6.2778	72.4016		
	S	140.577	94.697	54.550	99.481	71.239	114.070	138.594	115.292	86.939	126.854	97.655		
17	T	1.6617	5.3824	3.1851	6.1781	5.0171	4.2589	7.2047	6.1399	7.3398	6.2647	71.2266		
	S	140.738	98.427	56.085	100.980	73.657	114.466	139.114	115.600	86.948	127.119	99.266		
18	T	1.6474	5.3053	3.2024	6.2042	5.0224	4.2501	7.1875	6.1060					67.0252
	S	141.959	99.857	55.782	100.555	73.579	114.703	139.447	116.242					93.608

Event: **Portland RTI Open Test**
Track: **Portland International Raceway**
Report: **Section Data Report**
Session: **Indy Pro 2000 Test Session 1**

1.964 mile(s)



Indy Pro 2000 Championship
August 29, 2019

Section Data for Car 28 - Kirkwood, Kyle (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T		4.7345		6.6715	5.5106	9.2681	8.6987	10.5377	6.9761	106.0905	302.9468	102.4582	
	S		37.731		55.392	88.466	108.142	81.595	60.562	114.156	66.645	3.099	67.531	
2	T		4.1507		6.5252	4.4339	7.3486	8.2270			254.2043	176.8262		81.0670
	S		43.038		56.634	109.948	136.390	86.274			27.814	5.310		77.394
3	T		3.9297	6.8248	6.5509	4.4225	7.4025	8.7065	9.6927	10.6040	100.4002		96.7113	
	S		45.458	91.411	56.411	110.232	135.397	81.522	65.841	75.100	70.422		71.544	
4	T	3.9120	9.8004	4.1199	7.2261	6.3314	4.3589	7.2460	7.8656	8.9290	6.4416	89.3442		
	S	59.781	54.056	43.359	86.335	58.367	111.840	138.321	90.238	71.473	123.628	79.137		
5	T	1.6707	6.4843	3.5537	6.6827	6.3866	4.4949	8.7772	7.8292	8.9231	6.4185	83.4497		
	S	139.979	81.701	50.268	93.355	57.863	108.456	114.190	90.657	71.520	124.073	84.726		
6	T	1.6708	6.5105	3.5364	6.5502	6.6075	4.3498	7.2320	7.6061	8.3439	6.3398	80.2278		
	S	139.971	81.372	50.514	95.243	55.928	112.074	138.589	93.316	76.485	125.613	88.129		
7	T	1.6648	6.5151	3.5172	6.5405	6.2262	4.3659	7.2611	7.4837			1210.9791	1140.1663	74.7835
	S	140.476	81.315	50.789	95.385	59.353	111.661	138.033	94.842			5.839	0.823	83.897
8	T			3.8065	7.3359	6.3075	4.4315	7.4436	8.3385	8.7010	6.3659	91.2331		87.2624
	S			46.929	85.043	58.588	110.008	134.649	85.120	73.346	125.098	77.498		79.291
9	T	1.6644	5.9987	3.5008	6.4223	6.4330	4.3419	7.2200	7.0080	8.0176	6.3151	78.0461		
	S	140.509	88.315	51.027	97.140	57.445	112.278	138.819	101.280	79.598	126.105	90.593		
10	T	1.6574	5.6974	3.2135	6.2784	5.3177	4.2793	7.1787	6.6421	7.6919	6.2196	74.7175		
	S	141.103	92.985	55.589	99.367	69.493	113.921	139.618	106.860	82.968	128.041	94.628		
11	T	1.6448	5.6501	3.3731	6.2628	5.4732	4.2480	8.1580	7.1438			335.9512	266.9302	72.8731
	S	142.184	93.763	52.959	99.614	67.519	114.760	122.858	99.355			21.046	3.517	86.096
12	T			3.3724	6.3395	5.1341	4.2306	7.1697	6.3734	7.5986	6.2442	79.9655		76.1134
	S			52.970	98.409	71.979	115.232	139.793	111.365	83.987	127.537	88.418		90.905
13	T	1.6446	5.3266	3.1816	6.2311	5.1121	4.2412	7.1719	6.1500	7.4668	6.2288	71.9184		
	S	142.201	99.458	56.147	100.121	72.288	114.944	139.750	115.410	85.469	127.852	98.311		
14	T	1.6399	5.3097	3.1869	6.1589	4.9803	4.2431	7.1494	5.8685			85.0677		65.7084
	S	142.608	99.775	56.053	101.295	74.201	114.892	140.190	120.946			83.115		95.484

Event: **Portland RTI Open Test**
 Track: **Portland International Raceway**
 Report: **Section Data Report**
 Session: **Indy Pro 2000 Test Session 1**

1.964 mile(s)



Indy Pro 2000 Championship
August 29, 2019

Section Data for Car 3 - Comeau, Antoine (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T		4.8332		7.3136	5.6741	8.6824	9.3504	9.6952	6.7854	103.6820	316.7379	99.4852	
	S		36.960		50.529	85.917	115.437	75.908	65.825	117.364	68.193	2.964	69.549	
2	T	1.9403	8.3159	4.5708		6.9000	4.9850	8.7914	9.6391	9.7110	6.7403	102.1403		
	S	120.530	63.706	39.082		53.557	97.793	114.006	73.635	65.717	118.150	69.222		
3	T	1.7252	7.3551	4.2236	7.0833	6.6368	4.5361	7.4850	8.7115	9.0450	6.4967	86.8030		
	S	135.557	72.028	42.295	88.075	55.681	107.471	133.904	81.475	70.556	122.580	81.453		
4	T	1.7081	7.0338	4.3023	7.4512	6.2539	4.4886	7.4014	8.6129	8.6929	6.4519	86.0264		
	S	136.914	75.318	41.521	83.727	59.090	108.608	135.417	82.408	73.414	123.431	82.189		
5	T	1.6878	7.6514	4.4156	7.0491	6.7817	4.3706	7.3901	8.5841	8.8283	6.4373	85.8579		
	S	138.561	69.239	40.456	88.503	54.492	111.541	135.624	82.685	72.288	123.711	82.350		
6	T	1.6846	7.6452	4.2723	7.5617	6.1853	4.4092	7.3801	8.5559	8.6222	6.3980	85.6506		
	S	138.824	69.295	41.813	82.503	59.746	110.564	135.807	82.957	74.016	124.471	82.549		
7	T	1.6970	7.2482	3.9827	6.7180	6.3731	4.4453	7.3835	8.2627	10.9395	8.5800	88.4437		
	S	137.810	73.090	44.853	92.864	57.985	109.666	135.745	85.901	58.337	92.816	79.942		
8	T	2.3101	7.5126	4.1971	8.6098	6.5160	4.6019	7.4930	8.1445	8.2971	6.4352	87.9089		
	S	101.235	70.518	42.562	72.460	56.714	105.935	133.761	87.147	76.916	123.751	80.429		
9	T	1.7040			7.9331	6.1258	4.4476	7.4609	7.9718	8.4824	6.4302	85.5791		
	S	137.244			78.641	60.326	109.610	134.337	89.035	75.236	123.847	82.618		
10	T	1.6955	7.1396	3.9561	7.4137	6.1730	4.4392	7.4082	7.7277	8.1639	6.3415	83.8463		
	S	137.932	74.202	45.155	84.150	59.865	109.817	135.292	91.848	78.171	125.580	84.326		
11	T	1.6809	6.7581	3.7006	6.6485	5.9842	4.4333	7.4101	7.6240	8.3273	6.4041	80.5625		
	S	139.130	78.391	48.272	93.835	61.754	109.963	135.258	93.097	76.637	124.352	87.763		
12	T	1.6848	7.5028	4.1877	6.7271	5.9504	4.3711	7.3671	7.3670	8.1916	6.3686	81.3730		
	S	138.808	70.610	42.657	92.739	62.104	111.528	136.047	96.345	77.907	125.045	86.889		
13	T	1.6900	6.6795	3.8234	6.6798	5.9590	4.3780	7.3844	7.3985	8.2362	6.3928	79.7159		
	S	138.381	79.313	46.722	93.396	62.015	111.352	135.728	95.935	77.485	124.572	88.695		
14	T	1.6943	6.7848	3.6940	6.6288	5.8507	4.3907	7.3991	7.2276	8.1753	6.3862	79.0798		
	S	138.030	78.082	48.359	94.114	63.163	111.030	135.459	98.203	78.062	124.701	89.408		
15	T	1.6888	6.8014	3.7143	6.6079	5.9422	4.3157	7.3748	6.8921	8.0445	6.3727	78.6048		
	S	138.479	77.892	48.094	94.412	62.190	112.960	135.905	102.984	79.331	124.965	89.949		
16	T	1.6841	6.7360	3.7319	6.5631	6.1751	4.3269	7.3881	6.9518	8.1238	6.3862	78.8638		
	S	138.866	78.648	47.867	95.056	59.844	112.667	135.660	102.099	78.557	124.701	89.653		
17	T	1.6853	6.4638	3.6698	6.4817	5.7539	4.3426	7.3953	6.9608	8.2742	6.3990	78.8557		
	S	138.767	81.960	48.677	96.250	64.225	112.260	135.528	101.967	77.129	124.451	89.663		
18	T	1.6879	6.5037	3.6902	6.5401	5.7165	4.3514	7.4041	7.0208			441.5085	371.7322	74.0425
	S	138.553	81.457	48.408	95.391	64.645	112.033	135.367	101.096			16.014	2.526	84.736
19	T			4.3815	7.8986	20.1242	5.3293	8.8167	9.5063	8.8355	6.4608	112.8593		108.5931
	S			40.771	78.984	18.363	91.475	113.679	74.663	72.229	123.261	62.648		63.716

Event: Portland RTI Open Test
Track: Portland International Raceway
Report: Section Data Report
Session: Indy Pro 2000 Test Session 1

1.964 mile(s)



Indy Pro 2000 Championship
August 29, 2019

Section Data for Car 3 - Comeau, Antoine (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PI to PO	PO to SF	SF to PI	
20	T	1.6831	6.6217	3.6647	6.5801	15.4565	4.8069	7.8786	8.4862	8.2893	6.3979	92.5608			
	S	138.948	80.006	48.745	94.811	23.909	101.417	127.215	83.638	76.989	124.473	76.387			
21	T	1.6838	6.3845	3.4573	6.5048	15.4547	14.8883	26.0050	27.1952						
	S	138.890	82.978	51.669	95.908	23.912	32.744	38.542	26.099						

Event: **Portland RTI Open Test**
 Track: **Portland International Raceway**
 Report: **Section Data Report**
 Session: **Indy Pro 2000 Test Session 1**

1.964 mile(s)



Indy Pro 2000 Championship
August 29, 2019

Section Data for Car 5 - Petrov, Artem (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T		4.5117		6.7684	4.8426	7.5211	8.7217	10.1628	6.7856	97.9401	335.5440	94.2960	
	S		39.594		54.599	100.669	133.261	81.380	62.796	117.361	72.191	2.798	73.376	
2	T	1.7141			7.4036	4.9811	7.5901	8.8769	9.3741	6.6566	90.4980			
	S	136.435			49.914	97.870	132.050	79.957	68.079	119.635	78.128			
3	T	1.6997	6.6980	4.1666	6.9655	6.6304	4.5199	7.3869	8.0394	8.8741	6.5492	84.1969		
	S	137.591	79.094	42.873	89.565	55.735	107.856	135.682	88.287	71.915	121.597	83.975		
4	T	1.6885	6.8429	4.1472	6.7441	6.6555	4.5278	7.3950	7.9278	8.7060	6.4639	89.5469		
	S	138.504	77.419	43.074	92.505	55.525	107.668	135.534	89.530	73.304	123.202	78.958		
5	T	1.6831	6.9450	3.8934	6.8444	6.4859	4.4812	7.3717	7.9561	8.4224	6.4157	82.5425		
	S	138.948	76.281	45.882	91.149	56.977	108.788	135.962	89.211	75.772	124.127	85.658		
6	T	1.6717			6.5011	4.4982	7.3506	7.8856	8.2570	6.3700	84.4505			
	S	139.896			56.844	108.377	136.353	90.009	77.290	125.018	83.722			
7	T	1.6734	6.5922	3.7630	6.6510	6.3007	4.4602	7.3262	8.7554		447.4546	373.2686		77.7796
	S	139.754	80.364	47.472	93.800	58.651	109.300	136.807	81.067		15.801	2.515		80.665
8	T			3.7520	6.7476	6.1662	4.4538	7.3226	7.2948	8.1868	6.4169	84.8104		81.2168
	S			47.611	92.457	59.931	109.457	136.874	97.298	77.953	124.104	83.367		85.193
9	T	1.6711	6.3067	3.6096	6.6488	8.4841	5.5308	7.6854	7.6190	8.1451	6.3913	85.2941		
	S	139.946	84.002	49.489	93.831	43.557	88.143	130.413	93.158	78.352	124.601	82.894		
10	T	1.6781	6.2549	3.7007	6.5806	6.2169	4.5255	7.3799	7.1715	8.1956	6.4004	78.5484		
	S	139.362	84.697	48.271	94.803	59.442	107.723	135.811	98.971	77.869	124.424	90.013		
11	T	1.6791	6.1159	3.4875	6.4119	5.9583	4.4371	7.3487	7.0543	8.2531	6.4358	77.6557		
	S	139.279	86.622	51.222	97.298	62.022	109.869	136.388	100.616	77.326	123.740	91.048		
12	T	1.6767	6.0667	3.5189	6.3916	6.0401	4.4739	7.3757	6.7899	8.0941	6.3805	77.6053		
	S	139.479	87.325	50.765	97.607	61.182	108.965	135.888	104.534	78.845	124.812	91.107		
13	T	1.6724	6.0758	3.7756	6.5045			7.3552	6.7693	7.9160	6.3428	77.1035		
	S	139.837	87.194	47.313	95.913			136.267	104.852	80.619	125.554	91.700		
14	T	1.6679	6.2000	3.6148	159.8723	16.9763	14.2657	24.9661	23.4193					
	S	140.214	85.447	49.418	3.902	21.768	34.173	40.145	30.307					

Event: **Portland RTI Open Test**
Track: **Portland International Raceway**
Report: **Section Data Report**
Session: **Indy Pro 2000 Test Session 1**

1.964 mile(s)



Indy Pro 2000 Championship
August 29, 2019

Section Data for Car 51 - Abel, Jacob (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T		4.2294		7.0851	5.1380	9.0613	9.9531			265.3286	172.2723		
	S		42.237		52.158	94.881	110.610	71.312			26.648	5.450		
2	T		4.0633	7.0126	6.7993	4.7787	7.9239	9.4459	10.0330	6.8339	96.0680		92.4969	
	S		43.963	88.963	54.351	102.015	126.487	75.141	63.608	116.531	73.598		74.803	
3	T	1.8091	7.1751	4.1237	6.9299	6.5138	4.6096	7.5655	8.6754	8.9107	6.4601	86.8605		
	S	129.271	73.835	43.319	90.025	56.733	105.758	132.479	81.814	71.620	123.274	81.399		
4	T	1.6872	6.7928	3.5064	6.6468	6.4176	4.4429	7.3267	8.4796	8.7430	6.4138	83.2877		
	S	138.611	77.990	50.946	93.859	57.583	109.726	136.797	83.704	72.993	124.164	84.891		
5	T	1.6816	6.7364	3.5164	6.4738	6.3536	4.4412	7.3645	8.3374	8.6067	6.4011	82.5510		
	S	139.072	78.643	50.801	96.367	58.163	109.768	136.095	85.131	74.149	124.410	85.649		
6	T	1.6827	6.7847	3.6579	6.5915	6.5405	4.4770	7.3721	7.9499	8.4122	6.3877	82.0659		
	S	138.981	78.083	48.836	94.647	56.501	108.890	135.955	89.281	75.864	124.671	86.155		
7	T	1.6825	6.6004	3.6146	6.5099	6.4107	4.5043	7.4007	7.6437	8.2665	6.3819	80.7246		
	S	138.998	80.264	49.421	95.833	57.645	108.230	135.429	92.857	77.201	124.785	87.587		
8	T	1.6793	6.8516	3.8962	6.4728	6.2455	4.4856	7.3898	7.6269			197.1614	124.8894	75.8201
	S	139.263	77.321	45.849	96.382	59.170	108.681	135.629	93.062			35.861	7.518	82.750
9	T			3.6209	6.5479	6.1605	4.4611	7.3652	7.6359	8.3337	6.3586	85.7256		82.1775
	S			49.335	95.277	59.986	109.278	136.082	92.952	76.578	125.242	82.477		84.197
10	T	1.6801	6.2278	3.4311	6.3572	5.9008	4.4006	7.3434	7.2283	8.0684	6.3454	78.1212		
	S	139.196	85.066	52.064	98.135	62.626	110.780	136.486	98.194	79.096	125.503	90.506		
11	T	1.6800	6.1401	3.3555	6.3686	5.9627	4.4169	7.3434	7.0096	8.0043	6.3509	77.3697		
	S	139.205	86.281	53.237	97.959	61.976	110.372	136.486	101.257	79.730	125.394	91.385		
12	T	1.6787	6.0939	3.5579	6.3405	5.8454	4.3963	7.3454	6.9900	7.8975	6.3319	77.2436		
	S	139.312	86.935	50.208	98.393	63.220	110.889	136.449	101.541	80.808	125.770	91.534		
13	T	1.6745	5.9686	3.4096	6.3567	5.8131	4.4013	7.3618	6.9562	7.9681	6.3375	77.1360		
	S	139.662	88.760	52.392	98.143	63.571	110.763	136.145	102.035	80.092	125.659	91.661		
14	T	1.6754	6.2159	3.6115	6.3413	5.8272	4.4026	7.3952	6.7516	7.9474	6.3310	76.8302		
	S	139.587	85.229	49.463	98.381	63.417	110.730	135.530	105.127	80.301	125.788	92.026		
15	T	1.6731	6.0403	3.5204	6.3707	5.7485	4.3798	7.3717	6.5825	7.8561	6.3407	76.3960		
	S	139.779	87.706	50.743	97.927	64.286	111.306	135.962	107.827	81.234	125.596	92.549		
16	T	1.6736	6.3090	3.7566	8.0994	5.8391	4.6002	8.7298	9.1255			378.5005	299.0334	83.0593
	S	139.737	83.971	47.553	77.026	63.288	105.974	114.811	77.779			18.680	3.140	75.537
17	T			3.5308	6.6495	5.7589	4.3419	7.3810	7.8450	8.2291	7.0802	87.8473		84.2551
	S			50.594	93.821	64.169	112.278	135.791	90.475	77.552	112.478	80.485		82.121
18	T	2.0093	6.4438	3.4604	6.5141	6.2248	4.4606	7.2760	7.2963	7.8809	6.2824	78.2722		
	S	116.391	82.214	51.623	95.771	59.367	109.290	137.751	97.278	80.978	126.761	90.331		
19	T	1.6599	5.7405	3.4000	6.2995	5.5787	4.3355	7.2947	6.5464	7.8219	6.3668	75.2156		
	S	140.890	92.287	52.540	99.034	66.242	112.444	137.397	108.422	81.589	125.081	94.002		

Event: Portland RTI Open Test
Track: Portland International Raceway
Report: Section Data Report
Session: Indy Pro 2000 Test Session 1

1.964 mile(s)



Indy Pro 2000 Championship
August 29, 2019

Section Data for Car 51 - Abel, Jacob (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	1.6839	5.7263	3.3712	6.2783	5.3667	4.3116	7.3441	7.0412		303.9477	236.4138		71.0777
	S	138.882	92.516	52.989	99.368	68.859	113.067	136.473	100.803		23.262	3.971		88.271
21	T			4.0383	6.7093	5.5757	4.3358	7.2670	6.9931	7.9892	6.2717	83.9636		80.4198
	S			44.236	92.985	66.278	112.436	137.921	101.496	79.881	126.977	84.208		86.037
22	T	1.6549	5.7099	3.4094	6.2894	5.2064	4.2825	7.2330	6.4387	7.7072	6.2456	74.2268		
	S	141.316	92.781	52.395	99.193	70.979	113.835	138.569	110.235	82.803	127.508	95.254		
23	T	1.6478	5.3978	3.3309	6.2772	5.0177	4.2284	7.2013	6.2214	7.5983	6.2606	72.2515		
	S	141.925	98.146	53.630	99.386	73.648	115.292	139.179	114.086	83.990	127.202	97.858		
24	T	1.6512	5.2412	3.2257	6.1944	5.0384	4.2527	7.2139	6.8344			90.0791		67.6188
	S	141.633	101.079	55.379	100.714	73.346	114.633	138.936	103.853			78.491		92.786

Event: **Portland RTI Open Test**
Track: **Portland International Raceway**
Report: **Section Data Report**
Session: **Indy Pro 2000 Test Session 1**

1.964 mile(s)



Indy Pro 2000 Championship
August 29, 2019

Section Data for Car 6 - de la Vara, Moises

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T		4.1763		6.7599	4.9200	9.5324	9.3936	10.1679	7.3592	102.2193	293.9617	98.2455	
	S		42.774		54.667	99.085	105.144	75.559	62.764	108.213	69.169	3.194	70.427	
2	T		4.1460		7.3170	4.7689	8.3652	8.7474			267.0594	184.9051		86.0275
	S		43.086		50.505	102.225	119.815	81.141			26.475	5.078		72.931
3	T		3.9428	7.0300	6.9158	4.6924	7.5956	8.1172	9.4593	6.7461	93.6694		89.7962	
	S		45.307	88.743	53.435	103.891	131.954	87.441	67.466	118.048	75.482		77.053	
4	T	1.7340	6.3314	4.1440	7.3475	7.4335	4.7773	7.6705	8.8087		183.7653	92.4700		94.7212
	S	134.869	83.674	43.107	84.908	49.714	102.045	130.666	80.576		38.475	10.153		66.237
5	T			3.8080	6.8140	6.5809	4.5796	7.5313	9.5481	8.8973	6.6500	87.2623		83.8364
	S			46.911	91.556	56.154	106.450	133.081	94.033	71.728	119.754	81.025		82.531
6	T	1.7264				6.3402	4.4536	7.5017	7.6859	8.9052	6.6441	86.3439		
	S	135.463				58.286	109.462	133.606	92.347	71.664	119.860	81.887		
7	T	1.7306	6.3357	3.7193	6.7148	6.3282	4.5084	7.5085	7.3831	8.6819	6.5892	81.0168		
	S	135.134	83.617	48.030	92.909	58.397	108.131	133.485	96.135	73.507	120.859	87.271		
8	T	1.7410	6.3392	3.5984	6.6405	6.0640	4.4942	7.5379	7.3815	8.2209	6.5258	79.2699		
	S	134.327	83.571	49.643	93.948	60.941	108.473	132.964	96.156	77.629	122.033	89.194		
9	T	1.7272	6.2213	3.5773	6.6025	6.2278	4.4958	7.5457	7.2381	8.3118	6.5470	81.6015		
	S	135.400	85.155	49.936	94.489	59.338	108.435	132.827	98.061	76.780	121.638	86.645		
10	T	1.7344	6.3282	3.5732	6.6309	6.0526	4.4837	7.5275	7.2206	8.2962	6.5462	78.8876		
	S	134.838	83.716	49.993	94.084	61.056	108.727	133.148	98.298	76.925	121.653	89.626		
11	T	1.7307	6.4218	3.5063	6.4888	6.3191	4.5530	7.5468	7.1739	8.1337	6.5389	79.0018		
	S	135.127	82.496	50.947	96.145	58.481	107.072	132.808	98.938	78.461	121.789	89.497		
12	T	1.7304	6.3939	3.4559	6.4702	6.1426	4.4855	7.5184	7.4868			698.0098	626.7437	74.9055
	S	135.150	82.856	51.690	96.421	60.161	108.684	133.309	94.803			10.129	1.498	83.760
13	T			4.1082	7.4339	7.4540	4.6831	8.3501	8.5025	8.3111	6.5009	92.4309		88.7915
	S			43.483	83.921	49.577	104.098	120.031	83.478	76.787	122.501	76.494		77.925
14	T	1.6968	6.4514	3.3998	6.4218	6.1267	4.3747	7.2846	7.3004	8.2815	6.4075	78.8724		
	S	137.826	82.117	52.543	97.148	60.317	111.436	137.588	97.224	77.061	124.286	89.644		
15	T	1.6783	6.0369	3.2636	6.3728	5.8576	4.4208	7.2941	7.0988	8.0217	6.3466	77.6394		
	S	139.346	87.756	54.736	97.895	63.088	110.274	137.409	99.985	79.557	125.479	91.067		
16	T	1.6778	5.8695	3.1801	6.2183	5.9924	4.4649	7.4092	7.0611			300.6763	227.1100	76.9295
	S	139.387	90.259	56.173	100.327	61.669	109.185	135.274	100.519			23.515	4.134	81.556
17	T			3.4963	6.5419	5.4563	4.3558	7.3383	6.3871	7.8131	6.3153	79.7099		76.3467
	S			51.093	95.364	67.728	111.920	136.581	111.126	81.681	126.101	88.702		90.627
18	T	1.6685	5.5717	3.3028	6.7767	5.2899	4.3213	7.2799	6.2302	7.5326	6.2935	73.4995		
	S	140.164	95.083	54.086	92.060	69.859	112.813	137.677	113.925	84.723	126.537	96.197		
19	T	1.6637	5.5410	3.2648	6.2846	5.3047	4.2885	7.1471	6.2821	7.7239	6.2089	72.5250		
	S	140.568	95.610	54.716	99.269	69.664	113.676	140.235	112.983	82.624	128.262	97.489		

Event: Portland RTI Open Test
Track: Portland International Raceway
Report: Section Data Report
Session: Indy Pro 2000 Test Session 1

1.964 mile(s)



Indy Pro 2000 Championship
August 29, 2019

Section Data for Car 6 - de la Vara, Moises

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	1.6079	5.6397	3.2344	6.2021	5.2445	4.3216	7.2968	6.2611					66.6627
	S	145.447	93.936	55.230	100.589	70.463	112.805	137.358	113.362					94.117

Event: **Portland RTI Open Test**
Track: **Portland International Raceway**
Report: **Section Data Report**
Session: **Indy Pro 2000 Test Session 1**

1.964 mile(s)



Indy Pro 2000 Championship
August 29, 2019

Section Data for Car 68 - Frost, Danial (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T		4.2702		6.5854	4.5174	7.4571	8.2266	33.3804	6.6838	117.5077	303.3128	113.3743	
	S		41.833		56.116	107.916	134.405	86.278	19.118	119.148	60.170	3.095	61.029	
2	T		4.4760	94.2808	6.5268	4.4149	7.3750	8.4066	9.3345	6.5667	86.1141			
	S		39.910	6.617	56.620	110.422	135.901	84.430	68.368	121.273	82.105			
3	T	1.6995			6.6964	4.4491	7.4139	8.5341	9.0206	6.4979	86.5664			
	S	137.607			55.186	109.573	135.188	83.169	70.747	122.557	81.676			
4	T	1.6927	6.4756	4.0618	6.6825	6.3559	4.4100	7.3559	8.4238	8.7510	6.4490	83.7658		
	S	138.160	81.811	43.980	93.358	58.142	110.544	136.254	84.258	72.927	123.486	84.407		
5	T	1.6898	6.9163	3.6293	6.5705	6.4122	4.4398	7.3606	8.4718	8.7285	6.4483	83.3470		
	S	138.397	76.598	49.221	94.949	57.632	109.802	136.167	83.781	73.115	123.500	84.831		
6	T	1.6851	6.3773	3.6463	6.5773	6.2804	4.4043	7.3513	8.0702	8.4589	6.3891	81.2922		
	S	138.783	83.072	48.991	94.851	58.841	110.687	136.340	87.950	75.445	124.644	86.975		
7	T	1.6817	6.4695	3.5946	6.5333	6.4039	4.4187	7.3461	7.8878	8.3204	6.3774	80.9307		
	S	139.064	81.888	49.696	95.490	57.706	110.327	136.436	89.984	76.701	124.873	87.364		
8	T	1.6761	6.0561	3.6753	6.5708	6.2895	4.3863	7.3204	7.8591		332.6422	260.4686		75.7370
	S	139.528	87.478	48.605	94.945	58.756	111.142	136.915	90.312		21.255	3.605		82.840
9	T			3.9196	6.6619	6.1931	4.4186	7.3470	7.7019	8.0733	6.3323	85.4655		81.9021
	S			45.575	93.647	59.671	110.329	136.419	92.156	79.048	125.762	82.728		84.480
10	T	1.6749	6.1417	3.5602	6.3364	6.1709	4.4067	7.3023	7.3354	7.9677	6.3471	78.1567		
	S	139.628	86.258	50.176	98.457	59.885	110.627	137.254	96.760	80.096	125.469	90.464		
11	T	1.6750	6.0863	3.4730	6.3700	6.2276	4.3660	7.2885	7.0093	7.9833	6.3514	77.5615		
	S	139.620	87.043	51.436	97.938	59.340	111.658	137.514	101.262	79.940	125.384	91.159		
12	T	1.6741	5.9662	3.4838	6.3291	6.0146	4.3764	7.2871	6.9515	8.1258	6.3396	77.3336		
	S	139.695	88.796	51.276	98.571	61.441	111.393	137.541	102.104	78.538	125.617	91.427		
13	T	1.6674	6.0981	3.4016	6.2949	6.1424	4.3816	7.2735	6.9641	8.1374	6.2869	77.6193		
	S	140.256	86.875	52.515	99.106	60.163	111.261	137.798	101.919	78.426	126.670	91.091		
14	T	1.6453	6.3258	3.4522	6.3765	6.0198	4.3884	7.3483	6.8046	7.8333	6.3442	77.2399		
	S	142.140	83.748	51.746	97.838	61.388	111.088	136.395	104.308	81.470	125.526	91.538		
15	T	1.6689	5.9816	3.4545	6.3044			7.3438	6.6451	7.8381	6.3211	75.9545		
	S	140.130	88.567	51.711	98.957			136.479	106.811	81.420	125.985	93.087		
16	T	1.6661	5.9351	3.4944	6.4294	5.6900	4.3664	7.3398	6.6947		413.7314	345.6683		71.6334
	S	140.366	89.261	51.121	97.033	64.946	111.648	136.553	106.020		17.089	2.716		87.586
17	T			4.0367	6.6044	6.1111	4.3835	7.3343	7.4956	8.2984	6.2621	86.8129		83.2426
	S			44.253	94.462	60.471	111.213	136.656	94.692	76.904	127.172	81.444		83.120
18	T	1.6460	6.0926	3.4788	6.3030	7.0870	4.4418	7.3110	6.6227	7.9631	6.2794	77.9995		
	S	142.080	86.953	51.350	98.979	52.144	109.753	137.091	107.173	80.142	126.822	90.647		
19	T	1.6573	5.7599	3.3023	6.2198	5.4039	4.2791	7.2225	6.4705	7.7506	6.2963	74.9706		
	S	141.111	91.976	54.095	100.303	68.385	113.926	138.771	109.694	82.340	126.481	94.309		

Event: Portland RTI Open Test
Track: Portland International Raceway
Report: Section Data Report
Session: Indy Pro 2000 Test Session 1

1.964 mile(s)



Indy Pro 2000 Championship
August 29, 2019

Section Data for Car 68 - Frost, Danial (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	1.6587	5.6238	3.2880	6.1828	5.2062	4.2611	7.6040	6.3144		304.4366	238.8767		69.1012
	S	140.992	94.202	54.330	100.903	70.982	114.407	131.809	112.405		23.225	3.930		90.796
21	T			3.4206	6.2453	5.2244	5.8374	8.3028	6.1295	7.4432	6.2140	80.7648		77.2235
	S			52.224	99.893	70.735	83.513	120.715	115.796	85.740	128.156	87.543		89.598
22	T	1.6410	5.4807	3.2105	6.1306	4.9859	4.2221	7.1411	5.9287	7.3580	6.1852	72.4715		
	S	142.513	96.662	55.641	101.762	74.118	115.464	140.353	119.718	86.733	128.753	97.561		
23	T	1.6335	5.2955	3.2349	6.1926	5.0553	4.2487	7.1444	5.8330	7.3823	6.3621	71.0970		
	S	143.167	100.042	55.222	100.743	73.101	114.741	140.288	121.682	86.448	125.173	99.447		
24	T	1.6774	5.1868	3.2923	6.1477	4.9224	4.1777	7.0521	6.8571			93.7181		69.0398
	S	139.420	102.139	54.259	101.479	75.074	116.691	142.124	103.509			75.443		90.876

Event: **Portland RTI Open Test**
Track: **Portland International Raceway**
Report: **Section Data Report**
Session: **Indy Pro 2000 Test Session 1**

1.964 mile(s)



Indy Pro 2000 Championship
August 29, 2019

Section Data for Car 7 - Enders, Kory (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T		4.4006		6.8564	5.0998	8.2534	8.7258	10.0457	6.8744	98.4151	297.1616	94.8471	
	S		40.594		53.898	95.592	121.438	81.342	63.528	115.845	71.843	3.159	72.950	
2	T		4.0902		6.8838	4.8889	8.8081	8.4860	9.6511	6.8364	89.4735			
	S		43.674		53.683	99.716	113.790	83.640	66.125	116.489	79.022			
3	T	2.1483	7.4152	3.8436	7.3798	6.6804	5.0626	8.1368	8.7757	9.5349	6.7176	88.8858		
	S	108.860	71.444	46.476	84.537	55.318	96.294	123.178	80.879	66.931	118.549	79.545		
4	T	1.7602	7.0509	3.8259	7.0647	6.4609	4.5912	7.6743	8.7676		174.4338	96.8000		81.1816
	S	132.862	75.135	46.691	88.307	57.197	106.181	130.601	80.954		40.533	9.699		77.285
5	T			3.8136	6.9214	6.3101	4.5826	7.4752	7.9434	9.1263	6.5774	87.9868		84.4390
	S			46.842	90.135	58.564	106.381	134.080	89.354	69.928	121.076	80.358		81.942
6	T	1.7100				6.5750	4.7586	7.5883	8.0971	9.0262	6.5583	91.6214		
	S	136.762				56.205	102.446	132.081	87.658	70.703	121.428	77.170		
7	T	1.7476	6.9484	3.5692	6.8523	6.0996	4.5233	7.4475	7.9229	8.6493	6.4556	81.7224		
	S	133.820	76.244	50.049	91.044	60.585	107.775	134.578	89.585	73.784	123.360	86.517		
8	T	1.6992	6.9657	3.9592	7.0118	6.1718	4.6302	8.2725	7.7193	9.0534	6.5583	83.1572		
	S	137.632	76.054	45.119	88.973	59.876	105.287	121.157	91.948	70.491	121.428	85.025		
9	T	1.7063	6.9679	3.7980	6.9086	6.1761	4.5215	7.4164	7.7509	8.7039	6.4805	81.7649		
	S	137.059	76.030	47.034	90.302	59.835	107.818	135.143	91.573	73.321	122.886	86.472		
10	T	1.6997	6.6394	3.9454	7.1210	6.0690	4.5914	7.4817	7.6511	8.4239	6.4560	81.1538		
	S	137.591	79.792	45.277	87.609	60.891	106.177	133.963	92.767	75.758	123.352	87.123		
11	T	1.7068	6.4651	3.7089	6.9922	6.0548	4.4765	7.4184	7.4397	8.3093	6.4124	79.9076		
	S	137.019	81.943	48.164	89.223	61.033	108.902	135.106	95.403	76.803	124.191	88.482		
12	T	1.6862	6.4082	3.8324	7.0112	7.0279	5.3416	7.6740	7.8138			876.3311	801.7686	78.1351
	S	138.693	82.671	46.612	88.981	52.583	91.265	130.606	90.836			8.068	1.171	80.298
13	T			4.2055	7.8314	6.8527	4.7456	7.6776	8.5981	8.6813	6.4610	92.7514		89.1788
	S			42.477	79.662	53.927	102.727	130.545	82.550	73.512	123.257	76.230		77.587
14	T	1.6763	6.4438	3.4786	6.4878	6.1188	4.3746	7.2353	7.5929	8.1778	6.3235	79.3448		
	S	139.512	82.214	51.353	96.160	60.395	111.439	138.525	93.478	78.038	125.937	89.110		
15	T	1.6619	6.0897	3.4120	6.4410	6.0371	4.5142	7.3840	6.9962	7.7925	6.2735	77.5503		
	S	140.721	86.995	52.355	96.858	61.212	107.993	135.736	101.451	81.897	126.941	91.172		
16	T	1.6672	6.0554	3.2115	6.2248	5.7355	4.3943	7.3244	7.1594			302.5724	233.7061	72.3962
	S	140.273	87.488	55.624	100.222	64.431	110.939	136.840	99.139			23.368	4.017	86.663
17	T			3.3965	6.3663	5.3749	4.3230	7.2350	6.8015	7.7719	6.2506	79.7595		76.2296
	S			52.594	97.995	68.754	112.769	138.531	104.355	82.114	127.406	88.646		90.766
18	T	1.6512	5.8165	3.1586	6.2016	5.1166	4.2498	7.1193	6.6477	7.9296	6.2984	73.0580		
	S	141.633	91.081	56.556	100.597	72.225	114.711	140.782	106.770	80.481	126.439	96.778		
19	T	1.6539	5.7061	3.1197	6.1593	5.0926	4.2515	7.0982	6.5019	7.6207	6.1510	71.9620		
	S	141.401	92.843	57.261	101.288	72.565	114.665	141.201	109.164	83.743	129.469	98.252		

Event: Portland RTI Open Test
Track: Portland International Raceway
Report: Section Data Report
Session: Indy Pro 2000 Test Session 1

1.964 mile(s)



Indy Pro 2000 Championship
August 29, 2019

Section Data for Car 7 - Enders, Kory (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	1.6150	5.8087	3.4202	6.3741	4.9841	4.2358	7.0743	6.7567					67.6491
	S	144.807	91.203	52.230	97.875	74.145	115.090	141.678	105.047					92.745

Event: **Portland RTI Open Test**
Track: **Portland International Raceway**
Report: **Section Data Report**
Session: **Indy Pro 2000 Test Session 1**

1.964 mile(s)



Indy Pro 2000 Championship
August 29, 2019

Section Data for Car 8 - Thompson, Parker

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T		5.8233		6.6845	4.8014	7.9444	9.3882	9.6137	6.6261	99.6543		94.9903	
	S		30.676		55.284	101.533	126.161	75.603	66.383	120.186	70.949		72.840	
2	T	1.7125	7.1041	3.8778		6.4557	4.4614	7.3828	8.0683	9.5388	6.5603	85.2164		
	S	136.563	74.573	46.066		57.243	109.271	135.758	87.971	66.904	121.391	82.970		
3	T	1.6914	6.8740	4.1400	6.6941	6.4000	4.3901	7.3962	8.7080	9.2861	6.4794	84.3406		
	S	138.266	77.069	43.149	93.196	57.741	111.045	135.512	81.508	68.724	122.907	83.832		
4	T	1.6829				6.5203	4.5743	7.3889	7.9090	9.0002	6.4597	83.9294		
	S	138.965				56.676	106.574	135.646	89.742	70.908	123.282	84.242		
5	T	1.6886	7.0669	3.7475	6.6394	6.2458	4.3686	7.2971	7.6065	8.9674	6.5176	82.2608		
	S	138.496	74.965	47.668	93.964	59.167	111.592	137.352	93.311	71.167	122.187	85.951		
6	T	1.6856	6.9281	3.5598	6.4885	6.3557	4.5188	7.3645	7.7025			307.3987	232.8339	78.2959
	S	138.742	76.467	50.182	96.149	58.144	107.883	136.095	92.148			23.001	4.032	80.133
7	T			3.6245	6.6639	7.7215	6.8431	8.2533	7.6677	9.0380	6.4615	92.3184		88.5873
	S			49.286	93.618	47.859	71.240	121.439	92.567	70.611	123.247	76.587		78.105
8	T	1.6829	6.7187	3.5163	6.4880	6.2113	4.4243	7.3128	7.0305	8.3924	6.4042	79.1054		
	S	138.965	78.850	50.802	96.157	59.496	110.187	137.057	100.956	76.043	124.350	89.379		
9	T	1.6789	6.2645	3.4807	6.3959	6.1347	4.3360	7.2440	6.9133	8.3710	6.3677	77.8059		
	S	139.296	84.567	51.322	97.541	60.239	112.431	138.359	102.668	76.237	125.063	90.872		
10	T	1.6690	6.3506	3.5692	6.4568	5.9870	4.3764	7.2866	6.8476	8.2786	6.3613	78.0507		
	S	140.122	83.421	50.049	96.621	61.725	111.393	137.550	103.653	77.088	125.189	90.587		
11	T	1.6739	6.1955	3.4304	6.3626	5.9745	4.3986	7.3077	6.7148			792.5947	723.5315	72.9442
	S	139.712	85.509	52.074	98.052	61.854	110.831	137.153	105.703			8.921	1.298	86.012
12	T			3.9328	6.8240	6.1890	4.3968	7.3706	7.7453	8.3416	6.3355	88.0173		84.1363
	S			45.422	91.422	59.710	110.876	135.983	91.639	76.506	125.699	80.330		82.237
13	T	1.6650	6.1863	3.5185	6.3867	7.9105	4.5484	7.2951	7.1392	8.1133	6.2474	80.2338		
	S	140.459	85.636	50.771	97.682	46.716	107.181	137.390	99.419	78.659	127.471	88.122		
14	T	1.6419	5.9632	3.4500	6.2837	5.6711	4.3148	7.1860	6.6269	8.0564	6.2936	75.9895		
	S	142.435	88.840	51.779	99.283	65.163	112.983	139.476	107.105	79.214	126.535	93.044		
15	T	1.6477	6.2856	3.4903	6.2883	5.6106	4.2370	7.1597	6.9709			299.5678	230.9023	72.0529
	S	141.933	84.284	51.181	99.210	65.866	115.058	139.988	101.819			23.602	4.066	87.076
16	T			3.4715	6.3377	5.8476	4.3531	7.2054	6.8714	7.8071	6.2204	79.9839		76.5965
	S			51.458	98.437	63.196	111.989	139.100	103.294	81.744	128.025	88.398		90.332
17	T	1.6412	5.8512	3.3554	6.1864	5.2616	4.2356	7.1421	6.3868	7.6454	6.1839	73.1134		
	S	142.496	90.541	53.238	100.844	70.234	115.096	140.333	111.131	83.473	128.780	96.705		
18	T	1.6343	5.7027	3.2894	6.1526	5.2443	4.2236	7.1586	6.2196	7.5982	6.1667	72.4744		
	S	143.097	92.899	54.307	101.398	70.466	115.423	140.010	114.119	83.991	129.139	97.557		
19	T	1.6266	5.7572	3.1757	6.1469	5.0760	4.2253	7.1450	6.1746			91.6524		68.3343
	S	143.775	92.019	56.251	101.492	72.802	115.376	140.276	114.950			77.144		91.815

Event: **Portland RTI Open Test**
Track: **Portland International Raceway**
Report: **Section Data Report**
Session: **Indy Pro 2000 Test Session 1**

1.964 mile(s)



Indy Pro 2000 Championship
August 29, 2019

Section Data for Car 90 - Lastochkin, Nikita

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T		4.5475		6.7808	4.6730	7.8518	8.8425	9.7961	6.6567	94.6022	297.4883	90.8457	
	S		39.282		54.499	104.323	127.649	80.268	65.147	119.633	74.738	3.156	76.163	
2	T		4.3163		6.7895	4.6104	7.5867	8.3963	9.3869	6.6210	85.6710			
	S		41.386		54.429	105.739	132.109	84.534	67.986	120.278	82.530			
3	T	1.7291	6.3898	4.0368	7.1023	6.3988	4.5924	7.6437	9.0752		205.4718	126.3066		82.7318
	S	135.252	82.909	44.252	87.840	57.752	106.154	131.124	78.210		34.411	7.433		75.837
4	T		4.4312	8.9529	6.5961	4.4220	7.3777	8.3007	9.0978	6.5221	91.3521		87.7855	
	S		40.313	69.683	56.025	110.244	135.852	85.508	70.147	122.102	77.397		78.818	
5	T	1.6947	6.5353	3.7621	6.6557	6.5850	4.5364	7.4196	8.5080	9.1405	6.5135	82.6800		
	S	137.997	81.063	47.483	93.734	56.119	107.464	135.084	83.424	69.819	122.264	85.515		
6	T	1.6967				6.4008	4.5130	7.4559	8.0654	8.9373	6.4805	85.1870		
	S	137.834				57.734	108.021	134.427	88.002	71.407	122.886	82.999		
7	T	1.7013	6.4360	3.9602	6.6917	6.0643	4.4778	7.3979	7.9707	8.9726	6.4874	81.4285		
	S	137.462	82.314	45.108	93.229	60.938	108.870	135.481	89.048	71.126	122.755	86.830		
8	T	1.6947	6.5946	3.5199	6.5086	5.9495	4.4498	7.3773	7.7464	8.6795	6.4536	79.8968		
	S	137.997	80.334	50.750	95.852	62.114	109.555	135.859	91.626	73.527	123.398	88.494		
9	T	1.6911	6.5152	3.5023	6.5673	5.9147	4.4736	7.3778	7.5766	8.6217	6.3912	79.3469		
	S	138.291	81.313	51.005	94.995	62.479	108.973	135.850	93.680	74.020	124.603	89.107		
10	T	1.6747	6.3546	3.5049	6.5408	6.1324	4.5051	7.3601	7.3525	8.4461	6.4041	78.9478		
	S	139.645	83.368	50.968	95.380	60.261	108.211	136.177	96.535	75.559	124.352	89.558		
11	T	1.6775	6.2891	3.4769	6.5451	5.9665	4.4640	7.3319	7.2172	8.4597	6.4008	78.5721		
	S	139.412	84.237	51.378	95.318	61.937	109.207	136.700	98.345	75.438	124.416	89.986		
12	T	1.6786	6.3414	3.5005	6.5495	6.3373	4.5799	7.4130	7.3662	8.4514	6.4161	79.2296		
	S	139.321	83.542	51.032	95.254	58.313	106.443	135.205	96.355	75.512	124.120	89.239		
13	T	1.6816	6.2822	3.4249	6.5023	5.9711	4.4669	7.3538	6.9791	8.4895	6.4379	78.2746		
	S	139.072	84.329	52.158	95.945	61.889	109.136	136.293	101.700	75.173	123.699	90.328		
14	T	1.6866	6.2893	3.3330	6.4875	6.3920	4.5615	7.4325	6.9061	8.3404	6.3970	78.0976		
	S	138.660	84.234	53.596	96.164	57.814	106.873	134.850	102.775	76.517	124.490	90.533		
15	T	1.6825	5.9046	3.6793	6.4860	5.8100	4.4122	7.3853	7.0802	8.3282	6.3981	77.6615		
	S	138.998	89.722	48.552	96.186	63.605	110.489	135.712	100.248	76.629	124.469	91.041		
16	T	1.6779	6.0829	3.4528	6.5125	5.6882	4.4343	7.4078	7.2059	8.3200	6.3874	77.7208		
	S	139.379	87.092	51.737	95.795	64.967	109.938	135.300	98.499	76.705	124.677	90.972		
17	T	1.6800	6.3553	3.3301	6.4603			7.4231	6.9816			480.8221	410.6622	73.7837
	S	139.205	83.359	53.643	96.569			135.021	101.663			14.705	2.286	85.034
18	T			4.2632	7.0231	6.8170	4.4691	7.3995	7.8703	8.1042	6.2988	89.1641		85.5403
	S			41.902	88.830	54.209	109.082	135.451	90.184	78.747	126.431	79.296		80.887
19	T	1.6618	6.0950	3.4225	6.4987	6.1562	4.2795	7.2147	6.8925	7.6862	6.2126	77.1630		
	S	140.729	86.919	52.195	95.998	60.028	113.915	138.921	102.978	83.030	128.185	91.629		

Event: Portland RTI Open Test
 Track: Portland International Raceway
 Report: Section Data Report
 Session: Indy Pro 2000 Test Session 1

1.964 mile(s)



Indy Pro 2000 Championship
 August 29, 2019

Section Data for Car 90 - Lastochkin, Nikita

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PI to PO	PO to SF	SF to PI	
20	T	1.6450	5.6541	3.3117	6.3219	5.7172	4.2392	7.1315	6.6990	7.6884	6.1522	74.9315			
	S	142.166	93.697	53.941	98.683	64.637	114.998	140.542	105.952	83.006	129.444	94.358			
21	T	1.6063	6.8656	4.0004	6.3434	5.7678	4.2525	7.6188	7.5031			300.3126	229.9158		73.9387
	S	145.592	77.163	44.655	98.348	64.070	114.638	131.553	94.597			23.543	4.084		84.855
22	T			3.3529	6.2889	5.3755	4.2743	7.2895	6.5647	7.6022	6.3130	78.4567		74.9148	
	S			53.278	99.201	68.746	114.054	137.495	108.120	83.947	126.147	90.118		92.359	
23	T	1.6810	5.7720	3.1669	6.1634	5.1623	4.3161	7.2789	6.4812	7.5278	6.2708	72.6200			
	S	139.122	91.783	56.407	101.221	71.585	112.949	137.696	109.513	84.777	126.996	97.362			
24	T	1.6738	5.5799	3.0745	6.1568	4.9625	4.2402	7.2129	6.3504	7.4741	6.2158	71.4652			
	S	139.720	94.943	58.103	101.329	74.468	114.971	138.956	111.768	85.386	128.119	98.935			
25	T	1.6494	5.3478	3.0418	6.1543	4.9696	4.2739	7.2365	6.3197			87.0489			67.1416
	S	141.787	99.064	58.727	101.370	74.361	114.064	138.502	112.311			81.223			93.446

Event: Portland RTI Open Test
Track: Portland International Raceway
Report: Section Data Report
Session: Indy Pro 2000 Test Session 1

1.964 mile(s)



Indy Pro 2000 Championship
August 29, 2019

Section Data for Car

Report Support Information

Section Legend	
Name	Length
SF to I1	0.064962 miles
I1 to I2A	0.147159 miles
I2A to I2	0.049621 miles
I2 to I3	0.173295 miles
I3 to I4	0.123674 miles
I4 to I5	0.117045 miles
I5 to I6	0.176136 miles
I6 to I7	0.102652 miles
I7 to I8	0.135417 miles
I8 to I9	0.278409 miles
I9 to I10	0.197159 miles
I10 to I11	0.177273 miles
I11 to SF	0.221212 miles
I1 to I2	0.196780 miles
Lap	1.964000 miles
PI to PO	0.260795 miles
PO to SF	1.921970 miles
SF to PI	1.742803 miles
PO to I2A	0.170076 miles
I10 to PI	0.177273 miles
PO to PI	1.681818 miles

Color Legend	
	Fastest Lap
	Section Under Caution
	Section Under Green
	Section Time Data
	Section Speed Data

