

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.58 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 3

October 30, 2021

Section Data for Car 1 - Porto, Kiko (R)

| Lap | T/S I6 to I7 | I7 to I8 | I8 to I9 | I9 to SF | SF to I1 | I1 to I2 | I2 to I3A | I3A to I3 | I3 to I4 | I4 to I5A | I5A to I5 | I5 to I6 | Lap | PI to PO | PO to SF | |
|-----|--------------|----------|----------|----------|----------|----------|-----------|-----------|----------|-----------|-----------|----------|--------|----------|----------|---------|
| 1 | T | 5.6179 | 7.4820 | 8.4751 | 4.5744 | 6.5574 | 9.8392 | 3.8557 | 14.9586 | 12.2032 | 6.5546 | 5.1809 | 7.4850 | 92.7840 | | 92.7951 |
| | S | 125.128 | 73.358 | 101.045 | 129.376 | 139.537 | 92.510 | 101.326 | 88.882 | 101.855 | 91.019 | 89.753 | 98.652 | 100.103 | | 92.341 |
| 2 | T | 5.5036 | 7.3787 | 8.3725 | 4.5511 | 6.5112 | 9.7769 | 3.7799 | 14.6795 | 12.5367 | 6.5388 | 5.1761 | 7.4711 | 92.2761 | | |
| | S | 127.726 | 74.385 | 102.283 | 130.038 | 140.527 | 93.100 | 103.358 | 90.572 | 99.145 | 91.239 | 89.836 | 98.835 | 100.654 | | |
| 3 | T | 5.4993 | 7.3540 | 8.4426 | 4.5390 | 6.4823 | 9.6426 | 3.7776 | 14.6445 | 12.3556 | 6.5229 | 5.1777 | 7.4848 | 91.9229 | | |
| | S | 127.826 | 74.635 | 101.434 | 130.385 | 141.154 | 94.396 | 103.421 | 90.788 | 100.598 | 91.461 | 89.808 | 98.654 | 101.041 | | |
| 4 | T | 5.4975 | 7.2366 | 8.4340 | 4.5583 | 6.4759 | 9.6214 | 3.7797 | 14.7782 | 12.2555 | 6.4833 | 5.1259 | 7.4780 | 91.7243 | | |
| | S | 127.868 | 75.846 | 101.537 | 129.833 | 141.293 | 94.604 | 103.363 | 89.967 | 101.420 | 92.020 | 90.716 | 98.744 | 101.260 | | |
| 5 | T | 5.4693 | 7.1928 | 8.4649 | 4.5509 | 6.4619 | 9.6458 | 3.7534 | 14.8279 | 12.3596 | 6.4266 | 5.2189 | 7.5653 | 91.9373 | | |
| | S | 128.527 | 76.307 | 101.166 | 130.044 | 141.599 | 94.365 | 104.087 | 89.665 | 100.566 | 92.831 | 89.099 | 97.605 | 101.025 | | |
| 6 | T | 5.5461 | 7.4384 | 8.4256 | 4.5498 | 6.4771 | 9.6582 | 3.7882 | 14.7285 | 12.2495 | 6.4274 | 5.2096 | 7.4813 | 91.9797 | | |
| | S | 126.748 | 73.788 | 101.638 | 130.076 | 141.267 | 94.244 | 103.131 | 90.270 | 101.470 | 92.820 | 89.258 | 98.701 | 100.979 | | |
| 7 | T | 5.4753 | | | | | | 4.0604 | 15.0976 | 12.2382 | 6.5105 | 5.2199 | 7.5378 | 355.6176 | 269.7265 | 90.2409 |
| | S | 128.386 | | | | | | 96.218 | 88.063 | 101.564 | 91.635 | 89.082 | 97.961 | 26.118 | 5.267 | 94.954 |
| 8 | T | 5.5217 | 7.6178 | 8.6443 | 4.6487 | 6.5551 | 9.6677 | 3.7740 | 14.8113 | 12.1602 | 6.4676 | 5.0931 | 7.6186 | 92.5801 | | |
| | S | 127.308 | 72.050 | 99.067 | 127.308 | 139.586 | 94.151 | 103.519 | 89.766 | 102.215 | 92.243 | 91.300 | 96.922 | 100.324 | | |
| 9 | T | 5.5226 | 7.1685 | 8.5355 | 4.5989 | 6.5022 | 9.6433 | 3.7582 | 14.7716 | 12.3104 | 6.4005 | 5.1452 | 7.5580 | 91.9149 | | |
| | S | 127.287 | 76.566 | 100.330 | 128.687 | 140.722 | 94.390 | 103.955 | 90.007 | 100.968 | 93.210 | 90.375 | 97.699 | 101.050 | | |
| 10 | T | 5.4832 | 7.2056 | 8.4951 | 4.5541 | 6.4842 | 9.6926 | 3.9303 | 14.8366 | 12.2332 | 6.4605 | 5.2115 | 7.4710 | 92.0579 | | |
| | S | 128.202 | 76.172 | 100.807 | 129.953 | 141.112 | 93.910 | 99.403 | 89.613 | 101.605 | 92.344 | 89.226 | 98.837 | 100.893 | | |
| 11 | T | 5.4561 | 7.2354 | 8.7926 | 4.5489 | 6.4483 | 9.7112 | 3.7609 | 14.8321 | 12.7727 | 8.0098 | 5.8695 | 7.5753 | 95.0128 | | |
| | S | 128.838 | 75.858 | 97.396 | 130.101 | 141.898 | 93.730 | 103.880 | 89.640 | 97.313 | 74.483 | 79.223 | 97.476 | 97.755 | | |
| 12 | T | 5.4851 | 7.3456 | 8.4665 | 4.5350 | 6.4406 | 9.6100 | 3.8203 | 14.8923 | 12.3067 | 6.4472 | 5.1652 | 7.5047 | 92.0192 | | |
| | S | 128.157 | 74.720 | 101.147 | 130.500 | 142.068 | 94.717 | 102.265 | 89.277 | 100.998 | 92.535 | 90.026 | 98.393 | 100.935 | | |
| 13 | T | 5.4719 | 7.3517 | 8.4813 | 4.5145 | 6.3798 | 9.5956 | 3.8075 | 14.8714 | 12.3323 | 6.4840 | 5.2260 | 7.4852 | 92.0012 | | |
| | S | 128.466 | 74.658 | 100.971 | 131.093 | 143.421 | 94.859 | 102.608 | 89.403 | 100.789 | 92.010 | 88.978 | 98.649 | 100.955 | | |
| 14 | T | 5.5004 | | | | | | 4.1868 | 16.2940 | 13.0050 | 6.9542 | 5.4395 | 7.7562 | 485.5478 | 395.9663 | 93.4016 |
| | S | 127.801 | | | | | | 93.313 | 81.597 | 95.575 | 85.789 | 85.486 | 95.202 | 19.129 | 3.588 | 91.741 |
| 15 | T | 5.5802 | 7.4552 | 8.4565 | 4.5151 | 6.4348 | 10.8226 | 3.9640 | 14.8643 | 12.1849 | 7.0543 | 5.3527 | 7.4850 | 94.1696 | | |
| | S | 125.973 | 73.622 | 101.267 | 131.075 | 142.196 | 84.104 | 98.557 | 89.446 | 102.008 | 84.571 | 86.872 | 98.652 | 98.631 | | |
| 16 | T | 5.4477 | 7.1716 | 8.3570 | 4.5007 | 6.3870 | 9.5563 | 3.7955 | 14.7769 | 12.0593 | 6.3689 | 5.1358 | 7.3953 | 90.9520 | | |
| | S | 129.037 | 76.533 | 102.473 | 131.495 | 143.260 | 95.249 | 102.933 | 89.975 | 103.070 | 93.673 | 90.541 | 99.848 | 102.120 | | |
| 17 | T | 5.4537 | 7.1431 | 8.3836 | 4.5104 | 6.4503 | 9.5420 | 3.7681 | 14.5326 | 12.1826 | 6.3681 | 5.1450 | 7.5653 | 91.0448 | | |
| | S | 128.895 | 76.838 | 102.147 | 131.212 | 141.854 | 95.392 | 103.681 | 91.487 | 102.027 | 93.684 | 90.379 | 97.605 | 102.016 | | |
| 18 | T | 5.5289 | 7.1903 | 8.4309 | 4.5185 | 6.4551 | 9.5631 | 3.7534 | 14.6363 | 12.2776 | 6.3776 | 5.1732 | 7.4350 | 91.3399 | | |
| | S | 127.142 | 76.334 | 101.574 | 130.977 | 141.748 | 95.181 | 104.087 | 90.839 | 101.238 | 93.545 | 89.886 | 99.315 | 101.686 | | |
| 19 | T | 5.4854 | 7.2543 | 8.4496 | 4.5346 | 6.4782 | 9.6611 | 3.8698 | 14.7865 | 12.3314 | 6.4099 | 5.2183 | 7.7896 | 92.2687 | | |
| | S | 128.150 | 75.660 | 101.350 | 130.512 | 141.243 | 94.216 | 100.957 | 89.916 | 100.796 | 93.073 | 89.109 | 94.794 | 100.663 | | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.58 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 3

October 30, 2021

Section Data for Car 1 - Porto, Kiko (R)

| Lap | T/SF to PI | |
|-----|------------|---------|
| 1 | T | |
| | S | |
| 2 | T | |
| | S | |
| 3 | T | |
| | S | |
| 4 | T | |
| | S | |
| 5 | T | |
| | S | |
| 6 | T | 88.1025 |
| | S | 96.605 |
| 7 | T | |
| | S | |
| 8 | T | |
| | S | |
| 9 | T | |
| | S | |
| 10 | T | |
| | S | |
| 11 | T | |
| | S | |
| 12 | T | |
| | S | |
| 13 | T | 88.3687 |
| | S | 96.314 |
| 14 | T | |
| | S | |
| 15 | T | |
| | S | |
| 16 | T | |
| | S | |
| 17 | T | |
| | S | |
| 18 | T | |
| | S | |
| 19 | T | 89.6432 |
| | S | 94.945 |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.58 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 3

October 30, 2021

Section Data for Car 11 - Deukmedjian, Arias (R)

| Lap | T/S I6 to I7 | I7 to I8 | I8 to I9 | I9 to SF | SF to I1 | I1 to I2 | I2 to I3A | I3A to I3 | I3 to I4 | I4 to I5A | I5A to I5 | I5 to I6 | Lap | PI to PO | PO to SF |
|-----|--------------|----------|----------|----------|----------|----------|-----------|-----------|----------|-----------|-----------|----------|--------|----------|----------|
| 20 | T | 5.7660 | | | | | | | | | | | | | |
| | S | 121.914 | | | | | | | | | | | | | |
| 1 | T | 5.7284 | 8.0604 | 8.9470 | 4.6335 | 6.6277 | 11.4151 | 4.1247 | 15.7501 | 12.6068 | 6.7159 | 5.4799 | 7.7514 | 97.8409 | 97.5426 |
| | S | 122.714 | 68.094 | 95.715 | 127.726 | 138.057 | 79.739 | 94.718 | 84.415 | 98.594 | 88.833 | 84.856 | 95.261 | 94.930 | 87.846 |
| 2 | T | 5.6180 | 7.4775 | 8.8458 | 4.6295 | 6.5660 | 10.1710 | 3.9307 | 15.3499 | 12.5281 | 6.6636 | 5.3607 | 7.5668 | 94.7076 | |
| | S | 125.125 | 73.402 | 96.810 | 127.836 | 139.354 | 89.492 | 99.392 | 86.616 | 99.213 | 89.530 | 86.742 | 97.585 | 98.070 | |
| 3 | T | 5.5779 | 7.4983 | 8.7458 | 4.6372 | 6.5654 | 9.9031 | 3.9427 | 15.1673 | 12.5029 | 6.5025 | 5.2666 | 7.5221 | 93.8318 | |
| | S | 126.025 | 73.198 | 97.917 | 127.624 | 139.367 | 91.913 | 99.090 | 87.659 | 99.413 | 91.748 | 88.292 | 98.165 | 98.986 | |
| 4 | T | 5.5461 | 7.4133 | 8.7184 | 4.6287 | 6.5504 | 9.7593 | 3.9150 | 15.2650 | 12.7041 | 6.4949 | 5.3548 | 7.6200 | 93.9700 | |
| | S | 126.748 | 74.038 | 98.225 | 127.858 | 139.686 | 93.268 | 99.791 | 87.098 | 97.839 | 91.855 | 86.838 | 96.904 | 98.840 | |
| 5 | T | 5.6063 | 7.4584 | 8.7933 | 4.6495 | 6.5659 | 9.9512 | 3.9707 | 15.2967 | 12.4840 | 6.4602 | 5.2871 | 7.6236 | 94.1469 | |
| | S | 125.387 | 73.590 | 97.388 | 127.286 | 139.356 | 91.469 | 98.391 | 86.917 | 99.564 | 92.349 | 87.950 | 96.858 | 98.654 | |
| 6 | T | 5.5966 | 7.3571 | 8.9018 | 4.6678 | 6.5864 | 11.7761 | 7.4024 | 17.0006 | 12.5689 | 6.7016 | 5.4368 | 7.9680 | 101.9641 | |
| | S | 125.604 | 74.603 | 96.201 | 126.787 | 138.923 | 77.294 | 52.778 | 78.206 | 98.891 | 89.022 | 85.528 | 92.672 | 91.091 | |
| 7 | T | 6.3997 | | | | | | 3.9841 | 15.3409 | 12.5064 | 6.7562 | 5.2985 | 7.6231 | 389.6108 | 295.2525 |
| | S | 109.842 | | | | | | 98.060 | 86.667 | 99.385 | 88.303 | 87.761 | 96.865 | 23.839 | 90.6154 |
| 8 | T | 5.5832 | 7.3269 | 8.8939 | 4.7218 | 6.6156 | 9.9742 | 3.9539 | 15.4160 | 12.6054 | 6.4727 | 5.2622 | 7.6709 | 94.4967 | |
| | S | 125.905 | 74.911 | 96.287 | 125.337 | 138.309 | 91.258 | 98.809 | 86.245 | 98.605 | 92.170 | 88.366 | 96.261 | 98.289 | |
| 9 | T | 5.6018 | 7.4394 | 8.6416 | 4.6834 | 6.6139 | 9.8304 | 3.9313 | 15.2345 | 12.4837 | 6.5046 | 5.2229 | 7.9338 | 94.1213 | |
| | S | 125.487 | 73.778 | 99.098 | 126.365 | 138.345 | 92.593 | 99.377 | 87.272 | 99.566 | 91.718 | 89.031 | 93.071 | 98.681 | |
| 10 | T | 5.6166 | 7.4554 | 8.6920 | 4.6559 | 6.5727 | 9.8183 | 3.9570 | 15.3435 | 13.5700 | 6.6549 | 5.2784 | 7.8440 | 95.4587 | |
| | S | 125.157 | 73.620 | 98.523 | 127.111 | 139.212 | 92.707 | 98.732 | 86.652 | 91.596 | 89.647 | 88.095 | 94.137 | 97.299 | |
| 11 | T | 5.5860 | 7.6174 | 8.6026 | 4.6073 | 6.5024 | 9.8164 | 3.9513 | 15.3141 | 12.7821 | 6.5683 | 5.3206 | 7.7869 | 94.4554 | |
| | S | 125.842 | 72.054 | 99.547 | 128.452 | 140.717 | 92.725 | 98.874 | 86.818 | 97.242 | 90.829 | 87.396 | 94.827 | 98.332 | |
| 12 | T | 5.5897 | 7.5308 | 8.6309 | 4.6220 | 6.5414 | 9.8247 | 3.9362 | 15.2813 | 12.5477 | 6.5322 | 5.2835 | 7.7503 | 94.0707 | |
| | S | 125.759 | 72.883 | 99.221 | 128.044 | 139.878 | 92.647 | 99.254 | 87.005 | 99.058 | 91.331 | 88.010 | 95.275 | 98.734 | |
| 13 | T | 5.5682 | 7.5578 | 8.8282 | 4.6346 | 7.3025 | 10.7227 | 3.9662 | 15.3951 | 12.6392 | 6.6899 | 5.2975 | 7.8476 | 96.4495 | |
| | S | 126.244 | 72.622 | 97.003 | 127.696 | 125.300 | 84.888 | 98.503 | 86.362 | 98.341 | 89.178 | 87.777 | 94.094 | 96.299 | |
| 14 | T | 5.6205 | | | | | | 3.9968 | 15.4275 | 12.4221 | 6.6309 | 5.3185 | 7.5998 | 694.2524 | 603.2690 |
| | S | 125.070 | | | | | | 97.749 | 86.180 | 100.060 | 89.971 | 87.431 | 97.162 | 13.378 | 90.0343 |
| 15 | T | 5.5986 | 7.5060 | 8.5278 | 4.5886 | 6.5228 | 9.9862 | 3.9071 | 15.2873 | 12.4712 | 6.5460 | 5.3435 | 7.6176 | 93.9027 | |
| | S | 125.559 | 73.123 | 100.420 | 128.976 | 140.277 | 91.149 | 99.993 | 86.971 | 99.666 | 91.138 | 87.022 | 96.935 | 98.911 | |
| 16 | T | 5.5345 | 7.6344 | 8.4945 | 4.6025 | 6.5607 | 9.8030 | 3.8945 | 14.9771 | 12.6398 | 6.5161 | 5.3837 | 7.5775 | 93.6183 | |
| | S | 127.013 | 71.893 | 100.814 | 128.586 | 139.467 | 92.852 | 100.316 | 88.772 | 98.337 | 91.556 | 86.372 | 97.448 | 99.211 | |
| 17 | T | 5.5688 | 7.5017 | 8.5198 | 4.6050 | 6.5781 | 9.7981 | 3.9358 | 15.0199 | 12.5033 | 6.5523 | 5.3773 | 7.7388 | 93.6989 | |
| | S | 126.231 | 73.165 | 100.515 | 128.516 | 139.098 | 92.898 | 99.264 | 88.519 | 99.410 | 91.051 | 86.475 | 95.416 | 99.126 | |
| 18 | T | 5.5925 | 7.5126 | 8.5377 | 4.6015 | 7.1219 | 10.3110 | 3.9402 | 14.9806 | 12.4775 | 6.6599 | 5.3542 | 7.6747 | 94.7643 | |
| | S | 125.696 | 73.059 | 100.304 | 128.614 | 128.477 | 88.277 | 99.153 | 88.751 | 99.616 | 89.580 | 86.848 | 96.213 | 98.012 | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.58 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 3

October 30, 2021

Section Data for Car 11 - Deukmedjian, Arias (R)

| Lap | T/SF to PI |
|-----|------------|
| 20 | T |
| | S |
| 1 | T |
| | S |
| 2 | T |
| | S |
| 3 | T |
| | S |
| 4 | T |
| | S |
| 5 | T |
| | S |
| 6 | T 105.7095 |
| | S 80.514 |
| 7 | T |
| | S |
| 8 | T |
| | S |
| 9 | T |
| | S |
| 10 | T |
| | S |
| 11 | T |
| | S |
| 12 | T |
| | S |
| 13 | T 97.0308 |
| | S 87.716 |
| 14 | T |
| | S |
| 15 | T |
| | S |
| 16 | T |
| | S |
| 17 | T |
| | S |
| 18 | T 91.8031 |
| | S 92.711 |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.58 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 3

October 30, 2021

Section Data for Car 18 - Sundaramoorthy, Yuven (R)

| Lap | T/S I6 to I7 | I7 to I8 | I8 to I9 | I9 to SF | SF to I1 | I1 to I2 | I2 to I3A | I3A to I3 | I3 to I4 | I4 to I5A | I5A to I5 | I5 to I6 | Lap | PI to PO | PO to SF |
|-----|--------------|----------|----------|----------|----------|----------|-----------|-----------|----------|-----------|-----------|----------|--------|----------|----------|
| 19 | T | 5.6038 | | | | | | | | | | | | | |
| | S | 125.442 | | | | | | | | | | | | | |
| 1 | T | 5.8463 | 8.0930 | 8.6259 | 4.6060 | 6.5711 | 10.7560 | 3.9437 | 15.5419 | 12.6332 | 6.9541 | 5.4359 | 7.7039 | 96.7110 | 117.7892 |
| | S | 120.239 | 67.820 | 99.278 | 128.489 | 139.246 | 84.625 | 99.065 | 85.546 | 98.388 | 85.790 | 85.542 | 95.849 | 96.039 | 72.746 |
| 2 | T | 5.6157 | 7.7321 | 8.4310 | 4.5538 | 6.5026 | 10.0965 | 3.8212 | 15.3871 | 12.4969 | 6.7210 | 5.2882 | 7.5778 | 94.2239 | |
| | S | 125.177 | 70.985 | 101.573 | 129.961 | 140.713 | 90.153 | 102.241 | 86.406 | 99.461 | 88.765 | 87.932 | 97.444 | 98.574 | |
| 3 | T | 5.5581 | 7.5569 | 8.3752 | 4.5434 | 6.4869 | 10.1242 | 3.8060 | 14.8106 | 12.2828 | 6.6302 | 5.2631 | 7.5691 | 93.0065 | |
| | S | 126.474 | 72.631 | 102.250 | 130.259 | 141.054 | 89.906 | 102.649 | 89.770 | 101.195 | 89.981 | 88.351 | 97.556 | 99.864 | |
| 4 | T | 5.5705 | 7.4464 | 8.3545 | 4.5420 | 6.4686 | 9.9094 | 3.8033 | 14.8207 | 12.1830 | 6.4578 | 5.2943 | 7.4832 | 92.3337 | |
| | S | 126.192 | 73.709 | 102.503 | 130.299 | 141.453 | 91.855 | 102.722 | 89.709 | 102.024 | 92.383 | 87.830 | 98.676 | 100.592 | |
| 5 | T | 5.5401 | 7.3684 | 8.3875 | 4.5608 | 6.4749 | 9.7890 | 3.7979 | 14.7773 | 12.2393 | 6.3826 | 5.3547 | 7.5294 | 92.2019 | |
| | S | 126.885 | 74.489 | 102.100 | 129.762 | 141.315 | 92.985 | 102.868 | 89.972 | 101.554 | 93.471 | 86.840 | 98.070 | 100.735 | |
| 6 | T | 5.5943 | | | | | | 3.9396 | 15.1203 | 12.2836 | 6.5102 | 5.2741 | 7.5058 | 265.9965 | 175.3566 |
| | S | 125.655 | | | | | | 99.168 | 87.931 | 101.188 | 91.639 | 88.167 | 98.378 | 34.918 | 8.101 |
| 7 | T | 5.5662 | 7.4690 | 8.6262 | 4.5800 | 6.4768 | 9.9784 | 3.8111 | 14.7578 | 12.2460 | 6.4220 | 5.2533 | 7.4681 | 92.6549 | |
| | S | 126.290 | 73.486 | 99.275 | 129.218 | 141.273 | 91.220 | 102.512 | 90.091 | 101.499 | 92.898 | 88.516 | 98.875 | 100.243 | |
| 8 | T | 5.5445 | 7.5411 | 8.3658 | 4.5711 | 6.4992 | 9.7543 | 3.7938 | 14.7702 | 12.2919 | 6.4749 | 5.2288 | 7.5457 | 92.3813 | |
| | S | 126.784 | 72.783 | 102.365 | 129.470 | 140.787 | 93.315 | 102.979 | 90.015 | 101.120 | 92.139 | 88.931 | 97.858 | 100.540 | |
| 9 | T | 5.5444 | 7.3775 | 8.4495 | 4.9846 | 7.2009 | 10.2295 | 3.8392 | 14.8639 | 12.2545 | 6.3864 | 5.1835 | 7.4989 | 93.8128 | |
| | S | 126.786 | 74.397 | 101.351 | 118.729 | 127.067 | 88.981 | 101.761 | 89.448 | 101.428 | 93.416 | 89.708 | 98.469 | 99.006 | |
| 10 | T | 5.5071 | 7.3648 | 8.4608 | 4.6076 | 6.5598 | 9.7063 | 3.7803 | 14.7449 | 12.2637 | 6.6502 | 5.2884 | 7.5164 | 92.4503 | |
| | S | 127.645 | 74.525 | 101.215 | 128.444 | 139.486 | 93.777 | 103.347 | 90.170 | 101.352 | 89.710 | 87.928 | 98.240 | 100.465 | |
| 11 | T | 5.5142 | | | | | | 4.6874 | 18.8237 | 13.7505 | 7.7344 | 5.9307 | 8.0135 | 418.6694 | 317.1960 |
| | S | 127.481 | | | | | | 83.347 | 70.631 | 90.393 | 77.135 | 78.406 | 92.146 | 22.185 | 4.479 |
| 12 | T | 5.6481 | 7.6698 | 8.5799 | 4.5429 | 6.4706 | 10.1208 | 3.9296 | 15.1392 | 12.2392 | 6.5765 | 5.3102 | 7.5203 | 93.7471 | |
| | S | 124.459 | 71.562 | 99.810 | 130.273 | 141.409 | 89.936 | 99.420 | 87.821 | 101.555 | 90.716 | 87.567 | 98.189 | 99.075 | |
| 13 | T | 5.5469 | 7.3859 | 8.4035 | 4.5584 | 6.4592 | 9.7962 | 3.8368 | 14.9304 | 12.3048 | 6.4615 | 5.1865 | 7.5317 | 92.4018 | |
| | S | 126.729 | 74.312 | 101.906 | 129.830 | 141.658 | 92.916 | 101.825 | 89.050 | 101.014 | 92.330 | 89.656 | 98.040 | 100.518 | |
| 14 | T | 5.5032 | 7.3049 | 8.3890 | 4.5532 | 6.4631 | 9.6593 | 3.8322 | 14.6494 | 12.2181 | 6.4378 | 5.1831 | 7.5136 | 91.7069 | |
| | S | 127.736 | 75.136 | 102.082 | 129.979 | 141.573 | 94.233 | 101.947 | 90.758 | 101.731 | 92.670 | 89.715 | 98.276 | 101.279 | |
| 15 | T | 5.5439 | 7.3045 | 8.5466 | 4.5566 | 6.4292 | 9.6761 | 3.8349 | 14.6639 | 12.1211 | 6.4460 | 5.1660 | 7.5387 | 91.8275 | |
| | S | 126.798 | 75.140 | 100.199 | 129.882 | 142.319 | 94.070 | 101.875 | 90.668 | 102.545 | 92.552 | 90.012 | 97.949 | 101.146 | |
| 16 | T | 5.5467 | 7.6263 | 7.8416 | 5.1672 | 6.4653 | 10.1449 | 3.8901 | 14.8685 | 12.3114 | 6.4295 | 5.2767 | 7.5463 | 93.1145 | |
| | S | 126.734 | 71.970 | 109.208 | 114.534 | 141.525 | 89.723 | 100.430 | 89.420 | 100.960 | 92.790 | 88.123 | 97.850 | 99.748 | |
| 17 | T | 5.5335 | | | | | | 6.1401 | 20.8547 | 14.0728 | 7.4458 | 5.9783 | 8.0964 | 202.7853 | 100.8503 |
| | S | 127.036 | | | | | | 63.628 | 63.753 | 88.323 | 80.124 | 77.781 | 91.202 | 45.802 | 14.086 |
| 18 | T | 5.6994 | 7.9422 | 8.5930 | 4.5346 | 6.4565 | 10.2888 | 4.0553 | 15.2117 | 12.2518 | 6.7095 | 5.3170 | 7.5348 | 94.5946 | |
| | S | 123.338 | 69.107 | 99.658 | 130.512 | 141.718 | 88.468 | 96.339 | 87.403 | 101.451 | 88.917 | 87.455 | 98.000 | 98.187 | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.58 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 3

October 30, 2021

Section Data for Car 18 - Sundaramoorthy, Yuven (R)

| Lap | T/SF to PI |
|-----|------------|
| 19 | T |
| | S |
| 1 | T |
| | S |
| 2 | T |
| | S |
| 3 | T |
| | S |
| 4 | T |
| | S |
| 5 | T 91.8260 |
| | S 92.688 |
| 6 | T |
| | S |
| 7 | T |
| | S |
| 8 | T |
| | S |
| 9 | T |
| | S |
| 10 | T 91.0604 |
| | S 93.467 |
| 11 | T |
| | S |
| 12 | T |
| | S |
| 13 | T |
| | S |
| 14 | T |
| | S |
| 15 | T |
| | S |
| 16 | T 90.7094 |
| | S 93.829 |
| 17 | T |
| | S |
| 18 | T |
| | S |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.58 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 3

October 30, 2021

Section Data for Car 18 - Sundaramoorthy, Yuven (R)

| Lap | T/S | I6 to I7 | I7 to I8 | I8 to I9 | I9 to SF | SF to I1 | I1 to I2 | I2 to I3A | I3A to I3 | I3 to I4 | I4 to I5A | I5A to I5 | I5 to I6 | Lap | PI to PO | PO to SF |
|-----|-----|----------|----------|----------|----------|----------|----------|-----------|-----------|----------|-----------|-----------|----------|---------|----------|----------|
| 19 | T | 5.5270 | 7.4128 | 8.4419 | 4.5232 | 6.4541 | 9.8246 | 3.8309 | 14.6907 | 12.1562 | 6.5548 | 5.2555 | 7.4871 | 92.1588 | | |
| | S | 127.186 | 74.043 | 101.442 | 130.841 | 141.770 | 92.648 | 101.982 | 90.503 | 102.249 | 91.016 | 88.479 | 98.624 | 100.783 | | |
| 20 | T | 5.5026 | 7.2882 | 8.4884 | 4.5456 | 6.4714 | 9.7955 | 3.8024 | 14.8258 | 12.0904 | 6.5000 | 5.1571 | 7.5268 | 91.9942 | | |
| | S | 127.750 | 75.309 | 100.886 | 130.196 | 141.391 | 92.923 | 102.746 | 89.678 | 102.805 | 91.783 | 90.167 | 98.104 | 100.963 | | |
| 21 | T | 5.6896 | | | | | | | | | | | | | | |
| | S | 123.551 | | | | | | | | | | | | | | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.58 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 3

October 30, 2021

Section Data for Car 18 - Sundaramoorthy, Yuven (R)

| Lap | T/SF to PI | |
|-----|------------|---------|
| 19 | T | |
| | S | |
| 20 | T | 92.2928 |
| | S | 92.219 |
| 21 | T | |
| | S | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.58 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 3

October 30, 2021

Section Data for Car 19 - Pierson, Josh (R)

| Lap | T/S I6 to I7 | I7 to I8 | I8 to I9 | I9 to SF | SF to I1 | I1 to I2 | I2 to I3A | I3A to I3 | I3 to I4 | I4 to I5A | I5A to I5 | I5 to I6 | Lap | PI to PO | PO to SF | |
|-----|--------------|----------|----------|----------|----------|----------|-----------|-----------|----------|-----------|-----------|----------|--------|----------|----------|---------|
| 1 | T | 5.7409 | 7.6765 | 8.8699 | 4.6254 | 6.6145 | 10.0519 | 4.0084 | 15.3398 | 12.4035 | 6.8874 | 5.1839 | 7.5727 | 94.9748 | 95.6401 | |
| | S | 122.447 | 71.499 | 96.547 | 127.950 | 138.332 | 90.553 | 97.466 | 86.673 | 100.210 | 86.621 | 89.701 | 97.509 | 97.794 | 89.594 | |
| 2 | T | 5.6242 | 7.5416 | 8.4814 | 4.5510 | 6.4852 | 9.7150 | 3.9152 | 15.2962 | 12.3288 | 6.6744 | 5.1911 | 7.5288 | 93.3329 | | |
| | S | 124.987 | 72.778 | 100.970 | 130.041 | 141.090 | 93.693 | 99.786 | 86.920 | 100.817 | 89.385 | 89.576 | 98.078 | 99.515 | | |
| 3 | T | 5.5687 | 7.3717 | 8.5456 | 4.5408 | 6.4641 | 9.7020 | 3.8763 | 14.9737 | 12.2457 | 7.0715 | 5.2812 | 7.7218 | 93.3631 | | |
| | S | 126.233 | 74.456 | 100.211 | 130.333 | 141.551 | 93.819 | 100.787 | 88.792 | 101.501 | 84.366 | 88.048 | 95.627 | 99.483 | | |
| 4 | T | 5.6168 | 7.6754 | 8.4600 | 4.4666 | 6.3242 | 9.8449 | 3.8588 | 15.2340 | 12.3308 | 6.7318 | 5.1005 | 7.5571 | 93.2009 | | |
| | S | 125.152 | 71.509 | 101.225 | 132.499 | 144.682 | 92.457 | 101.244 | 87.275 | 100.801 | 88.623 | 91.168 | 97.711 | 99.656 | | |
| 5 | T | 5.5719 | 7.3612 | 8.4967 | 4.5932 | 6.4870 | 9.7329 | 3.8551 | 15.0820 | 12.2948 | 6.4809 | 5.0901 | 7.6491 | 92.6949 | | |
| | S | 126.161 | 74.562 | 100.788 | 128.847 | 141.051 | 93.521 | 101.342 | 88.154 | 101.096 | 92.054 | 91.354 | 96.535 | 100.200 | | |
| 6 | T | 5.6332 | 7.5375 | 8.5342 | 4.5948 | 6.4780 | 9.6500 | 3.8523 | 14.9848 | 12.1753 | 6.4630 | 5.0770 | 7.6905 | 92.6706 | | |
| | S | 124.788 | 72.818 | 100.345 | 128.802 | 141.247 | 94.324 | 101.415 | 88.726 | 102.088 | 92.309 | 91.590 | 96.016 | 100.226 | | |
| 7 | T | 5.5893 | | | | | | 5.0898 | 18.5507 | 12.9760 | 7.0044 | 5.4767 | 7.8557 | 221.7285 | 126.5832 | 97.9005 |
| | S | 125.768 | | | | | | 76.758 | 71.671 | 95.789 | 85.174 | 84.905 | 93.997 | 41.889 | 11.222 | 87.525 |
| 8 | T | 5.6554 | 7.7059 | 8.5678 | 4.5855 | 6.5272 | 10.1813 | 3.9216 | 15.2454 | 12.1964 | 6.5829 | 5.1045 | 7.5551 | 93.8290 | | |
| | S | 124.298 | 71.226 | 99.951 | 129.063 | 140.183 | 89.402 | 99.623 | 87.210 | 101.912 | 90.627 | 91.096 | 97.737 | 98.989 | | |
| 9 | T | 5.5883 | 7.4493 | 8.4712 | 4.5692 | 6.5287 | 9.7786 | 3.8703 | 14.9184 | 12.1977 | 6.5077 | 5.0556 | 7.4937 | 92.4287 | | |
| | S | 125.790 | 73.680 | 101.091 | 129.523 | 140.150 | 93.084 | 100.944 | 89.121 | 101.901 | 91.675 | 91.977 | 98.537 | 100.488 | | |
| 10 | T | 5.5131 | 7.3605 | 8.4455 | 4.6198 | 6.5857 | 9.6419 | 3.8178 | 14.8590 | 12.0902 | 6.4609 | 5.0086 | 7.4737 | 91.8767 | | |
| | S | 127.506 | 74.569 | 101.399 | 128.105 | 138.937 | 94.403 | 102.332 | 89.477 | 102.807 | 92.339 | 92.840 | 98.801 | 101.092 | | |
| 11 | T | 5.4947 | 7.3585 | 8.4097 | 4.6269 | 6.5663 | 9.5439 | 3.8141 | 15.0213 | 12.3645 | 6.4354 | 5.0753 | 7.4960 | 92.2066 | | |
| | S | 127.933 | 74.589 | 101.830 | 127.908 | 139.348 | 95.373 | 102.431 | 88.511 | 100.526 | 92.705 | 91.620 | 98.507 | 100.730 | | |
| 12 | T | 5.4975 | 7.2320 | 8.4793 | 4.6110 | 6.5841 | 9.6762 | 3.8272 | 14.9010 | 12.2661 | 6.4702 | 5.0094 | 7.4729 | 92.0269 | | |
| | S | 127.868 | 75.894 | 100.995 | 128.349 | 138.971 | 94.069 | 102.080 | 89.225 | 101.332 | 92.206 | 92.825 | 98.812 | 100.927 | | |
| 13 | T | 5.4968 | 7.3562 | 8.4820 | 4.5852 | 6.5384 | 9.6360 | 3.8392 | 14.8536 | 12.2537 | 6.4264 | 5.0293 | 7.5594 | 92.0562 | | |
| | S | 127.884 | 74.612 | 100.962 | 129.071 | 139.942 | 94.461 | 101.761 | 89.510 | 101.435 | 92.834 | 92.458 | 97.681 | 100.895 | | |
| 14 | T | 5.5458 | | | | | | 3.8285 | 15.0644 | 12.2368 | 6.5292 | 5.0815 | 7.5602 | 331.8341 | 245.7255 | 88.4895 |
| | S | 126.754 | | | | | | 102.046 | 88.257 | 101.575 | 91.373 | 91.508 | 97.671 | 27.990 | 5.781 | 96.834 |
| 15 | T | 5.6176 | 7.3273 | 8.4392 | 4.6082 | 6.5400 | 9.7107 | 3.8848 | 14.8195 | 12.2655 | 6.4623 | 5.0868 | 7.5859 | 92.3478 | | |
| | S | 125.134 | 74.907 | 101.475 | 128.427 | 139.908 | 93.734 | 100.567 | 89.716 | 101.337 | 92.319 | 91.413 | 97.340 | 100.576 | | |
| 16 | T | 5.5699 | 7.3842 | 8.4670 | 4.6151 | 6.5542 | 9.6158 | 3.8213 | 15.0496 | 12.2859 | 6.4404 | 5.0966 | 7.5925 | 92.4925 | | |
| | S | 126.206 | 74.329 | 101.141 | 128.235 | 139.605 | 94.660 | 102.238 | 88.344 | 101.169 | 92.633 | 91.237 | 97.255 | 100.419 | | |
| 17 | T | 5.5927 | | | | | | 4.2093 | 16.7749 | 13.4277 | 7.0347 | 5.5207 | 7.7804 | 191.1162 | 99.6658 | 94.6526 |
| | S | 125.691 | | | | | | 92.814 | 79.258 | 92.566 | 84.807 | 84.228 | 94.906 | 48.599 | 14.253 | 90.528 |
| 18 | T | 5.6091 | 7.5943 | 8.4941 | 4.5697 | 6.5498 | 9.8941 | 3.8685 | 15.1722 | 12.4193 | 6.5638 | 5.1262 | 7.5198 | 93.3809 | | |
| | S | 125.324 | 72.273 | 100.819 | 129.509 | 139.699 | 91.997 | 100.991 | 87.630 | 100.082 | 90.891 | 90.710 | 98.195 | 99.464 | | |
| 19 | T | 5.5048 | 7.2044 | 8.4324 | 4.5604 | 6.5238 | 9.6771 | 3.8624 | 14.8414 | 12.1873 | 6.4591 | 4.9798 | 7.5469 | 91.7798 | | |
| | S | 127.698 | 76.185 | 101.556 | 129.773 | 140.256 | 94.060 | 101.150 | 89.584 | 101.988 | 92.364 | 93.377 | 97.843 | 101.199 | | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.58 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 3

October 30, 2021

Section Data for Car 19 - Pierson, Josh (R)

| Lap | T/SF to PI |
|-----|------------|
| 1 | T |
| | S |
| 2 | T |
| | S |
| 3 | T |
| | S |
| 4 | T |
| | S |
| 5 | T |
| | S |
| 6 | T 90.1303 |
| | S 94.431 |
| 7 | T |
| | S |
| 8 | T |
| | S |
| 9 | T |
| | S |
| 10 | T |
| | S |
| 11 | T |
| | S |
| 12 | T |
| | S |
| 13 | T 89.7474 |
| | S 94.834 |
| 14 | T |
| | S |
| 15 | T |
| | S |
| 16 | T 89.5213 |
| | S 95.074 |
| 17 | T |
| | S |
| 18 | T |
| | S |
| 19 | T |
| | S |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.58 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 3

October 30, 2021

Section Data for Car 19 - Pierson, Josh (R)

| Lap | T/S | I6 to I7 | I7 to I8 | I8 to I9 | I9 to SF | SF to I1 | I1 to I2 | I2 to I3A | I3A to I3 | I3 to I4 | I4 to I5A | I5A to I5 | I5 to I6 | Lap | PI to PO | PO to SF |
|-----|-----|----------|----------|----------|----------|----------|----------|-----------|-----------|----------|-----------|-----------|----------|---------|----------|----------|
| 20 | T | 5.5354 | 7.2525 | 8.4419 | 4.5660 | 6.5259 | 9.6983 | 3.8404 | 14.8414 | 12.2255 | 6.4882 | 4.9847 | 7.5431 | 91.9433 | | |
| | S | 126.993 | 75.679 | 101.442 | 129.614 | 140.211 | 93.854 | 101.729 | 89.584 | 101.669 | 91.950 | 93.285 | 97.892 | 101.019 | | |
| 21 | T | 5.5232 | 7.3781 | 8.4153 | 4.5667 | 6.5373 | 9.6922 | 3.8040 | 14.8553 | 12.4261 | 6.4267 | 5.0173 | 7.4921 | 92.1343 | | |
| | S | 127.273 | 74.391 | 101.763 | 129.594 | 139.966 | 93.913 | 102.703 | 89.500 | 100.028 | 92.830 | 92.679 | 98.558 | 100.809 | | |
| 22 | T | 5.5410 | 7.2236 | 8.5192 | 4.5928 | 6.5530 | 9.6395 | 3.8229 | 14.9096 | 12.4174 | 6.3821 | 5.0612 | 7.5512 | 92.2135 | | |
| | S | 126.864 | 75.982 | 100.522 | 128.858 | 139.631 | 94.427 | 102.195 | 89.174 | 100.098 | 93.479 | 91.875 | 97.787 | 100.723 | | |
| 23 | T | 5.5870 | | | | | | | | | | | | | | |
| | S | 125.820 | | | | | | | | | | | | | | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.58 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 3

October 30, 2021

Section Data for Car 19 - Pierson, Josh (R)

| Lap | T/SF to PI | |
|-----|------------|---------|
| 20 | T | |
| | S | |
| 21 | T | |
| | S | |
| 22 | T | 90.4744 |
| | S | 94.072 |
| 23 | T | |
| | S | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.58 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 3

October 30, 2021

Section Data for Car 2 - Upton, Blake (R)

| Lap | T/S I6 to I7 | I7 to I8 | I8 to I9 | I9 to SF | SF to I1 | I1 to I2 | I2 to I3A | I3A to I3 | I3 to I4 | I4 to I5A | I5A to I5 | I5 to I6 | Lap | PI to PO | PO to SF | |
|-----|--------------|----------|----------|----------|----------|----------|-----------|-----------|----------|-----------|-----------|----------|--------|----------|----------|----------|
| 1 | T | 5.7832 | 7.8769 | 8.6444 | 4.6004 | 6.6124 | 10.3184 | 4.0710 | 15.7991 | 12.6079 | 7.2115 | 5.5138 | 7.8944 | 96.9334 | 96.9479 | |
| | S | 121.551 | 69.680 | 99.066 | 128.645 | 138.376 | 88.214 | 95.967 | 84.153 | 98.585 | 82.728 | 84.334 | 93.536 | 95.818 | 88.385 | |
| 2 | T | 5.6736 | 7.5141 | 8.7622 | 4.5682 | 6.4418 | 10.0147 | 3.9655 | 15.4180 | 12.3450 | 6.6687 | 5.3097 | 7.9021 | 94.5836 | | |
| | S | 123.899 | 73.044 | 97.734 | 129.552 | 142.041 | 90.889 | 98.520 | 86.233 | 100.685 | 89.461 | 87.576 | 93.445 | 98.199 | | |
| 3 | T | 5.6414 | 7.9886 | 8.5797 | 4.5155 | 6.3929 | 10.0138 | 3.9942 | 15.1897 | 12.4157 | 7.0629 | 5.4015 | 7.7373 | 94.9332 | | |
| | S | 124.606 | 68.706 | 99.813 | 131.064 | 143.128 | 90.897 | 97.812 | 87.529 | 100.112 | 84.468 | 86.087 | 95.435 | 97.837 | | |
| 4 | T | 5.6232 | 7.5736 | 8.5593 | 4.5426 | 6.4535 | 10.1713 | 3.8889 | 15.3632 | 12.5226 | 6.9074 | 5.2768 | 7.7507 | 94.6331 | | |
| | S | 125.010 | 72.471 | 100.051 | 130.282 | 141.784 | 89.490 | 100.461 | 86.541 | 99.257 | 86.370 | 88.122 | 95.270 | 98.147 | | |
| 5 | T | 5.5736 | 7.4012 | 8.6547 | 4.5759 | 6.4296 | 10.0360 | 3.9241 | 15.2375 | 12.3028 | 6.6064 | 5.0613 | 7.9975 | 93.8006 | | |
| | S | 126.122 | 74.159 | 98.948 | 129.334 | 142.311 | 90.696 | 99.560 | 87.255 | 101.030 | 90.305 | 91.874 | 92.330 | 99.019 | | |
| 6 | T | 5.6407 | | | | | | 4.1545 | 15.5342 | 12.3504 | 6.6795 | 5.6278 | 7.7673 | 239.3423 | 147.4784 | 94.1146 |
| | S | 124.622 | | | | | | 94.038 | 85.588 | 100.641 | 89.317 | 82.626 | 95.066 | 38.806 | 9.632 | 91.046 |
| 7 | T | 5.5631 | 7.2693 | 8.8809 | 4.6372 | 6.5685 | 10.2072 | 3.9305 | 15.2556 | 12.2937 | 6.6139 | 5.3255 | 7.8138 | 94.3592 | | |
| | S | 126.360 | 75.504 | 96.428 | 127.624 | 139.301 | 89.175 | 99.397 | 87.151 | 101.105 | 90.203 | 87.316 | 94.501 | 98.432 | | |
| 8 | T | 5.5623 | 7.5422 | 8.5067 | 4.5937 | 6.5269 | 10.0520 | 3.8964 | 15.2573 | 12.3024 | 6.6416 | 5.2556 | 7.7695 | 93.9066 | | |
| | S | 126.378 | 72.772 | 100.669 | 128.833 | 140.189 | 90.552 | 100.267 | 87.142 | 101.034 | 89.826 | 88.477 | 95.039 | 98.907 | | |
| 9 | T | 5.5560 | | | | | | 4.7240 | 18.2733 | 13.6598 | 7.4442 | 6.0304 | 8.6762 | 236.9631 | 138.9936 | 104.2060 |
| | S | 126.522 | | | | | | 82.701 | 72.759 | 90.994 | 80.142 | 77.109 | 85.107 | 39.196 | 10.220 | 82.229 |
| 10 | T | 7.3475 | 8.9685 | 9.3167 | 4.7306 | 6.8459 | 11.1117 | 4.2234 | 17.1509 | 12.9278 | 7.5396 | 5.4475 | 7.9088 | 103.5189 | | |
| | S | 95.673 | 61.199 | 91.917 | 125.104 | 133.657 | 81.916 | 92.504 | 77.520 | 96.146 | 79.128 | 85.360 | 93.366 | 89.723 | | |
| 11 | T | 5.5219 | 7.5286 | 8.5542 | 4.5764 | 6.5223 | 9.9266 | 3.9698 | 15.1340 | 12.1996 | 6.6803 | 5.1686 | 7.7312 | 93.5135 | | |
| | S | 127.303 | 72.904 | 100.110 | 129.320 | 140.288 | 91.696 | 98.413 | 87.852 | 101.885 | 89.306 | 89.966 | 95.510 | 99.323 | | |
| 12 | T | 5.5366 | 7.2732 | 8.7946 | 4.6021 | 6.5183 | 9.8481 | 3.9897 | 15.0528 | 12.1881 | 6.5668 | 5.1037 | 7.6397 | 93.1137 | | |
| | S | 126.965 | 75.464 | 97.374 | 128.597 | 140.374 | 92.427 | 97.923 | 88.325 | 101.981 | 90.850 | 91.110 | 96.654 | 99.749 | | |
| 13 | T | 5.5514 | 7.3339 | 8.5768 | 4.5787 | 6.5089 | 9.8553 | 3.9473 | 14.8507 | 12.7566 | 6.8307 | 5.2551 | 7.7174 | 93.7628 | | |
| | S | 126.627 | 74.839 | 99.847 | 129.255 | 140.577 | 92.359 | 98.974 | 89.527 | 97.436 | 87.340 | 88.485 | 95.681 | 99.058 | | |
| 14 | T | 5.5540 | | | | | | 4.0616 | 15.5406 | 12.4288 | 6.8198 | 5.3034 | 7.6277 | 364.2626 | 273.6362 | 91.9627 |
| | S | 126.567 | | | | | | 96.189 | 85.553 | 100.006 | 87.479 | 87.680 | 96.806 | 25.498 | 5.191 | 93.176 |
| 15 | T | 5.5920 | 7.4141 | 8.7289 | 4.6001 | 6.5804 | 9.7490 | 3.9407 | 14.7162 | 12.8972 | 6.6006 | 5.1601 | 7.6886 | 93.6679 | | |
| | S | 125.707 | 74.030 | 98.107 | 128.653 | 139.049 | 93.366 | 99.140 | 90.346 | 96.374 | 90.384 | 90.115 | 96.039 | 99.159 | | |
| 16 | T | 5.5916 | 7.4097 | 8.5935 | 4.5826 | 6.4981 | 9.6145 | 3.9178 | 14.9121 | 12.3829 | 6.6419 | 5.0947 | 7.7474 | 92.9868 | | |
| | S | 125.716 | 74.074 | 99.652 | 129.145 | 140.810 | 94.672 | 99.720 | 89.159 | 100.377 | 89.822 | 91.271 | 95.311 | 99.885 | | |
| 17 | T | 5.6250 | 7.8735 | 8.5105 | 4.5098 | 6.3761 | 9.9125 | 3.8868 | 15.1569 | 12.5005 | 6.6501 | 5.2410 | 7.7389 | 93.9816 | | |
| | S | 124.970 | 69.710 | 100.624 | 131.229 | 143.505 | 91.826 | 100.515 | 87.719 | 99.432 | 89.712 | 88.724 | 95.415 | 98.828 | | |
| 18 | T | 5.5790 | 7.5271 | 8.4737 | 4.5585 | 6.4479 | 9.7234 | 3.8505 | 15.1830 | 12.4543 | 6.6080 | 5.1670 | 7.7160 | 93.2884 | | |
| | S | 126.000 | 72.918 | 101.061 | 129.827 | 141.907 | 93.612 | 101.463 | 87.568 | 99.801 | 90.283 | 89.994 | 95.698 | 99.562 | | |
| 19 | T | 5.5704 | 7.2113 | 8.8228 | 4.6216 | 6.5735 | 9.9470 | 3.8492 | 15.0526 | 12.4529 | 6.6528 | 5.1866 | 7.7189 | 93.6596 | | |
| | S | 126.195 | 76.112 | 97.063 | 128.055 | 139.195 | 91.508 | 101.497 | 88.327 | 99.812 | 89.675 | 89.654 | 95.662 | 99.168 | | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.58 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 3

October 30, 2021

Section Data for Car 2 - Upton, Blake (R)

| Lap | T/SF to PI | |
|-----|------------|---------|
| 1 | T | |
| | S | |
| 2 | T | |
| | S | |
| 3 | T | |
| | S | |
| 4 | T | |
| | S | |
| 5 | T | 91.6950 |
| | S | 92.820 |
| 6 | T | |
| | S | |
| 7 | T | |
| | S | |
| 8 | T | 91.8285 |
| | S | 92.685 |
| 9 | T | |
| | S | |
| 10 | T | |
| | S | |
| 11 | T | |
| | S | |
| 12 | T | |
| | S | |
| 13 | T | 92.7208 |
| | S | 91.793 |
| 14 | T | |
| | S | |
| 15 | T | |
| | S | |
| 16 | T | |
| | S | |
| 17 | T | |
| | S | |
| 18 | T | |
| | S | |
| 19 | T | |
| | S | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.58 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 3

October 30, 2021

Section Data for Car 2 - Upton, Blake (R)

| Lap | T/S | I6 to I7 | I7 to I8 | I8 to I9 | I9 to SF | SF to I1 | I1 to I2 | I2 to I3A | I3A to I3 | I3 to I4 | I4 to I5A | I5A to I5 | I5 to I6 | Lap | PI to PO | PO to SF |
|-----|-----|----------|----------|----------|----------|----------|----------|-----------|-----------|----------|-----------|-----------|----------|---------|----------|----------|
| 20 | T | 5.5722 | 8.4491 | 8.5107 | 4.5208 | 6.4184 | 9.9650 | 3.9357 | 15.2374 | 12.3937 | 6.6030 | 5.1831 | 7.7972 | 94.5863 | | |
| | S | 126.154 | 64.961 | 100.622 | 130.910 | 142.559 | 91.342 | 99.266 | 87.255 | 100.289 | 90.351 | 89.715 | 94.702 | 98.196 | | |
| 21 | T | 5.5631 | | | | | | | | | | | | | | |
| | S | 126.360 | | | | | | | | | | | | | | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.58 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 3

October 30, 2021

Section Data for Car 2 - Upton, Blake (R)

| Lap | T/SF to PI | |
|-----|------------|---------|
| 20 | T | 93.6806 |
| | S | 90.853 |
| 21 | T | |
| | S | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.58 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 3

October 30, 2021

Section Data for Car 20 - Putsch, Casey (R)

| Lap | T/S I6 to I7 | I7 to I8 | I8 to I9 | I9 to SF | SF to I1 | I1 to I2 | I2 to I3A | I3A to I3 | I3 to I4 | I4 to I5A | I5A to I5 | I5 to I6 | Lap | PI to PO | PO to SF | |
|-----|--------------|----------|----------|----------|----------|----------|-----------|-----------|----------|-----------|-----------|----------|--------|----------|----------|----------|
| 1 | T | 5.7868 | 8.2750 | 9.3643 | 4.7245 | 6.7059 | 12.0979 | 4.4668 | 16.0537 | 12.9577 | 7.0759 | 5.6444 | 7.9389 | 101.0918 | | 101.7605 |
| | S | 121.476 | 66.328 | 91.450 | 125.266 | 136.447 | 75.238 | 87.463 | 82.819 | 95.924 | 84.313 | 82.383 | 93.012 | 91.877 | | 84.205 |
| 2 | T | 5.6681 | 7.6263 | 9.2134 | 4.6734 | 6.6355 | 10.5201 | 4.1756 | 15.4913 | 12.8456 | 7.0613 | 5.5820 | 7.8189 | 97.3115 | | |
| | S | 124.019 | 71.970 | 92.948 | 126.635 | 137.895 | 86.523 | 93.563 | 85.825 | 96.761 | 84.487 | 83.303 | 94.439 | 95.446 | | |
| 3 | T | 5.6469 | 7.6900 | 9.9232 | 4.7400 | 6.6859 | 10.9789 | 4.1574 | 16.1879 | 12.9676 | 7.0133 | 5.6708 | 7.9905 | 99.6524 | | |
| | S | 124.485 | 71.374 | 86.299 | 124.856 | 136.855 | 82.907 | 93.973 | 82.132 | 95.851 | 85.066 | 81.999 | 92.411 | 93.204 | | |
| 4 | T | 5.7627 | | | | | | 4.1492 | 15.9900 | 12.7708 | 6.8911 | 5.4260 | 7.8026 | 192.9469 | 99.7460 | 93.7857 |
| | S | 121.984 | | | | | | 94.158 | 83.149 | 97.328 | 86.574 | 85.698 | 94.636 | 48.138 | 14.242 | 91.365 |
| 5 | T | 5.6688 | 7.6333 | 9.0523 | 4.7040 | 6.6386 | 10.4587 | 3.9821 | 15.5439 | 12.5356 | 6.8101 | 5.4696 | 8.4068 | 96.9038 | | |
| | S | 124.004 | 71.904 | 94.602 | 125.812 | 137.830 | 87.031 | 98.109 | 85.535 | 99.154 | 87.604 | 85.015 | 87.835 | 95.848 | | |
| 6 | T | 5.8347 | 8.0285 | 8.9403 | 4.7152 | 6.6441 | 10.8463 | 4.0664 | 15.5580 | 12.6719 | 6.9892 | 5.6349 | 8.1219 | 98.0514 | | |
| | S | 120.478 | 68.364 | 95.787 | 125.513 | 137.716 | 83.921 | 96.076 | 85.457 | 98.087 | 85.359 | 82.521 | 90.916 | 94.726 | | |
| 7 | T | 5.6695 | 7.7556 | 8.9326 | 4.7209 | 6.6922 | 10.3366 | 4.0141 | 15.7310 | 13.0262 | 6.9254 | 5.5087 | 8.0618 | 97.3746 | | |
| | S | 123.989 | 70.770 | 95.869 | 125.361 | 136.726 | 88.059 | 97.327 | 84.518 | 95.420 | 86.145 | 84.412 | 91.594 | 95.384 | | |
| 8 | T | 5.6665 | 7.8827 | 8.9349 | 4.6992 | 6.6483 | 10.5734 | 4.0681 | 15.8904 | 12.7877 | 6.7470 | 5.5555 | 7.9056 | 97.3593 | | |
| | S | 124.054 | 69.629 | 95.845 | 125.940 | 137.629 | 86.087 | 96.035 | 83.670 | 97.199 | 88.423 | 83.701 | 93.403 | 95.399 | | |
| 9 | T | 5.6957 | 8.2099 | 8.8128 | 4.6551 | 6.5870 | 10.3155 | 3.9375 | 15.6900 | 12.7891 | 6.9807 | 5.3847 | 7.8429 | 96.9009 | | |
| | S | 123.418 | 66.854 | 97.173 | 127.133 | 138.910 | 88.239 | 99.221 | 84.738 | 97.189 | 85.463 | 86.356 | 94.150 | 95.851 | | |
| 10 | T | 5.6333 | 7.8411 | 8.9369 | 4.8135 | 6.6632 | 10.1782 | 3.9796 | 15.5464 | 12.8150 | 6.8875 | 5.5414 | 7.8642 | 96.7003 | | |
| | S | 124.786 | 69.998 | 95.823 | 122.950 | 137.321 | 89.429 | 98.171 | 85.521 | 96.992 | 86.619 | 83.914 | 93.895 | 96.049 | | |
| 11 | T | 5.7085 | 7.8674 | 8.8409 | 4.7335 | 6.6667 | 10.5415 | 4.1166 | 15.9993 | 12.9502 | 6.9614 | 5.6426 | 7.9935 | 98.0221 | | |
| | S | 123.142 | 69.764 | 96.864 | 125.028 | 137.249 | 86.347 | 94.904 | 83.100 | 95.980 | 85.700 | 82.409 | 92.376 | 94.754 | | |
| 12 | T | 5.6290 | | | | | | 5.1797 | 18.9055 | 13.9270 | 7.2665 | 5.9980 | 8.5733 | 358.4406 | 257.5441 | 102.7129 |
| | S | 124.881 | | | | | | 75.426 | 70.326 | 89.248 | 82.102 | 77.526 | 86.129 | 25.912 | 5.516 | 83.424 |
| 13 | T | 5.9898 | 8.2395 | 9.1074 | 4.7204 | 6.6483 | 10.4709 | 4.0962 | 15.6148 | 12.4977 | 6.9643 | 5.4441 | 7.8626 | 97.6560 | | |
| | S | 117.359 | 66.614 | 94.029 | 125.375 | 137.629 | 86.929 | 95.377 | 85.146 | 99.455 | 85.664 | 85.414 | 93.914 | 95.109 | | |
| 14 | T | 5.6318 | 7.7356 | 8.7501 | 4.6640 | 6.5906 | 10.1125 | 3.9512 | 15.8106 | 12.4234 | 6.7272 | 5.2610 | 7.9079 | 95.5659 | | |
| | S | 124.819 | 70.953 | 97.869 | 126.891 | 138.834 | 90.010 | 98.877 | 84.092 | 100.049 | 88.683 | 88.386 | 93.376 | 97.189 | | |
| 15 | T | 5.6189 | 7.8054 | 8.7089 | 4.6439 | 6.5604 | 10.1416 | 4.0021 | 15.4244 | 12.5589 | 6.6878 | 5.4928 | 7.9642 | 95.6093 | | |
| | S | 125.105 | 70.318 | 98.332 | 127.440 | 139.473 | 89.752 | 97.619 | 86.198 | 98.970 | 89.206 | 84.656 | 92.716 | 97.145 | | |
| 16 | T | 5.7164 | 7.8200 | 8.8404 | 4.6627 | 6.5822 | 10.2518 | 3.9443 | 15.4728 | 13.0682 | 7.7687 | 5.6500 | 8.0081 | 97.7856 | | |
| | S | 122.972 | 70.187 | 96.869 | 126.926 | 139.011 | 88.787 | 99.050 | 85.928 | 95.113 | 76.794 | 82.301 | 92.208 | 94.983 | | |
| 17 | T | 5.6784 | 7.9639 | 8.8718 | 4.6571 | 6.5650 | 10.4904 | 3.9973 | 15.5004 | 12.6551 | 6.7428 | 5.4706 | 7.8806 | 96.4734 | | |
| | S | 123.794 | 68.919 | 96.526 | 127.079 | 139.375 | 86.768 | 97.736 | 85.775 | 98.218 | 88.478 | 85.000 | 93.700 | 96.275 | | |
| 18 | T | 5.7198 | 7.9145 | 8.7717 | 4.6601 | 6.5795 | 10.0872 | 3.9758 | 15.5057 | 12.8045 | 6.7815 | 5.4514 | 7.9862 | 96.2379 | | |
| | S | 122.898 | 69.349 | 97.628 | 126.997 | 139.068 | 90.236 | 98.265 | 85.746 | 97.072 | 87.973 | 85.299 | 92.461 | 96.511 | | |
| 19 | T | 5.7864 | 7.7480 | 8.7090 | 4.6480 | 6.5829 | 10.0578 | 4.1590 | 16.1516 | 12.7281 | 6.7476 | 5.5714 | 8.0471 | 96.9369 | | |
| | S | 121.484 | 70.839 | 98.331 | 127.327 | 138.996 | 90.500 | 93.936 | 82.317 | 97.654 | 88.415 | 83.462 | 91.761 | 95.815 | | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.58 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 3

October 30, 2021

Section Data for Car 20 - Putsch, Casey (R)

| Lap | T/SF to PI |
|-----|------------|
| 1 | T |
| | S |
| 2 | T |
| | S |
| 3 | T 98.1259 |
| | S 86.737 |
| 4 | T |
| | S |
| 5 | T |
| | S |
| 6 | T |
| | S |
| 7 | T |
| | S |
| 8 | T |
| | S |
| 9 | T |
| | S |
| 10 | T |
| | S |
| 11 | T 97.1125 |
| | S 87.642 |
| 12 | T |
| | S |
| 13 | T |
| | S |
| 14 | T |
| | S |
| 15 | T |
| | S |
| 16 | T |
| | S |
| 17 | T |
| | S |
| 18 | T |
| | S |
| 19 | T 95.5207 |
| | S 89.103 |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.58 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 3

October 30, 2021

Section Data for Car 22 - Ahmed, Enaam

| Lap | T/S I6 to I7 | I7 to I8 | I8 to I9 | I9 to SF | SF to I1 | I1 to I2 | I2 to I3A | I3A to I3 | I3 to I4 | I4 to I5A | I5A to I5 | I5 to I6 | Lap | PI to PO | PO to SF |
|-----|--------------|----------|----------|----------|----------|----------|-----------|-----------|----------|-----------|-----------|----------|--------|----------|----------|
| 20 | T | 5.7279 | | | | | | | | | | | | | |
| | S | 122.725 | | | | | | | | | | | | | |
| 1 | T | 5.7922 | 7.8155 | 8.5403 | 4.5912 | 6.5649 | 10.2096 | 3.9199 | 15.3404 | 12.2750 | 6.5431 | 5.3732 | 7.6433 | 94.6086 | 99.2092 |
| | S | 121.362 | 70.228 | 100.273 | 128.903 | 139.378 | 89.154 | 99.666 | 86.670 | 101.259 | 91.179 | 86.541 | 96.609 | 98.173 | 86.371 |
| 2 | T | 5.4946 | 7.3834 | 8.4397 | 4.5056 | 6.4162 | 9.7675 | 3.8921 | 15.1724 | 12.5481 | 6.5373 | 5.3141 | 7.5653 | 93.0363 | |
| | S | 127.936 | 74.338 | 101.468 | 131.352 | 142.608 | 93.189 | 100.378 | 87.629 | 99.055 | 91.260 | 87.503 | 97.605 | 99.832 | |
| 3 | T | 5.4655 | 7.3290 | 8.5838 | 4.5368 | 6.4406 | 9.8286 | 3.8327 | 14.7827 | 12.1930 | 6.3713 | 5.3078 | 7.5610 | 92.2328 | |
| | S | 128.617 | 74.889 | 99.765 | 130.448 | 142.068 | 92.610 | 101.934 | 89.939 | 101.940 | 93.637 | 87.607 | 97.660 | 100.702 | |
| 4 | T | 5.4706 | 7.3944 | 8.5077 | 4.5165 | 6.3911 | 9.7983 | 3.8254 | 15.1463 | 12.4338 | 6.5187 | 5.2965 | 7.5460 | 92.8453 | |
| | S | 128.497 | 74.227 | 100.657 | 131.035 | 143.168 | 92.896 | 102.128 | 87.780 | 99.966 | 91.520 | 87.794 | 97.854 | 100.037 | |
| 5 | T | 5.4393 | 7.4247 | 8.5403 | 4.5275 | 6.3929 | 9.7271 | 3.8526 | 15.0011 | 12.3729 | 6.4639 | 5.2614 | 7.5605 | 92.5642 | |
| | S | 129.236 | 73.924 | 100.273 | 130.716 | 143.128 | 93.576 | 101.407 | 88.630 | 100.458 | 92.296 | 88.380 | 97.667 | 100.341 | |
| 6 | T | 5.4736 | 7.3283 | 8.5854 | 4.5353 | 6.3955 | 9.7306 | 3.8550 | 14.9450 | 12.2714 | 6.4763 | 5.2492 | 7.6295 | 92.4751 | |
| | S | 128.426 | 74.896 | 99.747 | 130.492 | 143.069 | 93.543 | 101.344 | 88.963 | 101.289 | 92.119 | 88.585 | 96.783 | 100.438 | |
| 7 | T | 5.5134 | | | | | | 4.9698 | 18.3177 | 13.7601 | 8.2760 | 7.2490 | 8.2477 | 323.8420 | 220.7883 |
| | S | 127.499 | | | | | | 78.611 | 72.583 | 90.330 | 72.087 | 64.147 | 89.529 | 28.681 | 6.434 |
| 8 | T | 5.8617 | 8.1145 | 8.7509 | 4.5897 | 8.3104 | 10.7148 | 3.9084 | 15.2536 | 12.2336 | 6.8362 | 5.4600 | 7.5156 | 97.5494 | |
| | S | 119.923 | 67.640 | 97.860 | 128.945 | 110.103 | 84.950 | 99.960 | 87.163 | 101.602 | 87.269 | 85.165 | 98.250 | 95.213 | |
| 9 | T | 5.4141 | 7.4640 | 8.4924 | 4.5507 | 6.4655 | 9.7837 | 3.8110 | 14.7189 | 12.0193 | 6.4210 | 5.2008 | 7.4382 | 91.7796 | |
| | S | 129.838 | 73.535 | 100.839 | 130.050 | 141.520 | 93.035 | 102.514 | 90.329 | 103.413 | 92.912 | 89.409 | 99.273 | 101.199 | |
| 10 | T | 5.4097 | 7.2267 | 8.4851 | 4.5423 | 6.4559 | 9.6300 | 3.8198 | 14.6503 | 12.1395 | 6.9444 | 5.8387 | 7.4683 | 92.6107 | |
| | S | 129.943 | 75.949 | 100.926 | 130.290 | 141.731 | 94.520 | 102.278 | 90.752 | 102.389 | 85.910 | 79.641 | 98.872 | 100.291 | |
| 11 | T | 5.4317 | 7.2256 | 8.4412 | 4.5303 | 6.4419 | 9.7213 | 3.7952 | 14.6432 | 12.1432 | 6.3716 | 5.1681 | 7.5172 | 91.4305 | |
| | S | 129.417 | 75.961 | 101.450 | 130.636 | 142.039 | 93.632 | 102.941 | 90.796 | 102.358 | 93.633 | 89.975 | 98.229 | 101.585 | |
| 12 | T | 5.4348 | 7.3549 | 8.4739 | 4.5178 | 6.4041 | 9.6999 | 3.8254 | 14.8871 | 12.2069 | 6.3899 | 5.1925 | 7.5280 | 91.9152 | |
| | S | 129.343 | 74.626 | 101.059 | 130.997 | 142.877 | 93.839 | 102.128 | 89.309 | 101.824 | 93.365 | 89.552 | 98.088 | 101.050 | |
| 13 | T | 5.4690 | 7.3469 | 8.4686 | 4.5361 | 6.4572 | 9.7827 | 3.7865 | 14.9129 | 12.3390 | 6.3592 | 5.1705 | 7.5334 | 92.1620 | |
| | S | 128.534 | 74.707 | 101.122 | 130.469 | 141.702 | 93.045 | 103.178 | 89.154 | 100.734 | 93.815 | 89.933 | 98.018 | 100.779 | |
| 14 | T | 5.4525 | 7.2968 | 8.4747 | 4.5287 | 6.4204 | 9.6326 | 3.8007 | 14.8224 | 12.3183 | 6.3662 | 5.2368 | 7.5504 | 91.9005 | |
| | S | 128.923 | 75.220 | 101.049 | 130.682 | 142.514 | 94.494 | 102.792 | 89.698 | 100.903 | 93.712 | 88.795 | 97.797 | 101.066 | |
| 15 | T | 5.4818 | | | | | | 4.0755 | 15.6976 | 12.5289 | 6.5566 | 5.3631 | 7.5579 | 468.1467 | 371.9074 |
| | S | 128.234 | | | | | | 95.861 | 84.697 | 99.207 | 90.991 | 86.704 | 97.700 | 19.840 | 3.820 |
| 16 | T | 5.4750 | 7.3514 | 8.4490 | 4.5181 | 6.4086 | 9.7310 | 3.7924 | 14.9968 | 12.2687 | 6.4495 | 5.2319 | 7.5277 | 92.2001 | |
| | S | 128.394 | 74.661 | 101.357 | 130.988 | 142.777 | 93.539 | 103.017 | 88.655 | 101.311 | 92.502 | 88.878 | 98.092 | 100.737 | |
| 17 | T | 5.4708 | 7.2612 | 8.5111 | 4.5158 | 6.3976 | 9.5969 | 3.8208 | 14.8260 | 12.2463 | 6.4884 | 5.1721 | 7.6295 | 91.9365 | |
| | S | 128.492 | 75.589 | 100.617 | 131.055 | 143.022 | 94.846 | 102.251 | 89.677 | 101.496 | 91.947 | 89.905 | 96.783 | 101.026 | |
| 18 | T | 5.4752 | 7.2810 | 8.4669 | 4.5048 | 6.3859 | 9.5600 | 3.8152 | 14.9569 | 12.2463 | 6.3999 | 5.2081 | 7.6923 | 91.9925 | |
| | S | 128.389 | 75.383 | 101.143 | 131.375 | 143.284 | 95.212 | 102.401 | 88.892 | 101.496 | 93.219 | 89.284 | 95.993 | 100.965 | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.58 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 3

October 30, 2021

Section Data for Car 22 - Ahmed, Enaam

| Lap | T/SF to PI |
|-----|------------|
| 20 | T |
| | S |
| 1 | T |
| | S |
| 2 | T |
| | S |
| 3 | T |
| | S |
| 4 | T |
| | S |
| 5 | T |
| | S |
| 6 | T 92.2414 |
| | S 92.270 |
| 7 | T |
| | S |
| 8 | T |
| | S |
| 9 | T |
| | S |
| 10 | T |
| | S |
| 11 | T |
| | S |
| 12 | T |
| | S |
| 13 | T |
| | S |
| 14 | T 91.5885 |
| | S 92.928 |
| 15 | T |
| | S |
| 16 | T |
| | S |
| 17 | T |
| | S |
| 18 | T 94.1842 |
| | S 90.367 |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.58 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 3

October 30, 2021

Section Data for Car 3 - Green, Josh (R)

| Lap | T/S I6 to I7 | I7 to I8 | I8 to I9 | I9 to SF | SF to I1 | I1 to I2 | I2 to I3A | I3A to I3 | I3 to I4 | I4 to I5A | I5A to I5 | I5 to I6 | Lap | PI to PO | PO to SF |
|-----|--------------|----------|----------|----------|----------|----------|-----------|-----------|----------|-----------|-----------|----------|----------|----------|----------|
| 19 | T | 5.5197 | | | | | 6.3638 | 24.3436 | 18.4100 | 9.4782 | 7.6785 | 10.7372 | 283.0039 | 158.0629 | |
| | S | 127.354 | | | | | 61.391 | 54.616 | 67.515 | 62.943 | 60.559 | 68.771 | 32.819 | 8.987 | |
| 20 | T | 8.8746 | | | | | | | | | | | | | |
| | S | 79.210 | | | | | | | | | | | | | |
| Lap | T/S I6 to I7 | I7 to I8 | I8 to I9 | I9 to SF | SF to I1 | I1 to I2 | I2 to I3A | I3A to I3 | I3 to I4 | I4 to I5A | I5A to I5 | I5 to I6 | Lap | PI to PO | PO to SF |
| 1 | T | 5.7421 | 7.7970 | 8.7978 | 4.5631 | 6.5764 | 10.4460 | 3.9917 | 15.4886 | 12.1567 | 6.6273 | 5.2876 | 7.5937 | 95.0680 | 96.5434 |
| | S | 122.421 | 70.394 | 97.338 | 129.697 | 139.134 | 87.136 | 97.874 | 85.840 | 102.244 | 90.020 | 87.942 | 97.240 | 97.698 | 88.755 |
| 2 | T | 5.5307 | 7.3869 | 8.5901 | 4.5302 | 6.4338 | 9.9742 | 3.9585 | | | 6.5466 | 5.2388 | 7.5434 | 92.7507 | |
| | S | 127.100 | 74.302 | 99.692 | 130.638 | 142.218 | 91.258 | 98.694 | | | 91.130 | 88.761 | 97.888 | 100.139 | |
| 3 | T | 5.5177 | 7.5860 | 8.3525 | 4.5171 | 6.4266 | 9.8413 | 3.8421 | 15.1372 | 12.1075 | 6.5381 | 5.1784 | 7.5494 | 92.5939 | |
| | S | 127.400 | 72.352 | 102.528 | 131.017 | 142.377 | 92.491 | 101.684 | 87.833 | 102.660 | 91.248 | 89.796 | 97.810 | 100.309 | |
| 4 | T | 5.4941 | 7.4163 | 8.5174 | 4.5187 | 6.3600 | 9.6501 | 3.8224 | 14.8197 | 12.4515 | 6.4604 | 5.2350 | 7.5531 | 92.2987 | |
| | S | 127.947 | 74.008 | 100.543 | 130.971 | 143.868 | 94.323 | 102.209 | 89.715 | 99.824 | 92.346 | 88.825 | 97.762 | 100.630 | |
| 5 | T | 5.4894 | | | | | | 5.4660 | 15.3361 | 12.3292 | 6.5760 | 5.2003 | 7.4716 | 441.6345 | 352.5311 |
| | S | 128.057 | | | | | | 71.475 | 86.694 | 100.814 | 90.722 | 89.418 | 98.829 | 21.031 | 4.030 |
| 6 | T | 5.5129 | 7.2601 | 8.6983 | 4.5733 | 6.5010 | 9.8917 | 3.8285 | 14.6679 | 12.3001 | 6.5304 | 5.2163 | 7.4819 | 92.4624 | |
| | S | 127.511 | 75.600 | 98.452 | 129.407 | 140.748 | 92.019 | 102.046 | 90.643 | 101.052 | 91.356 | 89.144 | 98.693 | 100.452 | |
| 7 | T | 5.4553 | 7.3284 | 8.3961 | 4.5713 | 6.5642 | 9.8359 | 3.7986 | 14.9332 | 12.3314 | 6.4465 | 5.1672 | 7.5888 | 92.4169 | |
| | S | 128.857 | 74.895 | 101.995 | 129.464 | 139.392 | 92.541 | 102.849 | 89.033 | 100.796 | 92.545 | 89.991 | 97.302 | 100.501 | |
| 8 | T | 5.5032 | 7.3936 | 8.6250 | 4.6180 | 6.5754 | 9.7073 | 3.8123 | 14.6255 | 12.2143 | 6.6927 | 5.2438 | 7.6231 | 92.6342 | |
| | S | 127.736 | 74.235 | 99.289 | 128.155 | 139.155 | 93.767 | 102.479 | 90.906 | 101.762 | 89.141 | 88.676 | 96.865 | 100.265 | |
| 9 | T | 5.4762 | | | | | | 4.9275 | 15.8581 | 12.2933 | 6.6605 | 5.2502 | 7.4122 | 366.6916 | 278.2387 |
| | S | 128.365 | | | | | | 79.286 | 83.840 | 101.108 | 89.571 | 88.568 | 99.621 | 25.329 | 5.106 |
| 10 | T | 5.4768 | 7.3797 | 8.5140 | 4.5344 | 6.4380 | 9.6351 | 3.8466 | 14.6389 | 12.2353 | 6.5366 | 5.3024 | 7.4426 | 91.9804 | |
| | S | 128.351 | 74.375 | 100.583 | 130.517 | 142.125 | 94.470 | 101.565 | 90.823 | 101.588 | 91.269 | 87.696 | 99.214 | 100.978 | |
| 11 | T | 5.4300 | 7.4180 | 8.5531 | 4.5441 | 6.4465 | 9.6323 | 3.8389 | 14.7282 | 12.2919 | 6.4880 | 5.2534 | 7.6319 | 92.2563 | |
| | S | 129.458 | 73.991 | 100.123 | 130.239 | 141.937 | 94.497 | 101.769 | 90.272 | 101.120 | 91.953 | 88.514 | 96.753 | 100.676 | |
| 12 | T | 5.4742 | 7.4743 | 8.5469 | 4.5359 | 6.3813 | 9.8412 | 3.8279 | 15.0289 | 12.3256 | 6.5451 | 5.1635 | 7.6637 | 92.8085 | |
| | S | 128.412 | 73.433 | 100.196 | 130.474 | 143.388 | 92.491 | 102.062 | 88.466 | 100.843 | 91.151 | 90.055 | 96.352 | 100.077 | |
| 13 | T | 5.5055 | 7.4030 | 8.4531 | 4.5407 | 6.4682 | 9.6760 | 3.7859 | 15.0579 | 12.2115 | 6.5356 | 5.3778 | 7.7033 | 92.7185 | |
| | S | 127.682 | 74.141 | 101.308 | 130.336 | 141.461 | 94.071 | 103.194 | 88.296 | 101.786 | 91.283 | 86.467 | 95.856 | 100.174 | |
| 14 | T | 5.5066 | 7.4026 | 8.5194 | 4.5484 | 6.4516 | 9.6728 | 3.8141 | 14.7441 | 12.1677 | 6.4730 | 5.3132 | 7.6216 | 92.2351 | |
| | S | 127.657 | 74.145 | 100.519 | 130.116 | 141.825 | 94.102 | 102.431 | 90.175 | 102.152 | 92.166 | 87.518 | 96.884 | 100.699 | |
| 15 | T | 5.5529 | | | | | | 4.4235 | 17.2588 | 13.1536 | 7.3267 | 5.7038 | 7.9944 | 233.1951 | 139.0273 |
| | S | 126.592 | | | | | | 88.320 | 77.036 | 94.495 | 81.427 | 81.525 | 92.366 | 39.829 | 10.218 |
| 16 | T | 5.6127 | 7.7519 | 8.7805 | 4.5353 | 6.4608 | 10.1029 | 3.8474 | 15.0029 | 12.1830 | 6.8641 | 5.3072 | 7.5612 | 94.0099 | |
| | S | 125.244 | 70.804 | 97.530 | 130.492 | 141.623 | 90.096 | 101.544 | 88.619 | 102.024 | 86.915 | 87.617 | 97.658 | 98.798 | |
| 17 | T | 5.4335 | 7.3318 | 8.4918 | 4.4949 | 6.4182 | | | 15.0546 | 12.1987 | 6.5684 | 5.2668 | 7.4603 | 94.7291 | |
| | S | 129.374 | 74.861 | 100.846 | 131.664 | 142.563 | | | 88.315 | 101.892 | 90.827 | 88.289 | 98.978 | 98.048 | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.58 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 3

October 30, 2021

Section Data for Car 3 - Green, Josh (R)

| Lap | T/SF to PI |
|-----|------------|
| 19 | T |
| | S |
| 20 | T |
| | S |

| Lap | T/SF to PI |
|-----|------------|
| 1 | T |
| | S |
| 2 | T |
| | S |
| 3 | T |
| | S |
| 4 | T 89.2488 |
| | S 95.364 |
| 5 | T |
| | S |
| 6 | T |
| | S |
| 7 | T |
| | S |
| 8 | T 89.4126 |
| | S 95.189 |
| 9 | T |
| | S |
| 10 | T |
| | S |
| 11 | T |
| | S |
| 12 | T |
| | S |
| 13 | T |
| | S |
| 14 | T 89.4748 |
| | S 95.123 |
| 15 | T |
| | S |
| 16 | T |
| | S |
| 17 | T |
| | S |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.58 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 3

October 30, 2021

Section Data for Car 3 - Green, Josh (R)

| Lap | T/S | I6 to I7 | I7 to I8 | I8 to I9 | I9 to SF | SF to I1 | I1 to I2 | I2 to I3A | I3A to I3 | I3 to I4 | I4 to I5A | I5A to I5 | I5 to I6 | Lap | PI to PO | PO to SF |
|-----|-----|----------|----------|----------|----------|----------|----------|-----------|-----------|----------|-----------|-----------|----------|---------|----------|----------|
| 18 | T | 5.4514 | 7.2815 | 8.4277 | 4.5055 | 6.4498 | 9.6733 | 3.7858 | 14.7118 | 12.0955 | 6.4390 | 5.2420 | 7.4340 | 91.4973 | | |
| | S | 128.949 | 75.378 | 101.613 | 131.355 | 141.865 | 94.097 | 103.197 | 90.373 | 102.762 | 92.653 | 88.707 | 99.329 | 101.511 | | |
| 19 | T | 5.4705 | 7.2169 | 8.3632 | 4.5160 | 6.4679 | 9.6166 | 3.7856 | 14.8048 | 12.1507 | 6.4567 | 5.2735 | 7.4242 | 91.5466 | | |
| | S | 128.499 | 76.053 | 102.397 | 131.049 | 141.468 | 94.652 | 103.202 | 89.805 | 102.295 | 92.399 | 88.177 | 99.460 | 101.457 | | |
| 20 | T | 5.4367 | 7.3251 | 8.5265 | 4.5127 | 6.4173 | 9.6272 | 3.8135 | 14.8051 | 12.2832 | 6.4435 | 5.3130 | 7.4926 | 91.9964 | | |
| | S | 129.298 | 74.929 | 100.436 | 131.145 | 142.583 | 94.547 | 102.447 | 89.803 | 101.191 | 92.588 | 87.521 | 98.552 | 100.960 | | |
| 21 | T | 5.7846 | | | | | | | | | | | | | | |
| | S | 121.522 | | | | | | | | | | | | | | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.58 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 3

October 30, 2021

Section Data for Car 3 - Green, Josh (R)

| Lap | T/SF to PI | |
|-----|------------|---------|
| 18 | T | |
| | S | |
| 19 | T | |
| | S | |
| 20 | T | 90.3709 |
| | S | 94.180 |
| 21 | T | |
| | S | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.58 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 3

October 30, 2021

Section Data for Car 4 - Rivers, Nicholas (R)

| Lap | T/S I6 to I7 | I7 to I8 | I8 to I9 | I9 to SF | SF to I1 | I1 to I2 | I2 to I3A | I3A to I3 | I3 to I4 | I4 to I5A | I5A to I5 | I5 to I6 | Lap | PI to PO | PO to SF | |
|-----|--------------|----------|----------|----------|----------|----------|-----------|-----------|----------|-----------|-----------|----------|--------|----------|----------|----------|
| 1 | T | 9.3527 | 11.5098 | 9.3847 | 4.6797 | 6.5836 | 10.8032 | 4.2361 | 15.7521 | 12.6742 | 6.9023 | 5.3711 | 7.6213 | 104.8708 | | 107.2910 |
| | S | 75.161 | 47.687 | 91.251 | 126.465 | 138.982 | 84.255 | 92.227 | 84.404 | 98.070 | 86.434 | 86.574 | 96.888 | 88.566 | | 79.865 |
| 2 | T | 5.5817 | 7.7123 | 8.5542 | 4.5444 | 6.4725 | 10.0106 | 3.9901 | 15.2599 | 12.3036 | 6.7486 | 5.5052 | 7.5428 | 94.2259 | | |
| | S | 125.939 | 71.167 | 100.110 | 130.230 | 141.367 | 90.926 | 97.913 | 87.127 | 101.024 | 88.402 | 84.466 | 97.896 | 98.572 | | |
| 3 | T | 5.5648 | 7.6910 | 8.5969 | 4.5497 | 6.4802 | 9.9461 | 3.9362 | 15.1171 | 12.3369 | 6.6748 | 5.2766 | 7.8549 | 94.0252 | | |
| | S | 126.322 | 71.364 | 99.613 | 130.079 | 141.199 | 91.516 | 99.254 | 87.950 | 100.751 | 89.380 | 88.125 | 94.006 | 98.782 | | |
| 4 | T | 5.6811 | | | | | | 4.8289 | 18.7958 | 13.6282 | 7.3544 | 5.6644 | 8.1666 | 299.4632 | 196.5064 | 102.4681 |
| | S | 123.736 | | | | | | 80.905 | 70.736 | 91.205 | 81.120 | 82.092 | 90.418 | 31.015 | 7.229 | 83.624 |
| 5 | T | 5.8217 | 8.2347 | 8.6714 | 4.6063 | 6.5509 | 10.5066 | 4.1260 | 15.7561 | 12.6454 | 6.7525 | 5.3593 | 7.7150 | 96.7459 | | |
| | S | 120.747 | 66.653 | 98.757 | 128.480 | 139.675 | 86.634 | 94.688 | 84.383 | 98.293 | 88.351 | 86.765 | 95.711 | 96.004 | | |
| 6 | T | 5.6169 | 7.6370 | 8.6691 | 4.5885 | 6.5402 | 9.9919 | 3.9807 | 15.0790 | 12.5282 | 6.5994 | 5.2707 | 7.5892 | 94.0908 | | |
| | S | 125.150 | 71.869 | 98.783 | 128.979 | 139.904 | 91.097 | 98.144 | 88.172 | 99.213 | 90.401 | 88.224 | 97.297 | 98.713 | | |
| 7 | T | 5.5935 | 7.5533 | 8.4798 | 4.5603 | 6.5055 | 10.0768 | 3.9287 | 14.9370 | 12.3349 | 6.5889 | 5.2522 | 7.6161 | 93.4270 | | |
| | S | 125.673 | 72.665 | 100.989 | 129.776 | 140.650 | 90.329 | 99.443 | 89.010 | 100.767 | 90.545 | 88.534 | 96.954 | 99.415 | | |
| 8 | T | 5.5557 | 7.6179 | 8.4956 | 4.5800 | 6.5399 | 9.7516 | 3.9437 | 14.9748 | 12.2650 | 6.5773 | 5.1163 | 7.4181 | 92.8359 | | |
| | S | 126.529 | 72.049 | 100.801 | 129.218 | 139.910 | 93.341 | 99.065 | 88.786 | 101.342 | 90.705 | 90.886 | 99.542 | 100.048 | | |
| 9 | T | 5.5135 | 7.5285 | 8.5444 | 4.6109 | 6.5654 | 9.7293 | 3.9032 | 14.8854 | 12.9830 | 6.5890 | 5.1354 | 7.5953 | 93.5833 | | |
| | S | 127.497 | 72.905 | 100.225 | 128.352 | 139.367 | 93.555 | 100.093 | 89.319 | 95.737 | 90.543 | 90.548 | 97.219 | 99.248 | | |
| 10 | T | 5.6176 | 7.5463 | 8.5674 | 4.6162 | 6.5788 | 9.7488 | 3.9258 | 15.6036 | 13.9938 | 8.4579 | 6.6262 | 7.8812 | 99.1636 | | |
| | S | 125.134 | 72.733 | 99.956 | 128.205 | 139.083 | 93.368 | 99.516 | 85.208 | 88.822 | 70.537 | 70.176 | 93.692 | 93.663 | | |
| 11 | T | 5.6681 | | | | | | 7.5347 | 15.5022 | 12.5516 | 7.3042 | 6.7099 | 7.7818 | 279.5012 | 182.8883 | 99.5090 |
| | S | 124.019 | | | | | | 51.851 | 85.765 | 99.028 | 81.678 | 69.301 | 94.889 | 33.231 | 7.767 | 86.110 |
| 12 | T | 5.5196 | 7.7334 | 8.5421 | 4.5790 | 6.4916 | 10.0325 | 3.8851 | 15.1019 | 12.3330 | 6.7685 | 5.2881 | 7.6314 | 93.9062 | | |
| | S | 127.356 | 70.973 | 100.252 | 129.246 | 140.951 | 90.728 | 100.559 | 88.038 | 100.783 | 88.142 | 87.933 | 96.759 | 98.907 | | |
| 13 | T | 5.5633 | 7.4395 | 8.5906 | 4.5395 | 6.4236 | 9.9747 | 4.0140 | 14.9536 | 12.4696 | 6.6388 | 5.1877 | 7.5970 | 93.3919 | | |
| | S | 126.356 | 73.777 | 99.686 | 130.371 | 142.443 | 91.254 | 97.330 | 88.911 | 99.679 | 89.864 | 89.635 | 97.197 | 99.452 | | |
| 14 | T | 5.5521 | 7.3892 | 8.5253 | 4.5435 | 6.4319 | 9.6951 | 3.8695 | 15.0661 | 12.5236 | 6.5734 | 5.1334 | 7.5802 | 92.8833 | | |
| | S | 126.611 | 74.279 | 100.450 | 130.256 | 142.260 | 93.885 | 100.964 | 88.247 | 99.249 | 90.758 | 90.583 | 97.413 | 99.996 | | |
| 15 | T | 5.5433 | 7.5097 | 8.5232 | 4.5463 | 6.4380 | 9.7765 | 3.9840 | 15.1121 | 12.4277 | 6.5738 | 5.1933 | 7.6802 | 93.3081 | | |
| | S | 126.812 | 73.087 | 100.474 | 130.176 | 142.125 | 93.104 | 98.063 | 87.979 | 100.015 | 90.753 | 89.538 | 96.145 | 99.541 | | |
| 16 | T | 5.6072 | 7.4385 | 8.5105 | 4.5532 | 6.4589 | 9.7847 | 3.9237 | 14.9132 | 12.4242 | 6.6287 | 5.1476 | 7.6094 | 92.9998 | | |
| | S | 125.366 | 73.787 | 100.624 | 129.979 | 141.665 | 93.026 | 99.570 | 89.152 | 100.043 | 90.001 | 90.333 | 97.039 | 99.871 | | |
| 17 | T | 5.5474 | 7.3958 | 8.4908 | 4.5400 | 6.4451 | 9.7105 | 3.8678 | 14.9918 | 12.5255 | 6.6031 | 5.0767 | 7.7421 | 92.9366 | | |
| | S | 126.718 | 74.213 | 100.858 | 130.356 | 141.968 | 93.736 | 101.009 | 88.685 | 99.234 | 90.350 | 91.595 | 95.376 | 99.939 | | |
| 18 | T | 5.5753 | 7.4665 | 8.5157 | 4.5358 | 6.4404 | 9.7998 | 3.8766 | 15.0329 | 12.4553 | 6.6512 | 5.0978 | 7.6237 | 93.0710 | | |
| | S | 126.084 | 73.510 | 100.563 | 130.477 | 142.072 | 92.882 | 100.780 | 88.442 | 99.793 | 89.697 | 91.216 | 96.857 | 99.795 | | |
| 19 | T | 5.5699 | 7.4537 | 8.4991 | 4.5365 | 6.4428 | 9.7118 | 3.8590 | 15.0950 | 12.2741 | 6.6528 | 5.0279 | 7.5683 | 92.6909 | | |
| | S | 126.206 | 73.636 | 100.759 | 130.457 | 142.019 | 93.724 | 101.239 | 88.079 | 101.266 | 89.675 | 92.484 | 97.566 | 100.204 | | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.58 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 3

October 30, 2021

Section Data for Car 4 - Rivers, Nicholas (R)

| Lap | T/SF to PI |
|-----|------------|
| 1 | T |
| | S |
| 2 | T |
| | S |
| 3 | T 95.4456 |
| | S 89.173 |
| 4 | T |
| | S |
| 5 | T |
| | S |
| 6 | T |
| | S |
| 7 | T |
| | S |
| 8 | T |
| | S |
| 9 | T |
| | S |
| 10 | T 96.2941 |
| | S 88.387 |
| 11 | T |
| | S |
| 12 | T |
| | S |
| 13 | T |
| | S |
| 14 | T |
| | S |
| 15 | T |
| | S |
| 16 | T |
| | S |
| 17 | T |
| | S |
| 18 | T |
| | S |
| 19 | T |
| | S |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.58 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 3

October 30, 2021

Section Data for Car 4 - Rivers, Nicholas (R)

| Lap | T/S I6 to I7 | I7 to I8 | I8 to I9 | I9 to SF | SF to I1 | I1 to I2 | I2 to I3A | I3A to I3 | I3 to I4 | I4 to I5A | I5A to I5 | I5 to I6 | Lap | PI to PO | PO to SF | |
|-----|--------------|----------|----------|----------|----------|----------|-----------|-----------|----------|-----------|-----------|----------|--------|----------|----------|--|
| 20 | T | 5.5040 | 7.5170 | 8.5529 | 4.5258 | 6.4478 | 9.7766 | 3.8652 | 14.9015 | 12.4901 | 6.6654 | 5.0881 | 7.5937 | 92.9281 | | |
| | S | 127.717 | 73.016 | 100.126 | 130.765 | 141.909 | 93.103 | 101.077 | 89.222 | 99.515 | 89.506 | 91.390 | 97.240 | 99.948 | | |
| 21 | T | 5.5252 | 7.4323 | 8.4999 | 4.5429 | 6.4731 | 9.6876 | 3.8214 | 15.6935 | 12.8523 | 8.6942 | 7.3625 | 7.7879 | 98.3728 | | |
| | S | 127.227 | 73.848 | 100.750 | 130.273 | 141.354 | 93.958 | 102.235 | 84.719 | 96.711 | 68.619 | 63.158 | 94.815 | 94.416 | | |
| 22 | T | 5.5759 | 7.7284 | 8.5780 | 4.5521 | 6.4556 | 9.8415 | 4.0512 | 15.0436 | 12.3925 | 6.5814 | 5.0970 | 7.6165 | 93.5137 | | |
| | S | 126.070 | 71.019 | 99.833 | 130.010 | 141.737 | 92.489 | 96.436 | 88.379 | 100.299 | 90.648 | 91.230 | 96.949 | 99.322 | | |
| 23 | T | 5.5409 | 7.5105 | 8.4978 | 4.5458 | 6.5206 | 9.9248 | 3.8894 | 15.1708 | 12.5684 | 6.6278 | 5.0900 | 7.7740 | 93.6608 | | |
| | S | 126.866 | 73.080 | 100.775 | 130.190 | 140.325 | 91.712 | 100.448 | 87.638 | 98.895 | 90.013 | 91.356 | 94.984 | 99.166 | | |
| 24 | T | 5.5231 | 7.6071 | 8.5175 | 4.5481 | 6.5101 | 9.8437 | 3.8681 | 15.0971 | 12.5916 | 6.6525 | 5.1044 | 7.7325 | 93.5958 | | |
| | S | 127.275 | 72.151 | 100.542 | 130.124 | 140.551 | 92.468 | 101.001 | 88.066 | 98.713 | 89.679 | 91.098 | 95.494 | 99.235 | | |
| 25 | T | 5.6152 | | | | | | | | | | | | | | |
| | S | 125.188 | | | | | | | | | | | | | | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.58 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 3

October 30, 2021

Section Data for Car 4 - Rivers, Nicholas (R)

| Lap | T/SF to PI | |
|-----|------------|---------|
| 20 | T | |
| | S | |
| 21 | T | |
| | S | |
| 22 | T | |
| | S | |
| 23 | T | |
| | S | |
| 24 | T | 94.7009 |
| | S | 89.874 |
| 25 | T | |
| | S | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.58 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 3

October 30, 2021

Section Data for Car 40 - Miller, Jack William

| Lap | T/S I6 to I7 | I7 to I8 | I8 to I9 | I9 to SF | SF to I1 | I1 to I2 | I2 to I3A | I3A to I3 | I3 to I4 | I4 to I5A | I5A to I5 | I5 to I6 | Lap | PI to PO | PO to SF | |
|-----|--------------|----------|----------|----------|----------|----------|-----------|-----------|----------|-----------|-----------|----------|--------|----------|----------|----------|
| 1 | T | 5.7139 | 7.9154 | 8.5129 | 4.4858 | 6.3965 | 10.6383 | 3.9983 | 15.3772 | 12.5699 | 6.6668 | 5.3748 | 7.5904 | 95.2402 | | 97.5214 |
| | S | 123.025 | 69.341 | 100.596 | 131.931 | 143.047 | 85.561 | 97.712 | 86.462 | 98.883 | 89.487 | 86.515 | 97.282 | 97.522 | | 87.865 |
| 2 | T | 5.5047 | 7.4017 | 8.4590 | 4.4613 | 6.2992 | 10.2320 | 3.9347 | 15.2179 | 12.5558 | 6.6562 | 5.3145 | 7.5482 | 93.5852 | | |
| | S | 127.701 | 74.154 | 101.237 | 132.656 | 145.257 | 88.959 | 99.291 | 87.367 | 98.994 | 89.629 | 87.496 | 97.826 | 99.246 | | |
| 3 | T | 5.5295 | | | | | | 3.8775 | 15.2566 | 12.2487 | 6.5248 | 5.2043 | 7.5842 | 150.8678 | 64.4737 | 91.6610 |
| | S | 127.128 | | | | | | 100.756 | 87.146 | 101.476 | 91.434 | 89.349 | 97.362 | 61.564 | 22.033 | 93.483 |
| 4 | T | 5.4733 | 7.2103 | 10.5849 | 4.7709 | 6.5466 | 9.9137 | 3.9051 | 14.9156 | 12.1800 | 6.5727 | 5.2576 | 7.5283 | 94.8590 | | |
| | S | 128.433 | 76.122 | 80.904 | 124.047 | 139.767 | 91.815 | 100.044 | 89.138 | 102.049 | 90.768 | 88.443 | 98.084 | 97.914 | | |
| 5 | T | 5.4601 | 7.2872 | 8.5622 | 4.5166 | 6.4308 | 9.6366 | 3.8740 | 14.8444 | 12.1792 | 6.4649 | 5.2317 | 7.6763 | 92.1640 | | |
| | S | 128.744 | 75.319 | 100.017 | 131.032 | 142.284 | 94.455 | 100.847 | 89.565 | 102.056 | 92.282 | 88.881 | 96.193 | 100.777 | | |
| 6 | T | 5.4697 | 7.3939 | 8.5383 | 4.5247 | 6.4455 | 9.6339 | 3.8602 | 14.9902 | 12.1268 | 6.6610 | 5.1881 | 7.5339 | 92.3662 | | |
| | S | 128.518 | 74.232 | 100.297 | 130.797 | 141.960 | 94.482 | 101.208 | 88.694 | 102.496 | 89.565 | 89.628 | 98.012 | 100.556 | | |
| 7 | T | 5.4731 | 7.3661 | 8.4770 | 4.5443 | 6.4614 | 9.7442 | 3.8533 | 14.9280 | 13.6656 | 7.0020 | 5.7025 | 7.6504 | 94.8679 | | |
| | S | 128.438 | 74.512 | 101.022 | 130.233 | 141.610 | 93.412 | 101.389 | 89.064 | 90.955 | 85.203 | 81.543 | 96.519 | 97.905 | | |
| 8 | T | 5.4933 | | | | | | 3.9114 | 15.3389 | 12.3352 | 6.6493 | 5.2480 | 7.5418 | 293.2945 | 206.4219 | 90.1542 |
| | S | 127.966 | | | | | | 99.883 | 86.678 | 100.765 | 89.722 | 88.605 | 97.909 | 31.668 | 6.882 | 95.045 |
| 9 | T | 5.4456 | 7.2936 | 8.4618 | 4.5549 | 6.4837 | 9.5876 | 3.8369 | 14.9462 | 12.1632 | 6.4074 | 5.1787 | 7.5277 | 91.8873 | | |
| | S | 129.087 | 75.253 | 101.203 | 129.930 | 141.123 | 94.938 | 101.822 | 88.955 | 102.190 | 93.110 | 89.791 | 98.092 | 101.080 | | |
| 10 | T | 5.4371 | 7.3538 | 8.4860 | 4.5470 | 6.4499 | 9.5399 | 3.8391 | 14.9500 | 12.0801 | 6.3763 | 5.1689 | 7.4973 | 91.7254 | | |
| | S | 129.289 | 74.637 | 100.915 | 130.156 | 141.863 | 95.413 | 101.764 | 88.933 | 102.893 | 93.564 | 89.961 | 98.490 | 101.259 | | |
| 11 | T | 5.4531 | 7.2284 | 8.4946 | 4.5178 | 6.4303 | 9.5952 | 3.8236 | 14.9500 | 12.2462 | 6.5121 | 5.0799 | 7.4646 | 91.7958 | | |
| | S | 128.909 | 75.932 | 100.813 | 130.997 | 142.295 | 94.863 | 102.176 | 88.933 | 101.497 | 91.613 | 91.537 | 98.921 | 101.181 | | |
| 12 | T | 5.3936 | 7.1385 | 8.4826 | 4.5061 | 6.4280 | 9.5046 | 3.7980 | 14.9790 | 12.1389 | 6.3877 | 5.1665 | 7.4418 | 91.3653 | | |
| | S | 130.331 | 76.888 | 100.955 | 131.337 | 142.346 | 95.767 | 102.865 | 88.761 | 102.394 | 93.397 | 90.003 | 99.225 | 101.658 | | |
| 13 | T | 5.3957 | | | | | | 4.6539 | 18.3899 | 13.4323 | 7.7269 | 6.1419 | 8.2395 | 220.0822 | 124.8251 | 100.4830 |
| | S | 130.281 | | | | | | 83.947 | 72.298 | 92.535 | 77.210 | 75.709 | 89.618 | 42.202 | 11.380 | 85.276 |
| 14 | T | 5.7374 | 8.0606 | 8.5723 | 4.5254 | 6.5081 | 10.4559 | 3.9455 | 15.8429 | 12.2853 | 6.7789 | 5.4532 | 7.6775 | 95.8430 | | |
| | S | 122.521 | 68.092 | 99.899 | 130.777 | 140.594 | 87.054 | 99.020 | 83.921 | 101.174 | 88.007 | 85.271 | 96.178 | 96.908 | | |
| 15 | T | 5.4558 | 7.3799 | 8.4343 | 4.4908 | 6.3972 | 9.7363 | 3.8878 | 15.3207 | 12.1688 | 6.4883 | 5.1648 | 7.5142 | 92.4389 | | |
| | S | 128.845 | 74.373 | 101.533 | 131.785 | 143.031 | 93.488 | 100.489 | 86.781 | 102.143 | 91.949 | 90.033 | 98.268 | 100.477 | | |
| 16 | T | 5.4221 | 7.1585 | 8.4362 | 4.5104 | 6.4042 | 9.4749 | 3.8399 | 14.8073 | 12.0031 | 6.4348 | 5.1515 | 7.4055 | 91.0484 | | |
| | S | 129.646 | 76.673 | 101.511 | 131.212 | 142.875 | 96.067 | 101.743 | 89.790 | 103.553 | 92.713 | 90.265 | 99.711 | 102.012 | | |
| 17 | T | 5.4403 | 7.1296 | 8.3634 | 4.4905 | 6.3994 | 9.5148 | 3.7905 | 14.6930 | 12.0737 | 6.3684 | 5.1061 | 7.4044 | 90.7741 | | |
| | S | 129.212 | 76.984 | 102.394 | 131.793 | 142.982 | 95.664 | 103.069 | 90.488 | 102.947 | 93.680 | 91.068 | 99.726 | 102.320 | | |
| 18 | T | 5.4180 | 7.0964 | 8.4281 | 4.4965 | 6.3932 | 9.4981 | 3.7763 | 14.6417 | 12.0143 | 6.3867 | 5.1154 | 7.4168 | 90.6815 | | |
| | S | 129.744 | 77.344 | 101.608 | 131.618 | 143.121 | 95.833 | 103.456 | 90.805 | 103.456 | 93.411 | 90.902 | 99.559 | 102.424 | | |
| 19 | T | 5.4368 | 7.2079 | 8.4106 | 4.4948 | 6.3767 | 9.4477 | 3.8124 | 16.4174 | 12.7051 | 7.0161 | 6.0039 | 8.6729 | 96.0023 | | |
| | S | 129.296 | 76.148 | 101.820 | 131.667 | 143.491 | 96.344 | 102.477 | 80.984 | 97.831 | 85.032 | 77.450 | 85.140 | 96.748 | | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.58 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 3

October 30, 2021

Section Data for Car 40 - Miller, Jack William

| Lap | T/SF to PI |
|-----|------------|
| 1 | T |
| | S |
| 2 | T 90.5310 |
| | S 94.014 |
| 3 | T |
| | S |
| 4 | T |
| | S |
| 5 | T |
| | S |
| 6 | T |
| | S |
| 7 | T 91.4817 |
| | S 93.036 |
| 8 | T |
| | S |
| 9 | T |
| | S |
| 10 | T |
| | S |
| 11 | T |
| | S |
| 12 | T 87.5143 |
| | S 97.254 |
| 13 | T |
| | S |
| 14 | T |
| | S |
| 15 | T |
| | S |
| 16 | T |
| | S |
| 17 | T |
| | S |
| 18 | T |
| | S |
| 19 | T 95.2953 |
| | S 89.313 |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.58 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 3

October 30, 2021

Section Data for Car 40 - Miller, Jack William

| Lap | T/S I6 to I7 | I7 to I8 | I8 to I9 | I9 to SF | SF to I1 | I1 to I2 | I2 to I3A | I3A to I3 | I3 to I4 | I4 to I5A | I5A to I5 | I5 to I6 | Lap | PI to PO | PO to SF |
|-----|--------------|----------|----------|----------|----------|----------|-----------|-----------|----------|-----------|-----------|----------|----------|----------|----------|
| 20 | T | 6.3617 | | | | | 3.9029 | 15.2294 | 12.1340 | 6.4867 | 5.1852 | 7.4538 | 208.5026 | 120.2778 | 89.0078 |
| | S | 110.498 | | | | | 100.100 | 87.301 | 102.436 | 91.971 | 89.678 | 99.065 | 44.546 | 11.811 | 96.270 |
| 21 | T | 5.4367 | 7.2002 | 8.4945 | 4.4947 | 6.3957 | 9.7620 | 4.6901 | 16.6503 | 12.1667 | 6.3923 | 5.2240 | 7.5205 | 94.4277 | |
| | S | 129.298 | 76.229 | 100.814 | 131.670 | 143.065 | 93.242 | 83.299 | 79.851 | 102.160 | 93.330 | 89.012 | 98.186 | 98.361 | |
| 22 | T | 5.4280 | 7.1435 | 8.4379 | 4.5062 | 6.4517 | 9.5550 | 3.8092 | 14.7138 | 12.1384 | 6.4787 | 5.1755 | 7.4713 | 91.3092 | |
| | S | 129.505 | 76.834 | 101.490 | 131.334 | 141.823 | 95.262 | 102.563 | 90.360 | 102.399 | 92.085 | 89.846 | 98.833 | 101.720 | |
| 23 | T | 5.4404 | 7.1113 | 8.4264 | 4.4853 | 6.4156 | 9.4459 | 3.8154 | 14.7076 | 12.3305 | 6.3394 | 5.1380 | 7.4682 | 91.1240 | |
| | S | 129.210 | 77.182 | 101.629 | 131.946 | 142.621 | 96.362 | 102.396 | 90.399 | 100.803 | 94.108 | 90.502 | 98.874 | 101.927 | |
| 24 | T | 5.6493 | | | | | | | | | | | | | |
| | S | 124.432 | | | | | | | | | | | | | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.58 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 3

October 30, 2021

Section Data for Car 40 - Miller, Jack William

| Lap | T/SF to PI | |
|-----|------------|---------|
| 20 | T | |
| | S | |
| 21 | T | |
| | S | |
| 22 | T | |
| | S | |
| 23 | T | 89.2328 |
| | S | 95.381 |
| 24 | T | |
| | S | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.58 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 3

October 30, 2021

Section Data for Car 44 - Round-Garrido, Matt

| Lap | T/S I6 to I7 | I7 to I8 | I8 to I9 | I9 to SF | SF to I1 | I1 to I2 | I2 to I3A | I3A to I3 | I3 to I4 | I4 to I5A | I5A to I5 | I5 to I6 | Lap | PI to PO | PO to SF |
|-----|--------------|----------|----------|----------|----------|----------|-----------|-----------|----------|-----------|-----------|----------|--------|----------|----------|
| 1 | T | 5.6540 | 7.7141 | 8.6101 | 4.6022 | 6.5855 | 10.1112 | 3.8677 | 15.1328 | 13.0556 | 7.9441 | 5.5851 | 7.6478 | 96.5102 | 96.7586 |
| | S | 124.329 | 71.151 | 99.460 | 128.595 | 138.942 | 90.022 | 101.011 | 87.859 | 95.205 | 75.099 | 83.257 | 96.552 | 96.239 | 88.558 |
| 2 | T | 5.5162 | 7.6460 | 8.4516 | 4.5120 | 6.4329 | 10.0171 | 3.8791 | 14.8916 | 12.1564 | 6.5552 | 5.3786 | 7.5349 | 92.9716 | |
| | S | 127.435 | 71.784 | 101.326 | 131.165 | 142.238 | 90.867 | 100.715 | 89.282 | 102.247 | 91.010 | 86.454 | 97.999 | 99.901 | |
| 3 | T | 5.4652 | 7.4361 | 8.5647 | 4.5216 | 6.4219 | 9.8611 | 3.8264 | 14.8296 | 12.1885 | 6.5718 | 5.3177 | 7.7220 | 92.7266 | |
| | S | 128.624 | 73.811 | 99.988 | 130.887 | 142.481 | 92.305 | 102.102 | 89.655 | 101.978 | 90.780 | 87.444 | 95.624 | 100.165 | |
| 4 | T | 5.5683 | 7.3986 | 8.4312 | 4.5228 | 6.4098 | 9.7756 | 3.7971 | 14.8644 | 12.2207 | 6.6031 | 5.2550 | 7.5471 | 92.3937 | |
| | S | 126.242 | 74.185 | 101.571 | 130.852 | 142.750 | 93.112 | 102.890 | 89.445 | 101.709 | 90.350 | 88.487 | 97.840 | 100.526 | |
| 5 | T | 5.4821 | 7.4386 | 8.4197 | 4.5469 | 6.4221 | 9.7910 | 3.8685 | 14.9533 | 12.3446 | 6.5551 | 5.3535 | 7.6009 | 92.7763 | |
| | S | 128.227 | 73.786 | 101.710 | 130.159 | 142.477 | 92.966 | 100.991 | 88.913 | 100.688 | 91.012 | 86.859 | 97.148 | 100.112 | |
| 6 | T | 5.5233 | 7.3997 | 8.4847 | 4.5447 | 6.4265 | 9.6134 | 3.7915 | 15.0497 | 12.3218 | 6.4917 | 5.3331 | 7.6180 | 92.5981 | |
| | S | 127.271 | 74.174 | 100.930 | 130.222 | 142.379 | 94.683 | 103.041 | 88.344 | 100.874 | 91.901 | 87.191 | 96.930 | 100.304 | |
| 7 | T | 5.5299 | 7.5247 | 8.4638 | 4.5460 | 6.4438 | 9.7631 | 3.8426 | 15.0535 | 12.2958 | 6.6371 | 5.3448 | 7.6139 | 93.0590 | |
| | S | 127.119 | 72.942 | 101.180 | 130.184 | 141.997 | 93.231 | 101.671 | 88.321 | 101.088 | 89.887 | 87.000 | 96.982 | 99.808 | |
| 8 | T | 5.5291 | | | | | | 3.9748 | 15.2480 | 14.6218 | 7.7769 | 5.6047 | 7.5567 | 262.5173 | 166.4869 |
| | S | 127.137 | | | | | | 98.290 | 87.195 | 85.007 | 76.713 | 82.966 | 97.716 | 35.381 | 8.533 |
| 9 | T | 5.4817 | 7.4488 | 8.4256 | 4.5580 | 6.4741 | 9.7396 | 3.8121 | 14.9407 | 12.1428 | 6.4748 | 5.2493 | 7.5568 | 92.3043 | |
| | S | 128.237 | 73.685 | 101.638 | 129.842 | 141.332 | 93.456 | 102.485 | 88.988 | 102.361 | 92.140 | 88.583 | 97.715 | 100.624 | |
| 10 | T | 5.4622 | 7.5500 | 8.4211 | 4.5762 | 6.4545 | 9.6209 | 3.8071 | 14.8937 | 12.2418 | 6.5330 | 5.3162 | 7.4966 | 92.3733 | |
| | S | 128.694 | 72.697 | 101.693 | 129.325 | 141.762 | 94.609 | 102.619 | 89.269 | 101.534 | 91.320 | 87.468 | 98.499 | 100.549 | |
| 11 | T | 5.4262 | 7.4907 | 8.4227 | 4.5695 | 6.4665 | 9.7180 | 3.7904 | 14.9266 | 12.2404 | 6.4677 | 5.3064 | 7.5259 | 92.3510 | |
| | S | 129.548 | 73.273 | 101.673 | 129.515 | 141.498 | 93.664 | 103.071 | 89.072 | 101.545 | 92.242 | 87.630 | 98.116 | 100.573 | |
| 12 | T | 5.4116 | | | | | | 4.4684 | 17.7652 | 14.0131 | 7.9118 | 5.9577 | 8.4163 | 435.7311 | 335.3616 |
| | S | 129.898 | | | | | | 87.432 | 74.840 | 88.699 | 75.405 | 78.050 | 87.736 | 21.316 | 4.236 |
| 13 | T | 5.8947 | 8.2831 | 9.0324 | 4.9813 | 7.7275 | 11.2239 | 4.9267 | 16.3414 | 14.5826 | 7.4653 | 5.7822 | 8.1380 | 104.3791 | |
| | S | 119.252 | 66.263 | 94.810 | 118.808 | 118.408 | 81.097 | 79.299 | 81.361 | 85.235 | 79.915 | 80.419 | 90.736 | 88.983 | |
| 14 | T | 6.0002 | 7.9350 | 8.9753 | 4.7973 | 6.7064 | 10.0771 | 3.8312 | 17.2625 | 12.8471 | 6.7503 | 5.3551 | 7.5349 | 98.0724 | |
| | S | 117.155 | 69.170 | 95.413 | 123.365 | 136.437 | 90.326 | 101.974 | 77.019 | 96.750 | 88.380 | 86.833 | 97.999 | 94.706 | |
| 15 | T | 5.4685 | 7.2585 | 8.5815 | 4.5353 | 6.4232 | 10.0562 | 3.9116 | 14.9809 | 12.2453 | 6.4514 | 5.3412 | 7.4457 | 92.6993 | |
| | S | 128.546 | 75.617 | 99.792 | 130.492 | 142.452 | 90.514 | 99.878 | 88.749 | 101.505 | 92.475 | 87.059 | 99.173 | 100.195 | |
| 16 | T | 5.4483 | 7.3232 | 8.4435 | 4.5073 | 6.3905 | 9.8176 | 3.7802 | 14.7043 | 12.1085 | 6.4248 | 5.3306 | 7.4850 | 91.7638 | |
| | S | 129.023 | 74.949 | 101.423 | 131.302 | 143.181 | 92.714 | 103.350 | 90.419 | 102.651 | 92.858 | 87.232 | 98.652 | 101.216 | |
| 17 | T | 5.4276 | 7.4530 | 8.4997 | 4.5125 | 6.3994 | 9.7469 | 3.7695 | 15.0052 | 12.1600 | 6.4208 | 5.3474 | 7.5595 | 92.3015 | |
| | S | 129.515 | 73.643 | 100.752 | 131.151 | 142.982 | 93.386 | 103.643 | 88.606 | 102.217 | 92.915 | 86.958 | 97.680 | 100.627 | |
| 18 | T | 5.4549 | 7.5130 | 8.4914 | 4.5073 | 6.3828 | 9.7554 | 3.8224 | 14.8752 | 12.3360 | 6.3716 | 5.2214 | 7.4355 | 92.1669 | |
| | S | 128.867 | 73.055 | 100.851 | 131.302 | 143.354 | 93.305 | 102.209 | 89.380 | 100.758 | 93.633 | 89.057 | 99.309 | 100.774 | |
| 19 | T | 5.4343 | 7.4602 | 8.4354 | 4.5025 | 6.3961 | 9.7948 | 3.7626 | 14.9403 | 12.2584 | 6.4734 | 5.2564 | 7.5337 | 92.2481 | |
| | S | 129.355 | 73.572 | 101.520 | 131.442 | 143.056 | 92.930 | 103.833 | 88.991 | 101.396 | 92.160 | 88.464 | 98.014 | 100.685 | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.58 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 3

October 30, 2021

Section Data for Car 44 - Round-Garrido, Matt

| Lap | T/SF to PI | |
|-----|------------|---------|
| 1 | T | |
| | S | |
| 2 | T | |
| | S | |
| 3 | T | |
| | S | |
| 4 | T | |
| | S | |
| 5 | T | |
| | S | |
| 6 | T | |
| | S | |
| 7 | T | 91.6695 |
| | S | 92.846 |
| 8 | T | |
| | S | |
| 9 | T | |
| | S | |
| 10 | T | |
| | S | |
| 11 | T | 93.0983 |
| | S | 91.421 |
| 12 | T | |
| | S | |
| 13 | T | |
| | S | |
| 14 | T | |
| | S | |
| 15 | T | |
| | S | |
| 16 | T | |
| | S | |
| 17 | T | |
| | S | |
| 18 | T | |
| | S | |
| 19 | T | |
| | S | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.58 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 3

October 30, 2021

Section Data for Car 44 - Round-Garrido, Matt

| Lap | T/S | I6 to I7 | I7 to I8 | I8 to I9 | I9 to SF | SF to I1 | I1 to I2 | I2 to I3A | I3A to I3 | I3 to I4 | I4 to I5A | I5A to I5 | I5 to I6 | Lap | PI to PO | PO to SF |
|-----|-----|----------|----------|----------|----------|----------|----------|-----------|-----------|----------|-----------|-----------|----------|----------|----------|----------|
| 20 | T | 5.4643 | 7.4269 | 8.4350 | 4.5076 | 6.4015 | 9.6874 | 3.7925 | 14.9595 | 12.2992 | 6.4812 | 5.4670 | 7.5102 | 92.4323 | | |
| | S | 128.645 | 73.902 | 101.525 | 131.293 | 142.935 | 93.960 | 103.014 | 88.876 | 101.060 | 92.049 | 85.056 | 98.321 | 100.484 | | |
| 21 | T | 5.4777 | 7.4337 | 8.4912 | 4.5367 | 6.4583 | 9.7645 | 3.7829 | 14.8297 | 12.2195 | 6.4273 | 5.2598 | 7.5613 | 92.2426 | | |
| | S | 128.330 | 73.835 | 100.853 | 130.451 | 141.678 | 93.218 | 103.276 | 89.654 | 101.719 | 92.821 | 88.406 | 97.656 | 100.691 | | |
| 22 | T | 5.4774 | 7.4667 | 8.4567 | 4.5304 | 6.4886 | 9.9649 | 3.8502 | 16.0735 | 21.2897 | 7.1883 | 5.3364 | 7.4920 | 103.6148 | | |
| | S | 128.337 | 73.508 | 101.265 | 130.633 | 141.017 | 91.343 | 101.471 | 82.717 | 58.383 | 82.995 | 87.137 | 98.560 | 89.640 | | |
| 23 | T | 5.4602 | | | | | | | | | | | | | | |
| | S | 128.742 | | | | | | | | | | | | | | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.58 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 3

October 30, 2021

Section Data for Car 44 - Round-Garrido, Matt

| Lap | T/SF to PI | |
|-----|------------|----------|
| 20 | T | |
| | S | |
| 21 | T | |
| | S | |
| 22 | T | 102.2064 |
| | S | 83.274 |
| 23 | T | |
| | S | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.58 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 3

October 30, 2021

Section Data for Car 5 - Brichacek, Wyatt

| Lap | T/S I6 to I7 | I7 to I8 | I8 to I9 | I9 to SF | SF to I1 | I1 to I2 | I2 to I3A | I3A to I3 | I3 to I4 | I4 to I5A | I5A to I5 | I5 to I6 | Lap | PI to PO | PO to SF | |
|-----|--------------|----------|----------|----------|----------|----------|-----------|-----------|----------|-----------|-----------|----------|---------|----------|----------|----------|
| 1 | T | 5.7759 | 7.9574 | 8.5531 | 4.5423 | 6.5605 | 10.3851 | 3.9317 | 15.3239 | 12.2187 | 6.7118 | 5.2950 | 7.7334 | 94.9888 | | 98.6937 |
| | S | 121.705 | 68.975 | 100.123 | 130.290 | 139.471 | 87.647 | 99.367 | 86.763 | 101.726 | 88.887 | 87.819 | 95.483 | 97.780 | | 86.822 |
| 2 | T | 5.5169 | 7.4266 | 8.3648 | 4.4694 | 6.3466 | 10.1909 | 3.8675 | 14.9119 | 12.1048 | 6.4928 | 5.2444 | 7.5720 | 92.5086 | | |
| | S | 127.418 | 73.905 | 102.377 | 132.416 | 144.172 | 89.318 | 101.017 | 89.160 | 102.683 | 91.885 | 88.666 | 97.518 | 100.401 | | |
| 3 | T | 5.4497 | 7.3714 | 8.4865 | 4.4683 | 6.3014 | 9.9734 | 3.8649 | 15.0531 | 12.2218 | 7.1236 | 5.3735 | 7.6188 | 93.3064 | | |
| | S | 128.990 | 74.459 | 100.909 | 132.448 | 145.206 | 91.265 | 101.085 | 88.324 | 101.700 | 83.749 | 86.536 | 96.919 | 99.543 | | |
| 4 | T | 5.4936 | 7.3350 | 8.4777 | 4.4932 | 6.3362 | 9.9864 | 3.8617 | 14.9160 | 12.2217 | 6.4421 | 5.2002 | 7.6404 | 92.4042 | | |
| | S | 127.959 | 74.828 | 101.014 | 131.714 | 144.408 | 91.147 | 101.168 | 89.136 | 101.701 | 92.608 | 89.420 | 96.645 | 100.515 | | |
| 5 | T | 5.4739 | 7.2977 | 8.4747 | 4.4947 | 6.3245 | 9.5716 | 3.8957 | 14.8822 | 12.2310 | 6.4716 | 5.2126 | 7.5569 | 91.8871 | | |
| | S | 128.419 | 75.210 | 101.049 | 131.670 | 144.675 | 95.097 | 100.285 | 89.338 | 101.623 | 92.186 | 89.207 | 97.713 | 101.081 | | |
| 6 | T | 5.5046 | 7.3634 | 8.4176 | 4.4882 | 6.2828 | 9.9083 | 4.1654 | 15.7696 | 12.3468 | 7.0975 | 5.2805 | 7.7724 | 94.3971 | | |
| | S | 127.703 | 74.539 | 101.735 | 131.861 | 145.636 | 91.865 | 93.792 | 84.311 | 100.670 | 84.056 | 88.060 | 95.004 | 98.393 | | |
| 7 | T | 5.5587 | 7.3795 | 8.5069 | 4.5607 | 6.4407 | 9.6825 | 3.8403 | 14.8717 | 12.3698 | 7.3750 | 5.1770 | 7.8506 | 93.6134 | | |
| | S | 126.460 | 74.377 | 100.667 | 129.765 | 142.065 | 94.007 | 101.732 | 89.401 | 100.483 | 80.894 | 89.820 | 94.058 | 99.217 | | |
| 8 | T | 5.6255 | | | | | | 3.7750 | 15.0146 | 12.5156 | 7.9130 | 5.6381 | 7.5966 | 352.2978 | 263.2162 | 92.5051 |
| | S | 124.959 | | | | | | 103.492 | 88.550 | 99.312 | 75.394 | 82.475 | 97.203 | 26.364 | 5.397 | 92.630 |
| 9 | T | 5.5355 | 7.3519 | 8.4823 | 4.5840 | 6.5227 | 9.6285 | 3.8576 | 14.9323 | 12.1666 | 6.5311 | 5.1017 | 7.5427 | 92.2369 | | |
| | S | 126.990 | 74.656 | 100.959 | 129.105 | 140.279 | 94.535 | 101.276 | 89.038 | 102.161 | 91.346 | 91.146 | 97.897 | 100.697 | | |
| 10 | T | 5.5223 | 7.4512 | 8.4652 | 4.5639 | 6.4742 | 9.5237 | 3.8579 | 15.2170 | 12.3235 | 7.0017 | 5.1151 | 7.8776 | 93.3933 | | |
| | S | 127.294 | 73.661 | 101.163 | 129.674 | 141.330 | 95.575 | 101.268 | 87.372 | 100.861 | 85.207 | 90.907 | 93.735 | 99.450 | | |
| 11 | T | 5.6457 | | | | | | 4.2642 | 17.6214 | 14.0282 | 7.4433 | 5.8461 | 14.5538 | 610.3350 | 506.4831 | 107.0102 |
| | S | 124.511 | | | | | | 91.619 | 75.451 | 88.604 | 80.151 | 79.540 | 50.737 | 15.218 | 2.805 | 80.074 |
| 12 | T | 6.0430 | 7.8746 | 8.5334 | 4.5661 | 6.4897 | 10.0065 | 3.8566 | 14.9199 | 12.5136 | 6.5987 | 5.2578 | 7.6349 | 94.2948 | | |
| | S | 116.325 | 69.701 | 100.354 | 129.611 | 140.993 | 90.964 | 101.302 | 89.112 | 99.328 | 90.410 | 88.440 | 96.715 | 98.500 | | |
| 13 | T | 5.5701 | 7.4087 | 8.3647 | 4.5281 | 6.4392 | 9.5992 | 3.8975 | 14.7977 | 12.1307 | 6.4512 | 5.1397 | 7.4626 | 91.7894 | | |
| | S | 126.201 | 74.084 | 102.378 | 130.699 | 142.098 | 94.823 | 100.239 | 89.848 | 102.464 | 92.478 | 90.472 | 98.948 | 101.188 | | |
| 14 | T | 5.4885 | 7.3152 | 8.3618 | 4.5246 | 6.4052 | 9.5101 | 3.8130 | 14.6950 | 12.2260 | 6.4002 | 5.1345 | 7.5091 | 91.3832 | | |
| | S | 128.078 | 75.031 | 102.414 | 130.800 | 142.853 | 95.712 | 102.460 | 90.476 | 101.665 | 93.214 | 90.564 | 98.335 | 101.638 | | |
| 15 | T | 5.5046 | 7.3114 | 8.4064 | 4.5071 | 6.4021 | 9.5410 | 3.8386 | 15.0273 | 12.1219 | 6.9253 | 8.8493 | 7.5116 | 95.9466 | | |
| | S | 127.703 | 75.070 | 101.870 | 131.308 | 142.922 | 95.402 | 101.777 | 88.475 | 102.538 | 86.147 | 52.547 | 98.303 | 96.804 | | |
| 16 | T | 5.5133 | 7.2267 | 8.4385 | 4.5308 | 6.4372 | 9.4880 | 3.9428 | 14.7964 | 12.1567 | 6.4151 | 5.0516 | 7.5573 | 91.5544 | | |
| | S | 127.502 | 75.949 | 101.483 | 130.621 | 142.143 | 95.935 | 99.087 | 89.856 | 102.244 | 92.998 | 92.050 | 97.708 | 101.448 | | |
| 17 | T | 5.5107 | 7.2476 | 8.4465 | 4.5220 | 6.4177 | 9.5173 | 3.7945 | 14.9645 | 12.2172 | 6.3921 | 5.1606 | 7.5200 | 91.7107 | | |
| | S | 127.562 | 75.730 | 101.387 | 130.875 | 142.574 | 95.639 | 102.960 | 88.847 | 101.738 | 93.333 | 90.106 | 98.193 | 101.275 | | |
| 18 | T | 5.4841 | 7.8313 | 8.5056 | 4.5512 | 6.4859 | 9.5248 | 3.8609 | 14.8667 | 12.3293 | 6.4586 | 5.0656 | 7.6345 | 92.5985 | | |
| | S | 128.180 | 70.086 | 100.682 | 130.036 | 141.075 | 95.564 | 101.189 | 89.431 | 100.813 | 92.372 | 91.796 | 96.720 | 100.304 | | |
| 19 | T | 5.5585 | 7.3525 | 8.4392 | 4.5724 | 6.5489 | 9.5510 | 3.8530 | 14.9162 | 12.3623 | 6.4688 | 5.0722 | 7.6844 | 92.3794 | | |
| | S | 126.465 | 74.650 | 101.475 | 129.433 | 139.718 | 95.302 | 101.397 | 89.134 | 100.544 | 92.226 | 91.676 | 96.092 | 100.542 | | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.58 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 3

October 30, 2021

Section Data for Car 5 - Brichacek, Wyatt

| Lap | T/SF to PI | |
|-----|------------|---------|
| 1 | T | |
| | S | |
| 2 | T | |
| | S | |
| 3 | T | |
| | S | |
| 4 | T | |
| | S | |
| 5 | T | |
| | S | |
| 6 | T | |
| | S | |
| 7 | T | 90.1378 |
| | S | 94.424 |
| 8 | T | |
| | S | |
| 9 | T | |
| | S | |
| 10 | T | 91.2495 |
| | S | 93.273 |
| 11 | T | |
| | S | |
| 12 | T | |
| | S | |
| 13 | T | |
| | S | |
| 14 | T | |
| | S | |
| 15 | T | |
| | S | |
| 16 | T | |
| | S | |
| 17 | T | |
| | S | |
| 18 | T | |
| | S | |
| 19 | T | |
| | S | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.58 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 3

October 30, 2021

Section Data for Car 5 - Brichacek, Wyatt

| Lap | T/S | I6 to I7 | I7 to I8 | I8 to I9 | I9 to SF | SF to I1 | I1 to I2 | I2 to I3A | I3A to I3 | I3 to I4 | I4 to I5A | I5A to I5 | I5 to I6 | Lap | PI to PO | PO to SF |
|-----|-----|----------|----------|----------|----------|----------|----------|-----------|-----------|----------|-----------|-----------|----------|---------|----------|----------|
| 20 | T | 5.5996 | 7.3360 | 8.4054 | 4.5637 | 6.5019 | 9.4700 | 3.8487 | 14.9160 | 12.3005 | 6.4032 | 5.1234 | 7.5298 | 91.9982 | | |
| | S | 125.537 | 74.818 | 101.883 | 129.679 | 140.728 | 96.117 | 101.510 | 89.136 | 101.049 | 93.171 | 90.760 | 98.065 | 100.958 | | |
| 21 | T | 5.7133 | | | | | | | | | | | | | | |
| | S | 123.038 | | | | | | | | | | | | | | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.58 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 3

October 30, 2021

Section Data for Car 5 - Brichacek, Wyatt

| Lap | T/SF to PI | |
|-----|------------|---------|
| 20 | T | 91.6645 |
| | S | 92.851 |
| 21 | T | |
| | S | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.58 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 3

October 30, 2021

Section Data for Car 55 - Gold, Reece

| Lap | T/S | I6 to I7 | I7 to I8 | I8 to I9 | I9 to SF | SF to I1 | I1 to I2 | I2 to I3A | I3A to I3 | I3 to I4 | I4 to I5A | I5A to I5 | I5 to I6 | Lap | PI to PO | PO to SF |
|-----|-----|----------|----------|----------|----------|----------|----------|-----------|-----------|----------|-----------|-----------|----------|----------|----------|----------|
| 1 | T | 5.5247 | 8.0286 | 8.6326 | 4.5117 | 6.6016 | 10.6234 | 3.8764 | 15.3598 | 12.2577 | 7.1039 | 5.7539 | 7.6868 | 95.9611 | | 96.4119 |
| | S | 127.239 | 68.364 | 99.201 | 131.174 | 138.603 | 85.681 | 100.785 | 86.560 | 101.402 | 83.981 | 80.815 | 96.062 | 96.789 | | 88.876 |
| 2 | T | 5.5049 | 7.6285 | 8.4935 | 4.4177 | 7.6585 | 13.2351 | 4.4496 | 20.5539 | 13.7115 | 7.9322 | 6.4824 | 8.3100 | 108.3778 | | |
| | S | 127.696 | 71.949 | 100.826 | 133.965 | 119.475 | 68.774 | 87.802 | 64.686 | 90.651 | 75.211 | 71.733 | 88.858 | 85.700 | | |
| 3 | T | 7.8928 | | | | | | 3.8717 | 15.2939 | 12.3333 | 6.9967 | 5.3125 | 7.5373 | 146.5516 | 57.6632 | 89.5608 |
| | S | 89.063 | | | | | | 100.907 | 86.933 | 100.780 | 85.267 | 87.529 | 97.967 | 63.377 | 24.636 | 95.675 |
| 4 | T | 5.4650 | 7.2307 | 8.5228 | 4.4837 | 6.3264 | 9.8072 | 3.8702 | 14.8027 | 12.2774 | 6.3549 | 5.3093 | 7.5408 | 91.9911 | | |
| | S | 128.628 | 75.907 | 100.479 | 131.993 | 144.632 | 92.812 | 100.946 | 89.818 | 101.239 | 93.879 | 87.582 | 97.922 | 100.966 | | |
| 5 | T | 5.4448 | 7.4084 | 8.3884 | 4.4741 | 6.3075 | 9.7714 | 3.8819 | 14.6871 | 12.2636 | 6.4838 | 5.1814 | 7.5788 | 91.8712 | | |
| | S | 129.106 | 74.087 | 102.089 | 132.276 | 145.065 | 93.152 | 100.642 | 90.525 | 101.353 | 92.013 | 89.744 | 97.431 | 101.098 | | |
| 6 | T | 5.4714 | 7.3512 | 8.4573 | 4.4805 | 6.3068 | 9.9156 | 3.8181 | 14.8542 | 12.1914 | 6.4791 | 5.1712 | 7.4976 | 91.9944 | | |
| | S | 128.478 | 74.663 | 101.257 | 132.088 | 145.081 | 91.797 | 102.324 | 89.506 | 101.953 | 92.079 | 89.921 | 98.486 | 100.963 | | |
| 7 | T | 5.4207 | 7.2865 | 8.4999 | 4.5181 | 6.3442 | 9.7361 | 3.8259 | 15.0113 | 12.2018 | 6.4417 | 5.1781 | 7.4900 | 91.9543 | | |
| | S | 129.680 | 75.326 | 100.750 | 130.988 | 144.226 | 93.490 | 102.115 | 88.570 | 101.866 | 92.614 | 89.801 | 98.586 | 101.007 | | |
| 8 | T | 5.4225 | | | | | | 4.3268 | 18.1214 | 14.4465 | 9.3728 | 6.0993 | 8.0293 | 314.6618 | 216.7714 | 102.0907 |
| | S | 129.637 | | | | | | 90.293 | 73.369 | 86.038 | 63.651 | 76.238 | 91.964 | 29.517 | 6.553 | 83.933 |
| 9 | T | 5.6238 | 7.9173 | 8.7103 | 4.5411 | 6.4438 | 10.2628 | 3.8907 | 14.8749 | 12.1880 | 6.6675 | 5.2096 | 7.4963 | 93.8261 | | |
| | S | 124.996 | 69.325 | 98.316 | 130.325 | 141.997 | 88.692 | 100.414 | 89.382 | 101.982 | 89.477 | 89.258 | 98.503 | 98.992 | | |
| 10 | T | 5.4100 | 7.4096 | 8.4650 | 4.4984 | 6.3905 | 9.7740 | 3.8338 | 14.7794 | 12.0766 | 6.4474 | 5.1342 | 7.4266 | 91.6455 | | |
| | S | 129.936 | 74.075 | 101.165 | 131.562 | 143.181 | 93.127 | 101.905 | 89.959 | 102.923 | 92.532 | 90.569 | 99.428 | 101.347 | | |
| 11 | T | 5.3832 | 7.3864 | 8.4596 | 4.4941 | 6.3607 | 9.6370 | 3.8358 | 14.5500 | 12.0629 | 6.4071 | 5.1542 | 7.4000 | 91.1310 | | |
| | S | 130.583 | 74.307 | 101.230 | 131.688 | 143.852 | 94.451 | 101.851 | 91.378 | 103.039 | 93.114 | 90.218 | 99.785 | 101.919 | | |
| 12 | T | 5.4237 | 7.2819 | 8.4379 | 4.4753 | 6.3585 | | | 15.5643 | 12.4178 | 7.9555 | 6.0376 | 7.3876 | 101.7739 | | |
| | S | 129.608 | 75.374 | 101.490 | 132.241 | 143.902 | | | 85.423 | 100.095 | 74.991 | 77.017 | 99.953 | 91.261 | | |
| 13 | T | 5.4429 | 7.1886 | 8.4331 | 4.4917 | 6.3703 | 9.7624 | 3.8137 | 14.9009 | 12.1540 | 6.4405 | 5.1572 | 7.3994 | 91.5547 | | |
| | S | 129.151 | 76.352 | 101.548 | 131.758 | 143.635 | 93.238 | 102.442 | 89.226 | 102.267 | 92.631 | 90.165 | 99.793 | 101.448 | | |
| 14 | T | 5.4669 | | | | | | 3.9440 | 15.1138 | 12.1310 | 6.4869 | 5.2369 | 7.4617 | 486.4027 | 401.1182 | 89.0479 |
| | S | 128.584 | | | | | | 99.057 | 87.969 | 102.461 | 91.969 | 88.793 | 98.960 | 19.095 | 3.542 | 96.226 |
| 15 | T | 5.4771 | 7.2823 | 8.4818 | 4.4614 | 6.2638 | 10.0600 | 3.8235 | 14.6374 | 12.2404 | 6.6831 | 5.2578 | 7.4808 | 92.1494 | | |
| | S | 128.344 | 75.370 | 100.965 | 132.653 | 146.077 | 90.480 | 102.179 | 90.832 | 101.545 | 89.269 | 88.440 | 98.707 | 100.793 | | |
| 16 | T | 5.4340 | 7.4891 | 8.4344 | 4.4926 | 6.3678 | 9.7628 | 3.7877 | 14.7559 | 12.1254 | 6.3161 | 5.2239 | 7.4005 | 91.5902 | | |
| | S | 129.362 | 73.288 | 101.532 | 131.732 | 143.692 | 93.234 | 103.145 | 90.103 | 102.508 | 94.456 | 89.014 | 99.778 | 101.408 | | |
| 17 | T | 5.4799 | 7.3136 | 8.4707 | 4.4888 | 6.3608 | 9.7205 | 3.8247 | 14.6753 | 12.1920 | 6.4286 | 5.1599 | 7.4625 | 91.5773 | | |
| | S | 128.279 | 75.047 | 101.097 | 131.843 | 143.850 | 93.640 | 102.147 | 90.597 | 101.948 | 92.803 | 90.118 | 98.949 | 101.423 | | |
| 18 | T | 5.4740 | | | | | | 4.4819 | 17.6927 | 14.0444 | 7.9256 | 5.9950 | 7.9389 | 256.1154 | 160.1632 | |
| | S | 128.417 | | | | | | 87.169 | 75.147 | 88.502 | 75.274 | 77.565 | 93.012 | 36.265 | 8.870 | |
| 19 | T | 5.6424 | | | | | | | | | | | | | | |
| | S | 124.584 | | | | | | | | | | | | | | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.58 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 3

October 30, 2021

Section Data for Car 55 - Gold, Reece

| Lap | T/SF to PI |
|-----|------------|
| 1 | T |
| | S |
| 2 | T 107.3630 |
| | S 79.274 |
| 3 | T |
| | S |
| 4 | T |
| | S |
| 5 | T |
| | S |
| 6 | T |
| | S |
| 7 | T 88.8213 |
| | S 95.823 |
| 8 | T |
| | S |
| 9 | T |
| | S |
| 10 | T |
| | S |
| 11 | T |
| | S |
| 12 | T |
| | S |
| 13 | T 87.9376 |
| | S 96.786 |
| 14 | T |
| | S |
| 15 | T |
| | S |
| 16 | T |
| | S |
| 17 | T 87.2792 |
| | S 97.516 |
| 18 | T |
| | S |
| 19 | T |
| | S |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.58 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 3

October 30, 2021

Section Data for Car 6 - Garg, Bijoy (R)

| Lap | T/S I6 to I7 | I7 to I8 | I8 to I9 | I9 to SF | SF to I1 | I1 to I2 | I2 to I3A | I3A to I3 | I3 to I4 | I4 to I5A | I5A to I5 | I5 to I6 | Lap | PI to PO | PO to SF | |
|-----|--------------|----------|----------|----------|----------|----------|-----------|-----------|----------|-----------|-----------|----------|--------|----------|----------|----------|
| 1 | T | 5.9621 | 8.0449 | 8.6531 | 4.5230 | 6.4923 | 10.4709 | 3.9311 | 15.1497 | 14.2480 | 7.5566 | 5.9323 | 7.6104 | 98.5744 | | 98.9600 |
| | S | 117.904 | 68.225 | 98.966 | 130.846 | 140.936 | 86.929 | 99.382 | 87.761 | 87.237 | 78.950 | 78.384 | 97.026 | 94.223 | | 86.588 |
| 2 | T | 5.5139 | 7.3955 | 8.4817 | 4.4561 | 6.3264 | 9.8797 | 3.8888 | 15.1359 | 12.1386 | 6.7364 | 5.2794 | 7.4540 | 92.6864 | | |
| | S | 127.488 | 74.216 | 100.966 | 132.811 | 144.632 | 92.131 | 100.463 | 87.841 | 102.397 | 88.562 | 88.078 | 99.062 | 100.209 | | |
| 3 | T | 5.4206 | 7.2881 | 8.4595 | 4.4513 | 6.3184 | 9.7310 | 3.8168 | 14.8967 | 12.1554 | 6.6282 | 5.1958 | 7.4664 | 91.8282 | | |
| | S | 129.682 | 75.310 | 101.231 | 132.954 | 144.815 | 93.539 | 102.358 | 89.251 | 102.255 | 90.008 | 89.495 | 98.898 | 101.145 | | |
| 4 | T | 5.4577 | 7.3414 | 8.7668 | 4.4833 | 6.3112 | 9.6403 | 3.7643 | 14.9128 | 12.2565 | 6.4532 | 5.2306 | 7.5622 | 92.1803 | | |
| | S | 128.801 | 74.763 | 97.683 | 132.005 | 144.980 | 94.419 | 103.786 | 89.155 | 101.412 | 92.449 | 88.900 | 97.645 | 100.759 | | |
| 5 | T | 5.4741 | 7.4115 | 8.4463 | 4.4846 | 6.3114 | 9.6457 | 3.8025 | 14.9125 | 12.1098 | 6.5022 | 5.2019 | 7.4416 | 91.7441 | | |
| | S | 128.415 | 74.056 | 101.389 | 131.967 | 144.976 | 94.366 | 102.743 | 89.156 | 102.640 | 91.752 | 89.390 | 99.227 | 101.238 | | |
| 6 | T | 5.4265 | | | | | | 4.1772 | 15.0322 | 12.1273 | 6.5106 | 5.2058 | 7.4751 | 211.4619 | 125.3150 | 89.6708 |
| | S | 129.541 | | | | | | 93.527 | 88.446 | 102.492 | 91.634 | 89.323 | 98.783 | 43.923 | 11.336 | 95.558 |
| 7 | T | 5.4695 | 7.3946 | 8.4269 | 4.5338 | 6.4396 | 9.7907 | 3.8237 | 14.7592 | 12.1235 | 6.4916 | 5.1255 | 7.4564 | 91.8350 | | |
| | S | 128.523 | 74.225 | 101.623 | 130.535 | 142.090 | 92.969 | 102.174 | 90.082 | 102.524 | 91.902 | 90.723 | 99.030 | 101.138 | | |
| 8 | T | 5.4750 | 7.3437 | 8.3649 | 4.5192 | 6.4323 | 9.8895 | 3.8063 | 14.7796 | 12.1901 | 6.5062 | 5.1540 | 7.4549 | 91.9157 | | |
| | S | 128.394 | 74.739 | 102.376 | 130.956 | 142.251 | 92.040 | 102.641 | 89.958 | 101.964 | 91.696 | 90.221 | 99.050 | 101.049 | | |
| 9 | T | 5.4204 | 7.3781 | 8.3240 | 4.5122 | 6.4280 | 9.8076 | 3.8023 | 14.8037 | 12.2368 | 6.4951 | 5.2014 | 7.6034 | 92.0130 | | |
| | S | 129.687 | 74.391 | 102.879 | 131.160 | 142.346 | 92.808 | 102.749 | 89.812 | 101.575 | 91.852 | 89.399 | 97.116 | 100.942 | | |
| 10 | T | 5.5222 | | | | | | 4.4990 | 16.9951 | 14.4237 | 7.5435 | 5.7988 | 8.0999 | 486.8231 | 389.6825 | 100.3353 |
| | S | 127.296 | | | | | | 86.837 | 78.231 | 86.174 | 79.087 | 80.189 | 91.163 | 19.079 | 3.645 | 85.401 |
| 11 | T | 5.6689 | 7.9268 | 8.9691 | 4.6127 | 6.5550 | 10.4694 | 4.1311 | 15.1564 | 12.1921 | 6.7677 | 5.2676 | 7.5128 | 95.2296 | | |
| | S | 124.002 | 69.242 | 95.479 | 128.302 | 139.588 | 86.942 | 94.571 | 87.722 | 101.948 | 88.153 | 88.275 | 98.287 | 97.533 | | |
| 12 | T | 5.4834 | 7.4608 | 8.4288 | 4.4935 | 6.4068 | 9.8825 | 3.8330 | 14.8778 | 12.1821 | 6.5103 | 5.2317 | 7.4690 | 92.2597 | | |
| | S | 128.197 | 73.566 | 101.600 | 131.705 | 142.817 | 92.105 | 101.926 | 89.364 | 102.031 | 91.638 | 88.881 | 98.863 | 100.672 | | |
| 13 | T | 5.4483 | 7.3494 | 8.4227 | 4.4877 | 6.3679 | 9.7003 | 3.7855 | 14.7679 | 12.1793 | 6.4828 | 5.2097 | 7.4196 | 91.6211 | | |
| | S | 129.023 | 74.681 | 101.673 | 131.876 | 143.689 | 93.835 | 103.205 | 90.029 | 102.055 | 92.027 | 89.257 | 99.521 | 101.374 | | |
| 14 | T | 5.4421 | 7.2939 | 8.3819 | 4.4940 | 6.3797 | 9.7404 | 3.7891 | 14.7981 | 12.1283 | 6.5360 | 5.1758 | 7.4077 | 91.5670 | | |
| | S | 129.170 | 75.250 | 102.168 | 131.691 | 143.424 | 93.449 | 103.107 | 89.846 | 102.484 | 91.278 | 89.841 | 99.681 | 101.434 | | |
| 15 | T | 5.4539 | 7.3237 | 8.4862 | 4.5038 | 6.3713 | 9.6956 | 3.7894 | 14.7462 | 12.1671 | 6.5048 | 5.1359 | 7.4276 | 91.6055 | | |
| | S | 128.890 | 74.943 | 100.912 | 131.404 | 143.613 | 93.880 | 103.099 | 90.162 | 102.157 | 91.715 | 90.539 | 99.414 | 101.391 | | |
| 16 | T | 5.4504 | 7.4017 | 8.3343 | 4.4760 | 6.3446 | 9.7308 | 3.8097 | 14.7111 | 12.1049 | 6.4633 | 5.1492 | 7.4016 | 91.3776 | | |
| | S | 128.973 | 74.154 | 102.752 | 132.220 | 144.217 | 93.541 | 102.549 | 90.377 | 102.682 | 92.304 | 90.305 | 99.763 | 101.644 | | |
| 17 | T | 5.4138 | 7.4034 | 8.4527 | 4.4772 | 6.3469 | 9.5920 | 3.7512 | 14.7893 | 12.1071 | 6.4619 | 5.1399 | 7.4667 | 91.4021 | | |
| | S | 129.845 | 74.137 | 101.312 | 132.185 | 144.165 | 94.894 | 104.148 | 89.899 | 102.663 | 92.324 | 90.469 | 98.894 | 101.617 | | |
| 18 | T | 5.4607 | 7.3754 | 8.3940 | 4.4746 | 6.3528 | 9.6879 | 3.7857 | 14.7531 | 12.1715 | 6.4328 | 5.1582 | 7.5469 | 91.5936 | | |
| | S | 128.730 | 74.418 | 102.021 | 132.262 | 144.031 | 93.955 | 103.199 | 90.120 | 102.120 | 92.742 | 90.148 | 97.843 | 101.404 | | |
| 19 | T | 5.4345 | 7.6160 | 8.3435 | 4.4567 | 6.3149 | 9.6748 | 3.7673 | 14.8918 | 12.1738 | 6.4345 | 5.1443 | 7.4899 | 91.7420 | | |
| | S | 129.350 | 72.067 | 102.638 | 132.793 | 144.895 | 94.082 | 103.703 | 89.280 | 102.101 | 92.718 | 90.391 | 98.587 | 101.240 | | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.58 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 3

October 30, 2021

Section Data for Car 6 - Garg, Bijoy (R)

| Lap | T/SF to PI |
|-----|------------|
| 1 | T |
| | S |
| 2 | T |
| | S |
| 3 | T |
| | S |
| 4 | T |
| | S |
| 5 | T 88.2285 |
| | S 96.467 |
| 6 | T |
| | S |
| 7 | T |
| | S |
| 8 | T |
| | S |
| 9 | T 90.3611 |
| | S 94.190 |
| 10 | T |
| | S |
| 11 | T |
| | S |
| 12 | T |
| | S |
| 13 | T |
| | S |
| 14 | T |
| | S |
| 15 | T |
| | S |
| 16 | T |
| | S |
| 17 | T |
| | S |
| 18 | T |
| | S |
| 19 | T |
| | S |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.58 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 3

October 30, 2021

Section Data for Car 6 - Garg, Bijoy (R)

| Lap | T/S | I6 to I7 | I7 to I8 | I8 to I9 | I9 to SF | SF to I1 | I1 to I2 | I2 to I3A | I3A to I3 | I3 to I4 | I4 to I5A | I5A to I5 | I5 to I6 | Lap | PI to PO | PO to SF |
|-----|-----|----------|----------|----------|----------|----------|----------|-----------|-----------|----------|-----------|-----------|----------|---------|----------|----------|
| 20 | T | 5.4432 | 7.5416 | 8.3975 | 4.4620 | 6.3287 | 9.6362 | 3.7987 | 15.0136 | 14.0521 | 7.7482 | 5.4005 | 7.5492 | 95.3715 | | |
| | S | 129.144 | 72.778 | 101.978 | 132.635 | 144.579 | 94.459 | 102.846 | 88.556 | 88.453 | 76.997 | 86.103 | 97.813 | 97.388 | | |
| 21 | T | 5.4899 | 7.3966 | 8.4135 | 4.4879 | 6.3600 | 9.7622 | 3.8016 | 14.7959 | 12.3529 | 6.4388 | 5.2837 | 7.4975 | 92.0805 | | |
| | S | 128.045 | 74.205 | 101.784 | 131.870 | 143.868 | 93.240 | 102.768 | 89.859 | 100.620 | 92.656 | 88.007 | 98.487 | 100.868 | | |
| 22 | T | 5.4368 | 7.4138 | 8.3311 | 4.4704 | 6.3812 | 9.7944 | 3.7695 | 14.9443 | 12.2720 | 6.4572 | 5.1755 | 7.5130 | 91.9592 | | |
| | S | 129.296 | 74.033 | 102.791 | 132.386 | 143.390 | 92.933 | 103.643 | 88.967 | 101.284 | 92.392 | 89.846 | 98.284 | 101.001 | | |
| 23 | T | 5.4419 | 7.3979 | 8.3732 | 4.4638 | 6.3492 | 9.7572 | 3.7793 | 15.5284 | 13.9085 | 7.2339 | 5.8907 | 8.7906 | 96.9146 | | |
| | S | 129.174 | 74.192 | 102.274 | 132.582 | 144.113 | 93.288 | 103.374 | 85.620 | 89.367 | 82.472 | 78.938 | 84.000 | 95.837 | | |
| 24 | T | 7.9544 | | | | | | | | | | | | | | |
| | S | 88.373 | | | | | | | | | | | | | | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.58 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 3

October 30, 2021

Section Data for Car 6 - Garg, Bijoy (R)

| Lap | T/SF to PI | |
|-----|------------|---------|
| 20 | T | |
| | S | |
| 21 | T | |
| | S | |
| 22 | T | |
| | S | |
| 23 | T | 98.0595 |
| | S | 86.796 |
| 24 | T | |
| | S | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.58 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 3

October 30, 2021

Section Data for Car 8 - Siegel, Nolan (R)

| Lap | T/S I6 to I7 | I7 to I8 | I8 to I9 | I9 to SF | SF to I1 | I1 to I2 | I2 to I3A | I3A to I3 | I3 to I4 | I4 to I5A | I5A to I5 | I5 to I6 | Lap | PI to PO | PO to SF | |
|-----|--------------|----------|----------|----------|----------|----------|-----------|-----------|----------|-----------|-----------|----------|--------|----------|----------|---------|
| 1 | T | 5.6517 | 7.5856 | 8.5797 | 4.5800 | 6.5187 | 10.3107 | 3.8913 | 15.0226 | 12.3566 | 6.8250 | 5.3444 | 7.6099 | 94.2762 | | 95.7051 |
| | S | 124.379 | 72.356 | 99.813 | 129.218 | 140.365 | 88.280 | 100.399 | 88.503 | 100.590 | 87.413 | 87.007 | 97.033 | 98.519 | | 89.533 |
| 2 | T | 5.5494 | 7.3622 | 8.4075 | 4.5330 | 6.4559 | 9.8169 | 3.8559 | 14.7249 | 12.2115 | 6.6603 | 5.2201 | 7.4778 | 92.2754 | | |
| | S | 126.672 | 74.552 | 101.857 | 130.558 | 141.731 | 92.720 | 101.321 | 90.292 | 101.786 | 89.574 | 89.079 | 98.747 | 100.655 | | |
| 3 | T | 5.4563 | 7.3993 | 8.4281 | 4.5243 | 6.4383 | 9.7810 | 3.8151 | 14.8801 | 12.1475 | 6.5699 | 5.2022 | 7.4786 | 92.1207 | | |
| | S | 128.834 | 74.178 | 101.608 | 130.809 | 142.118 | 93.061 | 102.404 | 89.351 | 102.322 | 90.807 | 89.385 | 98.736 | 100.824 | | |
| 4 | T | 5.4674 | 7.2763 | 8.4517 | 4.5268 | 6.4065 | 9.6318 | 3.8602 | 14.8093 | 12.6554 | 6.6873 | 5.3265 | 7.5237 | 92.6229 | | |
| | S | 128.572 | 75.432 | 101.324 | 130.737 | 142.824 | 94.502 | 101.208 | 89.778 | 98.215 | 89.213 | 87.299 | 98.144 | 100.278 | | |
| 5 | T | 5.4995 | 7.1916 | 8.4587 | 4.5341 | 6.4090 | 9.6875 | 3.7631 | 14.7693 | 12.2727 | 6.5716 | 5.2215 | 7.4388 | 91.8174 | | |
| | S | 127.822 | 76.320 | 101.241 | 130.526 | 142.768 | 93.959 | 103.819 | 90.021 | 101.278 | 90.783 | 89.055 | 99.265 | 101.157 | | |
| 6 | T | 5.4652 | 7.2808 | 8.4846 | 4.5394 | 6.4184 | 9.7182 | 3.8174 | 14.8492 | 12.3146 | 6.6089 | 5.2884 | 7.5805 | 92.3656 | | |
| | S | 128.624 | 75.385 | 100.932 | 130.374 | 142.559 | 93.662 | 102.342 | 89.537 | 100.933 | 90.271 | 87.928 | 97.409 | 100.557 | | |
| 7 | T | 5.5096 | | | | | | 3.8994 | 15.3623 | 13.0820 | 7.0543 | 5.3336 | 7.5312 | 410.3531 | 321.7531 | 95.4056 |
| | S | 127.587 | | | | | | 100.190 | 86.546 | 95.013 | 84.571 | 87.183 | 98.047 | 22.634 | 4.415 | 89.814 |
| 8 | T | 5.4504 | 11.2749 | 8.7182 | 4.5974 | 6.5037 | 9.9666 | 3.8354 | 14.7366 | 12.1801 | 6.5808 | 5.2505 | 7.5367 | 96.6313 | | |
| | S | 128.973 | 48.680 | 98.227 | 128.729 | 140.689 | 91.328 | 101.862 | 90.221 | 102.048 | 90.656 | 88.563 | 97.975 | 96.118 | | |
| 9 | T | 5.4822 | 7.2905 | 8.5080 | 4.5728 | 6.4694 | 9.7552 | 3.7825 | 14.7887 | 12.1683 | 6.5314 | 5.1720 | 7.5632 | 92.0842 | | |
| | S | 128.225 | 75.285 | 100.654 | 129.421 | 141.435 | 93.307 | 103.287 | 89.903 | 102.147 | 91.342 | 89.907 | 97.632 | 100.864 | | |
| 10 | T | 5.4537 | 7.1861 | 8.4506 | 4.5303 | 6.4182 | 9.7100 | 3.7730 | 14.9316 | 12.1585 | 6.4780 | 5.1943 | 7.4901 | 91.7744 | | |
| | S | 128.895 | 76.379 | 101.338 | 130.636 | 142.563 | 93.741 | 103.547 | 89.042 | 102.229 | 92.095 | 89.521 | 98.585 | 101.205 | | |
| 11 | T | 5.4390 | 7.2275 | 8.4691 | 4.5208 | 6.4197 | 9.7533 | 3.7691 | 14.8723 | 12.3333 | 6.5452 | 5.1862 | 7.5477 | 92.0832 | | |
| | S | 129.243 | 75.941 | 101.116 | 130.910 | 142.530 | 93.325 | 103.654 | 89.397 | 100.780 | 91.149 | 89.661 | 97.832 | 100.865 | | |
| 12 | T | 5.4537 | 7.1697 | 8.4905 | 4.5421 | 6.4330 | 9.8195 | 3.7478 | 14.9697 | 12.4633 | 6.5900 | 5.2258 | 7.5307 | 92.4358 | | |
| | S | 128.895 | 76.553 | 100.861 | 130.296 | 142.235 | 92.696 | 104.243 | 88.816 | 99.729 | 90.530 | 88.982 | 98.053 | 100.481 | | |
| 13 | T | 5.4897 | | | | | | 4.1695 | 16.1871 | 12.6824 | 6.8823 | 5.5057 | 7.7020 | 540.1997 | 451.1080 | 95.9320 |
| | S | 128.050 | | | | | | 93.700 | 82.136 | 98.006 | 86.685 | 84.458 | 95.872 | 17.194 | 3.149 | 89.321 |
| 14 | T | 5.6276 | 9.8940 | 8.6723 | 4.8712 | 6.9349 | 10.9260 | 3.8550 | 15.7319 | 12.3564 | 7.0579 | 5.3162 | 7.5109 | 98.7543 | | |
| | S | 124.912 | 55.474 | 98.747 | 121.493 | 131.941 | 83.308 | 101.344 | 84.513 | 100.592 | 84.528 | 87.468 | 98.312 | 94.052 | | |
| 15 | T | 5.4922 | 7.2648 | 8.4404 | 4.5009 | 6.3985 | 9.7927 | 3.8140 | 14.6567 | 12.1083 | 6.5358 | 5.1412 | 7.4004 | 91.5459 | | |
| | S | 127.991 | 75.551 | 101.460 | 131.489 | 143.002 | 92.950 | 102.434 | 90.712 | 102.653 | 91.280 | 90.446 | 99.780 | 101.457 | | |
| 16 | T | 5.4932 | 7.2484 | 8.3498 | 4.4956 | 6.3847 | 9.6827 | 3.7401 | 14.7622 | 12.2107 | 6.4444 | 5.1758 | 7.3983 | 91.3859 | | |
| | S | 127.968 | 75.722 | 102.561 | 131.644 | 143.311 | 94.006 | 104.458 | 90.064 | 101.792 | 92.575 | 89.841 | 99.808 | 101.635 | | |
| 17 | T | 5.4522 | 7.2028 | 8.4339 | 4.5030 | 6.3895 | 9.6574 | 3.7584 | 14.7462 | 12.7878 | 6.7263 | 5.1467 | 7.4289 | 92.2331 | | |
| | S | 128.930 | 76.201 | 101.538 | 131.428 | 143.204 | 94.252 | 103.949 | 90.162 | 97.198 | 88.695 | 90.349 | 99.397 | 100.701 | | |
| 18 | T | 5.4657 | 7.2806 | 8.4323 | 4.5299 | 6.4206 | 9.7833 | 3.7521 | 14.9768 | 12.5446 | 6.7765 | 5.1864 | 7.4905 | 92.6393 | | |
| | S | 128.612 | 75.387 | 101.558 | 130.647 | 142.510 | 93.039 | 104.124 | 88.774 | 99.083 | 88.038 | 89.658 | 98.579 | 100.260 | | |
| 19 | T | 5.4851 | | | | | | | | | | | | | | |
| | S | 128.157 | | | | | | | | | | | | | | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.58 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 3

October 30, 2021

Section Data for Car 8 - Siegel, Nolan (R)

| Lap | T/SF to PI |
|-----|------------|
| 1 | T |
| | S |
| 2 | T |
| | S |
| 3 | T |
| | S |
| 4 | T |
| | S |
| 5 | T |
| | S |
| 6 | T 89.8309 |
| | S 94.746 |
| 7 | T |
| | S |
| 8 | T |
| | S |
| 9 | T |
| | S |
| 10 | T |
| | S |
| 11 | T |
| | S |
| 12 | T 89.0046 |
| | S 95.626 |
| 13 | T |
| | S |
| 14 | T |
| | S |
| 15 | T |
| | S |
| 16 | T |
| | S |
| 17 | T |
| | S |
| 18 | T 89.1203 |
| | S 95.502 |
| 19 | T |
| | S |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.58 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 3

October 30, 2021

Section Data for Car 91 - Foster, Louis (R)

| Lap | T/S I6 to I7 | I7 to I8 | I8 to I9 | I9 to SF | SF to I1 | I1 to I2 | I2 to I3A | I3A to I3 | I3 to I4 | I4 to I5A | I5A to I5 | I5 to I6 | Lap | PI to PO | PO to SF | |
|-----|--------------|----------|----------|----------|----------|----------|-----------|-----------|----------|-----------|-----------|----------|---------|----------|----------|---------|
| 1 | T | 5.6472 | 7.8482 | 8.4879 | 4.4505 | 6.2727 | 10.1435 | 3.8277 | 15.0074 | 12.5157 | 7.0650 | 5.3559 | 7.5618 | 94.1835 | 94.4683 | |
| | S | 124.478 | 69.935 | 100.892 | 132.978 | 145.870 | 89.735 | 102.067 | 88.593 | 99.312 | 84.443 | 86.820 | 97.650 | 98.616 | 90.705 | |
| 2 | T | 5.5399 | 7.4434 | 8.5654 | 4.5122 | 6.4190 | 9.6682 | 3.8003 | 15.0580 | 12.7776 | 6.6280 | 5.2405 | 7.4401 | 93.0926 | | |
| | S | 126.889 | 73.738 | 99.979 | 131.160 | 142.546 | 94.147 | 102.803 | 88.295 | 97.276 | 90.011 | 88.732 | 99.247 | 99.772 | | |
| 3 | T | 5.4497 | 7.2795 | 8.6587 | 4.5243 | 6.4036 | 9.7344 | 3.8104 | 14.9383 | 12.0789 | 6.5431 | 5.1979 | 7.5189 | 92.1377 | | |
| | S | 128.990 | 75.399 | 98.902 | 130.809 | 142.888 | 93.506 | 102.530 | 89.002 | 102.903 | 91.179 | 89.459 | 98.207 | 100.806 | | |
| 4 | T | 5.4651 | 7.1842 | 8.6045 | 4.5042 | 6.3766 | 9.5640 | 3.8100 | 14.8337 | 12.1967 | 6.5594 | 5.1243 | 7.4070 | 91.6297 | | |
| | S | 128.626 | 76.399 | 99.525 | 131.393 | 143.493 | 95.172 | 102.541 | 89.630 | 101.909 | 90.952 | 90.744 | 99.691 | 101.365 | | |
| 5 | T | 5.4403 | 7.2857 | 8.5316 | 4.5122 | 6.3592 | 9.6006 | 3.8461 | 14.8156 | 12.2190 | 6.4154 | 5.1822 | 7.4456 | 91.6535 | | |
| | S | 129.212 | 75.334 | 100.376 | 131.160 | 143.886 | 94.809 | 101.579 | 89.740 | 101.723 | 92.994 | 89.730 | 99.174 | 101.338 | | |
| 6 | T | 5.4194 | 7.4696 | 8.6555 | 4.5271 | 6.3695 | 10.0425 | 3.8521 | 14.8464 | 12.1334 | 6.4229 | 5.2184 | 7.5317 | 92.4885 | | |
| | S | 129.711 | 73.480 | 98.939 | 130.728 | 143.653 | 90.638 | 101.420 | 89.553 | 102.441 | 92.885 | 89.108 | 98.040 | 100.423 | | |
| 7 | T | 5.4939 | 7.3601 | 8.4856 | 4.5044 | 6.3647 | 9.5799 | 3.8027 | 15.0885 | 12.4808 | 18.0705 | 5.4470 | 8.0266 | 104.7047 | | |
| | S | 127.952 | 74.573 | 100.920 | 131.387 | 143.762 | 95.014 | 102.738 | 88.116 | 99.589 | 33.015 | 85.368 | 91.995 | 88.707 | | |
| 8 | T | 5.5901 | 7.3732 | 8.6328 | 4.5517 | 6.4212 | 10.0240 | 3.9233 | 15.6139 | 12.9246 | 6.8480 | 5.2971 | 8.4631 | 95.6630 | | |
| | S | 125.750 | 74.440 | 99.199 | 130.021 | 142.497 | 90.805 | 99.580 | 85.151 | 96.170 | 87.119 | 87.784 | 87.250 | 97.091 | | |
| 9 | T | 6.3356 | | | | | | 3.8282 | 15.2716 | 12.2164 | 6.5929 | 5.2096 | 7.7568 | 513.3005 | 424.0377 | 90.7991 |
| | S | 110.953 | | | | | | 102.054 | 87.060 | 101.745 | 90.490 | 89.258 | 95.195 | 18.095 | 3.350 | 94.370 |
| 10 | T | 5.6098 | 7.3266 | 8.4002 | 4.5089 | 6.3993 | 9.5953 | 3.8446 | 14.8835 | 12.2265 | 6.5723 | 5.1778 | 7.4624 | 92.0072 | | |
| | S | 125.308 | 74.914 | 101.946 | 131.256 | 142.984 | 94.862 | 101.618 | 89.330 | 101.661 | 90.774 | 89.806 | 98.951 | 100.949 | | |
| 11 | T | 5.4722 | 7.4130 | 8.6103 | 4.5132 | 6.3880 | 9.5327 | 3.7844 | 14.8688 | 12.1155 | 6.5548 | 5.2199 | 7.4337 | 91.9065 | | |
| | S | 128.459 | 74.041 | 99.458 | 131.131 | 143.237 | 95.485 | 103.235 | 89.418 | 102.592 | 91.016 | 89.082 | 99.333 | 101.059 | | |
| 12 | T | 5.4273 | 7.3072 | 8.4359 | 4.4889 | 6.3335 | 9.8774 | 3.9936 | 15.0446 | 12.7024 | 6.3964 | 5.2540 | 7.4956 | 92.7568 | | |
| | S | 129.522 | 75.113 | 101.514 | 131.840 | 144.470 | 92.153 | 97.827 | 88.374 | 97.852 | 93.270 | 88.504 | 98.512 | 100.133 | | |
| 13 | T | 5.4371 | | | | | | 4.6427 | 16.9899 | 13.2142 | 7.1427 | 5.6769 | 8.0035 | 311.3777 | 218.7631 | 98.2808 |
| | S | 129.289 | | | | | | 84.150 | 78.255 | 94.062 | 83.525 | 81.911 | 92.261 | 29.829 | 6.494 | 87.186 |
| 14 | T | 5.6427 | 7.6639 | 9.3694 | 4.6575 | 6.6841 | 10.2238 | 3.8581 | 15.0149 | 12.3095 | 6.4572 | 5.2173 | 7.6613 | 94.7597 | | |
| | S | 124.578 | 71.617 | 91.400 | 127.068 | 136.892 | 89.030 | 101.263 | 88.548 | 100.975 | 92.392 | 89.127 | 96.382 | 98.016 | | |
| 15 | T | 5.5991 | 7.9022 | 8.3540 | 4.4691 | 6.3512 | 9.5555 | 3.7854 | 14.6004 | 11.9686 | 6.4038 | 5.1403 | 7.4676 | 91.5972 | | |
| | S | 125.548 | 69.457 | 102.509 | 132.424 | 144.067 | 95.257 | 103.208 | 91.062 | 103.851 | 93.162 | 90.462 | 98.882 | 101.400 | | |
| 16 | T | 5.4121 | 7.1946 | 8.4752 | 4.4778 | 6.3406 | 9.6345 | 3.7112 | 14.7600 | 12.0128 | 6.3997 | 5.1310 | 7.3010 | 90.8505 | | |
| | S | 129.886 | 76.288 | 101.043 | 132.167 | 144.308 | 94.476 | 105.271 | 90.078 | 103.469 | 93.222 | 90.626 | 101.138 | 102.234 | | |
| 17 | T | 5.3804 | 7.2819 | 8.3380 | 4.4540 | 6.2881 | 9.5196 | 3.9582 | 14.9837 | 12.2060 | 6.3625 | 5.3287 | 10.4715 | 94.5726 | | |
| | S | 130.651 | 75.374 | 102.706 | 132.873 | 145.513 | 95.616 | 98.702 | 88.733 | 101.831 | 93.767 | 87.263 | 70.516 | 98.210 | | |
| 18 | T | 5.9880 | 7.4921 | 8.3284 | 4.4799 | 6.3739 | 9.5653 | 3.7950 | 14.7386 | 12.0827 | 6.3298 | 5.2080 | 7.3510 | 91.7327 | | |
| | S | 117.394 | 73.259 | 102.825 | 132.105 | 143.554 | 95.159 | 102.946 | 90.208 | 102.871 | 94.251 | 89.286 | 100.450 | 101.251 | | |
| 19 | T | 5.3904 | 7.2885 | 8.4324 | 4.4778 | 6.3548 | 9.5397 | 3.7827 | 14.9293 | 12.1899 | 6.3115 | 5.1878 | 7.4381 | 91.3229 | | |
| | S | 130.409 | 75.305 | 101.556 | 132.167 | 143.986 | 95.415 | 103.281 | 89.056 | 101.966 | 94.524 | 89.633 | 99.274 | 101.705 | | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.58 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 3

October 30, 2021

Section Data for Car 91 - Foster, Louis (R)

| Lap | T/SF to PI | |
|-----|------------|---------|
| 1 | T | |
| | S | |
| 2 | T | |
| | S | |
| 3 | T | |
| | S | |
| 4 | T | |
| | S | |
| 5 | T | |
| | S | |
| 6 | T | |
| | S | |
| 7 | T | |
| | S | |
| 8 | T | 93.8244 |
| | S | 90.713 |
| 9 | T | |
| | S | |
| 10 | T | |
| | S | |
| 11 | T | |
| | S | |
| 12 | T | 88.7648 |
| | S | 95.884 |
| 13 | T | |
| | S | |
| 14 | T | |
| | S | |
| 15 | T | |
| | S | |
| 16 | T | |
| | S | |
| 17 | T | |
| | S | |
| 18 | T | |
| | S | |
| 19 | T | |
| | S | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.58 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 3

October 30, 2021

Section Data for Car 91 - Foster, Louis (R)

| Lap | T/S | I6 to I7 | I7 to I8 | I8 to I9 | I9 to SF | SF to I1 | I1 to I2 | I2 to I3A | I3A to I3 | I3 to I4 | I4 to I5A | I5A to I5 | I5 to I6 | Lap | PI to PO | PO to SF |
|-----|-----|----------|----------|----------|----------|----------|----------|-----------|-----------|----------|-----------|-----------|----------|----------|----------|----------|
| 20 | T | 5.4252 | 7.3185 | 8.3730 | 4.4862 | 6.3697 | | | 15.8027 | 13.0095 | 7.6937 | 5.8884 | 8.0130 | 107.9315 | | |
| | S | 129.572 | 74.997 | 102.277 | 131.920 | 143.649 | | | 84.134 | 95.542 | 77.543 | 78.969 | 92.151 | 86.055 | | |
| 21 | T | 5.5194 | 7.2260 | 8.6186 | 4.5196 | 6.4408 | 9.7255 | 3.7703 | 15.2152 | 12.5756 | 6.8667 | 5.4388 | 7.7306 | 93.6471 | | |
| | S | 127.361 | 75.957 | 99.362 | 130.945 | 142.063 | 93.592 | 103.621 | 87.383 | 98.839 | 86.882 | 85.497 | 95.518 | 99.181 | | |
| 22 | T | 5.6251 | | | | | | | | | | | | | | |
| | S | 124.967 | | | | | | | | | | | | | | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.58 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 3

October 30, 2021

Section Data for Car 91 - Foster, Louis (R)

| Lap | T/SF to PI | |
|-----|------------|---------|
| 20 | T | |
| | S | |
| 21 | T | 91.1316 |
| | S | 93.394 |
| 22 | T | |
| | S | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.58 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 3

October 30, 2021

Section Data for Car 92 - Frazer, Billy (R)

| Lap | T/S I6 to I7 | I7 to I8 | I8 to I9 | I9 to SF | SF to I1 | I1 to I2 | I2 to I3A | I3A to I3 | I3 to I4 | I4 to I5A | I5A to I5 | I5 to I6 | Lap | PI to PO | PO to SF | |
|-----|--------------|----------|----------|----------|----------|----------|-----------|-----------|----------|-----------|-----------|----------|--------|----------|----------|----------|
| 1 | T | 5.7043 | 8.0308 | 8.7159 | 4.6130 | 6.5355 | 10.3351 | 4.0133 | 15.3795 | 13.4654 | 7.0413 | 5.2309 | 7.6770 | 96.7420 | | 101.0939 |
| | S | 123.232 | 68.345 | 98.253 | 128.294 | 140.005 | 88.071 | 97.347 | 86.449 | 92.307 | 84.727 | 88.895 | 96.185 | 96.008 | | 84.760 |
| 2 | T | 5.5868 | 7.4274 | 8.5548 | 4.5272 | 6.4210 | 9.8015 | 3.9019 | 15.1133 | 12.3476 | 6.5355 | 5.2555 | 7.6192 | 93.0917 | | |
| | S | 125.824 | 73.897 | 100.103 | 130.725 | 142.501 | 92.866 | 100.126 | 87.972 | 100.664 | 91.285 | 88.479 | 96.914 | 99.773 | | |
| 3 | T | 5.4379 | 7.5210 | 8.5469 | 4.5362 | 6.4630 | 9.8565 | 3.9703 | 14.8313 | 12.7842 | 6.6556 | 5.0938 | 7.6179 | 93.3146 | | |
| | S | 129.269 | 72.977 | 100.196 | 130.466 | 141.575 | 92.348 | 98.401 | 89.645 | 97.226 | 89.637 | 91.287 | 96.931 | 99.534 | | |
| 4 | T | 5.5624 | 7.3004 | 8.5878 | 4.5468 | 6.4446 | 9.8823 | 3.8374 | 14.9095 | 12.2562 | 6.5340 | 5.1253 | 7.5301 | 92.5168 | | |
| | S | 126.376 | 75.183 | 99.719 | 130.161 | 141.979 | 92.107 | 101.809 | 89.174 | 101.414 | 91.306 | 90.726 | 98.061 | 100.393 | | |
| 5 | T | 5.5388 | 7.3243 | 8.5707 | 4.5699 | 6.4448 | 9.7697 | 3.8395 | 14.9529 | 12.2994 | 6.5832 | 5.1211 | 7.5695 | 92.5838 | | |
| | S | 126.915 | 74.937 | 99.918 | 129.504 | 141.975 | 93.168 | 101.753 | 88.916 | 101.058 | 90.623 | 90.801 | 97.551 | 100.320 | | |
| 6 | T | 5.5270 | 7.1680 | 8.6166 | 4.5678 | 6.4433 | 9.8081 | 3.8601 | 14.8822 | 12.2895 | 6.5232 | 5.1383 | 7.5653 | 92.3894 | | |
| | S | 127.186 | 76.571 | 99.385 | 129.563 | 142.008 | 92.804 | 101.210 | 89.338 | 101.140 | 91.457 | 90.497 | 97.605 | 100.531 | | |
| 7 | T | 5.5466 | 7.2177 | 8.5772 | 4.5687 | 6.4589 | 9.7338 | 3.8650 | 14.9277 | 12.3521 | 6.7491 | 5.0715 | 7.6237 | 92.6920 | | |
| | S | 126.736 | 76.044 | 99.842 | 129.538 | 141.665 | 93.512 | 101.082 | 89.066 | 100.627 | 88.396 | 91.689 | 96.857 | 100.203 | | |
| 8 | T | 5.4861 | | | | | | 3.9929 | 15.4398 | 12.4599 | 6.7883 | 5.3825 | 7.8486 | 236.9149 | 147.1049 | 93.5405 |
| | S | 128.134 | | | | | | 97.844 | 86.112 | 99.756 | 87.885 | 86.391 | 94.082 | 39.204 | 9.657 | 91.605 |
| 9 | T | 5.4383 | 7.7273 | 8.6252 | 4.5726 | 6.5011 | 9.8302 | 3.8280 | 14.8256 | 12.3589 | 6.5864 | 5.1602 | 7.4890 | 92.9428 | | |
| | S | 129.260 | 71.029 | 99.286 | 129.427 | 140.745 | 92.595 | 102.059 | 89.679 | 100.572 | 90.579 | 90.113 | 98.599 | 99.932 | | |
| 10 | T | 5.4905 | 7.2890 | 8.6007 | 4.5961 | 6.5008 | 10.3931 | 3.8663 | 14.8277 | 12.2229 | 6.5011 | 5.1512 | 7.5168 | 92.9562 | | |
| | S | 128.031 | 75.300 | 99.569 | 128.765 | 140.752 | 87.580 | 101.048 | 89.666 | 101.691 | 91.768 | 90.270 | 98.235 | 99.918 | | |
| 11 | T | 5.5122 | 7.2433 | 8.4938 | 4.5815 | 6.4823 | 9.7640 | 3.8098 | 14.9334 | 12.1786 | 29.0207 | 5.4155 | 7.8834 | 115.3185 | | |
| | S | 127.527 | 75.775 | 100.822 | 129.176 | 141.154 | 93.223 | 102.547 | 89.032 | 102.061 | 20.557 | 85.865 | 93.666 | 80.542 | | |
| 12 | T | 5.5769 | 7.3532 | 8.5954 | 4.5441 | 6.4206 | 9.8057 | 3.8573 | 15.0093 | 12.2040 | 6.5904 | 5.0768 | 7.6111 | 92.6448 | | |
| | S | 126.048 | 74.643 | 99.630 | 130.239 | 142.510 | 92.826 | 101.284 | 88.581 | 101.848 | 90.524 | 91.593 | 97.017 | 100.254 | | |
| 13 | T | 5.5162 | 7.2282 | 8.5969 | 4.5389 | 6.4282 | 9.8027 | 3.8527 | 14.9173 | 12.4315 | 6.4603 | 5.1040 | 7.5464 | 92.4233 | | |
| | S | 127.435 | 75.934 | 99.613 | 130.388 | 142.342 | 92.855 | 101.405 | 89.128 | 99.984 | 92.347 | 91.105 | 97.849 | 100.494 | | |
| 14 | T | 5.4898 | | | | | | 4.7315 | 17.9931 | 14.4815 | 8.0893 | 6.0750 | 9.3104 | 264.1202 | 165.0413 | 103.2324 |
| | S | 128.047 | | | | | | 82.570 | 73.892 | 85.831 | 73.751 | 76.543 | 79.310 | 35.166 | 8.607 | 83.004 |
| 15 | T | 5.7966 | 8.0214 | 8.7018 | 4.5433 | 6.4144 | 10.3664 | 3.9614 | 15.3538 | 12.4559 | 6.6378 | 5.2611 | 7.6356 | 95.1495 | | |
| | S | 121.270 | 68.425 | 98.412 | 130.262 | 142.648 | 87.806 | 98.622 | 86.594 | 99.788 | 89.878 | 88.385 | 96.706 | 97.615 | | |
| 16 | T | 5.5292 | 7.3440 | 8.5641 | 4.5151 | 6.3879 | 10.2068 | 3.9268 | 15.1042 | 13.0705 | 7.6079 | 6.2180 | 7.6116 | 96.0861 | | |
| | S | 127.135 | 74.736 | 99.995 | 131.075 | 143.240 | 89.179 | 99.491 | 88.025 | 95.096 | 78.417 | 74.783 | 97.011 | 96.663 | | |
| 17 | T | 5.5414 | 7.2979 | 8.4999 | 4.5225 | 6.3902 | 9.7950 | 3.8113 | 14.8411 | 12.5423 | 6.5751 | 5.0523 | 7.4552 | 92.3242 | | |
| | S | 126.855 | 75.208 | 100.750 | 130.861 | 143.188 | 92.928 | 102.506 | 89.585 | 99.101 | 90.735 | 92.037 | 99.046 | 100.602 | | |
| 18 | T | 5.4944 | 7.0551 | 8.5692 | 4.5288 | 6.4256 | 9.6907 | 3.7929 | 14.7284 | 12.3390 | 6.4478 | 5.2075 | 7.7023 | 91.9817 | | |
| | S | 127.940 | 77.797 | 99.935 | 130.679 | 142.399 | 93.928 | 103.003 | 90.271 | 100.734 | 92.526 | 89.294 | 95.869 | 100.977 | | |
| 19 | T | 5.4172 | 7.4129 | 8.5125 | 4.5317 | 6.4271 | 9.7073 | 3.8096 | 14.7028 | 12.1729 | 6.4284 | 5.0400 | 7.5852 | 91.7476 | | |
| | S | 129.763 | 74.042 | 100.601 | 130.595 | 142.366 | 93.767 | 102.552 | 90.428 | 102.108 | 92.806 | 92.262 | 97.349 | 101.234 | | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.58 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 3

October 30, 2021

Section Data for Car 92 - Frazer, Billy (R)

| Lap | T/SF to PI | |
|-----|------------|---------|
| 1 | T | |
| | S | |
| 2 | T | |
| | S | |
| 3 | T | |
| | S | |
| 4 | T | |
| | S | |
| 5 | T | |
| | S | |
| 6 | T | |
| | S | |
| 7 | T | 89.4147 |
| | S | 95.187 |
| 8 | T | |
| | S | |
| 9 | T | |
| | S | |
| 10 | T | |
| | S | |
| 11 | T | |
| | S | |
| 12 | T | |
| | S | |
| 13 | T | 89.4527 |
| | S | 95.147 |
| 14 | T | |
| | S | |
| 15 | T | |
| | S | |
| 16 | T | |
| | S | |
| 17 | T | |
| | S | |
| 18 | T | |
| | S | |
| 19 | T | |
| | S | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.58 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 3

October 30, 2021

Section Data for Car 92 - Frazer, Billy (R)

| Lap | T/S I6 to I7 | I7 to I8 | I8 to I9 | I9 to SF | SF to I1 | I1 to I2 | I2 to I3A | I3A to I3 | I3 to I4 | I4 to I5A | I5A to I5 | I5 to I6 | Lap | PI to PO | PO to SF | |
|-----|--------------|----------|----------|----------|----------|----------|-----------|-----------|----------|-----------|-----------|----------|--------|----------|----------|--|
| 20 | T | 5.5211 | 7.2439 | 8.5945 | 4.5343 | 6.4272 | 9.6200 | 3.7984 | 14.8265 | 12.1728 | 6.3857 | 5.1118 | 7.4717 | 91.7079 | | |
| | S | 127.321 | 75.769 | 99.641 | 130.520 | 142.364 | 94.618 | 102.854 | 89.674 | 102.109 | 93.426 | 90.966 | 98.827 | 101.278 | | |
| 21 | T | 5.5047 | 7.2515 | 8.5498 | 4.5252 | 6.4367 | 9.7203 | 3.8026 | 14.7296 | 12.2810 | 6.5463 | 5.0545 | 7.5084 | 91.9106 | | |
| | S | 127.701 | 75.690 | 100.162 | 130.783 | 142.154 | 93.642 | 102.741 | 90.264 | 101.210 | 91.134 | 91.997 | 98.344 | 101.055 | | |
| 22 | T | 5.5028 | 7.2146 | 8.6084 | 4.5365 | 6.4351 | 9.7390 | 3.8214 | 14.7601 | 12.2897 | 6.5306 | 5.1470 | 7.5842 | 92.1694 | | |
| | S | 127.745 | 76.077 | 99.480 | 130.457 | 142.189 | 93.462 | 102.235 | 90.077 | 101.138 | 91.353 | 90.344 | 97.362 | 100.771 | | |
| 23 | T | 5.5385 | 7.2696 | 8.5949 | 4.5500 | 6.4691 | 9.7344 | 3.8575 | 14.7566 | 12.3694 | 6.5340 | 5.0795 | 7.5100 | 92.2635 | | |
| | S | 126.921 | 75.501 | 99.636 | 130.070 | 141.442 | 93.506 | 101.279 | 90.098 | 100.486 | 91.306 | 91.544 | 98.323 | 100.668 | | |
| 24 | T | 5.5007 | 7.2251 | 8.4893 | 4.5319 | 6.4843 | 9.7942 | 3.8386 | 14.8370 | 12.2318 | 6.4667 | 5.1204 | 7.6061 | 92.1261 | | |
| | S | 127.794 | 75.966 | 100.876 | 130.589 | 141.110 | 92.935 | 101.777 | 89.610 | 101.617 | 92.256 | 90.813 | 97.081 | 100.818 | | |
| 25 | T | 5.5739 | | | | | | | | | | | | | | |
| | S | 126.115 | | | | | | | | | | | | | | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.58 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 3

October 30, 2021

Section Data for Car 92 - Frazer, Billy (R)

| Lap | T/SF to PI | |
|-----|------------|---------|
| 20 | T | |
| | S | |
| 21 | T | |
| | S | |
| 22 | T | |
| | S | |
| 23 | T | |
| | S | |
| 24 | T | 89.8877 |
| | S | 94.686 |
| 25 | T | |
| | S | |

Event: Chris Griffis Memorial OT - Indy Pro 2000

Track: Indianapolis Motor Speedway RC

2.58 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Test Session 3

October 30, 2021

Section Data for Car

Report Support Information

| Section Legend | |
|----------------|----------------|
| Name | Length |
| I6 to I7 | 0.195265 miles |
| I7 to I8 | 0.152462 miles |
| I8 to I9 | 0.237879 miles |
| I9 to SF | 0.164394 miles |
| SF to I1 | 0.254167 miles |
| I1 to I2 | 0.252841 miles |
| I2 to I3A | 0.108523 miles |
| I3A to I3 | 0.369318 miles |
| I3 to I4 | 0.345265 miles |
| I4 to I5A | 0.165720 miles |
| I5A to I5 | 0.129167 miles |
| I5 to I6 | 0.205114 miles |
| I2 to I3 | 0.477841 miles |
| I4 to I5 | 0.294886 miles |
| Lap | 2.580000 miles |
| PI to PO | 0.394602 miles |
| PO to SF | 2.380208 miles |
| SF to PI | 2.364205 miles |
| PO to I2 | 0.307102 miles |
| I7 to PI | 0.338826 miles |
| PO to PI | 2.164299 miles |

| Color Legend | |
|--------------|-----------------------|
| | Fastest Lap |
| | Section Under Caution |
| | Section Under Green |
| | Section Time Data |
| | Section Speed Data |

