

Event: **Indy Pro 2000 WWT OT**  
Track: **World Wide Technology Raceway**  
Report: **Section Data Report**  
Session: **Test Session 3**

1.25 mile(s)



Indy Pro 2000 Championship  
August 28, 2020

Section Data for Car 1 - Eves, Braden (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI	
1	T	3.8947	3.5548	4.5185	4.2933	4.4060	5.4955	4.6164	4.0498	52.1281	140.8965	36.5330	35.0906
	S	148.979	121.986	115.284	132.606	129.369	120.222	127.313	142.600	86.326	7.602	109.534	111.782
2	T				4.7260	4.1921	5.1144	4.4230	4.0180	157.8251		33.9661	
	S				120.465	135.970	129.181	132.880	143.728	28.513		117.811	
3	T	3.8886	3.4257	4.2964	4.2089	3.9621	4.9004	4.3550	3.9964	33.0335			
	S	149.212	126.583	121.243	135.265	143.863	134.822	134.955	144.505	136.225			
4	T	3.8626	3.4379	4.2778	4.1717	3.9370	4.8777	4.4092	3.9934	32.9673			
	S	150.217	126.134	121.770	136.472	144.780	135.449	133.296	144.614	136.499			
5	T	3.8458	3.4275	4.2349	4.1572	3.9272	4.8533	4.3430	3.9780	32.7669			
	S	150.873	126.517	123.004	136.948	145.142	136.130	135.327	145.173	137.334			
6	T	3.8486	3.3916	4.2274	4.1490	3.9298	4.8980	4.3974	3.9898	32.8316			
	S	150.763	127.856	123.222	137.218	145.046	134.888	133.653	144.744	137.063			
7	T	3.8640	3.3956	4.2288	4.1535	3.9261	4.8868	4.3560	3.9680	32.7788			
	S	150.162	127.705	123.181	137.070	145.182	135.197	134.924	145.539	137.284			
8	T	3.8452	3.3598	4.2667	4.1487	3.9188	4.8111	4.3010	3.9607	32.6120			
	S	150.897	129.066	122.087	137.228	145.453	137.324	136.649	145.808	137.986			
9	T	3.8374	3.3930	4.2192	4.1402	3.9146	4.8498	4.3534	3.9768	32.6844			
	S	151.203	127.803	123.462	137.510	145.609	136.229	135.004	145.217	137.680			
10	T	3.8356	3.3692	4.2110	4.1235	3.9009	4.8156	4.3202	3.9478	32.5238			
	S	151.274	128.706	123.702	138.067	146.120	137.196	136.042	146.284	138.360			
11	T	3.8139	3.3603	4.2920	4.1382	3.8481	4.9332	4.4576	4.0267	32.8700			
	S	152.135	129.047	121.367	137.576	148.125	133.926	131.848	143.418	136.903			
12	T	3.8825	3.3580	4.2182	4.1441	3.9119	4.7704	4.3160	3.9495	32.5506			
	S	149.447	129.135	123.491	137.380	145.709	138.496	136.174	146.221	138.246			
13	T	3.8393	3.3551	4.2037	4.1378	4.6708				53.7646	471.3648		36.6242
	S	151.128	129.247	123.917	137.590	122.035				83.698	2.272		107.101
14	T				4.9467	4.1788	5.1782	4.4892	4.0529	491.2341		37.0097	
	S				115.091	136.403	127.589	130.920	142.491	9.161		108.123	
15	T	3.8850	3.6646	4.3413	4.1146	3.8112	5.1578	4.4874	4.0040	33.4659			
	S	149.351	118.331	119.989	138.365	149.559	128.094	130.973	144.231	134.465			
16	T	3.8381	3.5835	4.4263	4.1992	3.8102	4.9734	4.3945	3.9909	33.2161			
	S	151.176	121.009	117.685	135.578	149.598	132.843	133.742	144.704	135.476			
17	T	3.8499	3.5550	4.2687	4.0791	3.8534	5.0060	4.4379	4.0259	33.0759			
	S	150.712	121.979	122.030	139.570	147.921	131.978	132.434	143.446	136.051			
18	T	3.8910	3.3992	4.2291	4.0882	3.8428	4.7674	4.2853	3.9698	32.4728			
	S	149.120	127.570	123.173	139.259	148.329	138.583	137.150	145.473	138.578			
19	T	3.8535	3.4455	4.2142	4.0925	3.8727	4.8657	4.3704	4.0251	32.7396			
	S	150.571	125.856	123.608	139.113	147.184	135.784	134.479	143.475	137.448			

Event: **Indy Pro 2000 WWT OT**  
Track: **World Wide Technology Raceway**  
Report: **Section Data Report**  
Session: **Test Session 3**

1.25 mile(s)



Indy Pro 2000 Championship  
August 28, 2020

Section Data for Car 1 - Eves, Braden (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	3.9147	3.3844	4.1175	4.0765	3.8637	4.7475	4.3093	4.0030	32.4166		
	S	148.218	128.128	126.511	139.659	147.527	139.164	136.386	144.267	138.818		
21	T	3.8998	3.3440	4.1546	4.0679	3.8552	4.8656	4.4179	4.0432	32.6482		
	S	148.784	129.676	125.381	139.954	147.852	135.786	133.033	142.832	137.833		
22	T	3.9236	3.3862	4.3164	4.1716	4.0786				50.8559	232.8330	33.8355
	S	147.881	128.060	120.681	136.475	139.754				88.485	4.600	115.929
23	T				4.6816	4.1158	4.9893	4.4150	4.0521	249.6867		33.8741
	S				121.608	138.491	132.420	133.121	142.519	18.023		118.131
24	T	3.9358	3.4387	4.2620	4.1534	3.9018	4.8748	4.3706	4.0116	32.9487		
	S	147.423	126.105	122.222	137.073	146.086	135.530	134.473	143.958	136.576		
25	T	3.9001	3.3961	4.1509	4.0980	3.8742	4.7627	4.3166	3.9807	32.4793		
	S	148.772	127.687	125.493	138.926	147.127	138.720	136.155	145.075	138.550		
26	T	3.8818	3.3651	4.1358	4.0859	3.8682	4.7129	4.2764	3.9561	32.2822		
	S	149.474	128.863	125.951	139.337	147.355	140.186	137.435	145.977	139.396		
27	T	3.8692	3.3519	4.2609	4.1427	3.8938	4.7869	4.3275	3.9763	32.6092		
	S	149.961	129.370	122.253	137.427	146.387	138.019	135.812	145.236	137.998		
28	T	3.8697	3.3504	4.1375	4.0836	3.8747	4.7371	4.3649	3.9708	32.3887		
	S	149.941	129.428	125.899	139.416	147.108	139.470	134.649	145.437	138.937		
29	T	3.8443	3.5053	4.4581	4.2048	4.1542				50.5640	152.2488	33.6096
	S	150.932	123.709	116.846	135.397	137.211				88.996	7.035	116.708
30	T				4.7215	4.1673	5.0627	4.4479	4.0328	169.7009		34.4065
	S				120.580	136.779	130.500	132.136	143.201	26.517		116.303
31	T	3.9031	3.3583	4.1466	4.1104	3.9100	4.7724	4.3686	3.9755	32.5449		
	S	148.658	129.124	125.623	138.507	145.780	138.438	134.534	145.265	138.271		
32	T	3.8641	3.3084	4.1366	4.1028	3.9116	4.7791	4.3097	3.9634	32.3757		
	S	150.158	131.071	125.927	138.763	145.720	138.244	136.373	145.708	138.993		
33	T	3.8453	3.3120	4.1099	4.0930	3.9096	4.7102	4.2542	3.9344	32.1686		
	S	150.893	130.929	126.745	139.096	145.795	140.266	138.152	146.782	139.888		
34	T	3.8233	3.3033	4.1941	4.1170	3.9081	4.6985	4.3018	3.9428	32.2889		
	S	151.761	131.274	124.200	138.285	145.851	140.615	136.624	146.470	139.367		
35	T	3.8258	3.2828	4.1268	4.0945	3.8956	4.7102	4.2843	3.9387	32.1587		
	S	151.662	132.093	126.226	139.045	146.319	140.266	137.182	146.622	139.931		
36	T	3.8275	3.2664	4.3198	4.1541	3.9242	4.7916	4.3226	3.9621	32.5683		
	S	151.594	132.757	120.586	137.050	145.253	137.883	135.966	145.756	138.171		
37	T	3.8486	3.3268	4.1301	4.0954	3.8997	4.7175	4.2738	3.9288	32.2207		
	S	150.763	130.346	126.125	139.014	146.165	140.049	137.519	146.991	139.662		
38	T	3.8267	3.3024	4.1453	4.0975	3.9042	4.6828	4.2586	3.9135	32.1310		
	S	151.626	131.309	125.663	138.943	145.997	141.087	138.010	147.566	140.052		

Event: **Indy Pro 2000 WWT OT**  
Track: **World Wide Technology Raceway**  
Report: **Section Data Report**  
Session: **Test Session 3**

1.25 mile(s)



**Indy Pro 2000 Championship**  
**August 28, 2020**

**Section Data for Car 1 - Eves, Braden (R)**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	T	3.8664	3.6191	4.4830	4.2762	4.3535				51.9786	140.4227	34.9229
	S	150.069	119.819	116.197	133.136	130.929				86.574	7.628	112.319
40	T				4.6964	4.1429	4.9926	4.3408	3.9497	156.8194		33.4524
	S				121.224	137.585	132.332	135.396	146.214	28.695		119.620
41	T	3.7859	3.4055	4.2291	4.0868	3.8194	4.9043	4.3766	3.9763	32.5839		
	S	153.260	127.334	123.173	139.307	149.238	134.715	134.289	145.236	138.105		
42	T	3.8334	3.3316	4.1393	4.1040	3.9081	4.7140	4.2795	3.9229	32.2328		
	S	151.361	130.159	125.845	138.723	145.851	140.153	137.336	147.213	139.609		
43	T	3.7921	3.2782	4.1262	4.0862	3.8961	4.7071	4.2702	3.9167	32.0728		
	S	153.009	132.279	126.244	139.327	146.300	140.359	137.635	147.446	140.306		
44	T	3.7781	3.2997	4.1997	4.0746	3.8764	4.6873	4.2724	3.9097	32.0979		
	S	153.576	131.417	124.035	139.724	147.044	140.951	137.564	147.710	140.196		
45	T	3.7617	3.2890	4.1626	4.0715	3.8710	4.6749	4.2491	3.9037	31.9835		
	S	154.246	131.844	125.140	139.830	147.249	141.325	138.318	147.937	140.698		
46	T	3.7568	3.2716	4.0902	4.0448	3.8514	4.6726	4.2383	3.8985	31.8242		
	S	154.447	132.546	127.355	140.753	147.998	141.395	138.671	148.134	141.402		
47	T	4.0834	4.4992	5.8493	5.8899	6.1460						47.7891
	S	142.094	96.381	89.055	96.660	92.743						82.079

Event: **Indy Pro 2000 WWT OT**  
Track: **World Wide Technology Raceway**  
Report: **Section Data Report**  
Session: **Test Session 3**

1.25 mile(s)



Indy Pro 2000 Championship  
August 28, 2020

Section Data for Car 17 - DeFrancesco, Devlin (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	3.8361	3.4841	4.2693	4.2120	3.9412	4.8047	4.2830	3.9632	32.7936		33.8755
	S	151.254	124.462	122.013	135.166	144.626	137.507	137.223	145.716	137.222		118.126
2	T	3.8319	3.3846	4.2356	4.1722	3.9246	4.7025	4.2631	3.9430	32.4575		
	S	151.420	128.120	122.984	136.455	145.238	140.496	137.864	146.462	138.643		
3	T	3.8186	3.3713	4.1744	4.1401	3.9066	4.6715	4.2275	3.9286	32.2386		
	S	151.948	128.626	124.787	137.513	145.907	141.428	139.025	146.999	139.584		
4	T	3.8019	3.4363	4.4364	4.6389	6.3092				59.9908	179.1687	43.0954
	S	152.615	126.193	117.417	122.727	90.344				75.012	5.978	91.019
5	T				4.7561	4.3466	5.0880	4.3182	3.9460	196.4465		34.1732
	S				119.703	131.137	129.851	136.105	146.351	22.907		117.097
6	T	3.8349	3.4584	4.1934	4.1334	3.8972	4.7634	4.2799	3.9632	32.5238		
	S	151.302	125.386	124.221	137.736	146.259	138.700	137.323	145.716	138.360		
7	T	3.8236	3.4081	4.1516	4.0909	3.8500	4.7455	4.2749	3.9848	32.3294		
	S	151.749	127.237	125.472	139.167	148.052	139.223	137.483	144.926	139.192		
8	T	3.8910	3.8201	4.8922	5.2219	6.1980				62.1127	580.6165	44.9944
	S	149.120	113.514	106.477	109.025	91.965				72.449	1.845	87.178
9	T				5.0162	4.2424	5.1780	4.3572	3.9797	602.6478		39.1496
	S				113.496	134.358	127.594	134.886	145.111	7.467		102.213
10	T	3.8792	3.4879	4.1886	4.1024	3.8611	4.7643	4.2945	3.9907	32.5687		
	S	149.574	124.326	124.364	138.777	147.626	138.673	136.856	144.711	138.169		
11	T	3.8754	3.4430	4.2364	4.1167	3.8635	4.6700	4.2473	3.9531	32.4054		
	S	149.721	125.947	122.960	138.295	147.535	141.474	138.377	146.088	138.866		
12	T	3.8444	3.4116	4.1786	4.0821	3.8407	4.7046	4.7653	4.2717	33.0990		
	S	150.928	127.106	124.661	139.467	148.410	140.433	123.335	135.192	135.956		
13	T	4.0506	3.7836	4.6823	4.4112	4.8184				60.5938	538.9728	43.4796
	S	143.245	114.609	111.251	129.062	118.297				74.265	1.987	90.215
14	T				4.9328	4.2164	5.0941	4.3453	3.9656	557.8420		35.9834
	S				115.415	135.186	129.695	135.256	145.627	8.067		111.207
15	T	3.8807	3.5779	4.2697	4.1866	3.9071	4.8997	4.3399	3.9962	33.0578		
	S	149.516	121.199	122.001	135.986	145.888	134.841	135.424	144.512	136.125		
16	T	3.8595	3.5004	4.2111	4.1476	3.8902	4.8053	4.2970	3.9576	32.6687		
	S	150.337	123.882	123.699	137.264	146.522	137.490	136.776	145.922	137.747		
17	T	3.8209	3.4231	4.2047	4.1292	3.8757	4.7786	4.3137	3.9735	32.5194		
	S	151.856	126.679	123.887	137.876	147.070	138.258	136.247	145.338	138.379		
18	T	3.8283	3.4793	4.1984	4.1117	3.8615	4.7210	4.2628	3.9325	32.3955		
	S	151.563	124.633	124.073	138.463	147.611	139.945	137.874	146.853	138.908		
19	T	3.7930	3.4107	4.1929	4.1099	3.8618	4.6980	4.2735	3.9373	32.2771		
	S	152.973	127.140	124.236	138.524	147.600	140.630	137.528	146.674	139.418		

Event: **Indy Pro 2000 WWT OT**  
Track: **World Wide Technology Raceway**  
Report: **Section Data Report**  
Session: **Test Session 3**

1.25 mile(s)



**Indy Pro 2000 Championship**  
**August 28, 2020**

**Section Data for Car 17 - DeFrancesco, Devlin (R)**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	3.8035	3.4101	4.2217	4.1304	3.8764	4.7048	4.3403	3.9814	32.4686		
	S	152.551	127.162	123.388	137.836	147.044	140.427	135.412	145.049	138.595		
21	T	3.8325	3.4482	4.1673	4.1064	3.8748	4.7139	4.2981	3.9648	32.4060		
	S	151.397	125.757	124.999	138.642	147.104	140.156	136.741	145.657	138.863		
22	T	3.8324	3.4348	4.1825	4.1294	3.8847	4.7394	4.2753	3.9534	32.4319		
	S	151.400	126.248	124.545	137.869	146.729	139.402	137.470	146.077	138.752		
23	T	3.8151	3.4419	4.2046	4.1379	3.8665	4.8988	4.3585	3.9103	32.6336		
	S	152.087	125.987	123.890	137.586	147.420	134.866	134.846	147.687	137.895		
24	T	3.8125	3.6134	4.3115	4.1558	3.8360	4.8062	4.3489	3.9656	32.8499		
	S	152.191	120.008	120.819	136.994	148.592	137.464	135.144	145.627	136.987		
25	T	3.8420	3.5137	4.2672	4.1728	3.8894	4.7491	4.2960	3.9541	32.6843		
	S	151.022	123.413	122.073	136.436	146.552	139.117	136.808	146.051	137.681		
26	T	3.8253	3.4225	4.2156	4.1220	3.8631	4.6783	4.2570	3.9274	32.3112		
	S	151.682	126.702	123.567	138.117	147.550	141.223	138.061	147.044	139.271		
27	T	3.7995	3.4286	4.2119	4.1284	3.8724	4.7111	4.2935	3.9422	32.3876		
	S	152.711	126.476	123.676	137.903	147.196	140.239	136.888	146.492	138.942		
28	T	3.8438	3.8092	4.8806	4.9778	6.2275				60.9021	239.9570	44.0157
	S	150.951	113.839	106.731	114.371	91.530				73.889	4.464	89.116
29	T				4.7759	4.1466	4.9166	4.2672	3.9234	257.5478		34.4772
	S				119.206	137.462	134.378	137.731	147.194	17.472		116.065
30	T	3.7762	3.3705	4.1388	4.0903	3.8711	4.6895	4.2457	3.9192	32.1013		
	S	153.654	128.656	125.860	139.187	147.245	140.885	138.429	147.352	140.181		
31	T	3.7609	3.3545	4.1340	4.0725	3.8517	4.6597	4.2215	3.9131	31.9679		
	S	154.279	129.270	126.006	139.796	147.987	141.786	139.222	147.581	140.766		
32	T	3.7542	3.3442	4.2016	4.0951	3.8677	4.7669	4.2874	3.9550	32.2721		
	S	154.554	129.668	123.979	139.024	147.374	138.598	137.082	146.018	139.439		
33	T	4.2905	4.5351	5.6280	5.5662	6.4723						47.6102
	S	135.235	95.618	92.557	102.281	88.068						82.388

Event: **Indy Pro 2000 WWT OT**  
Track: **World Wide Technology Raceway**  
Report: **Section Data Report**  
Session: **Test Session 3**

1.25 mile(s)



Indy Pro 2000 Championship  
August 28, 2020

Section Data for Car 18 - McElrea, Hunter (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	3.9416	3.5609	4.4040	4.2469	3.9505	5.0027	4.4184	4.0124	33.5374		36.7405
	S	147.206	121.777	118.281	134.055	144.286	132.065	133.018	143.929	134.179		108.915
2	T	3.8809	3.4483	4.5214	4.3108	3.9647	4.9823	4.4100	4.0255	33.5439		
	S	149.508	125.754	115.210	132.068	143.769	132.606	133.271	143.460	134.153		
3	T	3.8716	3.4153	4.6236	4.9192	6.0158				58.4540	169.4790	40.7987
	S	149.868	126.969	112.663	115.734	94.750				76.984	6.320	96.143
4	T				5.1501	4.7686	5.2491	4.4106	3.9970	186.8078		34.9841
	S				110.545	119.532	125.866	133.253	144.483	24.089		114.383
5	T	3.8998	3.4981	4.4170	4.2286	3.9242	4.9207	4.3545	3.9803	33.2232		
	S	148.784	123.963	117.933	134.635	145.253	134.266	134.970	145.090	135.448		
6	T	3.8805	3.4646	4.3027	4.1825	3.9041	4.8206	4.3413	3.9656	32.8619		
	S	149.524	125.162	121.066	136.119	146.000	137.054	135.380	145.627	136.937		
7	T	3.8754	3.4961	4.3260	4.1879	3.9069	4.8534	4.3301	3.9775	32.9533		
	S	149.721	124.034	120.414	135.944	145.896	136.128	135.731	145.192	136.557		
8	T	3.8698	3.5859	4.4187	4.3401	5.3272				53.7383	601.0069	37.0828
	S	149.937	120.928	117.887	131.176	106.998				83.739	1.782	105.777
9	T				5.2603	4.3108	5.3719	4.5144	4.0554	622.5560		38.2046
	S				108.229	132.226	122.988	130.189	142.403	7.228		104.741
10	T	3.9846	3.5905	4.2904	4.1205	3.8325	4.9773	4.4303	4.0624	33.2885		
	S	145.617	120.773	121.413	138.167	148.728	132.739	132.661	142.157	135.182		
11	T	3.9707	3.5308	4.3084	4.1814	3.8942	4.8758	4.3500	4.0123	33.1236		
	S	146.127	122.815	120.905	136.155	146.372	135.502	135.110	143.932	135.855		
12	T	3.9319	3.5042	4.3305	4.2095	3.8994	4.8166	4.3359	4.0058	33.0338		
	S	147.569	123.748	120.288	135.246	146.176	137.168	135.549	144.166	136.224		
13	T	3.9065	3.4763	4.2729	4.1277	3.8612	4.7607	4.3907	4.0163	32.8123		
	S	148.529	124.741	121.910	137.926	147.623	138.778	133.857	143.789	137.144		
14	T	3.9006	3.4490	4.2633	4.1364	3.8643	4.8474	4.3577	4.0261	32.8448		
	S	148.753	125.728	122.184	137.636	147.504	136.296	134.871	143.439	137.008		
15	T	3.9211	3.4618	4.2934	4.1760	3.8948	4.8759	4.3429	4.0255	32.9914		
	S	147.976	125.263	121.328	136.331	146.349	135.499	135.331	143.460	136.399		
16	T	3.9282	3.5198	4.2772	4.5037	5.7475				53.9483	128.9475	37.2759
	S	147.708	123.199	121.787	126.411	99.174				83.413	8.307	105.229
17	T				4.7618	4.1444	5.1282	4.3716	4.0084	146.5752		34.3001
	S				119.559	137.535	128.833	134.442	144.072	30.701		116.664
18	T	3.9477	3.4854	4.3018	4.1854	3.9028	4.8531	4.3256	4.0039	33.0057		
	S	146.979	124.415	121.091	136.025	146.049	136.136	135.872	144.234	136.340		
19	T	3.9347	3.5046	4.2740	4.1756	3.8993	4.7832	4.3423	4.0089	32.9226		
	S	147.464	123.733	121.879	136.344	146.180	138.125	135.349	144.054	136.684		

Event: **Indy Pro 2000 WWT OT**  
Track: **World Wide Technology Raceway**  
Report: **Section Data Report**  
Session: **Test Session 3**

1.25 mile(s)



Indy Pro 2000 Championship  
August 28, 2020

Section Data for Car 18 - McElrea, Hunter (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	3.9219	3.4531	4.2778	4.1543	3.8854	4.7817	4.3139	3.9872	32.7753		
	S	147.945	125.579	121.770	137.043	146.703	138.169	136.240	144.838	137.299		
21	T	3.9028	3.4410	4.3477	4.1945	3.8983	4.8068	4.3547	4.0158	32.9616		
	S	148.669	126.020	119.813	135.730	146.218	137.447	134.964	143.807	136.522		
22	T	4.0104	3.6779	4.5876	4.5973	5.1470				52.2807	173.5720	35.6480
	S	144.681	117.903	113.547	123.838	110.744				86.074	6.171	110.034
23	T				4.7790	4.1487	4.9957	4.3891	4.0004	190.5358	33.5965	
	S				119.129	137.392	132.250	133.906	144.361	23.618	119.107	
24	T	3.8891	3.4672	4.3818	4.1773	3.8976	4.8004	4.4334	4.0026	33.0494		
	S	149.193	125.068	118.880	136.289	146.244	137.631	132.568	144.281	136.160		
25	T	3.8833	3.5287	4.4469	4.5353	4.9673				52.3576	149.7326	35.6800
	S	149.416	122.888	117.140	125.530	114.750				85.947	7.154	109.936
26	T				4.7760	4.1592	4.9660	4.3656	3.9995	166.6849	33.6299	
	S				119.204	137.046	133.041	134.627	144.393	26.997	118.989	
27	T	3.8964	3.4714	4.2459	4.1554	3.9046	4.7837	4.5473	4.1175	33.1222		
	S	148.914	124.917	122.685	137.007	145.982	138.111	129.248	140.255	135.861		
28	T	4.1071	3.7138	4.6542	4.4388	4.8273				52.4662	92.9615	35.7927
	S	141.274	116.764	111.922	128.259	118.078				85.770	11.522	109.589
29	T				5.4008	4.4384	5.2334	4.3807	3.9672	110.9883	34.7003	
	S				105.414	128.425	126.243	134.163	145.569	40.545	115.319	
30	T	3.8548	3.4021	4.3517	4.1549	3.8706	4.9007	4.3701	3.9604	32.8653		
	S	150.521	127.461	119.702	137.023	147.264	134.814	134.488	145.819	136.923		
31	T	3.8208	3.4154	4.4354	4.2155	3.8893	4.9097	4.4453	4.0081	33.1395		
	S	151.860	126.965	117.444	135.054	146.556	134.567	132.213	144.083	135.790		
32	T	3.8580	3.5056	4.5279	4.3587	4.2806				50.9875	80.5838	34.3380
	S	150.396	123.698	115.044	130.617	133.159				88.257	13.292	114.232
33	T				4.6906	4.1317	4.9205	4.3279	3.9647	97.0208	33.0865	
	S				121.374	137.958	134.271	135.800	145.660	46.382	120.943	
34	T	3.8646	3.4641	4.2381	4.1557	3.9189	4.7246	4.2723	3.9287	32.5670		
	S	150.139	125.180	122.911	136.997	145.449	139.839	137.567	146.995	138.177		
35	T	3.8238	3.3649	4.2034	4.1339	3.9024	4.7324	4.2898	3.9290	32.3796		
	S	151.741	128.871	123.926	137.719	146.064	139.608	137.006	146.984	138.976		
36	T	3.8258	3.3776	4.2744	4.1648	3.9156	4.7358	4.2741	3.9290	32.4971		
	S	151.662	128.386	121.867	136.698	145.572	139.508	137.509	146.984	138.474		
37	T	3.8206	3.3837	4.2529	4.1526	3.9081	4.6938	4.2709	3.9288	32.4114		
	S	151.868	128.154	122.483	137.099	145.851	140.756	137.612	146.991	138.840		
38	T	4.0735	3.7278	4.5562	4.4619	5.4140						41.1219
	S	142.439	116.325	114.330	127.595	105.283						95.387

Event: **Indy Pro 2000 WWT OT**  
Track: **World Wide Technology Raceway**  
Report: **Section Data Report**  
Session: **Test Session 3**

1.25 mile(s)



Indy Pro 2000 Championship  
August 28, 2020

Section Data for Car 19 - Kaminsky, Colin (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	3.9489	3.5264	4.4179	4.2938	3.9871	4.9445	4.5560	4.1029	33.7775		38.0121
	S	146.934	122.969	117.909	132.591	142.961	133.620	129.001	140.754	133.225		105.272
2	T	3.9312	3.4446	4.4933	4.2998	3.9837	4.8639	4.4760	4.0495	33.5420		
	S	147.595	125.889	115.930	132.406	143.083	135.834	131.306	142.610	134.160		
3	T	3.8868	3.4902	4.8345	5.1208	5.7521				57.4529	119.8171	40.1260
	S	149.281	124.244	107.748	111.178	99.094				78.325	8.940	97.755
4	T				4.7622	4.1757	5.0811	4.5431	4.1102	137.3491		34.8589
	S				119.549	136.504	130.027	129.367	140.504	32.763		114.794
5	T	3.9802	3.5161	4.3975	4.2425	3.9528	4.9181	4.4627	4.0434	33.5133		
	S	145.778	123.329	118.456	134.194	144.202	134.337	131.698	142.825	134.275		
6	T	3.9143	3.4268	4.3531	4.2123	3.9334	4.8245	4.4090	4.0005	33.0739		
	S	148.233	126.543	119.664	135.156	144.913	136.943	133.302	144.357	136.059		
7	T	3.8635	3.4428	4.3564	4.2205	3.9403	4.9062	4.4184	4.0120	33.1601		
	S	150.182	125.955	119.573	134.894	144.659	134.663	133.018	143.943	135.705		
8	T	3.9050	3.4541	4.3230	4.1979	3.9266	4.9116	4.4155	4.0117	33.1454		
	S	148.586	125.543	120.497	135.620	145.164	134.515	133.105	143.954	135.765		
9	T	3.8972	3.4479	4.2975	4.1772	3.9019	4.8975	4.4252	4.0145	33.0589		
	S	148.883	125.768	121.212	136.292	146.083	134.902	132.814	143.854	136.121		
10	T	3.8986	3.4600	4.3761	4.2023	4.8187				52.8819	581.5632	35.5447
	S	148.830	125.328	119.035	135.478	118.289				85.095	1.842	110.354
11	T				5.4254	5.1364	5.4482	4.5974	4.1108	603.5843		39.3583
	S				104.936	110.973	121.266	127.839	140.484	7.455		101.671
12	T	4.0720	3.6513	4.4378	4.2348	4.3189	5.4582	4.9741	4.6107	35.7578		
	S	142.492	118.762	117.380	134.438	131.978	121.044	118.158	125.252	125.847		
13	T	4.3125	3.6485	4.4239	4.2313	3.9235	4.8882	4.4251	4.0727	33.9257		
	S	134.545	118.853	117.749	134.549	145.278	135.159	132.817	141.798	132.643		
14	T	3.9690	3.4836	4.3168	4.1654	3.8897	4.8116	4.4078	4.0358	33.0797		
	S	146.190	124.479	120.670	136.678	146.541	137.310	133.338	143.094	136.035		
15	T	3.9364	3.4633	4.3795	4.1769	3.8951	4.8626	4.4190	4.0533	33.1861		
	S	147.400	125.209	118.943	136.302	146.338	135.870	133.000	142.477	135.599		
16	T	3.9431	3.4522	4.3443	4.1812	3.8949	4.8315	4.4282	4.0521	33.1275		
	S	147.150	125.612	119.906	136.161	146.345	136.745	132.724	142.519	135.839		
17	T	3.9400	3.4619	4.3077	4.1586	3.8832	4.8125	4.4417	4.0666	33.0722		
	S	147.266	125.260	120.925	136.901	146.786	137.285	132.320	142.011	136.066		
18	T	3.9405	3.4182	4.3411	4.1799	3.8944	4.8775	4.3911	4.0448	33.0875		
	S	147.247	126.861	119.995	136.204	146.364	135.455	133.845	142.776	136.003		
19	T	3.9395	3.4686	4.3305	4.2328	5.3569				54.6497	106.4534	37.3853
	S	147.284	125.018	120.288	134.502	106.405				82.343	10.062	104.921



Event: **Indy Pro 2000 WWT OT**  
Track: **World Wide Technology Raceway**  
Report: **Section Data Report**  
Session: **Test Session 3**

1.25 mile(s)



Indy Pro 2000 Championship  
August 28, 2020

Section Data for Car 19 - Kaminsky, Colin (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T			4.7729	4.1436	5.1688	4.4819	4.0677	123.5985		34.4095	
	S			119.281	137.562	127.821	131.134	141.972	36.408		116.293	
21	T	4.0211	3.5679	4.3668	4.2149	3.9190	4.8835	4.4303	4.0620	33.4655		
	S	144.296	121.538	119.289	135.073	145.445	135.289	132.661	142.171	134.467		
22	T	3.9557	3.4511	4.3346	4.1880	3.9058	4.8052	4.5556	4.1209	33.3169		
	S	146.681	125.652	120.175	135.940	145.937	137.493	129.012	140.139	135.067		
23	T	3.9640	3.4102	4.3613	4.2026	3.9140	4.8499	4.4090	4.0574	33.1684		
	S	146.374	127.159	119.439	135.468	145.631	136.226	133.302	142.333	135.671		
24	T	3.9342	3.4259	4.3327	4.1882	3.8978	4.8295	4.3790	4.0323	33.0196		
	S	147.483	126.576	120.227	135.934	146.236	136.801	134.215	143.219	136.283		
25	T	3.9140	3.4343	4.2708	4.1527	3.8819	4.8452	4.4076	4.0433	32.9498		
	S	148.244	126.266	121.970	137.096	146.835	136.358	133.344	142.829	136.571		
26	T	3.9128	3.3999	4.3059	4.1726	3.8907	4.8043	4.4453	4.0393	32.9708		
	S	148.290	127.544	120.976	136.442	146.503	137.519	132.213	142.970	136.484		
27	T	3.9212	3.4154	4.3989	4.3326	3.9619	4.8406	4.4407	4.0433	33.3546		
	S	147.972	126.965	118.418	131.403	143.870	136.488	132.350	142.829	134.914		
28	T	3.9180	3.4004	4.3104	4.1778	3.8999	4.8016	4.4131	4.0153	32.9365		
	S	148.093	127.525	120.849	136.272	146.158	137.596	133.178	143.825	136.627		
29	T	3.9038	3.4283	4.3335	4.2421	5.0968				54.2509	150.3761	36.6956
	S	148.631	126.487	120.205	134.207	111.835				82.948	7.123	106.893
30	T				4.7667	4.1429	5.0147	4.4460	4.0471	166.9795		34.1587
	S				119.437	137.585	131.749	132.192	142.695	26.949		117.147
31	T	3.9416	3.4856	4.3471	4.1935	3.9184	4.8165	4.4040	4.0026	33.1093		
	S	147.206	124.408	119.829	135.762	145.468	137.171	133.453	144.281	135.913		
32	T	3.8812	3.3964	4.2725	4.1655	3.9085	4.7965	4.3921	4.0015	32.8142		
	S	149.497	127.675	121.921	136.675	145.836	137.742	133.815	144.321	137.136		
33	T	3.8788	3.3825	4.2892	4.1764	3.9170	4.8171	4.3985	4.0019	32.8614		
	S	149.589	128.200	121.447	136.318	145.520	137.153	133.620	144.306	136.939		
34	T	3.8626	3.4052	4.3629	4.2026	3.9164	4.7739	4.4029	4.0056	32.9321		
	S	150.217	127.345	119.395	135.468	145.542	138.395	133.486	144.173	136.645		
35	T	3.8679	3.4268	4.3150	4.1819	3.9094	4.7993	4.3832	3.9972	32.8807		
	S	150.011	126.543	120.721	136.139	145.802	137.662	134.086	144.476	136.858		
36	T	3.8567	3.3764	4.3469	4.1847	3.9166	4.8209	4.4036	3.9968	32.9026		
	S	150.447	128.432	119.835	136.048	145.534	137.045	133.465	144.491	136.767		
37	T	3.8682	3.3848	4.3915	4.3469	5.1228				53.9334	108.0972	36.1945
	S	149.999	128.113	118.618	130.971	111.267				83.436	9.909	108.373
38	T				4.7278	4.1620	4.9658	4.4182	4.0212	124.3214		33.9631
	S				120.419	136.953	133.046	133.024	143.614	36.197		117.822

Event: **Indy Pro 2000 WWT OT**  
Track: **World Wide Technology Raceway**  
Report: **Section Data Report**  
Session: **Test Session 3**

1.25 mile(s)



**Indy Pro 2000 Championship**  
**August 28, 2020**

**Section Data for Car 19 - Kaminsky, Colin (R)**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	T	3.8982	3.4410	4.3004	4.1939	3.9354	4.8068	4.3505	3.9785	32.9047		
	S	148.845	126.020	121.130	135.749	144.839	137.447	135.094	145.155	136.759		
40	T	3.8460	3.3651	4.2547	4.1525	3.9034	4.7826	4.3618	3.9724	32.6385		
	S	150.865	128.863	122.431	137.103	146.027	138.143	134.744	145.378	137.874		
41	T	3.8307	3.3428	4.3097	4.1863	3.9090	4.8150	4.3789	3.9846	32.7570		
	S	151.468	129.722	120.869	135.996	145.817	137.213	134.218	144.933	137.375		
42	T	3.8427	3.3672	4.2919	4.1775	3.9017	4.7557	4.3351	3.9548	32.6266		
	S	150.995	128.782	121.370	136.282	146.090	138.924	135.574	146.025	137.924		
43	T	3.8279	3.3543	4.3203	4.1806	3.8965	4.7728	4.3940	3.9631	32.7095		
	S	151.578	129.278	120.572	136.181	146.285	138.426	133.757	145.719	137.575		
44	T	3.8255	3.3437	4.3403	4.1925	3.9148	4.7423	4.3891	3.9794	32.7276		
	S	151.674	129.688	120.017	135.794	145.601	139.317	133.906	145.122	137.499		
45	T	3.8413	3.3577	4.3659	4.1921	3.9079	4.8020	4.3597	3.9773	32.8039		
	S	151.050	129.147	119.313	135.807	145.858	137.585	134.809	145.199	137.179		
46	T	3.8316	3.3737	4.2817	4.1578	3.8879	4.7875	4.3537	3.9667	32.6406		
	S	151.432	128.534	121.659	136.928	146.609	138.001	134.995	145.587	137.865		
47	T	3.8229	3.3563	4.2751	4.1482	3.8921	4.7505	4.3566	3.9759	32.5776		
	S	151.777	129.201	121.847	137.245	146.451	139.076	134.905	145.250	138.132		
48	T	4.3595	4.0731	4.9326	5.0048	5.7598						40.9527
	S	133.095	106.463	105.605	113.754	98.962						95.781

Event: **Indy Pro 2000 WWT OT**  
Track: **World Wide Technology Raceway**  
Report: **Section Data Report**  
Session: **Test Session 3**

1.25 mile(s)



Indy Pro 2000 Championship  
August 28, 2020

Section Data for Car 2 - Robb, Sting Ray

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	3.8560	3.4653	4.4238	4.2505	3.9601	5.0171	4.5125	4.0532	33.5385		34.2293
	S	150.474	125.137	117.752	133.941	143.936	131.686	130.244	142.480	134.174		116.905
2	T	3.8630	3.4134	4.4525	4.2509	3.9500	4.8444	4.4000	3.9937	33.1679		
	S	150.201	127.039	116.992	133.929	144.304	136.381	133.574	144.603	135.673		
3	T	3.8296	3.3646	4.2209	4.1366	3.9010	4.7541	4.3595	3.9682	32.5345		
	S	151.511	128.882	123.412	137.629	146.116	138.971	134.815	145.532	138.315		
4	T	3.8218	3.3574	4.2371	4.1407	3.9073	4.7265	4.2759	3.9277	32.3944		
	S	151.820	129.158	122.940	137.493	145.881	139.782	137.451	147.033	138.913		
5	T	3.7947	3.3373	4.1696	4.1136	3.8934	4.7267	4.2759	3.9258	32.2370		
	S	152.905	129.936	124.930	138.399	146.402	139.777	137.451	147.104	139.591		
6	T	3.7984	3.3642	4.1998	4.1299	3.9011	4.7191	4.2584	3.9189	32.2898		
	S	152.756	128.897	124.032	137.853	146.113	140.002	138.016	147.363	139.363		
7	T	3.7834	3.3851	4.1948	4.1239	3.9005	4.7227	4.2898	3.9420	32.3422		
	S	153.361	128.101	124.180	138.053	146.135	139.895	137.006	146.499	139.137		
8	T	3.7922	3.3394	4.3035	4.1728	3.9142	4.7335	4.2886	3.9426	32.4868		
	S	153.005	129.855	121.043	136.436	145.624	139.576	137.044	146.477	138.518		
9	T	3.8061	3.4095	4.2067	4.1225	3.8971	4.7184	4.2773	3.9290	32.3666		
	S	152.447	127.185	123.828	138.100	146.263	140.022	137.406	146.984	139.032		
10	T	3.7834	3.3545	4.1987	4.1094	3.8749	4.7373	4.2715	3.9277	32.2574		
	S	153.361	129.270	124.064	138.540	147.101	139.464	137.593	147.033	139.503		
11	T	3.7928	3.6120	4.4512	4.2696	5.2402				55.1860	128.3693	38.3327
	S	152.981	120.054	117.027	133.342	108.774				81.542	8.344	102.328
12	T				4.8165	4.1584	5.0027	4.3906	3.9732	145.6629		34.1469
	S				118.202	137.072	132.065	133.860	145.349	30.893		117.188
13	T	3.8381	3.4546	4.4966	4.2561	3.9474	4.8156	4.3001	3.9402	33.0487		
	S	151.176	125.524	115.845	133.765	144.399	137.196	136.678	146.566	136.163		
14	T	3.8268	3.3963	4.7931	5.1299	6.4297				58.7084	448.3557	41.9201
	S	151.622	127.679	108.679	110.980	88.651				76.650	2.389	93.571
15	T				4.8878	4.1709	5.3089	4.5015	4.0474	465.9230		34.3556
	S				116.477	136.661	124.448	130.563	142.684	9.658		116.476
16	T	3.9222	3.5181	4.2628	4.1384	3.8772	4.8299	4.3566	4.0003	32.9055		
	S	147.934	123.259	122.199	137.570	147.013	136.790	134.905	144.364	136.755		
17	T	3.8774	3.4000	4.2446	4.1164	3.8624	4.6934	4.2537	3.9537	32.4016		
	S	149.643	127.540	122.723	138.305	147.577	140.768	138.168	146.066	138.882		
18	T	3.8494	3.3867	4.2252	4.0991	3.8530	4.7011	4.3048	3.9733	32.3926		
	S	150.732	128.041	123.286	138.889	147.937	140.538	136.528	145.345	138.921		
19	T	3.8643	3.4427	4.2772	4.1172	3.8617	4.7004	4.2994	3.9582	32.5211		
	S	150.151	125.958	121.787	138.278	147.603	140.559	136.700	145.900	138.372		

Event: **Indy Pro 2000 WWT OT**  
Track: **World Wide Technology Raceway**  
Report: **Section Data Report**  
Session: **Test Session 3**

1.25 mile(s)



Indy Pro 2000 Championship  
August 28, 2020

Section Data for Car 2 - Robb, Sting Ray

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	3.8448	3.4198	4.1898	4.0875	3.8432	4.6875	4.2631	3.9564	32.2921		
	S	150.912	126.802	124.328	139.283	148.314	140.945	137.864	145.966	139.353		
21	T	3.8485	3.4609	4.2345	4.2506	5.0045				52.2160	524.3735	35.7773
	S	150.767	125.296	123.015	133.938	113.897				86.180	2.043	109.637
22	T				5.5493	4.6200	5.1497	4.4000	3.9849	546.0059		38.0711
	S				102.593	123.377	128.295	133.574	144.922	8.242		105.108
23	T	3.8685	3.4262	4.2240	4.1359	3.9054	4.7620	4.3328	3.9715	32.6263		
	S	149.988	126.565	123.321	137.653	145.952	138.740	135.646	145.411	137.926		
24	T	3.8314	3.3461	4.2014	4.1119	3.8883	4.6785	4.2750	3.9352	32.2678		
	S	151.440	129.595	123.985	138.456	146.594	141.217	137.480	146.752	139.458		
25	T	3.8038	3.3605	4.1553	4.0885	3.8651	4.6222	4.3116	3.9428	32.1498		
	S	152.539	129.039	125.360	139.249	147.474	142.937	136.313	146.470	139.970		
26	T	3.8951	3.8265	4.8001	4.5077	5.0242				54.7883	276.2979	37.5708
	S	148.963	113.325	108.520	126.299	113.451				82.134	3.877	104.403
27	T				5.0345	4.2556	5.0027	4.3683	3.9577	294.9730		35.8926
	S				113.083	133.941	132.065	134.544	145.918	15.256		111.488
28	T	3.8290	3.4175	4.2103	4.1189	3.8981	4.7080	4.2877	3.9337	32.4032		
	S	151.535	126.887	123.723	138.221	146.225	140.332	137.073	146.808	138.875		
29	T	3.7931	3.3303	4.1270	4.0811	3.8762	4.6735	4.2819	3.9193	32.0824		
	S	152.969	130.209	126.220	139.501	147.051	141.368	137.259	147.348	140.264		
30	T	3.7751	3.3976	4.1755	4.0799	3.8579	4.6864	4.2523	3.9002	32.1249		
	S	153.699	127.630	124.754	139.542	147.749	140.979	138.214	148.069	140.078		
31	T	3.7465	3.4269	4.2120	4.0887	3.8655	4.6426	4.2897	3.9015	32.1734		
	S	154.872	126.539	123.673	139.242	147.458	142.309	137.009	148.020	139.867		
32	T	3.7488	3.3481	4.1694	4.0858	3.8534	4.6271	4.2650	3.9069	32.0045		
	S	154.777	129.517	124.936	139.341	147.921	142.785	137.802	147.815	140.605		
33	T	3.7520	3.3825	4.3270	4.3102	5.1449				53.1152		35.7917
	S	154.645	128.200	120.386	132.086	110.789				84.722		109.592

Event: **Indy Pro 2000 WWT OT**  
Track: **World Wide Technology Raceway**  
Report: **Section Data Report**  
Session: **Test Session 3**

1.25 mile(s)



Indy Pro 2000 Championship  
August 28, 2020

Section Data for Car 20 - Swanson, Kody (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI	
1	T	4.0677	3.6227	4.4390	4.3428	4.0928	5.1168	4.5194	4.1109	34.3121		38.6817	
	S	142.643	119.700	117.348	131.095	139.269	129.120	130.045	140.480	131.149		103.449	
2	T	3.9481	3.5331	4.4649	4.3411	4.0871	5.1844	4.6045	4.1481	34.3113			
	S	146.964	122.735	116.668	131.146	139.463	127.437	127.642	139.220	131.152			
3	T	3.9715	3.6698	4.5513	4.3512	4.0902	5.1462	4.4913	4.0972	34.3687			
	S	146.098	118.163	114.453	130.842	139.357	128.382	130.859	140.950	130.933			
4	T	3.9631	3.5772	4.5751	4.9980	5.8520				59.8453	145.3767	43.1298	
	S	146.407	121.222	113.857	113.909	97.403				75.194	7.368	90.946	
5	T				5.0245	4.2777	5.3715	4.6678	4.1688	166.2073		37.5461	
	S				113.308	133.249	122.998	125.911	138.529	27.075		106.578	
6	T	3.9975	3.5868	4.4514	4.3100	4.0601	5.2535	4.5692	4.1208	34.3493			
	S	145.148	120.898	117.021	132.092	140.391	125.760	128.628	140.143	131.007			
7	T	3.9892	3.6256	4.4500	4.2994	4.0333	5.1937	4.5628	4.1187	34.2727			
	S	145.450	119.604	117.058	132.418	141.323	127.208	128.808	140.214	131.300			
8	T	3.9779	3.6097	4.4228	4.2789	4.0252	5.1166	4.5022	4.0962	34.0295			
	S	145.863	120.131	117.778	133.052	141.608	129.125	130.542	140.984	132.238			
9	T	4.0992	3.7987	4.7524	4.4380	4.1072	5.1230	4.5288	4.0870	34.9343			
	S	141.546	114.154	109.610	128.283	138.781	128.964	129.775	141.302	128.813			
10	T	3.9711	3.6115	4.3935	4.2634	4.0274	5.3768	4.5568	4.4612	34.6617			
	S	146.112	120.071	118.564	133.536	141.531	122.876	128.978	129.449	129.826			
11	T	5.9179	5.5624	8.6402	4.9681	4.2333	5.4679	4.7164	4.2414	1167.3648	943.6487	37.1484	186.5677
	S	98.046	77.959	60.289	114.595	134.647	120.829	124.614	136.158	3.855	1.135	107.719	21.025
12	T	4.0715	3.5797	4.3945	4.2836	4.0028	4.9814	4.4914	4.0887	33.8936			
	S	142.509	121.138	118.537	132.906	142.400	132.630	130.856	141.243	132.768			
13	T	3.9944	3.4957	4.4059	4.2711	4.0034	4.9937	4.4363	4.0730	33.6735			
	S	145.260	124.049	118.230	133.295	142.379	132.303	132.481	141.787	133.636			
14	T	3.9674	3.5144	4.3254	4.2507	3.9971	5.0055	4.5265	4.0930	33.6800			
	S	146.249	123.388	120.430	133.935	142.603	131.991	129.841	141.095	133.610			
15	T	3.9768	3.5061	4.3356	4.2253	3.9833	4.9832	4.4331	4.0441	33.4875			
	S	145.903	123.681	120.147	134.740	143.097	132.582	132.577	142.801	134.378			
16	T	3.9395	3.5020	4.3143	4.2176	3.9783	4.9381	4.3914	4.0241	33.3053			
	S	147.284	123.825	120.740	134.986	143.277	133.793	133.836	143.510	135.114			
17	T	3.9213	3.4637	4.3821	4.2427	3.9859	4.9346	4.3967	4.0434	33.3704			
	S	147.968	125.195	118.872	134.188	143.004	133.888	133.675	142.825	134.850			
18	T	3.9171	3.4777	4.3224	4.2149	3.9797	4.9624	4.4383	4.0509	33.3634			
	S	148.127	124.691	120.514	135.073	143.227	133.138	132.422	142.561	134.878			
19	T	3.9265	3.4975	4.3183	4.2229	3.9781	4.9473	4.3862	4.0361	33.3129			
	S	147.772	123.985	120.628	134.817	143.284	133.544	133.995	143.084	135.083			

Event: **Indy Pro 2000 WWT OT**  
Track: **World Wide Technology Raceway**  
Report: **Section Data Report**  
Session: **Test Session 3**

1.25 mile(s)



Indy Pro 2000 Championship  
August 28, 2020

Section Data for Car 20 - Swanson, Kody (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	3.9329	3.5820	4.3952	4.3226	5.8187			57.7380	345.7239		40.9912
	S	147.532	121.060	118.518	131.707	97.960			77.938	3.098		95.691
21	T				4.8871	4.2298	5.1561	4.4646	4.0729	363.9190		34.9419
	S				116.494	134.758	128.136	131.642	141.791	12.365		114.521
22	T	3.9253	3.4936	4.3405	4.2349	4.0076	5.0247	4.4667	4.0483	33.5416		
	S	147.817	124.123	120.011	134.435	142.230	131.487	131.580	142.652	134.162		
23	T	3.9078	3.8890	4.7762	4.3444	4.0094	4.9990	4.4251	4.0163	34.3672		
	S	148.479	111.503	109.064	131.046	142.166	132.163	132.817	143.789	130.939		
24	T	3.9350	3.6634	4.4261	4.2360	3.9492	4.9738	4.4502	4.0301	33.6638		
	S	147.453	118.370	117.690	134.400	144.333	132.832	132.068	143.297	133.675		
25	T	3.8830	3.5651	4.3494	4.2133	3.9933	5.4704	4.6294	4.1026	34.2065		
	S	149.428	121.634	119.766	135.124	142.739	120.774	126.955	140.764	131.554		
26	T	3.9626	3.5231	4.3674	4.2350	3.9894	4.9593	4.3893	4.0167	33.4428		
	S	146.426	123.084	119.272	134.432	142.879	133.221	133.900	143.775	134.558		
27	T	3.8617	3.4631	4.2815	4.1900	3.9714	4.9029	4.3884	4.0020	33.0610		
	S	150.252	125.216	121.665	135.875	143.526	134.753	133.927	144.303	136.112		
28	T	3.8535	3.4449	4.2794	4.2043	3.9841	4.8517	4.3687	3.9913	32.9779		
	S	150.571	125.878	121.725	135.413	143.069	136.175	134.531	144.690	136.455		
29	T	3.8372	3.4256	4.3183	4.1967	3.9656	4.8711	4.3630	4.0096	32.9871		
	S	151.211	126.587	120.628	135.659	143.736	135.633	134.707	144.029	136.417		
30	T	3.8553	3.3643	4.2542	4.1621	3.9387	4.8241	4.3503	3.9994	32.7484		
	S	150.501	128.893	122.446	136.786	144.718	136.954	135.100	144.397	137.411		
31	T	3.8495	3.5765	4.7826	6.2168	7.3160						48.1094
	S	150.728	121.246	108.918	91.577	77.911						81.533

Event: **Indy Pro 2000 WWT OT**  
Track: **World Wide Technology Raceway**  
Report: **Section Data Report**  
Session: **Test Session 3**

1.25 mile(s)



Indy Pro 2000 Championship  
August 28, 2020

Section Data for Car 3 - Comeau, Antoine

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	3.9481	3.7064	4.4408	4.2978	3.9932	5.0334	4.4339	4.0276	33.8812		36.1902
	S	146.964	116.997	117.301	132.467	142.743	131.260	132.553	143.386	132.817		110.571
2	T	3.8550	3.5061	4.3408	4.2227	3.9513	4.9244	4.5017	4.0605	33.3625		
	S	150.513	123.681	120.003	134.823	144.256	134.165	130.557	142.224	134.882		
3	T	3.9097	3.5601	4.3304	4.2319	3.9650	4.9021	4.4459	4.0583	33.4034		
	S	148.407	121.805	120.291	134.530	143.758	134.775	132.195	142.301	134.717		
4	T	3.8997	3.5286	4.3344	4.2419	3.9706	4.9267	4.4179	4.0373	33.3571		
	S	148.788	122.892	120.180	134.213	143.555	134.102	133.033	143.041	134.904		
5	T	3.8830	3.4649	4.3503	4.2462	3.9776	4.8876	4.4642	4.0547	33.3285		
	S	149.428	125.151	119.741	134.077	143.302	135.175	131.653	142.427	135.020		
6	T	3.9056	3.5507	4.3775	4.2569	3.9782	4.7949	4.3823	4.0178	33.2639		
	S	148.563	122.127	118.997	133.740	143.281	137.788	134.114	143.735	135.282		
7	T	3.8819	3.5047	4.3009	4.2202	3.9562	4.8334	4.4102	4.0250	33.1325		
	S	149.470	123.730	121.116	134.903	144.078	136.691	133.265	143.478	135.818		
8	T	3.8892	3.5023	4.3391	4.2305	3.9564	4.8950	4.4529	4.0197	33.2851		
	S	149.189	123.815	120.050	134.575	144.070	134.971	131.988	143.667	135.196		
9	T	3.8759	3.5374	4.3388	4.1965	3.9255	5.0164	4.5076	4.0605	33.4586		
	S	149.701	122.586	120.058	135.665	145.204	131.704	130.386	142.224	134.495		
10	T	3.8979	3.4788	4.2889	4.1762	3.8972	4.8923	4.4262	4.0002	33.0577		
	S	148.856	124.651	121.455	136.324	146.259	135.045	132.784	144.368	136.126		
11	T	3.8755	3.7175	4.6979	4.5957	5.4212				56.9463	94.6809	38.5837
	S	149.717	116.647	110.881	123.881	105.143				79.022	11.313	101.662
12	T				4.7620	4.1800	5.5112	4.8691	4.2434	111.6157		35.2974
	S				119.554	136.364	119.880	120.706	136.094	40.317		113.368
13	T	4.0211	3.5813	4.3563	4.2415	3.9547	4.8368	4.4748	4.0143	33.4808		
	S	144.296	121.084	119.576	134.226	144.132	136.595	131.342	143.861	134.405		
14	T	3.8603	3.4778	4.3473	4.2304	3.9301	4.9854	4.9132	5.2753	35.0198		
	S	150.306	124.687	119.824	134.578	145.034	132.523	119.622	109.472	128.499		
15	T	6.1681	5.3165	6.0808	6.5039	7.1691				75.8208	427.4924	58.7044
	S	94.069	81.564	85.665	87.535	79.508				59.350	2.506	66.818
16	T				5.2494	5.3281	6.6078	5.3819	4.3968	452.3295		41.9535
	S				108.454	106.980	99.985	109.204	131.346	9.948		95.382
17	T	4.1136	3.7939	4.5730	4.3146	3.9739	4.8898	4.4225	4.0646	34.1459		
	S	141.051	114.298	113.910	131.952	143.436	135.114	132.895	142.080	131.787		
18	T	3.9418	3.5420	4.3317	4.2018	3.9214	4.7855	4.3332	4.0274	33.0848		
	S	147.199	122.427	120.255	135.494	145.356	138.059	135.634	143.393	136.014		
19	T	3.9233	3.5109	4.3653	4.2315	3.9276	4.8085	4.3994	4.0493	33.2158		
	S	147.893	123.511	119.330	134.543	145.127	137.399	133.593	142.617	135.478		

Event: **Indy Pro 2000 WWT OT**  
Track: **World Wide Technology Raceway**  
Report: **Section Data Report**  
Session: **Test Session 3**

1.25 mile(s)



Indy Pro 2000 Championship  
August 28, 2020

Section Data for Car 3 - Comeau, Antoine

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	3.9326	3.5192	4.3384	4.2209	3.9210	4.9448	4.5316	4.1143	33.5228		
	S	147.543	123.220	120.069	134.881	145.371	133.611	129.695	140.364	134.237		
21	T	3.9717	3.5776	4.3244	4.1957	3.9158	4.8400	4.3883	4.0506	33.2641		
	S	146.090	121.209	120.458	135.691	145.564	136.505	133.931	142.571	135.281		
22	T	3.9354	3.5048	4.3330	4.2044	3.9136	4.8146	4.3549	4.0452	33.1059		
	S	147.438	123.726	120.219	135.410	145.646	137.225	134.958	142.762	135.927		
23	T	3.9310	3.6318	4.5854	4.4705	5.2336				54.2316	191.4382	37.5189
	S	147.603	119.400	113.602	127.350	108.912				82.977	5.595	104.547
24	T				4.8202	4.2021	5.4207	4.6061	4.1205	210.2567		35.5312
	S				118.111	135.646	121.881	127.598	140.153	21.402		112.622
25	T	3.9647	3.6027	4.3067	4.1995	3.9262	4.8616	4.4138	4.0697	33.3449		
	S	146.348	120.364	120.953	135.568	145.179	135.898	133.157	141.902	134.953		
26	T	3.9442	3.5002	4.1913	4.1486	3.8939	4.7491	4.3214	4.0101	32.7588		
	S	147.109	123.889	124.283	137.231	146.383	139.117	136.004	144.011	137.368		
27	T	3.9039	3.4817	4.2501	4.1695	3.8997	4.7578	4.3299	4.0117	32.8043		
	S	148.628	124.547	122.564	136.544	146.165	138.863	135.737	143.954	137.177		
28	T	3.9031	3.4668	4.2067	4.1342	3.8884	4.7610	4.3609	4.0112	32.7323		
	S	148.658	125.083	123.828	137.709	146.590	138.770	134.772	143.972	137.479		
29	T	3.8991	3.4689	4.2442	4.1548	3.8964	4.7397	4.2952	3.9758	32.6741		
	S	148.811	125.007	122.734	137.027	146.289	139.393	136.834	145.254	137.724		
30	T	3.9246	3.8186	4.8271	5.1014	6.0640				58.5945	403.5112	41.6851
	S	147.844	113.559	107.913	111.600	93.997				76.799	2.655	94.098
31	T				4.7873	4.2025	5.4984	4.6694	4.1017	422.2076		35.6058
	S				118.923	135.634	120.159	125.868	140.795	10.658		112.386
32	T	3.9409	3.5440	4.2921	4.1977	3.9450	4.8671	4.4795	4.0311	33.2974		
	S	147.232	122.358	121.365	135.626	144.487	135.744	131.204	143.261	135.146		
33	T	3.8996	3.4787	4.5886	4.4167	4.0005	5.0119	4.5481	4.0770	34.0211		
	S	148.791	124.655	113.522	128.901	142.482	131.823	129.225	141.648	132.271		
34	T	3.9376	3.8803	4.6939	4.3763	3.9959	4.9131	4.4661	4.0303	34.2935		
	S	147.356	111.753	110.976	130.091	142.646	134.474	131.597	143.290	131.220		
35	T	3.8604	3.4651	4.3764	4.2160	3.9408	4.8752	4.3631	3.9821	33.0791		
	S	150.302	125.144	119.027	135.038	144.641	135.519	134.704	145.024	136.038		
36	T	3.8362	3.4548	4.4441	4.2612	3.9675	4.9109	4.4848	4.0619	33.4214		
	S	151.251	125.517	117.214	133.605	143.667	134.534	131.049	142.175	134.644		
37	T	3.8833	3.5225	4.3767	4.2331	3.9602	4.8996	4.3942	4.0060	33.2756		
	S	149.416	123.105	119.019	134.492	143.932	134.844	133.751	144.159	135.234		
38	T	3.8606	3.4762	4.3149	4.2084	3.9454	4.8362	4.3593	3.9995	33.0005		
	S	150.295	124.744	120.723	135.281	144.472	136.612	134.821	144.393	136.362		



**Event:** Indy Pro 2000 WWT OT  
**Track:** World Wide Technology Raceway  
**Report:** Section Data Report  
**Session:** Test Session 3

1.25 mile(s)



**Indy Pro 2000 Championship**  
**August 28, 2020**

**Section Data for Car 3 - Comeau, Antoine**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	T	3.8560	3.4920	4.3449	4.2217	4.0217	5.7109	4.8055	4.2135	34.6662		
	S	150.474	124.180	119.890	134.855	141.731	115.688	122.303	137.059	129.809		
40	T	3.9803	3.5590	4.3143	4.2130	3.9523	4.9096	4.4339	4.0219	33.3843		
	S	145.775	121.842	120.740	135.134	144.220	134.569	132.553	143.589	134.794		
41	T	3.8808	3.4915	4.3033	4.1948	3.9433	4.8740	4.3733	3.9889	33.0499		
	S	149.512	124.198	121.049	135.720	144.549	135.552	134.390	144.777	136.158		
42	T	3.9392	3.8538	4.8820	4.8566	5.6433				56.5729		39.9397
	S	147.296	112.522	106.700	117.226	101.005				79.543		98.211

Event: **Indy Pro 2000 WWT OT**  
Track: **World Wide Technology Raceway**  
Report: **Section Data Report**  
Session: **Test Session 3**

1.25 mile(s)



Indy Pro 2000 Championship  
August 28, 2020

Section Data for Car 42 - Petrov, Artem

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	3.8274	3.4795	4.2931	4.1965	3.9340	4.8022	4.3618	3.9703	32.8648		35.6934
	S	151.598	124.626	121.336	135.665	144.891	137.579	134.744	145.455	136.925		112.110
2	T	3.7963	3.4119	4.2888	4.1682	3.8974	4.7400	4.4729	4.0036	32.7791		
	S	152.840	127.095	121.458	136.586	146.251	139.384	131.397	144.245	137.283		
3	T	3.8118	3.4162	4.1847	4.0998	3.8592	4.6753	4.3567	3.9604	32.3641		
	S	152.219	126.935	124.479	138.865	147.699	141.313	134.902	145.819	139.043		
4	T	3.7822	3.3489	4.4029	4.1912	3.8982	4.7200	4.3571	3.9733	32.6738		
	S	153.410	129.486	118.310	135.837	146.221	139.975	134.890	145.345	137.725		
5	T	3.8063	3.3683	4.2338	4.1287	3.8824	4.7051	4.4495	4.0073	32.5814		
	S	152.439	128.740	123.036	137.893	146.816	140.418	132.088	144.112	138.116		
6	T	3.8203	3.3454	4.3105	4.1781	3.9063	4.6668	4.2984	3.9369	32.4627		
	S	151.880	129.622	120.847	136.262	145.918	141.571	136.732	146.689	138.621		
7	T	3.7789	3.3039	4.2716	4.1393	3.8938	4.6771	4.3333	3.9539	32.3518		
	S	153.544	131.250	121.947	137.540	146.387	141.259	135.630	146.058	139.096		
8	T	3.7812	3.3176	4.2678	4.1499	4.1535	5.9728	4.8087	4.2836	34.7351		
	S	153.451	130.708	122.056	137.188	137.234	110.615	122.222	134.817	129.552		
9	T	4.0714	3.4793	4.3127	4.1793	3.9055	4.7006	4.2973	3.9514	32.8975		
	S	142.513	124.633	120.785	136.223	145.948	140.553	136.767	146.151	136.789		
10	T	3.8129	3.3765	4.2391	4.1379	3.8820	4.6235	4.2874	3.9248	32.2841		
	S	152.175	128.428	122.882	137.586	146.832	142.896	137.082	147.141	139.388		
11	T	3.7900	3.3565	4.1786	4.1017	3.8702	4.6650	4.2894	3.9266	32.1780		
	S	153.094	129.193	124.661	138.801	147.279	141.625	137.019	147.074	139.847		
12	T	3.8022	3.3762	4.2950	4.1639	3.8982	4.6640	4.2937	3.9346	32.4278		
	S	152.603	128.439	121.283	136.727	146.221	141.656	136.881	146.775	138.770		
13	T	3.8149	3.4278	4.2603	4.1485	3.8890	4.6237	4.2752	3.9279	32.3673		
	S	152.095	126.506	122.271	137.235	146.567	142.890	137.474	147.025	139.029		
14	T	3.7989	3.4240	4.2762	4.1666	4.7679				51.9645	588.1222	35.1329
	S	152.736	126.646	121.816	136.639	119.549				86.598	1.821	111.647
15	T				5.1011	4.2391	5.0253	4.4145	4.0443	609.6258		38.3352
	S				111.607	134.463	131.471	133.136	142.794	7.382		104.384
16	T	3.9150	3.4861	4.2567	4.1421	3.8693	4.7156	4.3288	3.9803	32.6939		
	S	148.206	124.390	122.374	137.447	147.313	140.106	135.771	145.090	137.640		
17	T	3.8647	3.4205	4.2076	4.1008	3.8557	4.6688	4.2986	3.9639	32.3806		
	S	150.135	126.776	123.802	138.831	147.833	141.510	136.725	145.690	138.972		
18	T	3.8281	3.4427	4.3873	4.1593	3.8686	4.5945	4.2586	3.9612	32.5003		
	S	151.571	125.958	118.731	136.878	147.340	143.798	138.010	145.789	138.460		
19	T	3.8588	3.4378	4.1608	4.0783	3.8394	4.6386	4.3031	3.9673	32.2841		
	S	150.365	126.138	125.194	139.597	148.461	142.431	136.582	145.565	139.388		

Event: **Indy Pro 2000 WWT OT**  
Track: **World Wide Technology Raceway**  
Report: **Section Data Report**  
Session: **Test Session 3**

1.25 mile(s)



Indy Pro 2000 Championship  
August 28, 2020

Section Data for Car 42 - Petrov, Artem

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	3.8186	3.3922	4.2136	4.8107	4.8314	4.9921	4.2995	3.9570	34.3151		
	S	151.948	127.833	123.626	118.344	117.978	132.345	136.697	145.944	131.138		
21	T	3.8316	3.3970	4.1833	4.0834	3.8462	4.5850	4.2582	3.9660	32.1507		
	S	151.432	127.653	124.521	139.423	148.198	144.096	138.022	145.613	139.966		
22	T	3.8406	3.3599	4.1292	4.0592	3.8235	4.5560	4.4339	4.0591	32.2614		
	S	151.077	129.062	126.153	140.254	149.078	145.014	132.553	142.273	139.486		
23	T	3.8850	3.3803	4.1641	4.0836	3.8333	4.6004	4.2744	3.9719	32.1930		
	S	149.351	128.283	125.095	139.416	148.697	143.614	137.499	145.396	139.782		
24	T	3.8518	3.3481	4.1737	4.0896	3.8343	4.6024	4.3439	3.9922	32.2360		
	S	150.638	129.517	124.808	139.211	148.658	143.552	135.299	144.657	139.595		
25	T	3.8672	3.3734	4.2222	4.1162	4.3096				51.1781	350.9978	34.4081
	S	150.038	128.546	123.374	138.312	132.263				87.928	3.052	113.999
26	T				5.3831	5.3544	5.5492	4.4493	4.0057	371.2353		37.0075
	S				105.760	106.455	119.059	132.094	144.170	12.122		108.129
27	T	3.8812	3.4875	4.2072	4.1250	3.8863	4.6916	4.3344	3.9656	32.5788		
	S	149.497	124.340	123.814	138.017	146.669	140.822	135.596	145.627	138.127		
28	T	3.8364	3.3642	4.1683	4.1114	3.8702	4.6362	4.2282	3.9215	32.1364		
	S	151.243	128.897	124.969	138.473	147.279	142.505	139.002	147.265	140.028		
29	T	3.7775	3.3138	4.1810	4.0882	3.8539	4.6118	4.3382	3.9556	32.1200		
	S	153.601	130.858	124.590	139.259	147.902	143.259	135.477	145.996	140.100		
30	T	3.7891	3.3716	4.2052	4.1127	4.4012				51.2333	215.6496	34.6979
	S	153.131	128.614	123.873	138.429	129.510				87.833	4.967	113.047
31	T				4.6916	4.1111	5.0325	4.3812	3.9732	233.3956		34.2814
	S				121.348	138.649	131.283	134.148	145.349	19.281		116.728
32	T	3.8463	3.4712	4.2173	4.1318	3.8928	4.7030	4.2564	3.9162	32.4350		
	S	150.853	124.924	123.517	137.789	146.424	140.481	138.081	147.464	138.739		
33	T	3.7720	3.3496	4.1991	4.1172	3.8615	4.6513	4.2726	3.8928	32.1161		
	S	153.825	129.459	124.053	138.278	147.611	142.042	137.557	148.351	140.117		
34	T	3.7312	3.4737	4.2904	4.1774	3.9019	4.6977	4.3142	3.9392	32.5257		
	S	155.507	124.834	121.413	136.285	146.083	140.639	136.231	146.603	138.352		
35	T	3.7914	3.3251	4.1892	4.1153	3.8786	4.6283	4.2410	3.9027	32.0716		
	S	153.038	130.413	124.346	138.342	146.960	142.748	138.582	147.974	140.311		
36	T	3.7640	3.2800	4.1193	4.0782	3.8662	4.5734	4.2411	3.9031	31.8253		
	S	154.152	132.206	126.456	139.600	147.432	144.462	138.579	147.959	141.397		
37	T	3.7582	3.2793	4.1284	4.1518	5.1256				53.9607		37.3302
	S	154.390	132.234	126.177	137.126	111.206				83.394		105.076

Event: **Indy Pro 2000 WWT OT**  
Track: **World Wide Technology Raceway**  
Report: **Section Data Report**  
Session: **Test Session 3**

1.25 mile(s)



Indy Pro 2000 Championship  
August 28, 2020

Section Data for Car 51 - Abel, Jacob

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	3.9531	3.6630	4.4966	4.3345	4.0068	5.0431	4.4996	4.0960	34.0927		36.7412
	S	146.778	118.383	115.845	131.346	142.258	131.007	130.618	140.991	131.993		108.913
2	T	3.9035	3.5340	4.3998	4.2617	3.9653	5.0141	4.4690	4.0715	33.6189		
	S	148.643	122.704	118.394	133.589	143.747	131.765	131.512	141.840	133.853		
3	T	3.8816	3.5518	4.2970	5.0483	5.8947				57.1441	96.5193	39.9928
	S	149.481	122.089	121.226	112.774	96.697				78.748	11.098	98.080
4	T				4.9157	4.2425	5.5617	4.6661	4.1146	114.6589		35.2909
	S				115.816	134.355	118.791	125.957	140.354	39.247		113.389
5	T	3.9742	3.7177	4.4875	4.3053	3.9935	5.1649	4.5055	4.0972	34.2458		
	S	145.999	116.641	116.080	132.237	142.732	127.918	130.447	140.950	131.403		
6	T	3.9345	3.6720	4.4351	5.0873	4.8582				53.6353	93.9547	36.5471
	S	147.472	118.093	117.451	111.910	117.327				83.900	11.401	107.327
7	T				5.5151	4.8645	5.5066	4.5934	4.0883	112.8918		36.0253
	S				103.229	117.175	119.980	127.950	141.257	39.861		111.077
8	T	3.9235	3.5320	4.2838	4.1791	3.9254	4.9204	4.3634	4.0095	33.1371		
	S	147.885	122.774	121.600	136.230	145.208	134.274	134.695	144.033	135.799		
9	T	3.8789	3.5229	4.2944	4.2064	4.3194				51.9445	541.4413	35.2747
	S	149.586	123.091	121.300	135.346	131.963				86.631	1.978	111.199
10	T				5.2067	4.4890	5.6685	4.7867	4.1831	565.0414		40.2699
	S				109.343	126.977	116.553	122.783	138.056	7.964		99.369
11	T	3.9984	3.6406	4.2832	4.1622	3.9014	4.8645	4.3510	4.0347	33.2360		
	S	145.115	119.111	121.617	136.783	146.101	135.817	135.079	143.133	135.395		
12	T	3.9234	3.5130	4.2347	4.1389	3.8892	4.7596	4.3441	4.0223	32.8252		
	S	147.889	123.438	123.010	137.553	146.560	138.810	135.293	143.575	137.090		
13	T	3.9065	3.4617	4.2120	4.1184	3.8761	4.8096	4.3454	4.0389	32.7686		
	S	148.529	125.267	123.673	138.238	147.055	137.367	135.253	142.984	137.327		
14	T	3.9531	3.7190	4.6386	4.3711	4.5900				52.8905	214.5788	36.0775
	S	146.778	116.600	112.299	130.246	124.183				85.081	4.992	108.724
15	T				4.7291	4.1312	5.2064	4.5043	4.1147	231.4747		33.7089
	S				120.386	137.974	126.898	130.481	140.350	19.441		118.710
16	T	3.9700	3.5647	4.2889	4.1809	3.9045	4.8259	4.3432	4.0266	33.1047		
	S	146.153	121.647	121.455	136.171	145.985	136.903	135.321	143.421	135.932		
17	T	3.9142	3.4372	4.2122	4.1405	3.8838	4.8128	4.4168	4.0503	32.8678		
	S	148.236	126.160	123.667	137.500	146.763	137.276	133.066	142.582	136.912		
18	T	3.9187	3.4100	4.2175	4.1423	3.8861	4.8653	4.3817	4.0475	32.8691		
	S	148.066	127.166	123.511	137.440	146.677	135.795	134.132	142.681	136.907		
19	T	3.9924	3.8643	4.6313	4.4978	4.9140				54.0130	92.9803	37.4925
	S	145.333	112.216	112.476	126.577	115.995				83.313	11.520	104.621

Event: **Indy Pro 2000 WWT OT**  
Track: **World Wide Technology Raceway**  
Report: **Section Data Report**  
Session: **Test Session 3**

1.25 mile(s)



Indy Pro 2000 Championship  
August 28, 2020

Section Data for Car 51 - Abel, Jacob

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T			4.7632	4.1380	5.0701	4.4165	4.0420	110.1709		33.7111	
	S			119.524	137.748	130.309	133.075	142.875	40.846		118.702	
21	T	3.9286	3.5418	4.2699	4.1784	3.9096	4.8206	4.3442	4.0010	32.9941		
	S	147.693	122.434	121.996	136.253	145.795	137.054	135.290	144.339	136.388		
22	T	3.8873	3.4243	4.2046	4.1307	3.9020	4.7631	4.3103	3.9787	32.6010		
	S	149.262	126.635	123.890	137.826	146.079	138.708	136.354	145.148	138.033		
23	T	3.8666	3.4196	4.1655	4.1185	3.8935	4.8352	4.3550	4.0000	32.6539		
	S	150.061	126.809	125.053	138.234	146.398	136.640	134.955	144.375	137.809		
24	T	3.8662	3.4240	4.2660	4.1651	3.9078	4.8062	4.3756	4.0224	32.8333		
	S	150.077	126.646	122.107	136.688	145.862	137.464	134.319	143.571	137.056		
25	T	3.8638	3.4485	4.2415	4.1553	4.6364			51.2313	141.7182		34.6936
	S	150.170	125.746	122.812	137.010	122.940			87.837	7.558		113.061
26	T				4.8905	4.1707	5.0598	4.3985	4.0213	159.4577		34.2772
	S				116.413	136.668	130.575	133.620	143.610	28.221		116.742
27	T	3.8718	3.5156	4.2786	4.1677	3.9149	4.8288	4.3270	3.9836	32.8880		
	S	149.860	123.346	121.748	136.602	145.598	136.821	135.828	144.969	136.828		
28	T	3.8380	3.4178	4.2027	4.1229	3.8769	4.7788	4.3227	3.9492	32.5090		
	S	151.180	126.876	123.946	138.087	147.025	138.253	135.963	146.232	138.423		
29	T	3.7976	3.4097	4.3390	4.1785	3.8967	4.7730	4.3220	3.9828	32.6993		
	S	152.788	127.177	120.053	136.249	146.278	138.421	135.985	144.998	137.618		
30	T	3.8398	3.3896	4.2638	4.1458	3.8953	4.7884	4.3304	3.9818	32.6349		
	S	151.109	127.931	122.170	137.324	146.330	137.975	135.721	145.035	137.889		
31	T	3.8523	3.5759	4.4548	4.3155	4.5945			53.3279	84.3016		36.3615
	S	150.618	121.266	116.932	131.924	124.061			84.384	12.706		107.875
32	T				4.7798	4.1540	5.0364	4.3716	3.9826	100.7504		33.4152
	S				119.109	137.217	131.181	134.442	145.006	44.665		119.754
33	T	3.8073	3.4120	4.2458	4.1255	3.8755	4.9206	4.3967	3.9669	32.7503		
	S	152.399	127.092	122.688	138.000	147.078	134.269	133.675	145.580	137.403		
34	T	3.7801	3.7193	4.5102	4.2681	3.9630	4.8522	4.3437	3.9891	33.4257		
	S	153.495	116.591	115.496	133.389	143.830	136.161	135.306	144.769	134.627		
35	T	3.8254	3.4706	4.2437	4.1503	3.9161	4.8762	4.3592	3.9993	32.8408		
	S	151.678	124.946	122.749	137.175	145.553	135.491	134.825	144.400	137.025		
36	T	3.8347	3.4076	4.2523	4.1681	3.9231	5.2511	4.6222	4.0194	33.4785		
	S	151.310	127.256	122.501	136.589	145.293	125.818	127.153	143.678	134.415		
37	T	3.8095	3.5687	4.4489	4.2051	3.9174	4.9639	4.3830	4.0008	33.2973		
	S	152.311	121.511	117.087	135.388	145.505	133.097	134.092	144.346	135.146		
38	T	3.8345	3.4390	4.2192	4.1279	3.8959	4.8209	4.3362	3.9815	32.6551		
	S	151.318	126.094	123.462	137.920	146.308	137.045	135.540	145.046	137.804		

**Event:** Indy Pro 2000 WWT OT  
**Track:** World Wide Technology Raceway  
**Report:** Section Data Report  
**Session:** Test Session 3

1.25 mile(s)



**Indy Pro 2000 Championship**  
**August 28, 2020**

**Section Data for Car 51 - Abel, Jacob**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	T	3.8203	3.4597	4.4016	4.5591	4.2190	4.9660	4.4378	4.0234	33.8869		
	S	151.880	125.339	118.345	124.875	135.103	133.041	132.437	143.535	132.795		
40	T	3.8133	3.4118	4.2321	4.1278	3.8800	4.8151	4.3738	3.9920	32.6459		
	S	152.159	127.099	123.085	137.923	146.907	137.210	134.375	144.664	137.843		
41	T	3.8032	3.4639	4.2044	4.0900	3.8692	4.8731	4.3802	3.9943	32.6783		
	S	152.563	125.187	123.896	139.198	147.317	135.577	134.178	144.581	137.706		
42	T	3.9340	3.9171	4.8942	6.4456	6.3533						45.3873
	S	147.490	110.703	106.434	88.327	89.717						86.423

Event: **Indy Pro 2000 WWT OT**  
Track: **World Wide Technology Raceway**  
Report: **Section Data Report**  
Session: **Test Session 3**

1.25 mile(s)



Indy Pro 2000 Championship  
August 28, 2020

Section Data for Car 6 - de la Vara, Moises

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	3.9091	3.8333	4.5813	4.4140	4.0753	5.0368	4.3663	4.0247	34.2408		36.0168
	S	148.430	113.124	113.703	128.980	139.867	131.171	134.605	143.489	131.422		111.103
2	T	3.8823	3.7967	4.4025	4.2649	3.9603	4.9505	4.3547	4.0219	33.6338		
	S	149.455	114.214	118.321	133.489	143.928	133.458	134.964	143.589	133.794		
3	T	3.8790	3.7187	4.6637	4.4606	4.6284				54.9123	183.6740	38.1933
	S	149.582	116.610	111.694	127.633	123.153				81.949	5.832	102.701
4	T				4.9666	4.3162	5.6794	4.6361	4.1276	203.8995		36.9445
	S				114.629	132.061	116.330	126.772	139.912	22.070		108.314
5	T	3.9703	3.7944	4.5894	4.3749	4.7923				56.6906	683.2543	39.8374
	S	146.142	114.283	113.503	130.133	118.941				79.378	1.568	98.463
6	T				4.9743	4.1787	5.2369	4.4464	4.0537	704.0017		37.6006
	S				114.452	136.406	126.159	132.180	142.462	6.392		106.424
7	T	3.9225	3.5049	4.7778	4.6166	4.1203	5.3426	4.4933	4.0638	34.8418		
	S	147.923	123.723	109.027	123.320	138.339	123.663	130.801	142.108	129.155		
8	T	3.8809	3.6077	4.3800	4.1529	3.8581	4.8703	4.3563	4.0203	33.1265		
	S	149.508	120.197	118.929	137.089	147.741	135.655	134.914	143.646	135.843		
9	T	3.8698	3.4505	4.3442	4.2108	3.8980	5.1372	4.5259	4.0392	33.4756		
	S	149.937	125.673	119.909	135.204	146.229	128.607	129.859	142.974	134.426		
10	T	3.8615	3.4310	4.4016	4.1925	3.8836	4.8120	4.3238	4.0133	32.9193		
	S	150.260	126.388	118.345	135.794	146.771	137.299	135.928	143.897	136.698		
11	T	3.8638	3.4472	4.1793	4.0990	3.8518	4.7044	4.2716	3.9807	32.3978		
	S	150.170	125.794	124.640	138.892	147.983	140.439	137.589	145.075	138.898		
12	T	3.8448	3.4012	4.2721	4.1595	3.8642	4.7742	4.3002	4.0044	32.6206		
	S	150.912	127.495	121.933	136.872	147.508	138.386	136.674	144.216	137.950		
13	T	3.8708	3.4130	4.1681	4.0962	3.8533	4.9030	4.3705	3.9583	32.6332		
	S	149.899	127.054	124.975	138.987	147.925	134.751	134.476	145.896	137.896		
14	T	3.8753	3.4525	4.1637	4.0887	4.1812				51.2842	305.8288	34.1947
	S	149.724	125.601	125.107	139.242	136.325				87.746	3.502	114.711
15	T				4.6984	4.1627	4.9548	4.2894	4.0060	321.9162		33.1769
	S				121.173	136.930	133.342	137.019	144.159	13.979		120.614
16	T	3.9241	3.4785	4.2466	4.1762	3.9260	4.8157	4.2711	4.0068	32.8450		
	S	147.863	124.662	122.665	136.324	145.186	137.193	137.606	144.130	137.007		
17	T	3.9179	3.3251	4.1397	4.1159	3.9082	4.6769	4.2292	3.9714	32.2843		
	S	148.096	130.413	125.833	138.322	145.847	141.265	138.969	145.415	139.387		
18	T	3.8893	3.3161	4.1722	4.1391	3.9169	4.6701	4.2251	3.9549	32.2837		
	S	149.186	130.767	124.852	137.546	145.523	141.471	139.104	146.021	139.389		
19	T	3.8738	3.3941	4.1833	4.1492	4.4410				51.9031	419.7000	35.0788
	S	149.782	127.762	124.521	137.212	128.349				86.700	2.552	111.820

Event: **Indy Pro 2000 WWT OT**  
Track: **World Wide Technology Raceway**  
Report: **Section Data Report**  
Session: **Test Session 3**

1.25 mile(s)



**Indy Pro 2000 Championship**  
**August 28, 2020**

**Section Data for Car 6 - de la Vara, Moises**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T			4.6893	4.1400	4.8835	4.4942	4.0216	436.0925		33.2168	
	S			121.408	137.681	135.289	130.775	143.600	10.319		120.469	
21	T	3.8965	3.4831	4.2259	4.1650	3.9201	4.7141	4.2376	3.9351	32.5774		
	S	148.910	124.497	123.266	136.691	145.404	140.150	138.693	146.756	138.133		
22	T	3.8090	3.2985	4.1896	4.1212	3.8975	4.7102	4.2774	3.9563	32.2597		
	S	152.331	131.465	124.334	138.144	146.248	140.266	137.403	145.970	139.493		
23	T	3.8228	3.3437	4.1871	4.1455	3.9342	4.6861	4.2699	3.9378	32.3271		
	S	151.781	129.688	124.408	137.334	144.883	140.988	137.644	146.655	139.202		
24	T	3.8001	3.3156	4.1529	4.1284	3.9219	4.6771	4.2600	3.9269	32.1829		
	S	152.687	130.787	125.433	137.903	145.338	141.259	137.964	147.063	139.826		
25	T	3.7970	3.3398	4.1848	4.1414	3.9209	4.6443	4.2349	3.9076	32.1707		
	S	152.812	129.839	124.476	137.470	145.375	142.256	138.782	147.789	139.879		
26	T	3.7660	3.3756	4.1283	4.1150	3.9071	4.6324	4.2052	3.8764	32.0060		
	S	154.070	128.462	126.180	138.352	145.888	142.622	139.762	148.978	140.599		
27	T	3.7355	3.4271	4.3164	4.1430	4.1634				52.0441		34.9937
	S	155.328	126.532	120.681	137.417	136.907				86.465		112.092



Event: **Indy Pro 2000 WWT OT**  
Track: **World Wide Technology Raceway**  
Report: **Section Data Report**  
Session: **Test Session 3**

1.25 mile(s)



Indy Pro 2000 Championship  
August 28, 2020

Section Data for Car 68 - Frost, Danial

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	3.8094	3.7270	4.5593	4.3505	3.9934	4.9760	4.5387	4.0168	33.9711		35.3622
	S	152.315	116.350	114.252	130.863	142.736	132.774	129.492	143.771	132.466		113.160
2	T	3.7749	3.4325	4.2492	4.1671	3.9079	4.7484	4.3255	3.9729	32.5784		
	S	153.707	126.333	122.590	136.622	145.858	139.138	135.875	145.360	138.128		
3	T	3.8095	3.3307	4.2226	4.1487	3.9002	4.7121	4.3153	3.9540	32.3931		
	S	152.311	130.194	123.362	137.228	146.146	140.210	136.196	146.055	138.918		
4	T	3.7994	3.4478	4.1689	4.1211	3.8905	4.7097	4.3008	3.9397	32.3779		
	S	152.716	125.772	124.951	138.147	146.511	140.281	136.655	146.585	138.984		
5	T	3.7937	3.3510	4.1676	4.1309	4.2087				50.5199	1005.3897	33.7034
	S	152.945	129.405	124.990	137.819	135.434				89.074	1.065	116.383
6	T				5.1570	4.2350	5.0298	4.3450	3.9832	1029.5998		41.0266
	S				110.397	134.593	131.353	135.265	144.984	4.371		97.536
7	T	3.8688	3.4097	4.1932	4.1012	3.8514	4.5921	4.3264	3.9800	32.3228		
	S	149.976	127.177	124.227	138.817	147.998	143.874	135.847	145.101	139.221		
8	T	3.8619	3.3755	4.1589	4.0820	3.8453	4.5915	4.2851	3.9696	32.1698		
	S	150.244	128.466	125.252	139.470	148.233	143.892	137.156	145.481	139.883		
9	T	3.8544	3.3429	4.1583	4.0818	3.8397	4.5970	4.2475	3.9522	32.0738		
	S	150.536	129.719	125.270	139.477	148.449	143.720	138.370	146.121	140.301		
10	T	3.8377	3.3284	4.1375	4.0787	3.9698				47.7535	540.8795	31.1339
	S	151.191	130.284	125.899	139.583	143.584				94.234	1.980	125.988
11	T				5.1488	4.2517	5.0519	4.3363	3.9544	563.7813		39.5214
	S				110.573	134.064	130.779	135.537	146.040	7.982		101.251
12	T	3.8180	3.3624	4.1479	4.0928	3.8580	4.6154	4.2180	3.8957	32.0082		
	S	151.972	128.966	125.584	139.102	147.745	143.147	139.338	148.240	140.589		
13	T	3.7776	3.3306	4.1134	4.0633	3.8481	4.6147	4.2353	3.9040	31.8870		
	S	153.597	130.198	126.637	140.112	148.125	143.169	138.769	147.925	141.123		
14	T	3.7834	3.3170	4.1081	4.0693	3.8460	4.5804	4.2473	3.8979	31.8494		
	S	153.361	130.731	126.800	139.906	148.206	144.241	138.377	148.157	141.290		
15	T	3.7852	3.3232	4.1994	4.1377	4.1201				48.0150	261.5783	31.4791
	S	153.288	130.488	124.044	137.593	138.346				93.721	4.095	124.606
16	T				4.5800	4.0773	4.9514	4.3704	5.3876	279.1453		34.1029
	S				124.305	139.798	133.433	134.479	107.191	16.121		117.339
17	T	6.9419	5.5165	5.1858	4.4141	3.9989	4.7075	4.2831	3.9211	38.9689		
	S	83.583	78.607	100.449	128.977	142.539	140.347	137.220	147.280	115.477		
18	T	3.7693	3.2826	4.1235	4.0562	3.8372	4.6097	4.2580	3.9027	31.8392		
	S	153.935	132.101	126.327	140.358	148.546	143.324	138.029	147.974	141.335		
19	T	3.7537	3.2724	4.1658	4.0770	3.8322	4.5817	4.2678	3.8800	31.8306		
	S	154.575	132.513	125.044	139.641	148.740	144.200	137.712	148.840	141.373		

**Event:** Indy Pro 2000 WWT OT  
**Track:** World Wide Technology Raceway  
**Report:** Section Data Report  
**Session:** Test Session 3

1.25 mile(s)



**Indy Pro 2000 Championship**  
**August 28, 2020**

**Section Data for Car 68 - Frost, Danial**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	3.7157	3.4177	4.3178	4.1574	4.0666			48.4984			31.8579
	S	156.156	126.880	120.642	136.941	140.166			92.787			123.125

Event: **Indy Pro 2000 WWT OT**  
Track: **World Wide Technology Raceway**  
Report: **Section Data Report**  
Session: **Test Session 3**

1.25 mile(s)



Indy Pro 2000 Championship  
August 28, 2020

Section Data for Car 7 - Enders, Kory

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI	
1	T	3.9677	3.8766	4.6504	4.4413	5.1321	5.6412	4.6504	4.0965	54.6128	182.8314	36.4645	37.9522
	S	146.238	111.860	112.014	128.187	111.066	117.117	126.382	140.974	82.398	5.859	109.739	103.354
2	T				5.0644	4.3046	5.5778	4.5988	4.0905	202.7915		36.6207	
	S				112.416	132.416	118.448	127.800	141.181	22.190		109.271	
3	T	3.9674	3.7202	4.4170	4.2737	4.7328				51.8529	208.4386		35.3190
	S	146.249	116.563	117.933	133.214	120.436				86.784	5.139		111.059
4	T				4.8550	4.3612	5.7013	4.5224	4.0939	227.4081		35.5034	
	S				117.264	130.698	115.883	129.959	141.064	19.788		112.710	
5	T	4.1009	3.6975	4.3226	4.2142	3.9409	5.1395	4.5011	5.2477	35.1644			
	S	141.488	117.278	120.508	135.095	144.637	128.550	130.574	110.048	127.970			
6	T	5.8703	4.8267	5.9818	6.0416	7.0417				75.2445	418.6302		58.2521
	S	98.841	89.841	87.082	94.233	80.946				59.805	2.559		67.337
7	T				5.1204	4.4809	5.8290	4.8033	4.1824	441.7920		40.1542	
	S				111.186	127.207	113.344	122.359	138.079	10.186		99.656	
8	T	3.9639	3.6922	4.2744	4.1162	3.8207	5.0934	4.4166	4.0549	33.4323			
	S	146.378	117.447	121.867	138.312	149.187	129.713	133.072	142.420	134.600			
9	T	3.9212	3.6063	4.2137	4.1089	3.8788	4.8696	4.3278	4.0181	32.9444			
	S	147.972	120.244	123.623	138.557	146.953	135.675	135.803	143.725	136.594			
10	T	3.9067	3.5767	4.2029	4.1067	3.8609	4.8668	4.3157	4.0054	32.8418			
	S	148.521	121.239	123.940	138.632	147.634	135.753	136.184	144.180	137.021			
11	T	3.8869	3.5335	4.1746	4.0864	3.8508	4.8006	4.3289	4.0094	32.6711			
	S	149.278	122.721	124.781	139.320	148.021	137.625	135.768	144.037	137.736			
12	T	3.9075	3.6367	4.1923	4.1191	4.4298				51.4246	541.7479		35.1968
	S	148.491	119.239	124.254	138.214	128.674				87.507	1.977		111.445
13	T				5.1342	4.3228	5.5924	4.7980	4.1785	562.3160		36.7959	
	S				110.887	131.859	118.139	122.494	138.207	8.003		108.751	
14	T	4.0078	3.8507	4.9458	4.7803	4.9150				57.2706	31.1034		40.5756
	S	144.775	112.612	105.324	119.097	115.972				78.574	34.438		96.671
15	T				4.7760	4.1419	5.3149	4.4784	4.0724	49.0966		34.6882	
	S				119.204	137.618	124.307	131.236	141.808	91.656		115.359	
16	T	3.9284	3.6456	4.2140	4.1387	3.8999	5.0141	4.3549	3.9995	33.1951			
	S	147.701	118.948	123.614	137.560	146.158	131.765	134.958	144.393	135.562			
17	T	3.8678	3.5126	4.1795	4.1216	3.8929	4.9541	4.3310	3.9822	32.8417			
	S	150.015	123.452	124.634	138.130	146.420	133.361	135.702	145.020	137.021			
18	T	3.8530	3.5370	4.2313	4.1365	3.9025	4.8914	4.3291	3.9840	32.8648			
	S	150.591	122.600	123.109	137.633	146.060	135.070	135.762	144.955	136.925			
19	T	3.8481	3.4710	4.1738	4.1193	3.8886	4.9001	4.3286	3.9868	32.7163			
	S	150.783	124.931	124.805	138.208	146.582	134.830	135.778	144.853	137.546			

Event: **Indy Pro 2000 WWT OT**  
Track: **World Wide Technology Raceway**  
Report: **Section Data Report**  
Session: **Test Session 3**

1.25 mile(s)



**Indy Pro 2000 Championship**  
**August 28, 2020**

**Section Data for Car 7 - Enders, Kory**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	3.8524	3.4687	4.2194	4.1407	3.9020	4.8486	4.3218	3.9872	32.7408		
	S	150.614	125.014	123.456	137.493	146.079	136.262	135.991	144.838	137.443		
21	T	3.8422	3.4762	4.2571	4.1646	3.9144	4.7842	4.2510	3.9362	32.6259		
	S	151.014	124.744	122.362	136.704	145.616	138.097	138.256	146.715	137.927		
22	T	3.8215	3.4589	4.2864	4.1786	3.9113	4.9208	4.3511	3.9960	32.9246		
	S	151.832	125.368	121.526	136.246	145.732	134.263	135.076	144.520	136.676		
23	T	3.8701	3.5113	4.2702	4.1724	3.9165	4.8979	4.3087	3.9717	32.9188		
	S	149.926	123.497	121.987	136.449	145.538	134.891	136.405	145.404	136.700		
24	T	3.8470	3.4842	4.1899	4.1413	4.5341				53.7079	154.9218	36.8993
	S	150.826	124.458	124.325	137.473	125.714				83.787	6.914	106.303
25	T				4.8112	4.1913	5.1768	4.4059	4.0258	172.5457		34.4325
	S				118.332	135.996	127.624	133.396	143.450	26.080		116.216
26	T	3.8756	3.5658	4.2766	4.1786	3.9291	4.9137	4.2941	3.9690	33.0025		
	S	149.713	121.610	121.804	136.246	145.071	134.457	136.869	145.503	136.353		
27	T	3.8326	3.4682	4.2448	4.1611	3.9253	4.8555	4.2680	3.9485	32.7040		
	S	151.393	125.032	122.717	136.819	145.212	136.069	137.706	146.258	137.598		
28	T	3.8148	3.4296	4.1741	4.1310	3.8990	4.8307	4.2553	3.9196	32.4541		
	S	152.099	126.439	124.796	137.816	146.191	136.767	138.117	147.336	138.657		
29	T	3.7773	3.4708	4.2386	4.1130	3.8626	4.8742	4.3405	3.9607	32.6377		
	S	153.609	124.938	122.896	138.419	147.569	135.547	135.405	145.808	137.877		
30	T	3.7914	3.4910	4.2955	4.1648	3.8910	4.9514	4.3965	4.0081	32.9897		
	S	153.038	124.216	121.269	136.698	146.492	133.433	133.681	144.083	136.406		
31	T	3.8278	3.4750	4.2491	4.1518	3.8960	4.8991	4.3850	4.0048	32.8886		
	S	151.582	124.787	122.593	137.126	146.304	134.858	134.031	144.202	136.826		
32	T	3.8286	3.4946	4.2519	4.1471	4.4317				53.3451		36.7435
	S	151.551	124.088	122.512	137.281	128.619				84.356		106.754

**Event:** Indy Pro 2000 WWT OT  
**Track:** World Wide Technology Raceway  
**Report:** Section Data Report  
**Session:** Test Session 3

1.25 mile(s)



**Indy Pro 2000 Championship**  
**August 28, 2020**

**Section Data for Car 8 - Sulaiman, Manuel (R)**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI	
1	T	4.5033	4.1615	4.9603	4.6984	5.6454	6.2255	5.0332	4.6490	56.8351	246.1389	41.9161	40.6038
	S	128.845	104.202	105.016	121.173	100.967	106.125	116.770	124.220	79.176	4.352	95.467	96.604
2	T				5.4557	4.4032	5.3820	4.4678	4.0404	269.8012		39.8936	
	S				104.353	129.451	122.758	131.547	142.931	16.679		100.307	
3	T	3.9094	3.5692	4.2042	4.1662	3.9458	4.7166	4.2441	3.9646	32.7201			
	S	148.418	121.494	123.902	136.652	144.457	140.076	138.481	145.664	137.530			
4	T	3.8440	3.4666	4.1377	4.1303	3.9177	4.7307	4.2569	3.9718	32.4557			
	S	150.944	125.090	125.893	137.839	145.494	139.658	138.065	145.400	138.651			
5	T	3.8422	3.3960	4.0938	4.1020	3.9046	4.7311	4.2373	3.9545	32.2615			
	S	151.014	127.690	127.243	138.790	145.982	139.647	138.703	146.036	139.485			
6	T	3.8365	3.5156	4.3258	4.3331	4.8252				51.6699			36.6113
	S	151.239	123.346	120.419	131.388	118.130				87.091			107.139

Event: **Indy Pro 2000 WWT OT**  
Track: **World Wide Technology Raceway**  
Report: **Section Data Report**  
Session: **Test Session 3**

1.25 mile(s)



Indy Pro 2000 Championship  
August 28, 2020

Section Data for Car 83 - Finelli, Charles

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	4.2614	3.9481	4.6200	4.4682	4.1400	5.1755	4.5293	4.1428	35.2853		40.6460
	S	136.159	109.834	112.751	127.416	137.681	127.656	129.761	139.398	127.532		98.450
2	T	4.1401	3.8706	4.4961	4.3905	4.1068	5.1404	4.5057	4.1237	34.7739		
	S	140.148	112.033	115.858	129.670	138.794	128.527	130.441	140.044	129.407		
3	T	4.1128	3.8336	4.5997	4.4363	4.9536				57.3270	91.7174	40.6805
	S	141.078	113.115	113.248	128.332	115.068				78.497	11.679	96.422
4	T				6.1054	7.2002	6.5618	5.1055	4.3300	119.8077		44.7368
	S				93.248	79.164	100.686	115.116	133.372	37.560		89.447
5	T	4.1690	3.7439	4.5051	4.3716	4.0932	5.1769	4.5309	4.1433	34.7339		
	S	139.177	115.825	115.627	130.231	139.255	127.621	129.715	139.382	129.556		
6	T	4.1139	3.7264	4.4685	4.3389	4.0731	5.1095	4.4549	4.0703	34.3555		
	S	141.041	116.369	116.574	131.213	139.943	129.305	131.928	141.881	130.983		
7	T	4.0433	3.7135	4.4356	4.3242	4.0653	5.0688	4.4777	4.1009	34.2293		
	S	143.503	116.773	117.438	131.659	140.211	130.343	131.257	140.823	131.466		
8	T	4.0326	3.6309	4.4036	4.3049	4.0657	5.0923	4.4707	4.0939	34.0946		
	S	143.884	119.429	118.292	132.249	140.197	129.741	131.462	141.064	131.986		
9	T	4.0276	3.6489	4.4248	4.3050	4.0674	5.0276	4.4093	4.0595	33.9701		
	S	144.063	118.840	117.725	132.246	140.139	131.411	133.293	142.259	132.469		
10	T	4.0985	3.7331	4.5157	4.3506	4.0739	4.9845	4.3982	4.0387	34.1932		
	S	141.571	116.160	115.355	130.860	139.915	132.547	133.629	142.992	131.605		
11	T	4.0031	3.6461	4.4368	4.3237	4.0720	5.0640	4.4576	4.0801	34.0834		
	S	144.944	118.932	117.406	131.674	139.980	130.466	131.848	141.541	132.029		
12	T	4.0388	3.6414	4.5586	4.4006	4.0922	5.1064	4.4580	4.0748	34.3708		
	S	143.663	119.085	114.270	129.373	139.289	129.383	131.837	141.725	130.925		
13	T	4.0432	3.6259	4.4271	4.3246	4.0528	5.0954	4.5797	4.4847	34.6334		
	S	143.507	119.594	117.664	131.646	140.644	129.662	128.333	128.771	129.932		
14	T	5.5955	5.3663	6.4423	6.0933	7.5922				75.9801	440.8280	59.0315
	S	103.695	80.807	80.858	93.433	75.077				59.226	2.430	66.448
15	T				5.3141	4.5471	5.8344	5.1106	4.6521	466.0521		42.1727
	S				107.134	125.355	113.239	115.002	124.137	9.656		94.886
16	T	4.3683	3.8319	4.6465	4.4154	4.0892	5.1506	4.6096	4.2064	35.3179		
	S	132.827	113.165	112.108	128.939	139.392	128.273	127.501	137.291	127.414		
17	T	4.1895	3.7799	4.5204	4.3638	4.0734	5.0736	4.4815	4.1323	34.6144		
	S	138.496	114.722	115.235	130.464	139.932	130.220	131.145	139.753	130.004		
18	T	4.0933	3.6894	4.4930	4.3203	4.0415	5.0146	4.4445	4.1087	34.2053		
	S	141.750	117.536	115.938	131.777	141.037	131.752	132.237	140.555	131.559		
19	T	4.0886	3.6917	4.4698	4.3171	4.0313	5.0363	4.4689	4.1254	34.2291		
	S	141.913	117.463	116.540	131.875	141.394	131.184	131.515	139.986	131.467		

**Event:** Indy Pro 2000 WWT OT  
**Track:** World Wide Technology Raceway  
**Report:** Section Data Report  
**Session:** Test Session 3

1.25 mile(s)



**Indy Pro 2000 Championship**  
**August 28, 2020**

**Section Data for Car 83 - Finelli, Charles**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	4.1095	3.6862	4.5537	4.3843	4.0650	4.9390	4.6144	4.3346	34.6867		
	S	141.192	117.638	114.392	129.854	140.221	133.768	127.368	133.230	129.733		
21	T	4.2304	3.7615	4.5504	4.3766	4.0883	5.1213	4.4556	4.0913	34.6754		
	S	137.157	115.283	114.475	130.082	139.422	129.007	131.908	141.153	129.775		
22	T	4.2884	3.7651	4.4918	4.3095	4.0218	5.0257	4.4808	4.1371	34.5202		
	S	135.302	115.173	115.969	132.108	141.728	131.461	131.166	139.591	130.358		
23	T	4.1085	3.7071	4.4547	4.3124	4.0194	5.0102	4.4694	4.1275	34.2092		
	S	141.226	116.975	116.935	132.019	141.812	131.867	131.500	139.915	131.544		
24	T	4.1164	3.6813	4.6162	4.4100	4.0801	5.1379	4.4560	4.1451	34.6430		
	S	140.955	117.794	112.844	129.097	139.702	128.590	131.896	139.321	129.896		
25	T	4.1318	3.7496	4.6164	5.7265	7.6768				65.8276		47.8990
	S	140.430	115.649	112.839	99.418	74.250				68.360		81.891

Event: **Indy Pro 2000 WWT OT**  
Track: **World Wide Technology Raceway**  
Report: **Section Data Report**  
Session: **Test Session 3**

1.25 mile(s)



Indy Pro 2000 Championship  
August 28, 2020

Section Data for Car 9 - Thompson, Parker

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI	
1	T	3.9372	3.7378	4.4510	4.3072	4.3346	5.4018	4.5462	4.0643	51.6657	218.1057	34.6972	34.6928
	S	147.371	116.014	117.032	132.178	131.500	122.308	129.279	142.091	87.098	4.911	115.329	113.064
2	T				4.7576	4.1660	5.4680	4.5840	4.0817	235.9989		34.8661	
	S				119.665	136.822	120.827	128.213	141.485	19.068		114.770	
3	T	3.9516	3.6695	4.3333	4.2317	4.3601				51.4949	212.9612		34.4268
	S	146.834	118.173	120.211	134.537	130.731				87.387	5.030		113.937
4	T				4.7125	4.1535	5.1773	4.4249		230.5713		34.6782	
	S				120.810	137.234	127.611	132.823	113.413	19.517		115.392	
5	T	6.1200	5.4203	5.9870	6.1905	7.5222				73.4874	423.9325		56.0732
	S	94.808	80.002	87.007	91.966	75.776				61.235	2.527		69.953
6	T				5.0923	4.2251	5.1819	4.4031	4.0372	446.1544		39.6361	
	S				111.800	134.908	127.498	133.480	143.045	10.086		100.958	
7	T	3.9432	3.5388	4.2013	4.1263	3.8805	4.7853	4.2706	3.9914	32.7374			
	S	147.146	122.538	123.988	137.973	146.888	138.065	137.622	144.686	137.457			
8	T	3.9021	3.4923	4.2259	4.1153	3.8681	4.7499	4.2990	4.0050	32.6576			
	S	148.696	124.169	123.266	138.342	147.359	139.094	136.713	144.195	137.793			
9	T	3.9021	3.4981	4.1712	4.0972	3.8647	4.7585	4.2864	4.0026	32.5808			
	S	148.696	123.963	124.882	138.953	147.489	138.842	137.114	144.281	138.118			
10	T	3.8980	3.4621	4.1660	4.0888	3.8511	4.8379	4.5032	4.0794	32.8865			
	S	148.853	125.252	125.038	139.238	148.010	136.564	130.513	141.565	136.834			
11	T	3.9355	3.6015	4.2939	4.1733	4.1311				50.3729	575.5971		33.3155
	S	147.434	120.404	121.314	136.419	137.978				89.334	1.861		117.738
12	T				4.7233	4.1434	5.2254	4.4097	4.0128	592.5312		33.9915	
	S				120.534	137.568	126.437	133.281	143.914	7.595		117.723	
13	T	3.9000	3.5675	4.2516	4.1766	3.9216	4.9019	4.3428	4.0082	33.0702			
	S	148.776	121.552	122.521	136.311	145.349	134.781	135.334	144.080	136.074			
14	T	3.8701	3.5435	4.2627	4.1790	3.9125	4.8092	4.3403	3.9969	32.9142			
	S	149.926	122.375	122.202	136.233	145.687	137.379	135.412	144.487	136.719			
15	T	3.8698	3.5033	4.2458	4.1601	3.9011	4.8469	4.3746	4.0079	32.9095			
	S	149.937	123.779	122.688	136.852	146.113	136.310	134.350	144.090	136.739			
16	T	3.8651	3.4753	4.2137	4.1371	3.8917	4.7782	4.3492	3.9844	32.6947			
	S	150.120	124.777	123.623	137.613	146.466	138.270	135.135	144.940	137.637			
17	T	3.8368	3.4728	4.2769	4.1494	3.8777	4.7854	4.3653	3.9907	32.7550			
	S	151.227	124.866	121.796	137.205	146.994	138.062	134.636	144.711	137.384			
18	T	3.8372	3.4765	4.2555	4.1401	3.8844	4.8476	4.3342	3.9846	32.7601			
	S	151.211	124.734	122.408	137.513	146.741	136.290	135.602	144.933	137.362			
19	T	3.8379	3.4679	4.2289	4.1235	3.8802	4.8602	4.3694	4.0099	32.7779			
	S	151.184	125.043	123.178	138.067	146.900	135.937	134.510	144.019	137.288			



Event: **Indy Pro 2000 WWT OT**  
Track: **World Wide Technology Raceway**  
Report: **Section Data Report**  
Session: **Test Session 3**

1.25 mile(s)



Indy Pro 2000 Championship  
August 28, 2020

Section Data for Car 9 - Thompson, Parker

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	3.8420	3.4710	4.2515	4.1623	4.2385				50.0706	215.1194	33.1461
	S	151.022	124.931	122.524	136.780	134.482				89.873	4.979	118.340
21	T				4.6864	4.1434	5.0941	4.3976	4.0219	231.5779		33.3830
	S				121.483	137.568	129.695	133.647	143.589	19.432		119.869
22	T	3.8547	3.5143	4.2577	4.1580	3.9185	4.8027	4.2966	3.9541	32.7566		
	S	150.525	123.392	122.345	136.921	145.464	137.565	136.789	146.051	137.377		
23	T	3.8210	3.4640	4.2271	4.1288	3.8565	4.9043	4.3521	3.9237	32.6775		
	S	151.852	125.184	123.231	137.890	147.802	134.715	135.045	147.183	137.709		
24	T	3.7375	3.5170	4.2502	4.1432	3.8861	4.9014	4.3362	3.9271	32.6987		
	S	155.245	123.297	122.561	137.410	146.677	134.795	135.540	147.055	137.620		
25	T	3.7573	3.4923	4.2696	4.1411	3.8537	4.9050	4.4721	4.0371	32.9282		
	S	154.427	124.169	122.004	137.480	147.910	134.696	131.421	143.048	136.661		
26	T	3.7574	3.5587	4.4312	4.2559	3.9002	5.0750	4.4572	3.9648	33.4004		
	S	154.423	121.852	117.555	133.772	146.146	130.184	131.860	145.657	134.729		
27	T	3.7874	3.5854	4.2368	4.1056	3.8349	4.8115	4.3577	3.9537	32.6730		
	S	153.199	120.945	122.949	138.669	148.635	137.313	134.871	146.066	137.728		
28	T	3.7527	3.4933	4.3644	4.1980	3.9332	4.8237	4.3116	3.9604	32.8373		
	S	154.616	124.134	119.354	135.617	144.920	136.966	136.313	145.819	137.039		
29	T	3.8091	3.4647	4.2043	4.1263	3.9014	4.7676	4.3200	3.9647	32.5581		
	S	152.327	125.158	123.899	137.973	146.101	138.577	136.048	145.660	138.214		
30	T	3.8162	3.4509	4.2330	4.1336	3.9077	4.7398	4.2934	3.9638	32.5384		
	S	152.043	125.659	123.059	137.729	145.866	139.390	136.891	145.694	138.298		
31	T	3.8239	3.6381	4.7591	6.0656	6.4629						44.6038
	S	151.737	119.193	109.455	93.860	88.196						87.941

**Event:** Indy Pro 2000 WWT OT  
**Track:** World Wide Technology Raceway  
**Report:** Section Data Report  
**Session:** Test Session 3

1.25 mile(s)



Indy Pro 2000 Championship  
 August 28, 2020

Section Data for Car

Report Support Information

Section Legend	
Name	Length
SF to T1	0.161174 miles
T1 to SS1	0.120455 miles
SS1 to T2	0.144697 miles
T2 to BS	0.158144 miles
BS to T3	0.158333 miles
T3 to SS2	0.183523 miles
SS2 to T4	0.163258 miles
T4 to SF	0.160417 miles
T1 to T2	0.265152 miles
T2 to T3	0.316477 miles
T3 to T4	0.346780 miles
Lap	1.250000 miles
PI to PO	0.297538 miles
PO to SF	1.111553 miles
SF to PI	1.089583 miles
PO to T2	0.287879 miles
T3 to PI	0.346780 miles
PO to PI	0.951136 miles

Color Legend	
	Fastest Lap
	Section Under Caution
	Section Under Green
	Section Time Data
	Section Speed Data

