

Event: Indy Pro 2000 GP of Indianapolis

Round 3 / 4

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

May 10, 2019

Section Data for Car 10 - Lindh, Rasmus (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF	
1	T	8.3652	13.5363	5.6411	14.5514	18.7784	9.6868	9.0898	15.7698	14.5869	13.1588	22.3603	12.3480	157.8728	169.5773
	S	109.382	67.243	69.256	57.445	65.428	61.588	51.156	46.824	48.191	41.711	38.298	47.928	55.617	47.535
2	T	12.9941	14.2896	5.8345	11.2038	19.1726	10.1801	8.6883	13.8963	13.6959	11.5800	19.4816	8.9573	149.9741	
	S	70.417	63.699	66.961	74.609	64.083	58.604	53.520	53.137	51.326	47.398	43.958	66.071	58.546	
3	T	7.2104	10.6220	3.8402	8.2668	8.7452	6.4652	5.1580	7.4294	5.3532	7.1734	8.2811	4.3445	82.8894	
	S	126.900	85.693	101.735	101.116	140.493	92.277	90.151	99.390	131.315	76.514	103.412	136.222	105.929	
4	T	6.1445	9.5202	3.7824	8.0279	8.7333	6.1814	5.1353	7.3550	5.3028	7.0451	8.3152	4.3454	79.8885	
	S	148.914	95.610	103.289	104.125	140.684	96.514	90.550	100.396	132.563	77.907	102.988	136.194	109.908	
5	T	6.1341	9.3764	3.7004	8.0369	8.7304	6.2546	5.0200	7.3067	5.2670	6.9925	8.2944	4.3425	79.4559	
	S	149.166	97.076	105.578	104.009	140.731	95.384	92.629	101.059	133.464	78.493	103.246	136.285	110.507	
6	T	6.1287	9.4022	3.7212	8.0069	8.7337	6.1555	4.9861	7.3218	5.2799	7.0334	8.3996	4.3491	79.5181	
	S	149.298	96.810	104.988	104.399	140.678	96.920	93.259	100.851	133.138	78.037	101.953	136.078	110.420	
7	T	6.1326	9.4689	3.7435	8.0647	8.7347	6.1570	5.0030	7.3187	5.2808	7.0799	8.3574	4.3526	79.6938	
	S	149.203	96.128	104.363	103.650	140.662	96.896	92.944	100.893	133.115	77.524	102.468	135.969	110.177	
8	T	6.1273	9.3897	3.7022	8.2245	8.7530	6.1508	5.0453	7.3569	5.2874	7.0948	8.3154	4.3475	79.7948	
	S	149.332	96.939	105.527	101.636	140.367	96.994	92.165	100.370	132.949	77.361	102.985	136.128	110.037	
9	T	6.1247	9.3237	3.7677	8.0563	8.7455	6.2150	5.0096	7.4104	5.2917	7.0647	8.3309	4.3598	79.7000	
	S	149.395	97.625	103.692	103.758	140.488	95.992	92.822	99.645	132.841	77.691	102.794	135.744	110.168	
10	T	6.1236	9.3887	3.7357	8.0883	8.7486	6.1834	5.0341	7.3676	5.2660	7.0900	8.3110	4.3580	79.6950	
	S	149.422	96.949	104.581	103.348	140.438	96.483	92.370	100.224	133.489	77.414	103.040	135.800	110.175	
11	T	6.1221	9.3600	3.7232	8.1270	8.7475	6.1980	5.0366	7.3591	5.3015	7.0741	8.3804	4.3497	79.7792	
	S	149.459	97.247	104.932	102.856	140.456	96.255	92.324	100.340	132.595	77.588	102.186	136.060	110.059	
12	T	6.1203	9.2884	3.7280	8.1307	8.7665	6.1705	5.0256	7.3424	5.2696	7.0730	8.3107	4.3535	79.5792	
	S	149.502	97.996	104.797	102.809	140.151	96.684	92.526	100.568	133.398	77.600	103.044	135.941	110.335	
13	T	6.1231	10.1969	3.7507	8.4948	8.7729	6.2400	5.0258	7.3446	5.2815	7.0779	8.2726	4.3371	80.9179	
	S	149.434	89.265	104.162	98.402	140.049	95.608	92.523	100.538	133.098	77.546	103.518	136.455	108.510	
14	T	6.1132	9.4004	3.7362	8.0884	8.7507	6.1565	5.0438	7.3367	5.2723	7.1221	8.2764	4.3440	79.6407	
	S	149.676	96.829	104.567	103.347	140.404	96.904	92.192	100.646	133.330	77.065	103.471	136.238	110.250	
15	T	6.1139	9.4217	3.7160	8.1497	8.7688	6.1689	5.0330	7.3370	5.2897	7.0748	8.3019	4.3469	79.7223	
	S	149.659	96.610	105.135	102.569	140.115	96.709	92.390	100.642	132.891	77.580	103.153	136.147	110.137	
16	T	6.1322	9.4170	3.8225	8.0968	8.7798	6.2609	5.0439	7.3372	5.2668	7.0857	8.3364	4.3487	79.9279	
	S	149.212	96.658	102.206	103.239	139.939	95.288	92.191	100.639	133.469	77.461	102.726	136.091	109.854	
17	T	6.1219	9.4501	3.7942	8.1747	8.7999	6.1716	5.0229	7.2881	5.2623	7.1323	8.2896	4.3450	79.8526	
	S	149.463	96.319	102.968	102.256	139.619	96.667	92.576	101.317	133.583	76.955	103.306	136.207	109.958	
18	T	6.1025	9.3925	3.7077	8.0700	8.7602	6.1903	5.0160	7.3329	5.2752	7.1029	8.3066	4.3471	79.6039	
	S	149.939	96.910	105.370	103.582	140.252	96.375	92.703	100.698	133.256	77.273	103.094	136.141	110.301	
19	T	6.1048	9.3671	3.7283	8.1216	8.7887	6.1858	5.0285	7.3458	5.3085	7.1390	8.2458	4.3446	79.7085	
	S	149.882	97.173	104.788	102.924	139.797	96.445	92.473	100.521	132.421	76.882	103.855	136.219	110.156	

Event: Indy Pro 2000 GP of Indianapolis

Round 3 / 4

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

May 10, 2019

Section Data for Car 10 - Lindh, Rasmus (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF
20	T	6.1182	9.3924	3.7296	8.0970	8.7660	6.2591	5.0453	7.3243	5.2741	7.0309	8.2997	4.3453	79.6819
	S	149.554	96.911	104.752	103.237	140.159	95.316	92.165	100.816	133.284	78.064	103.180	136.197	110.193
21	T	6.1214	9.3733	3.7179	8.1018	8.7674	6.2026	5.0049	7.3578	5.3023	7.1578	8.2614	4.3364	79.7050
	S	149.476	97.109	105.081	103.176	140.137	96.184	92.909	100.357	132.575	76.680	103.658	136.477	110.161
22	T	6.1196	9.4474	3.7257	8.1178	8.7748	6.2141	5.0568	7.3299	5.2710	7.0584	8.2971	4.3435	79.7561
	S	149.520	96.347	104.861	102.972	140.019	96.006	91.955	100.739	133.363	77.760	103.212	136.254	110.091
23	T	6.1365	9.3520	3.7211	8.1818	8.7558	6.3007	5.0211	7.4709	5.3141	7.1629	8.2460	4.3376	80.0005
	S	149.108	97.330	104.991	102.167	140.323	94.686	92.609	98.838	132.281	76.626	103.852	136.439	109.754
24	T	6.1172	9.4279	3.7180	8.1056	8.7643	6.2709	5.0332	7.3163	5.2564	7.1298	8.3602	4.3456	79.8454
	S	149.578	96.546	105.078	103.127	140.186	95.136	92.387	100.927	133.733	76.982	102.433	136.188	109.968
25	T	6.1258	9.4556	3.7116	8.1257	8.7497	6.3123	5.0371	7.3764	5.2888	7.0816	8.3066	4.3515	79.9227
	S	149.368	96.263	105.260	102.872	140.420	94.512	92.315	100.104	132.914	77.506	103.094	136.003	109.861
26	T	9.3375	14.9552	5.2779	13.2244	15.1400	10.1620	7.7862						
	S	97.992	60.864	74.022	63.210	81.152	58.708	59.721						

Event: Indy Pro 2000 GP of Indianapolis

Round 3 / 4

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

May 10, 2019

Section Data for Car 11 - Serravalle, Antonio

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF	
1	T	10.3875	16.8209	6.4352	14.6321	21.6791	11.4699	5.7005	13.7690	13.0135	11.2861	21.6473	13.1077	159.9488	156.0978
	S	88.087	54.113	60.710	57.128	56.674	52.014	81.572	53.628	54.017	48.632	39.560	45.150	54.895	51.639
2	T	14.8655	16.6072	4.9578	11.8317	21.5492	9.9036	6.2858	12.8325	11.9281	10.4247	18.0564	8.3136	147.5561	
	S	61.552	54.809	78.801	70.650	57.015	60.240	73.976	57.542	58.933	52.650	47.427	71.187	59.506	
3	T	6.9763	12.0067	3.9595	8.7381	8.7487	6.7228	5.2738	8.1684	5.4892	7.6414	8.2853	4.3155	86.3257	
	S	131.158	75.810	98.669	95.663	140.436	88.741	88.172	90.398	128.061	71.828	103.359	137.138	101.712	
4	T	6.0651	9.9087	3.7873	8.4402	8.9261	6.6143	5.1207	7.6269	5.4016	7.4819	8.2218	4.3140	81.9086	
	S	150.863	91.861	103.156	99.039	137.645	90.197	90.808	96.816	130.138	73.359	104.158	137.185	107.198	
5	T	6.0599	9.8196	3.7667	8.2611	8.7493	6.4020	5.1002	7.4780	5.3445	7.3482	8.2502	4.3150	80.8947	
	S	150.993	92.695	103.720	101.186	140.427	93.188	91.173	98.744	131.529	74.694	103.799	137.154	108.541	
6	T	6.0397	9.7611	3.7100	8.3003	8.7269	6.3240	5.1204	7.5128	5.3797	7.3812	8.2231	4.3155	80.7947	
	S	151.498	93.250	105.305	100.708	140.787	94.338	90.813	98.287	130.668	74.360	104.141	137.138	108.675	
7	T	6.0456	9.5934	3.7341	8.2944	8.7517	6.3269	5.0854	7.4977	5.3551	7.3378	8.2307	4.3272	80.5800	
	S	151.350	94.881	104.625	100.780	140.388	94.294	91.438	98.485	131.268	74.799	104.045	136.767	108.965	
8	T	6.0417	9.6349	3.7107	8.2989	8.7680			7.5807	5.3702	7.2952	8.2411	4.3319	80.6523	
	S	151.447	94.472	105.285	100.725	140.127			97.406	130.899	75.236	103.914	136.619	108.867	
9	T	6.0534	9.6048	3.6965	8.4894	8.7825	6.4184	5.0582	7.6474	5.3628	7.3731	8.2654	4.3328	81.0847	
	S	151.155	94.768	105.690	98.465	139.896	92.950	91.930	96.557	131.080	74.441	103.608	136.590	108.287	
10	T	6.0289	9.7039	3.7247	8.5058	8.8273	6.3044	5.0959	7.5238	5.3457	7.3753	8.2380	4.3464	81.0201	
	S	151.769	93.800	104.889	98.275	139.186	94.631	91.250	98.143	131.499	74.419	103.953	136.163	108.373	
11	T	6.0720	9.5961	3.7371	8.3650	8.8024	6.3377	5.0908	7.5535	5.3861	7.3878	8.2220	4.3485	80.8990	
	S	150.692	94.854	104.541	99.929	139.580	94.134	91.341	97.757	130.513	74.293	104.155	136.097	108.535	
12	T	6.0943	9.6519	3.7326	8.5475	8.8174	6.3872	5.0793	7.5688	5.4096	7.3093	8.2821	4.3602	81.2402	
	S	150.140	94.306	104.667	97.796	139.342	93.404	91.548	97.560	129.946	75.091	103.399	135.732	108.079	
13	T	6.1119	9.7490	3.6994	8.3937	8.7942	6.4253	5.0378	7.5179	5.3611	7.3395	8.2685	4.3428	81.0411	
	S	149.708	93.366	105.607	99.588	139.710	92.850	92.302	98.220	131.121	74.782	103.569	136.276	108.345	
14	T	6.1102	9.7958	3.7284	8.3936	8.8432	6.3896	5.0179	7.5636	5.3479	7.3016	8.3030	4.3559	81.1507	
	S	149.750	92.920	104.785	99.589	138.936	93.369	92.668	97.627	131.445	75.170	103.139	135.866	108.199	
15	T	6.1100	9.8165	3.6988	8.4570	8.8725	6.3612	5.0268	7.5578	5.3966	7.4098	8.2868	4.3637	81.3575	
	S	149.755	92.724	105.624	98.842	138.477	93.786	92.504	97.702	130.259	74.073	103.341	135.623	107.924	
16	T	6.1532	9.8977	3.7304	8.4665	8.9095	6.3619	5.0236	7.5427	5.3644	7.3691	8.3442	4.3838	81.5470	
	S	148.703	91.964	104.729	98.731	137.902	93.776	92.563	97.897	131.041	74.482	102.630	135.001	107.673	
17	T	6.1660	10.2834	3.7456	8.5233	8.8283	6.4148	5.1554	7.6988	5.3438	7.4058	8.2292	4.3450	82.1394	
	S	148.394	88.514	104.304	98.073	139.170	93.002	90.197	95.912	131.546	74.113	104.064	136.207	106.896	
18	T	6.0688	9.8234	3.7525	8.3920	8.8377	6.3630	5.0983	7.5460	5.3748	7.4108	8.5519	4.3663	81.5855	
	S	150.771	92.659	104.112	99.608	139.022	93.759	91.207	97.854	130.787	74.063	100.137	135.542	107.622	
19	T	6.0959	10.0496	3.7531	8.5084	8.8416	6.3999	5.1303	7.5963	5.4187	7.3747	8.2360	4.3712	81.7757	
	S	150.101	90.573	104.096	98.245	138.961	93.219	90.638	97.206	129.728	74.425	103.978	135.390	107.372	

Event: Indy Pro 2000 GP of Indianapolis

Round 3 / 4

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

May 10, 2019

Section Data for Car 11 - Serravalle, Antonio

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF
20	T	6.1096	9.7675	3.6872	8.4515	8.8636	6.4129	5.0941	7.5868	5.3823	7.4256	8.3083	4.3669	81.4563
	S	149.764	93.189	105.956	98.907	138.616	93.030	91.282	97.328	130.605	73.915	103.073	135.524	107.793
21	T	6.1390	9.8296	3.7183	8.3502	8.8453	6.4404	5.0769	7.5796	5.3740	7.4284	8.3265	4.3590	81.4672
	S	149.047	92.601	105.070	100.106	138.903	92.633	91.591	97.421	130.807	73.887	102.848	135.769	107.778
22	T	6.1608	9.8630	3.7426	8.3972	8.8652	6.4113	5.0481	7.7070	5.3802	7.5151	8.3308	4.3671	81.7884
	S	148.520	92.287	104.388	99.546	138.591	93.053	92.114	95.810	130.656	73.035	102.795	135.517	107.355
23	T	6.1603	9.9067	3.6920	8.4440	8.8707	6.4079	5.1536	7.6421	5.3627	7.4129	8.2898	4.3787	81.7214
	S	148.532	91.880	105.818	98.994	138.505	93.102	90.228	96.624	131.082	74.042	103.303	135.158	107.443
24	T	6.1668	9.8431	3.7361	8.4517	8.9201	6.4308	5.1816	7.5745	5.3912	7.4451	8.3487	4.3859	81.8756
	S	148.375	92.474	104.569	98.904	137.738	92.771	89.741	97.486	130.389	73.721	102.574	134.937	107.241
25	T	6.1911	9.7918	3.7210	8.4377	8.8939	6.4296	5.0836	7.5621	5.4408	7.4257	8.3472	4.3760	81.7005
	S	147.793	92.958	104.994	99.068	138.144	92.788	91.471	97.646	129.201	73.914	102.593	135.242	107.471
26	T	6.1996	10.9211	4.7780	9.9059									
	S	147.590	83.346	81.767	84.385									

Event: Indy Pro 2000 GP of Indianapolis

Round 3 / 4

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

May 10, 2019

Section Data for Car 2 - Robb, Sting Ray

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF	
1	T	9.1969	14.7430	5.7509	14.1911	20.1590	9.6599	7.8071	15.4818	13.8014	12.9704	22.0543	12.5226	158.3384	165.5859
	S	99.490	61.740	67.934	58.904	60.947	61.760	59.561	47.695	50.934	42.317	38.830	47.260	55.453	48.680
2	T	13.8115	14.1383	5.7841	11.4831	21.0506	8.0644	8.4858	13.6532	13.5414	11.5729	19.1150	8.6260	149.3263	
	S	66.249	64.380	67.544	72.795	58.366	73.978	54.797	54.083	51.912	47.427	44.801	68.609	58.800	
3	T	7.1522	11.4332	3.8826	8.3014	8.7066	6.4268	5.1677	7.5091	5.4344	7.2500	8.2401	4.3128	83.8169	
	S	127.933	79.613	100.624	100.695	141.116	92.829	89.982	98.335	129.353	75.705	103.926	137.224	104.757	
4	T	6.0374	9.4982	3.7961	8.0660	8.6659			7.6153	5.4223	7.2209	8.3337	4.2974	83.9469	
	S	151.555	95.832	102.917	103.634	141.778			96.964	129.641	76.010	102.759	137.715	104.595	
5	T	6.0005	9.5573	3.7552	8.2362	8.6731	6.2906	5.0648	7.5810	5.4165	7.4107	8.2658	4.2670	80.5187	
	S	152.487	95.239	104.038	101.492	141.661	94.838	91.810	97.403	129.780	74.064	103.603	138.697	109.048	
6	T	5.9201	10.0292	3.7408	8.3243	8.6539	6.2998	5.0731	7.4988	5.4418	7.2530	8.3104	4.2949	80.8401	
	S	154.558	90.758	104.438	100.418	141.975	94.700	91.660	98.470	129.177	75.674	103.047	137.796	108.614	
7	T	5.9730	9.6569	3.7841	8.2278	8.6743	6.2962	5.1415	7.5231	5.3920	7.3017	8.2952	4.2946	80.5604	
	S	153.189	94.257	103.243	101.596	141.641	94.754	90.441	98.152	130.370	75.169	103.236	137.805	108.992	
8	T	5.9546	9.7089	3.7919	8.2556	8.6612	6.4168	5.1097	7.5525	5.4028	7.2932	8.3169	4.2807	80.7448	
	S	153.663	93.752	103.031	101.254	141.855	92.973	91.003	97.770	130.109	75.257	102.967	138.253	108.743	
9	T	5.9331	9.7363	3.7713	8.3727	8.6925	6.3469	5.0504	7.4523	5.3341	7.2453	8.2948	4.2844	80.5141	
	S	154.220	93.488	103.593	99.837	141.344	93.997	92.072	99.085	131.785	75.754	103.241	138.133	109.054	
10	T	5.9435	9.7128	3.7710	8.3773	8.6754	6.3147	5.0643	7.4250	5.3436	7.3082	8.2352	4.3107	80.4817	
	S	153.950	93.714	103.602	99.783	141.623	94.477	91.819	99.449	131.551	75.102	103.988	137.291	109.098	
11	T	6.0068	9.4945	3.7499	8.1936	8.6963	6.3328	5.0695	7.4505	5.3013	7.2980	8.2651	4.3069	80.1652	
	S	152.327	95.869	104.185	102.020	141.283	94.206	91.725	99.109	132.600	75.207	103.612	137.412	109.529	
12	T	5.9895	10.1189	3.8189	8.2274	8.8137	6.2868	5.0104	7.3354	5.3351	7.2018	8.2591	4.3420	80.7390	
	S	152.767	89.953	102.302	101.601	139.401	94.896	92.807	100.664	131.760	76.212	103.687	136.301	108.750	
13	T	6.0973	9.2716	3.7898	8.1707	8.7880	6.2655	5.0259	7.3726	5.3427	7.2021	8.2825	4.3498	79.9585	
	S	150.066	98.174	103.088	102.306	139.808	95.218	92.521	100.156	131.573	76.209	103.394	136.056	109.812	
14	T	6.1086	9.3599	3.7770	8.0868	8.7865	6.1784	5.0555	7.3637	5.3032	7.2026	8.2575	4.3355	79.8152	
	S	149.789	97.248	103.437	103.367	139.832	96.561	91.979	100.277	132.553	76.204	103.707	136.505	110.009	
15	T	6.0941	9.3709	3.7642	8.1406	8.8369	6.3291	5.0601	7.3832	5.3093	7.0832	8.3103	4.3455	80.0274	
	S	150.145	97.133	103.789	102.684	139.035	94.262	91.895	100.012	132.401	77.488	103.048	136.191	109.717	
16	T	6.1203	9.3412	3.8022	8.1317	8.8240	6.2734	5.0029	7.4249	5.3685	7.1333	8.3594	4.3523	80.1341	
	S	149.502	97.442	102.752	102.796	139.238	95.098	92.946	99.450	130.941	76.944	102.443	135.978	109.571	
17	T	6.1083	9.4462	3.7826	8.1858	8.8434	6.2239	5.0627	7.4560	5.3059	7.2691	8.3595	4.3518	80.3952	
	S	149.796	96.359	103.284	102.117	138.933	95.855	91.848	99.036	132.485	75.506	102.442	135.994	109.215	
18	T	6.1139	9.3755	3.7873	8.1490	8.8114	6.2181	5.0374	7.3783	5.3142	7.1999	8.2962	4.3432	80.0244	
	S	149.659	97.086	103.156	102.578	139.437	95.944	92.310	100.078	132.279	76.232	103.224	136.263	109.722	
19	T	6.1014	9.5018	3.7922	8.1560	8.8151	6.3261	5.0581	7.5032	5.3496	7.3034	8.2814	4.3472	80.5355	
	S	149.966	95.795	103.022	102.490	139.379	94.306	91.932	98.413	131.403	75.152	103.408	136.138	109.025	

Event: Indy Pro 2000 GP of Indianapolis

Round 3 / 4

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

May 10, 2019

Section Data for Car 2 - Robb, Sting Ray

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF
20	T	6.1119	9.5353	3.7448	8.1889	8.8175	6.3079	5.0026	7.4147	5.3316	7.1040	8.3853	4.3500	80.2945
	S	149.708	95.459	104.326	102.078	139.341	94.578	92.952	99.587	131.847	77.261	102.127	136.050	109.352
21	T	6.1109	9.4453	3.7623	8.2081	8.8067	6.3274	5.0062	7.3596	5.3285	7.1417	8.2666	4.3350	80.0983
	S	149.732	96.368	103.841	101.840	139.512	94.287	92.885	100.333	131.924	76.853	103.593	136.521	109.620
22	T	6.1054	9.4647	3.8080	8.1564	8.7836	6.2474	5.0669	7.3990	5.3210	7.1853	8.3099	4.3551	80.2027
	S	149.867	96.171	102.595	102.485	139.878	95.494	91.772	99.798	132.109	76.387	103.053	135.891	109.478
23	T	6.1284	9.4396	3.7510	8.1886	8.8053	6.2299	5.0750	7.3731	5.3281	7.1586	8.3215	4.3562	80.1553
	S	149.305	96.426	104.154	102.082	139.534	95.763	91.626	100.149	131.933	76.672	102.910	135.857	109.542
24	T	6.1186	9.4063	3.7417	8.1486	8.8261	6.2190	5.0145	7.4952	5.3478	7.2368	8.3072	4.3406	80.2024
	S	149.544	96.768	104.413	102.583	139.205	95.930	92.731	98.518	131.447	75.843	103.087	136.345	109.478
25	T	6.1173	9.4388	3.7788	8.1716	8.8043	6.2549	5.0320	7.3938	5.3379	7.1761	8.2570	4.3419	80.1044
	S	149.576	96.435	103.388	102.294	139.550	95.380	92.409	99.869	131.691	76.485	103.714	136.304	109.612
26	T	6.9229	11.6262	5.0915	11.0750	10.7598	7.4817	6.6482						
	S	132.170	78.291	76.732	75.477	114.188	79.740	69.944						

Event: **Indy Pro 2000 GP of Indianapolis**  
Track: **Indianapolis Motor Speedway RC**  
Report: **Section Data Report**  
Session: **Race 1**

**Round 3 / 4**  
**2.439 mile(s)**  
**Indy Pro 2000 Championship**  
**May 10, 2019**



**Section Data for Car 28 - Kirkwood, Kyle (R)**

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF	
1	T	9.0168	14.2511	5.6017	14.3708	18.7419	9.9231	9.0153	15.5895	14.4684	12.8872	22.2225	15.9813	162.0696	166.9957
	S	101.477	63.871	69.743	58.167	65.556	60.121	51.579	47.366	48.586	42.590	38.536	37.032	54.177	48.269
2	T	17.0020	20.0265	5.7710	8.9239	22.1390	11.4387	5.4901	9.8980	12.0214	9.4920	17.4603	8.1838	147.8467	
	S	53.817	45.451	67.697	93.671	55.496	52.155	84.698	74.602	58.475	57.824	49.046	72.316	59.389	
3	T	6.9039	11.5882	3.9245	8.5518	8.5903	6.7989	5.3534	7.5416	5.3412	7.2878	8.1620	4.2535	84.2971	
	S	132.534	78.548	99.549	97.747	143.026	87.748	86.861	97.911	131.610	75.313	104.921	139.137	104.160	
4	T	5.9192	9.7984	3.7535	8.2014	8.6784	6.2889	5.1471	7.3940	5.3618	7.3884	8.2058	4.2541	80.3910	
	S	154.582	92.896	104.085	101.923	141.574	94.864	90.342	99.866	131.104	74.287	104.361	139.117	109.221	
5	T	6.1245	9.8284	3.6993	8.1690	8.7319	6.3303	5.0289	7.3292	5.3243	7.2397	8.1378	4.3282	80.2715	
	S	149.400	92.612	105.610	102.327	140.707	94.244	92.466	100.749	132.028	75.813	105.233	136.735	109.384	
6	T	6.0694	9.4843	3.6869	8.0437	8.7376	6.2586	5.0878	7.3526	5.3055	7.1695	8.1551	4.3267	79.6777	
	S	150.756	95.972	105.965	103.921	140.615	95.323	91.395	100.428	132.495	76.555	105.010	136.783	110.199	
7	T	6.0589	9.4746	3.6800	8.0874	8.7627	6.2283	5.0048	7.3843	5.2761	7.1207	8.1720	4.3222	79.5720	
	S	151.018	96.070	106.164	103.359	140.212	95.787	92.911	99.997	133.234	77.080	104.792	136.925	110.345	
8	T	6.0377	9.5228	3.6902	8.1557	8.7239	6.1726	5.0457	7.3295	5.2747	7.1549	8.1603	4.3260	79.5940	
	S	151.548	95.584	105.870	102.494	140.836	96.651	92.158	100.745	133.269	76.712	104.943	136.805	110.315	
9	T	6.0463	9.4080	3.7021	8.1135	8.7196	6.1382	4.9930	7.3298	5.2933	7.1746	8.2167	4.3335	79.4686	
	S	151.332	96.750	105.530	103.027	140.905	97.193	93.130	100.741	132.801	76.501	104.222	136.568	110.489	
10	T	6.0435	9.5074	3.7184	8.1363	8.7261	6.1938	5.0121	7.3456	5.2732	7.1787	8.1720	4.3372	79.6443	
	S	151.402	95.739	105.067	102.738	140.800	96.321	92.775	100.524	133.307	76.457	104.792	136.452	110.245	
11	T	6.0554	9.4385	3.7118	8.1355	8.7570	6.1707	5.0410	7.3410	5.3060	7.1746	8.1231	4.3197	79.5743	
	S	151.105	96.438	105.254	102.748	140.303	96.681	92.244	100.587	132.483	76.501	105.423	137.004	110.342	
12	T	6.0457	9.4975	3.6870	8.1139	8.7375	6.1258	5.0387	7.3824	5.2444	7.1454	8.1827	4.3323	79.5333	
	S	151.347	95.839	105.962	103.022	140.616	97.390	92.286	100.023	134.039	76.814	104.655	136.606	110.399	
13	T	6.0590	9.3457	3.7098	8.2205	8.7365	6.1327	5.0457	7.3641	5.2935	7.0953	8.1977	4.3124	79.5129	
	S	151.015	97.395	105.311	101.686	140.633	97.280	92.158	100.271	132.796	77.356	104.464	137.236	110.427	
14	T	6.0291	9.4723	3.6757	8.2404	8.7314	6.1897	5.0141	7.3336	5.2801	7.1907	8.1732	4.2976	79.6279	
	S	151.764	96.094	106.288	101.440	140.715	96.384	92.738	100.688	133.133	76.330	104.777	137.709	110.268	
15	T	6.0068	9.3713	3.7066	8.0786	8.7083	6.1720	5.0609	7.3440	5.2650	7.1623	8.1644	4.2930	79.3332	
	S	152.327	97.129	105.402	103.472	141.088	96.661	91.881	100.546	133.515	76.632	104.890	137.857	110.677	
16	T	5.9998	9.4310	3.6809	8.0854	8.6764	6.1472	5.0835	7.3551	5.2465	7.2427	8.2598	4.2651	79.4734	
	S	152.505	96.514	106.138	103.385	141.607	97.051	91.472	100.394	133.985	75.782	103.678	138.758	110.482	
17	T	5.9365	9.7081	3.6672	8.4416	8.7461	6.1889	5.0362	7.3451	5.2586	7.2559	8.1484	4.2747	80.0073	
	S	154.131	93.760	106.534	99.023	140.478	96.397	92.332	100.531	133.677	75.644	105.096	138.447	109.745	
18	T	5.9570	9.4425	3.7034	8.1606	8.6631	6.2792	5.0570	7.4401	5.2409	7.1959	8.2037	4.2742	79.6176	
	S	153.601	96.397	105.493	102.432	141.824	95.011	91.952	99.247	134.129	76.274	104.387	138.463	110.282	
19	T	5.9523	9.5121	3.6853	8.1730	8.6504	6.2535	5.0544	7.4106	5.3416	7.5316	8.1681	4.2616	79.9945	
	S	153.722	95.692	106.011	102.277	142.032	95.401	91.999	99.642	131.600	72.875	104.842	138.872	109.763	

Event: Indy Pro 2000 GP of Indianapolis

Round 3 / 4

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

May 10, 2019

Section Data for Car 28 - Kirkwood, Kyle (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF
20	T	5.9300	10.0442	3.8241	8.1710	8.7499	6.2085	5.0173	7.3833	5.3122	7.2055	8.1840	4.3229	80.3529
	S	154.300	90.622	102.163	102.302	140.417	96.093	92.679	100.011	132.328	76.173	104.639	136.903	109.273
21	T	6.0554	9.4645	3.7038	8.0866	8.7375	6.2261	5.0262	7.3819	5.2801	7.1387	8.1329	4.3095	79.5432
	S	151.105	96.173	105.481	103.370	140.616	95.821	92.515	100.030	133.133	76.886	105.296	137.329	110.385
22	T	6.0490	9.3595	3.6885	8.0979	8.7455	6.1982	4.9869	7.4116	5.2816	7.1404	8.2545	4.3198	79.5334
	S	151.265	97.252	105.919	103.225	140.488	96.252	93.244	99.629	133.095	76.867	103.745	137.001	110.399
23	T	6.0621	9.5110	3.7198	8.0571	8.7240	6.2397	4.9831	7.3752	5.2371	7.1753	8.1335	4.3082	79.5261
	S	150.938	95.703	105.028	103.748	140.834	95.612	93.315	100.121	134.226	76.493	105.288	137.370	110.409
24	T	6.0362	9.4706	3.6975	8.0966	8.7307	6.1107	5.0173	7.4138	5.2477	7.1770	8.1755	4.3068	79.4804
	S	151.585	96.111	105.661	103.242	140.726	97.631	92.679	99.599	133.955	76.475	104.748	137.415	110.473
25	T	6.0282	9.3767	3.7013	8.2084	8.7244	6.1878	5.0845	7.3675	5.2341	7.1770	8.1808	4.3083	79.5790
	S	151.787	97.073	105.553	101.836	140.828	96.414	91.454	100.225	134.303	76.475	104.680	137.367	110.336
26	T	7.6621	13.9916	6.2617	12.6875	13.3432	8.3408	7.0031	10.4561					
	S	119.419	65.055	62.392	65.884	92.080	71.527	66.399	70.620					



Event: Indy Pro 2000 GP of Indianapolis

Round 3 / 4

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

May 10, 2019

Section Data for Car 5 - Rodriguez, Ian (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF	
1	T	9.0803	15.1118	5.9917	14.5816	19.9185	9.8947	7.7852	15.2498	13.3860	13.0022	22.0314	12.4550	158.4882	162.6660
	S	100.768	60.233	65.204	57.326	61.683	60.294	59.729	48.421	52.514	42.213	38.870	47.517	55.401	49.554
2	T	14.3587	14.4482	6.5132	10.8407	20.8009	10.7222	6.5384	12.7233	13.2724	11.2618	18.8090	8.7898	149.0786	
	S	63.724	62.999	59.983	77.108	59.067	55.641	71.118	58.036	52.964	48.737	45.529	67.330	58.898	
3	T	7.1173													
	S	128.560													

**Event:** Indy Pro 2000 GP of Indianapolis  
**Track:** Indianapolis Motor Speedway RC  
**Report:** Section Data Report  
**Session:** Race 1

**Round 3 / 4**  
**2.439 mile(s)**



**Indy Pro 2000 Championship**  
**May 10, 2019**

**Section Data for Car 51 - Abel, Jacob (R)**

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF	
1	T	9.7928	16.2850	6.3678	13.8837	20.0708	9.6096	7.8095	15.3303	12.7570	12.2598	22.0180	13.2241	159.4084	159.2139
	S	93.436	55.894	61.353	60.208	61.215	62.083	59.543	48.167	55.103	44.769	38.894	44.753	55.081	50.629
2	T	14.5055	15.8987	5.5929	11.3323	19.9326	10.8079	6.7808	12.8736	12.5141	11.0490	18.1683	8.6570	148.1127	
	S	63.080	57.252	69.853	73.763	61.640	55.200	68.576	57.358	56.173	49.675	47.135	68.363	59.282	
3	T	7.0030	11.6312	3.9062	8.6352	8.8297	7.2472	5.5005	7.7579	5.5408	7.4490	8.2998	4.3561	86.1566	
	S	130.658	78.257	100.016	96.803	139.148	82.320	84.538	95.182	126.869	73.683	103.179	135.860	101.912	
4	T	6.1082	9.8221	3.7442	8.3434	8.7621	6.4264	5.2840	7.5661	5.5280	7.5281	8.2692	4.3384	81.7202	
	S	149.799	92.671	104.343	100.188	140.222	92.834	88.002	97.594	127.163	72.909	103.561	136.414	107.445	
5	T	6.0629	9.6827	3.7559	8.2395	8.7490	6.3839	5.1513	7.4343	5.4146	7.4311	8.2686	4.3343	80.9081	
	S	150.918	94.006	104.018	101.451	140.432	93.452	90.268	99.325	129.826	73.860	103.568	136.543	108.523	
6	T	6.0761	9.7046	3.7303	8.3513	8.7710	6.2847	5.0589	7.4441	5.4460	7.2826	8.2608	4.3509	80.7613	
	S	150.590	93.793	104.732	100.093	140.079	94.928	91.917	99.194	129.077	75.366	103.666	136.022	108.720	
7	T	6.0827	9.4996	3.7424	8.2754	8.7700	6.2497	5.0434	7.5104	5.3815	7.2793	8.3350	4.3581	80.5275	
	S	150.427	95.817	104.393	101.011	140.095	95.459	92.200	98.318	130.624	75.401	102.743	135.797	109.036	
8	T	6.0816	9.5724	3.7128	8.2971	8.7671	6.3038	5.0595	7.4110	5.3795	7.2558	8.3233	4.3459	80.5098	
	S	150.454	95.089	105.226	100.747	140.142	94.640	91.906	99.637	130.673	75.645	102.888	136.179	109.060	
9	T	6.0578	9.6357	3.7052	8.6061	8.8101	6.4360	5.1082	7.5915	5.4154	7.3084	8.2811	4.3764	81.3319	
	S	151.045	94.464	105.441	97.130	139.458	92.696	91.030	97.268	129.807	75.100	103.412	135.229	107.958	
10	T	6.1070	9.5672	3.7428	8.2678	8.8197	6.3019	5.0838	7.4805	5.4064	7.2572	8.2668	4.3657	80.6668	
	S	149.828	95.140	104.382	101.104	139.306	94.668	91.467	98.711	130.023	75.630	103.591	135.561	108.848	
11	T	6.1044	9.4461	3.7432	8.3323	8.7969	6.3270	5.1059	7.5215	5.4027	7.3488	8.2561	4.3754	80.7603	
	S	149.892	96.360	104.371	100.322	139.667	94.293	91.071	98.173	130.112	74.688	103.725	135.260	108.722	
12	T	6.1429	9.7098	3.7276	8.4113	8.8190	6.2761	5.0746	7.4422	5.3807	7.3714	8.2611	4.3609	80.9776	
	S	148.952	93.743	104.808	99.379	139.317	95.058	91.633	99.219	130.644	74.459	103.662	135.710	108.430	
13	T	6.1033	9.5020	3.7296	8.4037	8.8159	6.3443	5.0312	7.4319	5.3506	7.2731	8.2506	4.3579	80.5941	
	S	149.919	95.793	104.752	99.469	139.366	94.036	92.423	99.357	131.379	75.465	103.794	135.804	108.946	
14	T	6.1008	9.4568	3.7331	8.3202	8.8259	6.4405	5.0469	7.5847	5.3995	7.3736	8.2469	4.3606	80.8895	
	S	149.980	96.251	104.653	100.467	139.208	92.631	92.136	97.355	130.189	74.436	103.841	135.719	108.548	
15	T	6.1235	9.5426	3.7483	8.2818	8.8449	6.3157	5.0412	7.5606	5.4013	7.3171	8.2484	4.3611	80.7865	
	S	149.424	95.386	104.229	100.933	138.909	94.462	92.240	97.665	130.145	75.011	103.822	135.704	108.686	
16	T	6.1533	9.5636	3.7352	8.3251	8.8653	6.3601	5.0408	7.4834	5.3567	7.2543	8.2770	4.3796	80.7944	
	S	148.701	95.176	104.595	100.408	138.589	93.802	92.247	98.673	131.229	75.660	103.463	135.131	108.676	
17	T	6.1507	9.5963	3.7045	8.3488	8.8665	6.3461	5.0122	7.4669	5.3434	7.2651	8.2663	4.3811	80.7479	
	S	148.764	94.852	105.461	100.123	138.571	94.009	92.774	98.891	131.556	75.548	103.597	135.084	108.738	
18	T	6.1433	9.5240	3.7179	8.3547	8.8686	6.4177	5.0653	7.5164	5.3729	7.3478	8.2489	4.3697	80.9472	
	S	148.943	95.572	105.081	100.053	138.538	92.960	91.801	98.240	130.833	74.698	103.815	135.437	108.471	
19	T	6.1397	9.5080	3.7431	8.2978	8.8385	6.3128	5.0547	7.4628	5.3545	7.3345	8.2242	4.3754	80.6460	
	S	149.030	95.733	104.374	100.739	139.010	94.505	91.994	98.945	131.283	74.833	104.127	135.260	108.876	

Event: Indy Pro 2000 GP of Indianapolis

Round 3 / 4

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

May 10, 2019

Section Data for Car 51 - Abel, Jacob (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF
20	T	6.1473	9.4635	3.7310	8.3549	8.8495	6.3269	5.0960	7.4512	5.3599	7.3081	8.2285	4.3720	80.6888
	S	148.846	96.183	104.712	100.050	138.837	94.294	91.248	99.099	131.151	75.103	104.073	135.366	108.818
21	T	6.1442	9.5355	3.7048	8.3189	8.8380	6.3434	4.9945	7.4576	5.3684	7.3178	8.2047	4.3647	80.5925
	S	148.921	95.457	105.453	100.483	139.017	94.049	93.102	99.014	130.943	75.004	104.375	135.592	108.948
22	T	6.1392	9.4638	3.7300	8.3098	8.8043	6.3530	5.0812	7.4984	5.3757	7.3851	8.2298	4.3677	80.7380
	S	149.042	96.180	104.740	100.593	139.550	93.907	91.514	98.476	130.765	74.320	104.056	135.499	108.752
23	T	6.1419	9.4903	3.7080	8.3249	8.8382	6.2856	4.9840	7.4792	5.3572	7.2824	8.3151	4.3681	80.5749
	S	148.977	95.911	105.362	100.411	139.014	94.914	93.299	98.728	131.217	75.369	102.989	135.486	108.972
24	T	6.1349	9.4581	3.7315	8.2954	8.8318	6.2913	5.0117	7.5199	5.3234	7.2202	8.2884	4.3459	80.4525
	S	149.147	96.238	104.698	100.768	139.115	94.828	92.783	98.194	132.050	76.018	103.321	136.179	109.138
25	T	6.1218	9.4756	3.7138	8.3277	8.8082	6.3903	5.0640	7.4402	5.3099	7.3127	8.5120	4.4011	80.8773
	S	149.466	96.060	105.197	100.377	139.488	93.359	91.825	99.246	132.386	75.056	100.607	134.471	108.564
26	T	6.2349	10.4196	3.9295	8.9758	10.7461	7.4142	5.9590						
	S	146.755	87.357	99.423	93.129	114.333	80.466	78.033						

Event: Indy Pro 2000 GP of Indianapolis

Round 3 / 4

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

May 10, 2019

Section Data for Car 6 - de la Vara, Moises

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PI to PO	PO to SF
1	T	9.4134	15.7822	5.7542	14.4110	19.9153	9.8570	7.6908	15.1297	13.4339	12.7045	21.8843	13.2031	159.1794	161.9019
	S	97.202	57.674	67.895	58.005	61.693	60.525	60.462	48.805	52.327	43.202	39.131	44.824	55.160	49.788
2	T	14.0242	14.6150	6.3015	11.1991	20.4803	10.8133	6.5807	12.6453	13.3865	11.3218	18.4009	8.5956	148.3642	
	S	65.244	62.280	61.998	74.641	59.991	55.172	70.661	58.394	52.512	48.478	46.539	68.851	59.181	
3	T	7.0078	23.8112	7.4762	10.5356	9.9826	7.3588	5.7094	7.9157	5.6053				122.2756	650.3018
	S	130.569	38.227	52.257	79.341	123.078	81.072	81.445	93.284	125.409				71.808	2.184
4	T			3.9923	8.7662	9.0712	6.7893	5.4468	7.5640	5.4800	7.4616	8.4526	4.4560	713.9349	83.3118
	S			97.859	95.356	135.444	87.872	85.371	97.622	128.276	73.558	101.314	132.814	12.299	96.755
5	T	6.2865	9.8029	3.7946	8.3667	8.9394	6.4199	5.2017	7.4441	5.3583	7.2851	8.2640	4.3838	81.5470	
	S	145.550	92.853	102.957	99.909	137.441	92.928	89.394	99.194	131.190	75.341	103.626	135.001	107.673	
6	T	6.2156	9.6369	3.7320	8.1693	8.9274	6.2782	5.1865	7.3917	5.4037	7.1764	8.3931	4.4049	80.9157	
	S	147.210	94.452	104.684	102.323	137.625	95.026	89.656	99.897	130.088	76.482	102.032	134.355	108.513	
7	T	6.2215	9.6743	3.7009	8.2489	8.9476	6.3441	5.1571	7.4446	5.3586	7.2269	8.2890	4.4097	81.0232	
	S	147.071	94.087	105.564	101.336	137.315	94.039	90.167	99.187	131.183	75.947	103.313	134.208	108.369	
8	T	6.2364	9.5798	3.7256	8.4907	9.0643	6.4047	5.2185	7.4316	5.3475	7.1266	8.4082	4.4195	81.4534	
	S	146.719	95.015	104.864	98.450	135.547	93.149	89.106	99.361	131.455	77.016	101.849	133.911	107.797	
9	T	6.2465	9.6364	3.7279	8.2765	8.9748	6.2934	5.1679	7.4621	5.3897	7.2305	8.3217	4.4327	81.1601	
	S	146.482	94.457	104.799	100.998	136.898	94.796	89.979	98.955	130.426	75.909	102.907	133.512	108.186	
10	T	6.2531	9.5941	3.7265	8.2061	8.9854	6.3582	5.1045	7.4252	5.3645	7.1355	8.4184	4.4302	81.0017	
	S	146.327	94.874	104.839	101.864	136.737	93.830	91.096	99.446	131.038	76.920	101.725	133.587	108.398	
11	T	6.2499	9.6923	3.8050	8.2604	8.9876	6.4235	5.1346	7.3982	5.4013				97.6277	501.9892
	S	146.402	93.912	102.676	101.195	136.703	92.876	90.562	99.809	130.145				89.938	2.830

**Event:** Indy Pro 2000 GP of Indianapolis

**Round 3 / 4**

**Track:** Indianapolis Motor Speedway RC

**2.439 mile(s)**



**Report:** Section Data Report

**Indy Pro 2000 Championship**

**Session:** Race 1

**May 10, 2019**

**Section Data for Car 6 - de la Vara, Moises**

Lap	T/SF to PI	
1	T	
	S	
2	T	
	S	
3	T	102.5969
	S	78.006
4	T	
	S	
5	T	
	S	
6	T	
	S	
7	T	
	S	
8	T	
	S	
9	T	
	S	
10	T	
	S	
11	T	78.0076
	S	102.595

Event: Indy Pro 2000 GP of Indianapolis

Round 3 / 4

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

May 10, 2019

Section Data for Car 68 - Frost, Danial (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF	
1	T	8.6653	14.9319	5.6977	14.2590	19.9606	9.3172	8.4417	15.2813	13.9584	12.9359	22.1227	12.7093	158.2810	166.2326
	S	105.594	60.959	68.568	58.623	61.553	64.031	55.084	48.321	50.361	42.429	38.710	46.566	55.473	48.491
2	T	13.7123	14.0958	5.6123	11.1307	20.8855	8.6328	8.5817	13.6855	13.2127	11.5667	19.4296	8.8761	149.4217	
	S	66.728	64.574	69.612	75.099	58.827	69.107	54.185	53.956	53.203	47.452	44.075	66.675	58.763	
3	T	7.1985	10.7925	3.8570	8.3355	8.7048	6.4125	5.1621	7.5250	5.3210	7.2799	8.1918	4.3083	83.0889	
	S	127.110	84.339	101.292	100.283	141.145	93.036	90.080	98.127	132.109	75.394	104.539	137.367	105.675	
4	T	6.0378	9.5785	3.7628	8.2075	8.6622	6.2863	5.1074	7.4826	5.3029	7.2522	8.1577	4.3126	80.1505	
	S	151.545	95.028	103.827	101.847	141.839	94.903	91.044	98.683	132.560	75.682	104.976	137.230	109.549	
5	T	6.0628	9.5912	3.7094	8.1316	8.7161	6.3278	5.0082	7.3895	5.3067	7.2118	8.1898	4.3188	79.9637	
	S	150.920	94.902	105.322	102.798	140.962	94.281	92.848	99.927	132.465	76.106	104.565	137.033	109.805	
6	T	6.0704	9.4455	3.6853	8.1111	8.7005	6.2547	5.0212	7.4680	5.3013	7.1857	8.2082	4.3131	79.7650	
	S	150.731	96.366	106.011	103.057	141.214	95.383	92.607	98.876	132.600	76.383	104.330	137.214	110.078	
7	T	6.0700	9.4651	3.6771	8.1392	8.7087	6.2620	5.0564	7.3605	5.2530	7.2321	8.2086	4.3171	79.7498	
	S	150.741	96.167	106.247	102.702	141.081	95.272	91.963	100.321	133.820	75.893	104.325	137.087	110.099	
8	T	6.0507	9.4104	3.6783	8.0503	8.6923	6.1911	4.9709	7.4494	5.3121	7.1546	8.2379	4.3210	79.5190	
	S	151.222	96.726	106.213	103.836	141.348	96.363	93.544	99.123	132.331	76.715	103.954	136.963	110.419	
9	T	6.0488	9.3747	3.6875	8.0921	8.6849	6.1673	4.9995	7.4188	5.2866	7.2065	8.2749	4.3289	79.5705	
	S	151.270	97.094	105.948	103.299	141.468	96.735	93.009	99.532	132.969	76.162	103.489	136.713	110.347	
10	T	6.0448	9.5901	3.7130	8.1275	8.6968	6.2141	4.9669	7.4186	5.2843	7.2055	8.2407	4.3263	79.8286	
	S	151.370	94.913	105.220	102.849	141.275	96.006	93.620	99.535	133.027	76.173	103.919	136.795	109.991	
11	T	6.0444	9.4926	3.6795	8.0686	8.7130	6.1556	4.9774	7.4192	5.2892	7.1162	8.2508	4.3155	79.5220	
	S	151.380	95.888	106.178	103.600	141.012	96.918	93.422	99.527	132.904	77.129	103.792	137.138	110.415	
12	T	6.0441	9.4441	3.6893	8.1530	8.6827	6.1971	4.9772	7.4327	5.2694	7.1196	8.2556	4.3135	79.5783	
	S	151.387	96.381	105.896	102.528	141.504	96.269	93.426	99.346	133.403	77.092	103.731	137.201	110.337	
13	T	6.0333	9.5261	3.7426	8.6934	8.6589	6.3508	5.0156	7.4847	5.2710	7.1683	8.2518	4.3023	80.4988	
	S	151.658	95.551	104.388	96.154	141.893	93.939	92.711	98.656	133.363	76.568	103.779	137.559	109.075	
14	T	6.0099	9.5033	3.7414	8.2211	8.6836	6.2522	5.0047	7.3916	5.2608	7.2286	8.2634	4.3137	79.8743	
	S	152.249	95.780	104.421	101.678	141.489	95.421	92.913	99.898	133.621	75.929	103.633	137.195	109.928	
15	T	6.0224	9.4590	3.7136	8.2337	8.6926	6.3035	4.9791	7.4456	5.2830	7.1813	8.2660	4.3060	79.8858	
	S	151.933	96.229	105.203	101.523	141.343	94.644	93.390	99.174	133.060	76.430	103.601	137.440	109.912	
16	T	6.0470	9.4517	3.6814	8.2717	8.7655	6.2971	4.9744	7.4260	5.2740	7.2437	8.2773	4.3078	80.0176	
	S	151.315	96.303	106.123	101.057	140.167	94.741	93.479	99.436	133.287	75.771	103.459	137.383	109.731	
17	T	6.0307	9.4298	3.6922	8.1374	8.7014	6.1877	4.9764	7.5044	5.2688	7.3862	8.2159	4.3104	79.8413	
	S	151.724	96.527	105.813	102.724	141.200	96.416	93.441	98.397	133.418	74.309	104.232	137.300	109.973	
18	T	6.0215	9.3613	3.6741	8.3190	8.7360	6.1619	5.0223	7.4122	5.2517	7.1964	8.2059	4.3029	79.6652	
	S	151.955	97.233	106.334	100.482	140.641	96.819	92.587	99.621	133.853	76.269	104.360	137.539	110.216	
19	T	6.0189	9.3952	3.7003	8.2621	8.7287	6.2514	4.9868	7.6026	5.3403	7.3987	8.2455	4.3159	80.2464	
	S	152.021	96.882	105.581	101.174	140.758	95.433	93.246	97.126	131.632	74.184	103.858	137.125	109.418	

Event: Indy Pro 2000 GP of Indianapolis

Round 3 / 4

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

May 10, 2019

Section Data for Car 68 - Frost, Danial (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF
20	T	6.0527	10.3507	3.8204	8.3893	8.6715	6.3064	5.0781	7.4726	5.3175	7.2766	8.2401	4.2977	81.2736
	S	151.172	87.939	102.262	99.640	141.687	94.601	91.570	98.816	132.196	75.429	103.926	137.706	108.035
21	T	6.0166	9.4324	3.7028	8.2068	8.7061	6.2089	4.9788	7.5202	5.2892	7.1816	8.1997	4.2939	79.7370
	S	152.079	96.500	105.510	101.856	141.124	96.086	93.396	98.190	132.904	76.426	104.438	137.828	110.117
22	T	6.0145	9.4521	3.7095	8.1313	8.6730	6.2363	4.9920	7.4925	5.2977	7.2419	8.2745	4.2977	79.8130
	S	152.132	96.299	105.319	102.801	141.662	95.664	93.149	98.553	132.691	75.790	103.494	137.706	110.012
23	T	6.0299	9.3974	3.6996	8.1466	8.6873	6.2686	5.0300	7.4233	5.2419	7.1495	8.2235	4.3072	79.6048
	S	151.744	96.859	105.601	102.608	141.429	95.171	92.445	99.472	134.103	76.770	104.136	137.402	110.300
24	T	6.0399	9.4641	3.7108	8.2507	8.7377	6.2035	5.0156	7.4675	5.2668	7.3395	8.2040	4.3105	80.0106
	S	151.493	96.177	105.282	101.314	140.613	96.170	92.711	98.883	133.469	74.782	104.384	137.297	109.740
25	T	6.0566	9.3875	3.6701	8.2840	8.7308	6.2813	5.0288	7.5431	5.2947	7.2368	8.2275	4.3118	80.0530
	S	151.075	96.962	106.450	100.906	140.724	94.979	92.467	97.892	132.766	75.843	104.086	137.255	109.682
26	T	7.3748	12.4609	5.7596	11.8416	13.7195	8.1683	6.8160	10.2980					
	S	124.071	73.047	67.831	70.591	89.554	73.037	68.222	71.704					

Event: Indy Pro 2000 GP of Indianapolis

Round 3 / 4

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

May 10, 2019

Section Data for Car 7 - Enders, Kory (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF	
1	T	9.3183	15.3532	5.2438	14.2851	20.1228	9.7344	7.9074	15.1483	13.5805	12.8613	22.0764	12.7416	158.3731	164.8384
	S	98.194	59.286	74.504	58.516	61.057	61.287	58.806	48.745	51.762	42.676	38.791	46.448	55.441	48.901
2	T	14.1073	14.5661	5.4523	11.2181	21.2620	8.6379	7.9771	13.5052	13.4052	11.6202	19.0604	8.6881	149.4999	
	S	64.860	62.489	71.654	74.514	57.786	69.067	58.292	54.676	52.439	47.234	44.929	68.118	58.732	
3	T	7.0988			8.9162	8.9790	6.7655	5.4081	7.6607	5.4889	10.1765	8.8421	4.4032	93.5924	
	S	128.895			93.752	136.834	88.181	85.982	96.389	128.068	53.934	96.851	134.406	93.815	
4	T	6.1558	9.9487	3.8020	8.5791	9.6838	7.1291	5.6863	7.7563	5.5551	7.3818	8.2743	4.3601	84.3124	
	S	148.640	91.492	102.757	97.436	126.875	83.684	81.775	95.201	126.542	74.354	103.497	135.735	104.141	
5	T	6.1641	9.9254	3.7539	8.2732	8.8120	6.3964	5.0784	7.4120	5.3617	7.2034	8.2320	4.3581	80.9706	
	S	148.440	91.707	104.074	101.038	139.428	93.270	91.564	99.623	131.107	76.195	104.029	135.797	108.439	
6	T	6.1430	9.6315	3.7308	8.1738	8.8113	6.5313	5.0655	7.4195	5.3511	7.1453	8.2410	4.3438	80.5879	
	S	148.950	94.505	104.718	102.267	139.439	91.343	91.797	99.523	131.366	76.815	103.915	136.244	108.954	
7	T	6.1314	9.5384	3.7255	8.2402	8.8130	6.3369	5.0474	7.4377	5.3489	7.2174	8.2004	4.3387	80.3759	
	S	149.232	95.428	104.867	101.443	139.412	94.146	92.127	99.279	131.420	76.047	104.429	136.404	109.242	
8	T	6.1098	9.6377	3.7103	8.2427	8.8356	6.3652	5.0523	7.3965	5.3684	7.1696	8.5024	4.3634	80.7539	
	S	149.759	94.444	105.297	101.412	139.055	93.727	92.037	99.832	130.943	76.554	100.720	135.632	108.730	
9	T	6.1287	9.4483	3.6788	8.1504	8.8166	6.2864	5.0222	7.4720	5.3224	7.1337	8.2842	4.3603	80.1040	
	S	149.298	96.338	106.198	102.560	139.355	94.902	92.589	98.823	132.075	76.940	103.373	135.729	109.613	
10	T	6.1201	9.5941	3.7209	8.2422	8.8300	6.2624	4.9970	7.4469	5.3275	7.1529	8.3131	4.3458	80.3529	
	S	149.507	94.874	104.997	101.418	139.143	95.266	93.056	99.157	131.948	76.733	103.014	136.182	109.273	
11	T	6.1200	9.4918	3.7127	8.2737	8.8489	6.3112	5.0281	7.4070	5.3424	7.2065	8.2927	4.3516	80.3866	
	S	149.510	95.896	105.228	101.032	138.846	94.529	92.480	99.691	131.580	76.162	103.267	136.000	109.227	
12	T	6.1228	9.4076	3.7114	8.1890	8.8262	6.2420	5.0356	7.4122	5.3642	7.1970	8.3716	4.3644	80.2440	
	S	149.441	96.754	105.265	102.077	139.203	95.577	92.343	99.621	131.046	76.263	102.294	135.601	109.421	
13	T	6.1204	9.4794	3.7127	8.2692	8.8329	6.2420	5.0149	7.4201	5.3315	7.2693	8.3405	4.3437	80.3766	
	S	149.500	96.022	105.228	101.087	139.098	95.577	92.724	99.515	131.849	75.504	102.675	136.247	109.241	
14	T	6.1075	9.4109	3.6952	8.2025	8.8176	6.3033	5.0882	7.4231	5.3397	7.1908	8.2872	4.3341	80.2001	
	S	149.816	96.721	105.727	101.909	139.339	94.647	91.388	99.474	131.647	76.329	103.336	136.549	109.481	
15	T	6.1007	9.5700	3.7291	8.2636	8.8683	6.3655	5.0314	7.4817	5.3436	7.2161	8.1797	4.3275	80.4772	
	S	149.983	95.113	104.766	101.156	138.542	93.723	92.420	98.695	131.551	76.061	104.694	136.758	109.104	
16	T	6.0998	9.5144	3.7124	8.2210	8.8369	6.3307	5.0054	7.3980	5.2936	7.3133	8.2578	4.3371	80.3204	
	S	150.005	95.668	105.237	101.680	139.035	94.238	92.900	99.812	132.793	75.050	103.704	136.455	109.317	
17	T	6.0801	9.5202	3.6700	8.3730	8.8122	6.2976	5.1099	7.4478	5.3545	7.4371	8.2302	4.3097	80.6423	
	S	150.491	95.610	106.453	99.834	139.424	94.733	91.000	99.145	131.283	73.801	104.051	137.322	108.881	
18	T	6.0203	9.7273	3.7165	8.7570	8.8779	6.3054	5.0999	7.6222	5.3465	7.3028	8.2394	4.2870	81.3022	
	S	151.986	93.575	105.121	95.456	138.393	94.616	91.178	96.876	131.479	75.158	103.935	138.049	107.997	
19	T	5.9599	9.7187	3.7244	8.3017	8.8410	6.1979	5.0629	7.4759	5.3682	7.3484	8.2309	4.3326	80.5625	
	S	153.526	93.657	104.898	100.691	138.970	96.257	91.845	98.772	130.948	74.692	104.043	136.597	108.989	



Event: Indy Pro 2000 GP of Indianapolis

Round 3 / 4

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

May 10, 2019

Section Data for Car 7 - Enders, Kory (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF
20	T	6.0712	9.5148	3.6938	8.3100	8.8054	6.3079	5.0873	7.4318	5.3268	7.1822	8.2621	4.3306	80.3239
	S	150.712	95.664	105.767	100.591	139.532	94.578	91.404	99.358	131.966	76.420	103.650	136.660	109.312
21	T	6.0496	9.5873	3.7078	8.2850	8.7343	6.3573	5.1190	7.5610	5.3689	7.3671	8.2341	4.3240	80.6954
	S	151.250	94.941	105.368	100.894	140.668	93.843	90.838	97.660	130.931	74.502	104.002	136.868	108.809
22	T	6.0440	9.7128	3.7188	8.4646	8.7657	6.3632	5.1506	7.5817	5.3541	7.2584	8.4859	4.3676	81.2674
	S	151.390	93.714	105.056	98.754	140.164	93.756	90.281	97.394	131.293	75.618	100.916	135.502	108.043
23	T	6.1545	9.6540	3.7234	8.2659	8.8618	6.3923	5.0740	7.4283	5.3357	7.1999	8.3091	4.3642	80.7631
	S	148.672	94.285	104.926	101.127	138.644	93.330	91.644	99.405	131.746	76.232	103.063	135.607	108.718
24	T	6.1570	9.4859	3.7510	8.3353	8.8784	6.3713	5.0894	7.4598	5.3744	7.2150	8.2875	4.3525	80.7575
	S	148.611	95.956	104.154	100.285	138.385	93.637	91.366	98.985	130.797	76.073	103.332	135.972	108.726
25	T	6.1536	9.4741	3.6824	8.2626	8.8579	6.4083	5.0697	7.3907	5.3688	7.2202	8.3153	4.3600	80.5636
	S	148.693	96.075	106.094	101.168	138.705	93.097	91.721	99.911	130.933	76.018	102.986	135.738	108.987
26	T	7.6926	13.4107	4.7590	8.8967	12.3710								
	S	118.945	67.873	82.093	93.957	99.316								

Event: Indy Pro 2000 GP of Indianapolis

Round 3 / 4

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

May 10, 2019

Section Data for Car 8 - Thompson, Parker

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF	
1	T	10.3087	16.8473	6.5668	13.9080	22.2443	10.6049	6.0745	14.2608	12.8118	11.4476	21.7877	13.3794	160.2418	156.8175
	S	88.760	54.028	59.493	60.103	55.234	56.256	76.550	51.779	54.868	47.946	39.305	44.234	54.795	51.402
2	T	14.3446	16.7960	5.1317	11.4904	21.6736	9.6503	6.3903	12.9676	11.9627	10.7606	17.9975	8.4643	147.6296	
	S	63.787	54.193	76.131	72.748	56.688	61.821	72.767	56.943	58.762	51.007	47.582	69.919	59.476	
3	T	7.0342	11.5575	3.8635	8.6606	8.6631	6.6152	5.3012	7.4715	5.3656	7.2329	8.3464	4.3459	84.4576	
	S	130.079	78.756	101.121	96.519	141.824	90.185	87.716	98.830	131.011	75.884	102.603	136.179	103.962	
4	T	6.0616	10.1619	3.7680	8.4546	8.7399	6.3655	5.2757	7.4081	5.4158	7.2095	8.3665	4.3537	81.5808	
	S	150.950	89.573	103.684	98.870	140.578	93.723	88.140	99.676	129.797	76.131	102.356	135.935	107.628	
5	T	6.0867	9.6925	3.7120	8.2463	8.7006	6.4438	5.3130	7.5254	5.4200	7.3801	8.2997	4.3204	81.1405	
	S	150.328	93.910	105.248	101.368	141.213	92.584	87.521	98.122	129.696	74.371	103.180	136.982	108.212	
6	T	6.0214	9.9063	3.7349	8.1465	8.7321	6.2734	5.1348	7.5203	5.3823	7.1964	8.2726	4.3236	80.6446	
	S	151.958	91.884	104.603	102.610	140.703	95.098	90.559	98.189	130.605	76.269	103.518	136.881	108.878	
7	T	6.0384	9.6316	3.7087	8.2506	8.7449	6.3691	5.0801	7.4491	5.4158	7.2667	8.3334	4.3403	80.6287	
	S	151.530	94.504	105.342	101.315	140.497	93.670	91.534	99.127	129.797	75.531	102.763	136.354	108.899	
8	T	6.0499	9.5784	3.7209	8.2441	8.7459	6.3899	5.1119	7.5421	5.4268	7.2932	8.3345	4.3388	80.7764	
	S	151.242	95.029	104.997	101.395	140.481	93.365	90.964	97.905	129.534	75.257	102.749	136.401	108.700	
9	T	6.0379	9.6244	3.7242	8.2335	8.7776	6.3231	5.0959	7.4353	5.3756	7.2482	8.2935	4.3406	80.5098	
	S	151.543	94.575	104.904	101.525	139.974	94.351	91.250	99.311	130.768	75.724	103.257	136.345	109.060	
10	T	6.0312	9.6810	3.7069	8.5089	8.8253	6.5999	5.1914	7.4534	5.4027	7.2017	8.3028	4.3299	81.2351	
	S	151.711	94.022	105.393	98.239	139.218	90.394	89.571	99.070	130.112	76.213	103.142	136.682	108.086	
11	T	6.0319	9.6270	3.7231	8.2720	8.7822	6.2742	5.0971	7.4393	5.3936	7.2015	8.3074	4.3453	80.4946	
	S	151.693	94.549	104.935	101.053	139.901	95.086	91.228	99.258	130.331	76.215	103.084	136.197	109.081	
12	T	6.0865	9.7026	3.7860	8.4433	8.6752	6.2822	5.1318	7.4168	5.3835	7.2080	8.3272	4.3618	80.8049	
	S	150.333	93.813	103.191	99.003	141.626	94.965	90.611	99.559	130.576	76.146	102.839	135.682	108.662	
13	T	6.1154	9.4925	3.7131	8.2136	8.8189	6.2978	5.0401	7.4241	5.3810	7.1548	8.2712	4.3650	80.2875	
	S	149.622	95.889	105.217	101.771	139.319	94.730	92.260	99.461	130.636	76.713	103.536	135.583	109.362	
14	T	6.1232	9.4533	3.7147	8.2318	8.8152	6.2182	5.0353	7.3956	5.3484	7.1404	8.3019	4.3602	80.1382	
	S	149.432	96.287	105.172	101.546	139.377	95.943	92.348	99.844	131.433	76.867	103.153	135.732	109.566	
15	T	6.1203	9.4674	3.7033	8.1847	8.8158	6.2509	5.0079	7.3590	5.3319	7.0590	8.3695	4.3653	80.0350	
	S	149.502	96.143	105.496	102.131	139.368	95.441	92.853	100.341	131.839	77.754	102.320	135.573	109.707	
16	T	6.1549	9.4734	3.7296	8.2122	8.8414	6.2738	5.0502	7.3918	5.3662	7.1624	8.3313	4.3768	80.3640	
	S	148.662	96.082	104.752	101.789	138.964	95.092	92.076	99.896	130.997	76.631	102.789	135.217	109.258	
17	T	6.1420	9.5114	3.7144	8.2154	8.8526	6.3166	4.9990	7.3675	5.3580	7.1159	8.3086	4.3763	80.2777	
	S	148.974	95.699	105.180	101.749	138.788	94.448	93.019	100.225	131.197	77.132	103.070	135.233	109.375	
18	T	6.1404	9.4994	3.7379	8.1870	8.8453	6.3131	5.0267	7.3949	5.3703	7.1886	8.2930	4.3685	80.3651	
	S	149.013	95.819	104.519	102.102	138.903	94.500	92.506	99.854	130.897	76.352	103.263	135.474	109.256	
19	T	6.1314	9.5270	3.6921	8.2922	8.8546	6.3076	4.9872	7.4296	5.3914	7.1870	8.2894	4.3825	80.4720	
	S	149.232	95.542	105.816	100.807	138.757	94.583	93.239	99.387	130.384	76.369	103.308	135.041	109.111	

Event: Indy Pro 2000 GP of Indianapolis

Round 3 / 4

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

May 10, 2019

Section Data for Car 8 - Thompson, Parker

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF
20	T	6.1504	9.4575	3.7282	8.1894	8.8219	6.3124	5.0101	7.4335	5.3841	7.2119	8.2706	4.3733	80.3433
	S	148.771	96.244	104.791	102.072	139.271	94.511	92.813	99.335	130.561	76.105	103.543	135.325	109.286
21	T	6.1648	9.5258	3.7093	8.1649	8.8257	6.3029	5.0512	7.3904	5.3691	7.1316	8.3083	4.3640	80.3080
	S	148.423	95.554	105.325	102.378	139.211	94.653	92.057	99.915	130.926	76.962	103.073	135.614	109.334
22	T	6.1420	9.4851	3.7190	8.1766	8.8142	6.4031	5.0380	7.3609	5.3565	7.1982	8.2589	4.3642	80.3167
	S	148.974	95.964	105.050	102.232	139.393	93.172	92.299	100.315	131.234	76.250	103.690	135.607	109.322
23	T	6.1453	9.4744	3.7353	8.1871	8.8211	6.3528	5.0017	7.4597	5.3786	7.1155	8.3405	4.3688	80.3808
	S	148.894	96.072	104.592	102.101	139.284	93.910	92.968	98.986	130.695	77.136	102.675	135.465	109.235
24	T	6.1411	9.4571	3.7234	8.2047	8.8281	6.3730	5.0345	7.4500	5.3519	7.1594	8.3017	4.3645	80.3894
	S	148.996	96.248	104.926	101.882	139.173	93.612	92.363	99.115	131.347	76.663	103.155	135.598	109.223
25	T	6.1540	9.6409	3.7517	8.2743	8.8626	6.4025	5.0936	7.4596	5.4024	7.1623	8.3832	4.3825	80.9696
	S	148.684	94.413	104.135	101.025	138.632	93.181	91.291	98.988	130.119	76.632	102.152	135.041	108.441
26	T	6.3142	11.7452	5.2386	9.7834	11.1846	7.5262	6.1170						
	S	144.911	77.498	74.578	85.442	109.851	79.269	76.018						

Event: Indy Pro 2000 GP of Indianapolis

Round 3 / 4

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

May 10, 2019

Section Data for Car 83 - Finelli, Charles

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF	
1	T	14.7590	15.7911	5.1799	13.0574	21.3288	11.4957	6.8575	13.2621	12.4597	10.6902	22.5091	13.2279	160.6184	155.6639
	S	61.996	57.642	75.423	64.018	57.605	51.897	67.809	55.678	56.418	51.343	38.045	44.740	54.666	51.783
2	T	14.2276	18.0521	5.0675	10.7852	21.2352	9.9673	6.5911	12.2505	12.2591	10.0779	17.5157	8.5045	146.5337	
	S	64.312	50.422	77.096	77.505	57.858	59.855	70.550	60.276	57.341	54.462	48.891	69.589	59.921	
3	T	7.3809	11.9718	4.2887	9.2048	9.8032	7.1933	5.7200	8.1330	5.8966	8.3937	8.8286	4.4524	91.2670	
	S	123.969	76.031	91.096	90.812	125.330	82.937	81.294	90.792	119.214	65.390	96.999	132.921	96.206	
4	T	6.2915	10.5986	4.0499	8.9003	9.6624								85.8080	
	S	145.434	85.882	96.467	93.919	127.156								102.326	
5	T													80.9706	
	S													108.439	
6	T													88.9430	
	S													98.719	
7	T	6.3078	10.0577	3.9388	8.5047	9.0426	6.7342	5.5277	7.8139	5.5290	7.5395	8.5210	4.4531	83.9700	
	S	145.058	90.501	99.188	98.288	135.872	88.591	84.122	94.499	127.140	72.798	100.500	132.900	104.566	
8	T	6.3074	9.9440	3.8480	8.4917	9.0467	6.6384	5.3479	7.7696	5.4823	7.6697	8.4032	4.4570	83.4059	
	S	145.068	91.535	101.529	98.438	135.810	89.870	86.950	95.038	128.223	71.563	101.909	132.784	105.273	
9	T	6.2890	10.0019	3.8646	8.4794	8.9982	6.4258	5.3354	7.7224	5.4913	7.7376	8.4443	4.4563	83.2462	
	S	145.492	91.005	101.092	98.581	136.542	92.843	87.154	95.619	128.012	70.935	101.413	132.805	105.475	
10	T	6.3010	9.9297	3.8693	8.4766	9.0792	6.6284	5.3777	7.5148	5.4291	7.5226	8.5212	4.4378	83.0874	
	S	145.215	91.667	100.970	98.614	135.324	90.005	86.468	98.261	129.479	72.962	100.498	133.358	105.677	
11	T	6.2900	10.7082	3.8637	8.4650									80.8981	
	S	145.469	85.003	101.116	98.749									108.537	
12	T													86.2367	
	S													101.817	
13	T													83.8668	
	S													104.695	
14	T													84.6571	
	S													103.717	
15	T													82.6927	
	S													106.181	
16	T													84.2426	
	S													104.228	
17	T													83.6128	
	S													105.013	
18	T													106.5200	
	S													82.430	
19	T						5.3432	7.7761	5.5503	7.6441	8.4312	4.4570	102.1736		
	S						87.027	94.959	126.652	71.802	101.571	132.784	85.936		

Event: Indy Pro 2000 GP of Indianapolis

Round 3 / 4

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

May 10, 2019

Section Data for Car 83 - Finelli, Charles

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF
20	T	6.3283	9.8598	3.8700	8.6912	9.0723	6.6834	5.4021	7.6775	5.5084	7.4200	8.4482	4.4624	83.4236
	S	144.589	92.317	100.951	96.179	135.427	89.265	86.078	96.178	127.615	73.971	101.366	132.623	105.251
21	T	6.3737	10.7895	3.8552	8.7139	9.4049	6.7632	5.5317	7.6849	5.4821	7.6384	8.3707	4.4400	85.0482
	S	143.559	84.362	101.339	95.928	130.638	88.211	84.061	96.086	128.227	71.856	102.305	133.292	103.240
22	T	6.2761	9.9727	3.7966	9.0132	9.1417	6.6214	5.4088	7.6580	5.4537	7.5002	8.3303	4.4389	83.6116
	S	145.791	91.272	102.903	92.743	134.399	90.100	85.971	96.423	128.895	73.180	102.801	133.325	105.014
23	T	6.2879	9.8041	3.7664	8.5414	9.1053	6.5351	5.3994	7.7259	5.4795	7.7114	8.5021	4.4472	83.3057
	S	145.518	92.841	103.728	97.866	134.936	91.290	86.121	95.576	128.288	71.176	100.724	133.077	105.400
24	T	6.3038	16.8695	3.9225	9.1903	9.4068	7.6761	5.7443	8.1123	5.6024	8.4111	8.7467	4.4716	94.4574
	S	145.151	53.957	99.600	90.956	130.612	77.721	80.950	91.023	125.474	65.255	97.907	132.350	92.956
25	T	6.3480												
	S	144.140												

Event: Indy Pro 2000 GP of Indianapolis

Round 3 / 4

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

May 10, 2019

Section Data for Car 9 - Loomis, Jacob (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF	
1	T	10.2725	16.2406	6.4556	13.8925	20.0667	9.8583	7.4886	15.4106	12.9825	11.9533	22.0476	13.0224	159.6912	158.4473
	S	89.073	56.046	60.518	60.170	61.228	60.517	62.094	47.916	54.146	45.917	38.842	45.446	54.984	50.874
2	T	14.5959	16.4291	5.2841	11.3258	20.0394	11.2521	6.3333	13.0657	12.1304	10.8281	18.2525	8.3598	147.8962	
	S	62.689	55.403	73.935	73.806	61.311	53.020	73.421	56.515	57.950	50.689	46.918	70.793	59.369	
3	T	7.0091			8.7914	8.9975	8.5628	5.6229	7.6833	5.5784	7.5583	8.6684	4.4141	91.1222	
	S	130.545			95.083	136.553	69.672	82.698	96.106	126.014	72.617	98.791	134.074	96.359	
4	T	6.1922	9.7873	3.8679	8.2565	8.8691	6.5472	5.0224	7.5042	5.4618	7.3551	8.5792	4.3962	81.8391	
	S	147.767	93.001	101.006	101.243	138.530	91.122	92.585	98.399	128.704	74.624	99.819	134.620	107.289	
5	T	6.1809	9.6999	3.7306	8.1191	8.8980	6.3480	5.0522	7.4965	5.4221	7.1059	8.3794	4.3830	80.8156	
	S	148.037	93.839	104.724	102.956	138.080	93.981	92.039	98.501	129.646	77.241	102.199	135.026	108.647	
6	T	6.1482	9.4642	3.7706	8.2092	8.8533	6.2807	5.0108	7.4454	5.3854	7.2006	8.2114	4.3580	80.3378	
	S	148.824	96.176	103.613	101.826	138.777	94.988	92.800	99.177	130.530	76.225	104.290	135.800	109.294	
7	T	6.1292	9.4555	3.6991	8.1551	8.8439	6.2602	4.9727	7.4122	5.3949	7.2284	8.2887	4.3765	80.2164	
	S	149.285	96.264	105.615	102.501	138.925	95.299	93.511	99.621	130.300	75.932	103.317	135.226	109.459	
8	T	6.1236	9.5152	3.8092	8.5021	8.8899	6.2033	5.0735	7.4873	5.3395	7.3712	8.1856	4.3714	80.8718	
	S	149.422	95.660	102.563	98.318	138.206	96.173	91.653	98.622	131.652	74.461	104.618	135.384	108.572	
9	T	6.1283	9.4953	3.7329	8.2970	8.8808	6.3007	5.0832	7.4644	5.3763	7.1777	8.2786	4.3767	80.5919	
	S	149.307	95.861	104.659	100.748	138.347	94.686	91.478	98.924	130.751	76.468	103.443	135.220	108.949	
10	T	6.1106	9.5326	3.7459	8.5165	8.8901	6.3138	5.0804	7.4644	5.3660	7.2611	8.2210	4.3621	80.8645	
	S	149.740	95.486	104.296	98.152	138.203	94.490	91.528	98.924	131.002	75.590	104.168	135.673	108.582	
11	T	6.1191	9.5297	3.8121	8.2652	8.8763	6.4231	5.0695	7.4712	5.3469	7.1643	8.2575	4.3803	80.7152	
	S	149.532	95.515	102.485	101.136	138.418	92.882	91.725	98.834	131.470	76.611	103.707	135.109	108.782	
12	T	6.1392	9.6124	3.7407	8.2531	8.8760	6.2005	5.1198	7.5087	5.3880	7.1982	8.2569	4.3697	80.6632	
	S	149.042	94.693	104.441	101.284	138.422	96.217	90.824	98.340	130.467	76.250	103.715	135.437	108.853	
13	T	6.1239	9.4927	3.7305	8.3467	8.8627	6.2453	5.0242	7.5014	5.3525	7.1241	8.4035	4.3781	80.5856	
	S	149.415	95.887	104.726	100.148	138.630	95.526	92.552	98.436	131.332	77.043	101.906	135.177	108.957	
14	T	6.1238	9.6121	3.7449	8.2942	8.8739	6.2339	5.0372	7.5003	5.3498	7.1435	8.3840	4.3616	80.6592	
	S	149.417	94.696	104.324	100.782	138.455	95.701	92.313	98.451	131.398	76.834	102.143	135.688	108.858	
15	T	6.1037	9.7072	3.7489	8.2884	8.8513	6.3043	5.1398	7.5171	5.3232	7.4334	8.2866	4.3517	81.0556	
	S	149.909	93.768	104.212	100.853	138.809	94.632	90.470	98.231	132.055	73.837	103.343	135.997	108.326	
16	T	6.0993	9.5115	3.7422	8.3678	8.8493	6.2609	5.1410	7.5240	5.3475	7.2042	8.3903	4.3204	80.7584	
	S	150.017	95.698	104.399	99.896	138.840	95.288	90.449	98.140	131.455	76.187	102.066	136.982	108.724	
17	T	6.0235	9.8028	3.7975	8.3291	8.9249	6.5160	5.0881	7.5105	5.3226	7.4057	8.2268	4.3829	81.3304	
	S	151.905	92.854	102.879	100.360	137.664	91.558	91.390	98.317	132.070	74.114	104.094	135.029	107.960	
18	T	6.1651	9.6085	3.7825	8.3262	8.9310	6.2513	5.0748	7.5498	5.3769	7.1388	8.3416	4.3812	80.9277	
	S	148.416	94.731	103.287	100.395	137.570	95.435	91.629	97.805	130.736	76.885	102.662	135.081	108.497	
19	T	6.1533	9.6086	3.7913	8.2149	8.8763	6.2954	5.0223	7.5131	5.3476	7.1156	8.3770	4.3868	80.7022	
	S	148.701	94.730	103.047	101.755	138.418	94.766	92.587	98.283	131.452	77.135	102.228	134.909	108.800	

Event: Indy Pro 2000 GP of Indianapolis

Round 3 / 4

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

May 10, 2019

Section Data for Car 9 - Loomis, Jacob (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF
20	T	6.1618	9.5908	3.7480	8.3763	8.9157	6.2315	5.0743	7.6259	5.3896	7.2721	8.2272	4.3712	80.9844
	S	148.496	94.906	104.237	99.795	137.806	95.738	91.638	96.829	130.428	75.475	104.089	135.390	108.421
21	T	6.1558	9.5559	3.7283	8.3342	8.8624	6.2998	5.0620	7.5641	5.3658	7.2185	8.2488	4.3759	80.7715
	S	148.640	95.253	104.788	100.299	138.635	94.700	91.861	97.620	131.006	76.036	103.817	135.245	108.707
22	T	6.1701	9.6697	3.7466	8.3239	8.8770	6.4211	5.0909	7.5432	5.4010	7.2255	12.6911	11.1084	92.2685
	S	148.296	94.132	104.276	100.423	138.407	92.911	91.339	97.891	130.153	75.962	67.477	53.277	95.161

**Event:** Indy Pro 2000 GP of Indianapolis  
**Track:** Indianapolis Motor Speedway RC  
**Report:** Section Data Report  
**Session:** Race 1

**Round 3 / 4**  
**2.439 mile(s)**  
**Indy Pro 2000 Championship**  
**May 10, 2019**



**Section Data for Car 90 - Lastochkin, Nikita**

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF	
1	T	9.9027	15.6368	5.8452	14.3839	19.8444	9.7786	7.8390	14.9794	13.0758	12.9855	21.8001	13.0114	159.0828	160.8090
	S	92.399	58.211	66.838	58.114	61.914	61.010	59.319	49.295	53.760	42.267	39.283	45.485	55.194	50.127
2	T	14.2104	15.3242	6.1280	11.2100	20.1036	10.7226	6.6341	12.7727	12.7220	11.6744	18.5286	8.5101	148.5407	
	S	64.389	59.398	63.754	74.568	61.115	55.639	70.092	57.812	55.255	47.014	46.218	69.543	59.111	
3	T	6.9998	11.3737	3.9403	8.4400	8.8389	6.5614	5.1342	7.4877	5.4222	7.3250	8.2880	4.3383	84.1495	
	S	130.718	80.029	99.150	99.041	139.003	90.924	90.569	98.616	129.644	74.930	103.326	136.417	104.343	
4	T	6.0880	9.5973	3.8077	8.3967	8.8669	6.4211	5.0045	7.6053	5.4300	7.2571	8.4064	4.3618	81.2428	
	S	150.296	94.842	102.603	99.552	138.564	92.911	92.916	97.091	129.458	75.631	101.870	135.682	108.076	
5	T	6.1587	10.1578	3.7231	8.3803	8.7447	6.5530	5.2235	7.5196	5.4029	7.2632	8.3108	4.3429	81.7805	
	S	148.570	89.609	104.935	99.747	140.501	91.041	89.021	98.198	130.107	75.568	103.042	136.273	107.365	
6	T	6.0976	9.5283	3.7226	8.2561	8.8093	6.4063	4.9674	7.4929	5.3574	7.2314	8.3472	4.3530	80.5695	
	S	150.059	95.529	104.949	101.247	139.470	93.126	93.610	98.548	131.212	75.900	102.593	135.956	108.979	
7	T	6.1156	9.5816	3.7475	8.1894	8.8198	6.3605	4.9835	7.4939	5.3828	7.2396	8.2927	4.3451	80.5520	
	S	149.617	94.997	104.251	102.072	139.304	93.796	93.308	98.535	130.593	75.814	103.267	136.204	109.003	
8	T	6.1030	9.5398	3.7490	8.3002	8.8308	6.4352	5.0436	7.4871	5.4021	7.2762	8.3118	4.3574	80.8362	
	S	149.926	95.414	104.210	100.710	139.131	92.707	92.196	98.624	130.126	75.433	103.030	135.819	108.620	
9	T	6.1216	9.4693	3.7591	8.2412	8.8350	6.4445	4.9853	7.4673	5.3170	7.2485	8.3163	4.3726	80.5777	
	S	149.471	96.124	103.930	101.431	139.065	92.574	93.274	98.886	132.209	75.721	102.974	135.347	108.968	
10	T	6.1310	9.5389	3.7621	8.1761	8.8181	6.4540	4.9677	7.4162	5.3445	7.2341	8.2652	4.3608	80.4687	
	S	149.242	95.423	103.847	102.238	139.331	92.437	93.605	99.567	131.529	75.872	103.611	135.713	109.116	
11	T	6.1356	9.5530	3.7330	8.2282	8.8211	6.3408	4.9970	7.4475	5.3355	7.2722	8.2733	4.3636	80.5008	
	S	149.130	95.282	104.656	101.591	139.284	94.088	93.056	99.149	131.750	75.474	103.509	135.626	109.072	
12	T	6.1533	10.3437	3.9665	8.5185	8.8125	6.7368	5.2163	7.5845	5.3954	7.3046	8.2975	4.3206	82.6502	
	S	148.701	87.998	98.495	98.129	139.420	88.557	89.144	97.358	130.288	75.139	103.207	136.976	106.236	
13	T	6.0316	9.5977	3.7440	8.2727	8.7491	6.4031	4.9778	7.5234	5.3363	7.2749	8.2589	4.3164	80.4859	
	S	151.701	94.838	104.349	101.044	140.430	93.172	93.415	98.148	131.731	75.446	103.690	137.109	109.092	
14	T	6.0383	9.5274	3.7631	8.2255	8.7879	6.3462	4.9885	7.4759	5.3162	7.2369	8.3370	4.3317	80.3746	
	S	151.533	95.538	103.819	101.624	139.810	94.008	93.214	98.772	132.229	75.842	102.718	136.625	109.243	
15	T	6.0598	9.4651	3.7400	8.2773	8.8084	6.3269	5.0212	7.4865	5.3487	7.3046	8.2983	4.3462	80.4830	
	S	150.995	96.167	104.460	100.988	139.485	94.294	92.607	98.632	131.425	75.139	103.197	136.169	109.096	
16	T	6.1114	9.6232	3.7445	8.2412	8.8542	6.4618	5.0062	7.5454	5.3369	7.3122	8.2761	4.3453	80.8584	
	S	149.720	94.587	104.335	101.431	138.763	92.326	92.885	97.862	131.716	75.061	103.474	136.197	108.590	
17	T	6.0979	9.6028	3.7396	8.2793	8.8666	6.3012	4.9949	7.5014	5.3276	7.2576	8.2817	4.3686	80.6192	
	S	150.052	94.788	104.472	100.964	138.569	94.679	93.095	98.436	131.946	75.626	103.404	135.471	108.912	
18	T	6.1340	9.6514	3.7504	8.2828	8.8734	6.3887	4.9799	7.6064	5.3571	7.2741	8.2661	4.3522	80.9165	
	S	149.169	94.310	104.171	100.921	138.463	93.382	93.375	97.077	131.219	75.455	103.599	135.981	108.512	
19	T	6.1102	9.5287	3.7526	8.2404	8.8508	6.4007	4.9957	7.4847	5.3371	7.3005	8.3407	4.3746	80.7167	
	S	149.750	95.525	104.110	101.440	138.816	93.207	93.080	98.656	131.711	75.182	102.673	135.285	108.780	



Event: Indy Pro 2000 GP of Indianapolis

Round 3 / 4

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

May 10, 2019

Section Data for Car 90 - Lastochkin, Nikita

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF
20	T	6.1378	9.5353	3.7319	8.2220	8.8632	6.4629	4.9816	7.5241	5.3381	7.2747	8.3077	4.3618	80.7411
	S	149.076	95.459	104.687	101.667	138.622	92.310	93.344	98.139	131.686	75.448	103.081	135.682	108.748
21	T	6.1366	9.5479	3.7653	8.2574	8.8763	6.3549	5.0329	7.5259	5.3455	7.2421	8.3071	4.3616	80.7535
	S	149.105	95.333	103.758	101.232	138.418	93.879	92.392	98.116	131.504	75.788	103.088	135.688	108.731
22	T	6.1391	9.4981	3.7567	8.2453	8.8412	6.3227	4.9985	7.4778	5.3597	7.3342	8.2704	4.3508	80.5945
	S	149.045	95.833	103.996	101.380	138.967	94.357	93.028	98.747	131.156	74.836	103.546	136.025	108.945
23	T	6.1327	9.6171	3.7610	8.2160	8.8461	6.3230	5.0212	7.5159	5.4004	7.2775	8.2990	4.3563	80.7662
	S	149.200	94.647	103.877	101.742	138.890	94.353	92.607	98.246	130.167	75.419	103.189	135.853	108.714
24	T	6.1347	9.5022	3.7581	8.3212	8.9069	6.3948	4.9738	7.4809	5.3148	7.2924	8.2190	4.3355	80.6343
	S	149.152	95.791	103.957	100.455	137.942	93.293	93.490	98.706	132.264	75.265	104.193	136.505	108.892
25	T	6.1428	9.5872	3.7746	8.2306	8.8551	6.3684	4.9720	7.4769	5.3465	7.5048	9.7871	4.4625	82.5085
	S	148.955	94.942	103.503	101.561	138.749	93.680	93.524	98.759	131.479	73.135	87.499	132.620	106.418
26	T	7.6589	13.1585	5.3372	11.1972	15.2960								
	S	119.469	69.174	73.200	74.653	80.324								

Event: Indy Pro 2000 GP of Indianapolis

Round 3 / 4

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

May 10, 2019

Section Data for Car 98 - Denes, Phillippe (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PI to PO	PO to SF	
1	T	8.6700	14.5588	5.5483	14.4609	19.2933	9.7777	8.3216	15.5820	14.2333	13.1006	22.0784	12.3658	157.9907		166.9190
	S	105.536	62.521	70.415	57.805	63.682	61.015	55.879	47.389	49.388	41.896	38.787	47.859	55.575		48.292
2	T	13.4270	14.2127	5.7240	10.9380	20.5102	9.1117	8.7739	13.6070	13.7667	11.5791	19.3544	8.7549	149.7596		
	S	68.146	64.043	68.253	76.422	59.904	65.475	52.998	54.267	51.062	47.401	44.246	67.599	58.630		
3	T	7.1164	430.1743		10.6163	11.2894	8.1530	6.0640	8.7009	7.8523				121.8596	311.5313	
	S	128.576	2.116		78.738	108.831	73.174	76.682	84.866	89.522				72.053	4.560	
4	T			4.1354	9.2007	9.2267	7.1453	5.5583	8.0181	5.9408	7.8193	8.4575	4.4155	385.3487		93.3271
	S			94.473	90.853	133.161	83.494	83.659	92.093	118.327	70.193	101.255	134.032	22.786		86.371
5	T	6.1835	10.0960	3.9054	8.6764	9.0576	6.6297	5.2512	7.6039	5.5176	7.3037	8.3474	4.3886	82.9610		
	S	147.974	90.157	100.036	96.343	135.647	89.988	88.551	97.109	127.402	75.149	102.590	134.854	105.838		
6	T	6.1640	9.8975	3.8817	8.3364	8.8926	6.3138	5.3520	7.5621	5.4066	7.2841	8.2854	4.3793	81.7555		
	S	148.443	91.965	100.647	100.272	138.164	94.490	86.883	97.646	130.018	75.351	103.358	135.140	107.398		
7	T	6.1550	9.6853	3.7991	8.2833	8.8989	6.2437	5.1595	7.4556	5.4172	7.2158	8.3063	4.3810	81.0007		
	S	148.660	93.980	102.835	100.915	138.066	95.551	90.125	99.041	129.763	76.064	103.098	135.087	108.399		
8	T	6.1676	9.4147	3.8346	8.3195	8.8833	6.2496	5.1216	7.4184	5.3680	7.2066	8.3293	4.3783	80.6915		
	S	148.356	96.681	101.883	100.476	138.309	95.461	90.792	99.538	130.953	76.161	102.813	135.171	108.814		
9	T	6.1486	9.5659	3.7702	8.2977	8.8880	6.2241	5.1079	7.4392	5.3657	7.1927	8.3494	4.3723	80.7217		
	S	148.814	95.153	103.624	100.740	138.235	95.852	91.035	99.259	131.009	76.308	102.566	135.356	108.774		
10	T	6.1441	9.5193	3.7703	8.3474	8.8967	6.1994	5.1374	7.5604	5.3803	7.1860	8.3189	4.3651	80.8253		
	S	148.923	95.619	103.621	100.140	138.100	96.234	90.513	97.668	130.653	76.380	102.942	135.580	108.634		
11	T	6.1366	9.5425	3.9238	8.2876	8.9130	6.2356	5.0689	7.4414	5.3749	7.1882	8.2544	4.3792	80.7461		
	S	149.105	95.387	99.567	100.863	137.848	95.675	91.736	99.230	130.785	76.356	103.746	135.143	108.741		
12	T	6.1719	9.5597	3.7811	8.3013	8.9254	6.1968	5.1296	7.4346	5.3740	7.1455	8.3011	4.3749	80.6959		
	S	148.253	95.215	103.325	100.696	137.656	96.274	90.650	99.321	130.807	76.812	103.163	135.276	108.809		
13	T	6.1511	9.5692	3.7709	8.3499	8.9184	6.2771	5.0974	7.4831	5.3672	7.1777	8.3046	4.3883	80.8549		
	S	148.754	95.121	103.604	100.110	137.764	95.042	91.223	98.677	130.972	76.468	103.119	134.863	108.595		
14	T	6.1560	9.5864	3.7960	8.3187	8.9002	6.2598	5.0975	7.4997	5.4038	7.1963	8.3005	4.3711	80.8860		
	S	148.635	94.950	102.919	100.486	138.046	95.305	91.221	98.458	130.085	76.270	103.170	135.393	108.553		
15	T	6.1405	9.5370	3.7680	8.3515	8.9165	6.1569	5.0989	7.5320	5.3903	7.2246	8.2883	4.3760	80.7805		
	S	149.011	95.442	103.684	100.091	137.794	96.898	91.196	98.036	130.411	75.971	103.322	135.242	108.695		
16	T	6.1567	9.5195	3.7874	8.3795	8.8977	6.2206	5.1245	7.4468	5.3538	7.2408	8.2724	4.3658	80.7655		
	S	148.619	95.617	103.153	99.756	138.085	95.906	90.741	99.158	131.300	75.802	103.521	135.558	108.715		
17	T	6.1307	9.4449	3.7945	8.3616	8.8491	6.1651	5.1262	7.6057	5.4231	7.3215	8.2520	4.3394	80.8138		
	S	149.249	96.372	102.960	99.970	138.843	96.769	90.710	97.086	129.622	74.966	103.776	136.382	108.650		
18	T	6.0943	9.4473	3.7658	8.4302	8.8896	6.2191	5.0881	7.4579	5.3758	7.3150	8.3722	4.3775	80.8328		
	S	150.140	96.348	103.745	99.156	138.211	95.929	91.390	99.010	130.763	75.033	102.287	135.195	108.624		
19	T	6.1549	9.5784	3.7608	8.4334	8.9156	6.2062	5.0957	7.5203	5.3689	7.2961	8.3145	4.3760	81.0208		
	S	148.662	95.029	103.883	99.119	137.807	96.128	91.253	98.189	130.931	75.227	102.996	135.242	108.372		

Event: Indy Pro 2000 GP of Indianapolis

Round 3 / 4

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

May 10, 2019

Section Data for Car 98 - Denes, Phillippe (R)

Lap	T/SF to PI
1	T
	S
2	T
	S
3	T 102.3499
	S 78.194
4	T
	S
5	T
	S
6	T
	S
7	T
	S
8	T
	S
9	T
	S
10	T
	S
11	T
	S
12	T
	S
13	T
	S
14	T
	S
15	T
	S
16	T
	S
17	T
	S
18	T
	S
19	T
	S

Event: Indy Pro 2000 GP of Indianapolis

Round 3 / 4

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

May 10, 2019

Section Data for Car 98 - Denes, Phillippe (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PI to PO	PO to SF	
20	T	6.1627	9.5502	3.7676	8.3725	8.9149	6.2254	5.1536	7.5242	5.3652	7.2257	8.4215	4.3770	81.0605		
	S	148.474	95.310	103.695	99.840	137.818	95.832	90.228	98.138	131.021	75.960	101.688	135.211	108.319		
21	T	6.1702	9.5630	3.7754	8.3567	8.8876	6.2505	5.1559	7.4838	5.3869	7.1943	8.2548	4.3752	80.8543		
	S	148.293	95.182	103.481	100.029	138.242	95.447	90.188	98.668	130.493	76.291	103.741	135.267	108.595		
22	T	6.4842	10.9676	4.1413	8.6770											
	S	141.112	82.992	94.338	96.336											

**Event:** Indy Pro 2000 GP of Indianapolis

**Round 3 / 4**

**Track:** Indianapolis Motor Speedway RC

**2.439 mile(s)**



**Report:** Section Data Report

**Indy Pro 2000 Championship**

**Session:** Race 1

**May 10, 2019**

**Section Data for Car 98 - Denes, Phillippe (R)**

Lap	T/SF to PI
20	T
	S
21	T
	S
22	T
	S

Event: Indy Pro 2000 GP of Indianapolis

Round 3 / 4

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 1

May 10, 2019

Section Data for Car

Report Support Information

Section Legend	
Name	Length
SF to I1	0.254167 miles
I1 to I2	0.252841 miles
I2 to I3A	0.108523 miles
I3A to I3	0.232197 miles
I3 to I4	0.341288 miles
I4 to I5A	0.165720 miles
I5A to I5	0.129167 miles
I5 to I6	0.205114 miles
I6 to I7	0.195265 miles
I7 to I8	0.152462 miles
I8 to I9	0.237879 miles
I9 to SF	0.164394 miles
I2 to I3	0.340720 miles
I4 to I5	0.294886 miles
Lap	2.439000 miles
PI to PO	0.394602 miles
PO to SF	2.239110 miles
SF to PI	2.223106 miles
PO to I2	0.307102 miles
I7 to PI	0.338826 miles
PO to PI	2.023201 miles

Color Legend	
	Fastest Lap
	Section Under Caution
	Section Under Green
	Section Time Data
	Section Speed Data

