

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 14, 2022

Section Data for Car 1 - Porto, Kiko (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF	
1	T	7.5165	11.6749	4.1093	8.7142	9.1657	7.1168	5.4783	8.1773	7.1630	9.4225	11.6699	7.1363	97.3447	143.7273
	S	121.732	77.964	95.073	95.925	134.047	83.829	84.880	90.300	98.137	58.250	73.382	82.931	90.199	56.084
2	T	13.0625	17.1959	6.0508	15.5840	20.5306	11.4528	8.3263	12.8907	12.6688	10.5264	15.3943	8.9999	152.6830	
	S	70.048	52.933	64.567	53.639	59.844	52.091	55.847	57.282	55.487	52.142	55.629	65.758	57.507	
3	T	16.6171	17.8335	7.9888	14.3757	20.0019	11.0922	9.3388	11.8280	14.9681	8.7211	15.2938	9.1908	157.2498	
	S	55.064	51.040	48.904	58.147	61.426	53.785	49.792	62.429	46.964	62.935	55.994	64.392	55.837	
4	T	14.7847	18.3992	7.5961	12.5611	18.4469	11.8848	8.5040	11.0858	14.6331	11.2541	8.6140	4.5610	142.3248	
	S	61.888	49.471	51.432	66.547	66.604	50.198	54.680	66.609	48.039	48.770	99.415	129.756	61.693	
5	T	6.3281	10.0048	4.0257	8.5393	9.1947	6.7368	5.2109	7.7400	5.6554	7.4808	8.5253	4.4956	83.9374	
	S	144.593	90.979	97.047	97.890	133.624	88.557	89.236	95.402	124.298	73.370	100.450	131.644	104.607	
6	T	6.2787	9.8714	3.8719	8.5904	9.2672	6.5007	5.2501	7.6623	5.5902	7.5654	8.5405	4.5187	83.5075	
	S	145.731	92.209	100.902	97.307	132.579	91.773	88.570	96.369	125.748	72.549	100.271	130.971	105.145	
7	T	6.3068	9.7020	3.9301	8.4958	9.2746	6.5457	5.2013	7.6229	5.6255	7.4513	8.5471	4.5525	83.2556	
	S	145.081	93.819	99.408	98.391	132.473	91.142	89.401	96.867	124.959	73.660	100.193	129.999	105.463	
8	T	6.3601	9.6991	3.8906	8.4474	9.3209	6.4640	5.1517	7.6278	5.6199	7.4950	8.5403	4.5478	83.1646	
	S	143.866	93.847	100.417	98.955	131.815	92.294	90.261	96.805	125.083	73.231	100.273	130.133	105.579	
9	T	6.3639	9.7568	3.8550	8.4015	9.3070	6.4294	5.1691	7.6118	5.6087	7.5618	8.5312	4.5408	83.1370	
	S	143.780	93.292	101.344	99.495	132.012	92.791	89.958	97.008	125.333	72.584	100.380	130.333	105.614	
10	T	6.3486	9.7340	3.8833	8.4324	9.3090	6.4088	5.2240	7.6020	5.6091	7.4944	8.5323	4.5348	83.1127	
	S	144.126	93.510	100.606	99.131	131.984	93.089	89.012	97.134	125.324	73.237	100.367	130.506	105.645	
11	T	6.3372	9.7229	3.8798	8.4420	9.3433	6.4268	5.1646	7.6547	5.6427	7.5116	8.5280	4.5626	83.2162	
	S	144.386	93.617	100.696	99.018	131.499	92.829	90.036	96.465	124.578	73.069	100.418	129.711	105.513	
12	T	6.3612	9.7050	3.9435	8.4233	9.3385	6.4563	5.1594	7.6157	5.6222	7.4912	8.5307	4.5487	83.1957	
	S	143.841	93.790	99.070	99.238	131.567	92.404	90.127	96.959	125.032	73.268	100.386	130.107	105.539	
13	T	6.3616	9.6913	3.8836	8.4538	9.3221	6.4184	5.1330	7.6318	5.6249	7.5008	8.5784	4.5465	83.1462	
	S	143.832	93.922	100.598	98.880	131.798	92.950	90.590	96.754	124.972	73.174	99.828	130.170	105.602	
14	T	6.3641	9.6044	3.9087	8.4502	9.3286	6.4492	5.2094	7.6174	5.6061	7.6490	8.5933	4.5683	83.3487	
	S	143.775	94.772	99.952	98.922	131.706	92.506	89.262	96.937	125.391	71.756	99.655	129.549	105.345	
15	T	6.3856	9.7005	3.8844	8.4812	9.3354	6.3854	5.2076	7.6662	5.6329	7.4777	8.6424	4.5509	83.3502	
	S	143.291	93.833	100.577	98.560	131.610	93.430	89.293	96.320	124.794	73.400	99.089	130.044	105.343	
16	T	6.3645	9.7063	3.8947	8.4953	9.3172	6.3970	5.2061	7.6594	5.6351	7.5185	8.5731	4.5536	83.3208	
	S	143.766	93.777	100.311	98.397	131.868	93.261	89.318	96.406	124.746	73.002	99.890	129.967	105.381	
17	T	6.3829	9.7023	3.8725	8.4467	9.3204	6.4416	5.1860	7.6369	5.6199	7.5351	8.5336	4.5493	83.2272	
	S	143.352	93.816	100.886	98.963	131.822	92.615	89.664	96.690	125.083	72.841	100.352	130.090	105.499	
18	T	6.3787	9.7102	3.8731	8.5038	9.3492	6.4213	5.1699	7.6747	5.5891	7.5762	8.5931	4.5563	83.3956	
	S	143.446	93.739	100.871	98.298	131.416	92.908	89.944	96.213	125.772	72.446	99.657	129.890	105.286	
19	T	6.3858	9.7115	3.8627	8.4452	9.3237	6.4044	5.1712	7.7402	5.6517	7.4835	8.5622	4.5442	83.2863	
	S	143.287	93.727	101.142	98.980	131.776	93.153	89.921	95.399	124.379	73.343	100.017	130.236	105.424	

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 14, 2022

Section Data for Car 1 - Porto, Kiko (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF
20	T	6.3630	9.6658	3.9035	8.5025	9.3249	6.4285	5.2298	7.6239	5.6186	7.5540	8.5679	4.5455	83.3279
	S	143.800	94.170	100.085	98.313	131.759	92.804	88.914	96.855	125.112	72.659	99.950	130.199	105.372
21	T	6.3685	9.6872	3.8750	8.5402	9.3876	6.4473	5.2507	7.6302	5.6054	7.5778	8.5695	4.5344	83.4738
	S	143.676	93.962	100.821	97.879	130.879	92.533	88.560	96.775	125.407	72.430	99.932	130.517	105.187
22	T	6.3550	9.6949	3.8692	8.4567	9.3375	6.3943	5.2439	7.6512	5.6051	7.5909	8.5150	4.5497	83.2634
	S	143.981	93.887	100.972	98.846	131.581	93.300	88.674	96.509	125.413	72.305	100.571	130.079	105.453
23	T	6.3532	9.6858	3.8961	8.4416	9.3052	6.4257	5.2195	7.6069	5.6069	7.4767	8.6100	4.5575	83.1851
	S	144.022	93.975	100.275	99.023	132.038	92.845	89.089	97.071	125.373	73.410	99.462	129.856	105.553
24	T	6.3443	9.7058	3.9051	8.5045	9.3197	6.4033	5.2687	7.6470	5.6178	7.5846	8.5705	4.5511	83.4224
	S	144.224	93.782	100.044	98.290	131.832	93.169	88.257	96.562	125.130	72.366	99.920	130.038	105.252
25	T	6.3607	9.7589	3.8948	8.5047	9.3499	6.3980	5.1974	7.6990	5.6446	7.5784	8.5608	4.5846	83.5318
	S	143.852	93.272	100.309	98.288	131.406	93.246	89.468	95.910	124.536	72.425	100.033	129.088	105.114
26	T	6.8391	11.8848	4.6526	10.3766	11.9903	9.8498	7.6708						
	S	133.790	76.588	83.971	80.557	102.469	60.569	60.619						

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 14, 2022

Section Data for Car 18 - Sundaramoorthy, Yuven (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF	
1	T	7.5650		7.2961	9.4735	9.5322	6.8639	5.3621	7.7473	7.4134	9.4486	11.8713	8.0640	100.3769	141.9696
	S	120.952		53.547	88.237	128.893	86.917	86.720	95.312	94.822	58.089	72.137	73.390	87.474	56.778
2	T	12.8431	16.3025	6.0113	16.0489	20.2272	12.9287	7.0113	13.1798	12.2368	10.5547	15.2839	9.5283	152.1565	
	S	71.244	55.834	64.991	52.085	60.742	46.145	66.322	56.026	57.446	52.002	56.030	62.112	57.706	
3	T	16.5265	17.8386	7.6366	14.6051	19.9690	11.3220	10.0163	11.3413	15.0030	9.1703	14.2397	9.8076	157.4760	
	S	55.366	51.026	51.159	57.234	61.527	52.693	46.424	65.108	46.854	59.852	60.139	60.343	55.757	
4	T	14.0852	19.6939	6.2967	13.0296	18.5717	11.0772	8.9492	10.0279	14.6499	11.0656	8.5285	4.4912	140.4666	
	S	64.962	46.219	62.045	64.155	66.156	53.858	51.960	73.635	47.984	49.601	100.412	131.773	62.509	
5	T	6.2607	10.2259	4.0098	8.5063	9.0941	6.8046	5.4814	8.1130	5.6440	7.6698	8.5935	4.5036	84.9067	
	S	146.150	89.012	97.432	98.269	135.103	87.675	84.832	91.016	124.549	71.562	99.652	131.410	103.412	
6	T	6.2969	10.1006	3.8761	8.7929	9.1993	6.9882	5.3148	7.5619	5.7793	7.7800	8.5740	4.4936	84.7576	
	S	145.310	90.116	100.793	95.066	133.558	85.371	87.492	97.649	121.633	70.548	99.879	131.702	103.594	
7	T	6.2497	10.0814	3.9010	8.4351	9.2435	6.4254	5.3185	7.6322	5.6232	7.4980	8.5247	4.5622	83.4949	
	S	146.407	90.288	100.149	99.099	132.919	92.849	87.431	96.749	125.010	73.201	100.457	129.722	105.161	
8	T	6.3568	9.7914	3.8881	8.4041	9.2816	6.5906	5.2633	7.6117	5.6030	7.4804	8.4882	4.5214	83.2806	
	S	143.940	92.962	100.481	99.464	132.373	90.521	88.348	97.010	125.460	73.374	100.889	130.893	105.432	
9	T	6.3023	9.6977	3.8830	8.4587	9.1954	6.4638	5.3113	7.6537	5.5692	7.5225	8.4833	4.4710	83.0119	
	S	145.185	93.860	100.613	98.822	133.614	92.297	87.549	96.477	126.222	72.963	100.947	132.368	105.773	
10	T	6.2106	9.9428	3.8918	8.4564	9.1654	6.5731	5.6445	7.6524	5.5821	7.5186	8.4942	4.4907	83.6226	
	S	147.329	91.546	100.386	98.849	134.052	90.762	82.381	96.494	125.930	73.001	100.817	131.788	105.000	
11	T	6.2308	9.7825	3.9001	8.4605	9.1844	6.5004	5.4815	7.7313	5.5905	7.5949	9.0670	4.5678	84.0917	
	S	146.851	93.046	100.172	98.801	133.774	91.778	84.831	95.509	125.741	72.267	94.448	129.563	104.415	
12	T	6.3203	9.7118	3.9287	8.4225	9.2967	6.5064	5.2431	7.6437	5.6364	7.5449	8.5010	4.5381	83.2936	
	S	144.772	93.724	99.443	99.247	132.158	91.693	88.688	96.604	124.717	72.746	100.737	130.411	105.415	
13	T	6.3230	9.7277	3.9018	8.4959	9.2927	6.4196	5.2734	7.6769	5.5978	7.5363	8.5106	4.5359	83.2916	
	S	144.710	93.571	100.129	98.390	132.215	92.933	88.178	96.186	125.577	72.829	100.623	130.474	105.418	
14	T	6.3305	10.2705	3.9477	8.5915	9.2848	6.5613	5.3088	7.6683	5.6033	7.5471	8.5380	4.5560	84.2078	
	S	144.538	88.625	98.964	97.295	132.328	90.926	87.590	96.294	125.454	72.725	100.300	129.899	104.271	
15	T	6.3509	9.6348	3.9220	8.4788	9.2798	6.4311	5.3185	7.5953	5.5690	7.5385	8.5619	4.5154	83.1960	
	S	144.074	94.473	99.613	98.588	132.399	92.767	87.431	97.219	126.226	72.808	100.020	131.067	105.539	
16	T	6.3098	9.7173	3.8903	8.5760	9.2942	6.5014	5.2985	7.6249	5.6202	7.6526	8.5236	4.5284	83.5372	
	S	145.013	93.671	100.425	97.471	132.194	91.763	87.761	96.842	125.076	71.723	100.470	130.690	105.108	
17	T	6.3342	9.7701	3.8953	8.4973	9.2608	6.6485	5.4267	7.5837	5.5704	7.6061	8.5509	4.5382	83.6822	
	S	144.454	93.165	100.296	98.373	132.671	89.733	85.687	97.368	126.195	72.161	100.149	130.408	104.926	
18	T	6.3510	9.7418	3.8604	8.5699	9.3311	6.4670	5.2688	7.5990	5.6079	7.4905	8.5483	4.5216	83.3573	
	S	144.072	93.435	101.202	97.540	131.671	92.252	88.255	97.172	125.351	73.275	100.179	130.887	105.335	
19	T	6.3231	9.7314	3.8861	8.4775	9.2634	6.4208	5.2989	7.6716	5.6284	7.5490	8.4837	4.5031	83.2370	
	S	144.708	93.535	100.533	98.603	132.633	92.915	87.754	96.252	124.894	72.707	100.942	131.425	105.487	

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 14, 2022

Section Data for Car 18 - Sundaramoorthy, Yuven (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF
20	T	6.2638	9.7789	3.9083	8.5120	9.1945	6.5874	5.3115	7.6700	5.6109	7.6713	8.4849	4.4883	83.4818
	S	146.077	93.081	99.962	98.204	133.627	90.565	87.546	96.272	125.284	71.548	100.928	131.858	105.177
21	T	6.2298	10.2995	4.0029	8.5131	9.3526	6.5185	5.1659	7.6508	5.5912	7.5335	8.5064	4.5794	83.9436
	S	146.875	88.376	97.600	98.191	131.368	91.523	90.013	96.514	125.725	72.856	100.673	129.235	104.599
22	T	6.3944	9.8372	3.8986	8.4900	9.3454	6.4907	5.2090	7.5935	5.6048	7.4984	8.4834	4.5800	83.4254
	S	143.094	92.529	100.211	98.458	131.470	91.915	89.269	97.242	125.420	73.197	100.946	129.218	105.249
23	T	6.3960	9.6608	3.8897	8.4458	9.3293	6.4319	5.2207	7.6508	5.6409	7.4681	8.5695	4.5983	83.3018
	S	143.058	94.219	100.440	98.973	131.697	92.755	89.069	96.514	124.617	73.494	99.932	128.704	105.405
24	T	6.4350	10.3521	3.9851	9.0017	9.2627	6.5823	5.3202	7.7077	5.6123	7.6392	8.5146	4.5697	84.9826
	S	142.191	87.927	98.036	92.861	132.643	90.636	87.403	95.801	125.252	71.848	100.576	129.509	103.320
25	T	6.3686	9.8529	3.8405	8.4941	9.3050	6.4711	5.3327	7.6407	5.6266	7.5332	8.4711	4.5693	83.5058
	S	143.674	92.382	101.727	98.411	132.040	92.193	87.198	96.642	124.934	72.859	101.092	129.521	105.147
26	T	6.4949	11.6830	4.4427	9.5755	11.9562	7.4398	6.4915						
	S	140.880	77.910	87.938	87.297	102.761	80.189	71.632						

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 14, 2022

Section Data for Car 19 - Missig, Jordan (R)

Lap	T/SF to I1	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF	
1	T	7.2756	4.4842	13.4063	20.0808	12.1700	5.6835	10.3049	10.0024	10.1019	13.5681	7.9243	403.7428	133.9594
	S	125.763	87.124	62.352	61.185	49.021	81.816	71.656	70.279	54.333	63.116	74.684	21.748	60.173

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 14, 2022

Section Data for Car 2 - Browne, Jonathan (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF	
1	T	7.3538		4.5113	9.5018	9.4223	6.9196	5.3844	7.8744	7.6907	9.3329	11.6240	8.0449	100.3859	135.1794
	S	124.425		86.601	87.974	130.397	86.218	86.361	93.773	91.403	58.810	73.672	73.564	87.466	59.630
2	T	12.9511	16.2443	6.0881	15.9495	20.3455	12.9493	6.8568	13.2632	12.2654	10.7498	15.2944	9.4022	152.3596	
	S	70.650	56.034	64.171	52.410	60.389	46.071	67.816	55.674	57.312	51.058	55.992	62.945	57.629	
3	T	16.7255	17.5598	7.5978	14.6675	20.2222	11.1838	10.0161	11.1649	15.2223	9.7049	13.5247	10.0673	157.6568	
	S	54.707	51.836	51.420	56.991	60.757	53.344	46.425	66.137	46.179	56.555	63.318	58.786	55.693	
4	T	14.2660	19.3964	6.1916	12.7330	18.7226	11.0412	9.0095	9.9996	14.5681	10.9635	8.5490	4.4513	139.8918	
	S	64.139	46.928	63.099	65.649	65.623	54.033	51.612	73.844	48.253	50.063	100.171	132.954	62.766	
5	T	6.1776	10.2294	4.0570	8.5810	9.1556	6.7610	5.4497	7.9229	5.5722	7.9815	8.4994	4.4448	84.8321	
	S	148.116	88.981	96.298	97.414	134.195	88.240	85.326	93.199	126.154	68.767	100.756	133.148	103.503	
6	T	6.1698	9.8796	3.9642	8.6938	9.2928	6.5195	5.2033	7.6240	5.5874	7.5192	8.4854	4.5232	83.4622	
	S	148.303	92.132	98.552	96.150	132.214	91.509	89.366	96.853	125.811	72.995	100.922	130.841	105.202	
7	T	6.3351	9.6875	3.9364	8.4403	9.2083	6.4814	5.2364	7.5995	5.5640	7.5665	8.5230	4.5331	83.1115	
	S	144.433	93.959	99.249	99.038	133.427	92.047	88.801	97.165	126.340	72.539	100.477	130.555	105.646	
8	T	6.3391	9.7187	3.9255	8.5081	9.2938	6.8859	5.4195	7.7453	5.5658	7.7257	8.4860	4.5151	84.1285	
	S	144.342	93.657	99.524	98.249	132.200	86.639	85.801	95.336	126.299	71.044	100.915	131.075	104.369	
9	T	6.3038	9.8111	3.9242	8.5106	9.2317	6.5651	5.2167	7.6287	5.5712	7.6020	8.5068	4.5038	83.3757	
	S	145.151	92.775	99.557	98.220	133.089	90.873	89.137	96.794	126.177	72.200	100.668	131.404	105.311	
10	T	6.3334	9.8574	3.8923	8.4487	9.2667	6.5973	5.3352	7.6754	5.5796	7.5520	8.4930	4.5283	83.5593	
	S	144.472	92.339	100.373	98.939	132.586	90.430	87.157	96.205	125.987	72.678	100.832	130.693	105.080	
11	T	6.3330	9.7526	3.9242	8.4669	9.3190	6.5367	5.3513	7.6720	5.5649	7.6107	8.5539	4.5429	83.6281	
	S	144.481	93.332	99.557	98.727	131.842	91.268	86.895	96.247	126.319	72.117	100.114	130.273	104.993	
12	T	6.3482	9.6706	3.8862	8.5040	9.3069	6.4993	5.2517	7.6466	5.6113	7.5511	8.4979	4.5322	83.3060	
	S	144.135	94.123	100.531	98.296	132.013	91.793	88.543	96.567	125.275	72.687	100.774	130.581	105.399	
13	T	6.3486	9.7471	3.9749	8.4878	9.3136	6.4960	5.2364	7.6285	5.5951	7.5703	8.4944	4.5444	83.4371	
	S	144.126	93.384	98.287	98.484	131.919	91.840	88.801	96.796	125.638	72.502	100.815	130.230	105.234	
14	T	6.3741	9.7086	3.9116	8.4393	9.3081	6.5124	5.2106	7.6650	5.6010	7.5575	8.5953	4.5525	83.4360	
	S	143.550	93.755	99.878	99.050	131.996	91.608	89.241	96.335	125.505	72.625	99.632	129.999	105.235	
15	T	6.3750	9.7250	3.8854	8.4183	9.2616	6.4903	5.2562	7.5998	5.5944	7.5870	8.5458	4.5526	83.2914	
	S	143.529	93.597	100.551	99.297	132.659	91.920	88.467	97.162	125.653	72.343	100.209	129.996	105.418	
16	T	6.3697	9.9986	3.9042	8.4449	9.2774	6.5336	5.2369	7.6348	5.6179	7.5438	8.5053	4.5507	83.6178	
	S	143.649	91.035	100.067	98.984	132.433	91.311	88.793	96.716	125.128	72.757	100.686	130.050	105.006	
17	T	6.3923	9.8704	3.8692	8.5000	9.2629	6.6640	5.2895	7.6980	5.5871	7.5906	8.5227	4.5478	83.7945	
	S	143.141	92.218	100.972	98.342	132.641	89.524	87.910	95.922	125.817	72.308	100.480	130.133	104.785	
18	T	6.3713	9.7856	3.8559	8.4873	9.2883	6.5266	5.2480	7.7067	5.5893	7.6170	8.5540	4.5468	83.5768	
	S	143.613	93.017	101.321	98.489	132.278	91.409	88.605	95.814	125.768	72.058	100.113	130.161	105.058	
19	T	6.3683	9.9320	3.8835	8.4701	9.2861	6.5632	5.2330	7.6666	5.6225	7.5949	8.5619	4.5527	83.7348	
	S	143.680	91.646	100.600	98.689	132.309	90.899	88.859	96.315	125.025	72.267	100.020	129.993	104.860	

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 14, 2022

Section Data for Car 2 - Browne, Jonathan (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF
20	T	6.3602	9.7383	3.8620	8.5405	9.2847	6.6086	5.2768	7.6901	5.6265	7.6628	8.4627	4.5380	83.6512
	S	143.863	93.469	101.160	97.876	132.329	90.275	88.122	96.021	124.936	71.627	101.193	130.414	104.964
21	T	6.3592			8.8734	9.3954	6.7696	5.2355	7.7427	5.5878	7.6093	8.5191	4.5048	85.8055
	S	143.886			94.204	130.770	88.128	88.817	95.368	125.802	72.131	100.523	131.375	102.329
22	T	6.3043	9.8216	3.8913	8.5503	9.2632	6.5160	5.2856	7.6590	5.5548	7.6124	8.5144	4.5323	83.5052
	S	145.139	92.676	100.399	97.764	132.636	91.558	87.975	96.411	126.549	72.101	100.578	130.578	105.148
23	T	6.3347	9.7717	3.9252	8.5151	9.2506	6.5018	5.2632	7.6292	5.5855	7.5610	8.5546	4.5460	83.4386
	S	144.443	93.149	99.532	98.168	132.817	91.758	88.349	96.787	125.853	72.591	100.106	130.184	105.232
24	T	6.3715	9.8471	3.9018	8.5724	9.2254	6.5696	5.3202	7.8177	5.6104	7.6171	8.5342	4.5129	83.9003
	S	143.608	92.436	100.129	97.512	133.180	90.811	87.403	94.453	125.295	72.057	100.345	131.139	104.653
25	T	6.3261	10.1044	4.1128	8.7896	9.3371	6.9445	5.4871	7.9965	5.5973	7.6164	8.5940	4.4978	85.4036
	S	144.639	90.082	94.992	95.102	131.587	85.908	84.744	92.342	125.588	72.063	99.647	131.579	102.811
26	T	7.3260	11.9380	4.5291	9.6518	11.2478	7.6771	6.0399						
	S	124.898	76.246	86.260	86.607	109.233	77.710	76.988						

Event: **Indy Pro 2000 GP of Indianapolis**
Track: **Indianapolis Motor Speedway RC**
Report: **Section Data Report**
Session: **Race 2**

Round **5/6/7**
2.439 mile(s)



Indy Pro 2000 Championship
May 14, 2022

Section Data for Car 27 - Kaminsky, Colin

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF	
1	T	7.4362		5.2121	8.7173	9.2761	6.8239	5.3007	7.9098	7.0570	9.3450	11.6153	7.0344	95.7614	138.8070
	S	123.047		74.957	95.891	132.452	87.427	87.724	93.354	99.611	58.733	73.727	84.132	91.690	58.072
2	T	12.4688	17.8222	6.5239	15.5847	20.4198	11.1680	8.3505	13.2690	12.4012	10.4863	15.4127	9.0710	152.9781	
	S	73.383	51.073	59.885	53.637	60.169	53.420	55.685	55.649	56.684	52.341	55.562	65.243	57.396	
3	T	16.1064	19.2232	7.3385	14.4861	19.9303	11.1548	9.3717	11.9241	14.3993	9.4162	15.1343	9.1474	157.6323	
	S	56.810	47.350	53.237	57.704	61.647	53.483	49.617	61.926	48.819	58.289	56.584	64.698	55.702	
4	T	14.7659	18.0692	8.2552	12.4246	18.4188	12.1453	8.1610	11.5772	14.4370	11.3343	8.5259	4.5029	142.6173	
	S	61.967	50.375	47.326	67.279	66.706	49.121	56.978	63.781	48.691	48.425	100.443	131.430	61.566	
5	T	6.2693	10.1486	3.9809	8.5113	9.1994	6.5639	5.3760	7.6064	5.6426	7.5620	8.4363	4.5223	83.8190	
	S	145.949	89.690	98.139	98.212	133.556	90.890	86.496	97.077	124.580	72.582	101.509	130.867	104.754	
6	T	6.3514	9.8631	3.8885	8.4668	9.2165	6.5175	5.2181	7.5800	5.6071	7.5194	8.5239	4.5314	83.2837	
	S	144.063	92.286	100.471	98.728	133.308	91.537	89.113	97.415	125.369	72.993	100.466	130.604	105.428	
7	T	6.3390	9.7016	3.8709	8.4052	9.2288	6.3694	5.2393	7.6209	5.6039	7.4596	8.5571	4.5328	82.9285	
	S	144.345	93.822	100.928	99.451	133.131	93.665	88.752	96.893	125.440	73.578	100.076	130.563	105.879	
8	T	6.3309	9.6816	3.8849	8.3962	9.2501	6.4434	5.2646	7.7014	5.6270	7.5187	8.4899	4.5483	83.1370	
	S	144.529	94.016	100.564	99.558	132.824	92.589	88.326	95.880	124.925	73.000	100.869	130.119	105.614	
9	T	6.3583	9.7270	3.8478	8.3987	9.2571	6.3880	5.2782	7.5753	5.6061	7.5115	8.4738	4.5136	82.9354	
	S	143.906	93.577	101.534	99.528	132.724	93.392	88.098	97.476	125.391	73.070	101.060	131.119	105.870	
10	T	6.3462	9.7434	3.8870	8.3895	9.2679	6.4186	5.2277	7.6783	5.6279	7.4902	8.5079	4.5108	83.0954	
	S	144.181	93.420	100.510	99.638	132.569	92.947	88.949	96.168	124.905	73.278	100.655	131.200	105.666	
11	T	6.3273	9.6856	3.8535	8.4140	9.2801	6.4078	5.2341	7.6085	5.6182	7.5051	8.5401	4.5199	82.9942	
	S	144.611	93.977	101.384	99.347	132.395	93.104	88.840	97.051	125.121	73.132	100.276	130.936	105.795	
12	T	6.3184	9.7150	3.8416	8.4918	9.2749	6.4642	5.2439	7.6104	5.6264	7.5592	8.4716	4.5395	83.1569	
	S	144.815	93.693	101.698	98.437	132.469	92.292	88.674	97.026	124.939	72.609	101.086	130.371	105.588	
13	T	6.3324	9.7226	3.9011	8.4602	9.2700	6.4516	5.2108	7.6233	5.5919	7.5221	8.5091	4.5452	83.1403	
	S	144.495	93.620	100.147	98.805	132.539	92.472	89.238	96.862	125.709	72.967	100.641	130.207	105.609	
14	T	6.3584	9.6579	3.8632	8.4580	9.2896	6.3938	5.2255	7.5834	5.5895	7.5288	8.5323	4.5316	83.0120	
	S	143.904	94.247	101.129	98.831	132.259	93.308	88.987	97.372	125.763	72.902	100.367	130.598	105.773	
15	T	6.3449	9.7157	3.8797	8.4504	9.2776	6.4276	5.2703	7.5874	5.6215	7.7759	8.4681	4.5476	83.3667	
	S	144.210	93.686	100.699	98.919	132.430	92.817	88.230	97.320	125.048	70.585	101.128	130.139	105.323	
16	T	6.3624	9.7616	3.8692	8.4649	9.2805	6.4631	5.2967	7.5992	5.6058	7.5427	8.5083	4.5543	83.3087	
	S	143.814	93.246	100.972	98.750	132.389	92.307	87.791	97.169	125.398	72.768	100.650	129.947	105.396	
17	T	6.3792	9.7301	3.8686	8.4626	9.2956	6.4367	5.2219	7.6031	5.5814	7.6686	8.4568	4.5343	83.2389	
	S	143.435	93.548	100.988	98.777	132.174	92.686	89.048	97.119	125.946	71.573	101.263	130.520	105.484	
18	T	6.3687	9.7014	3.8790	8.4851	9.2812	6.4052	5.2615	7.6282	5.5931	7.4937	8.5190	4.5485	83.1646	
	S	143.671	93.824	100.717	98.515	132.379	93.142	88.378	96.800	125.682	73.243	100.524	130.113	105.579	
19	T	6.3611	9.8223	3.8427	8.4617	9.2711	6.4394	5.2204	7.6040	5.6068	7.4913	8.5301	4.5457	83.1966	
	S	143.843	92.669	101.669	98.787	132.523	92.647	89.074	97.108	125.375	73.267	100.393	130.193	105.538	

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 14, 2022

Section Data for Car 27 - Kaminsky, Colin

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF
20	T	6.3596	9.6955	3.8408	8.4540	9.2815	6.4197	5.2235	7.6141	5.6284	7.5411	8.5377	4.5404	83.1363
	S	143.877	93.881	101.719	98.877	132.375	92.931	89.021	96.979	124.894	72.783	100.304	130.345	105.615
21	T	6.3516	9.7387	3.9087	8.5124	9.3038	6.4874	5.2775	7.6132	5.5985	7.5419	8.5386	4.5434	83.4157
	S	144.058	93.465	99.952	98.199	132.057	91.961	88.110	96.991	125.561	72.775	100.293	130.259	105.261
22	T	6.3650	9.7105	3.8534	8.4391	9.2955	6.4756	5.2116	7.6247	5.5934	7.5227	8.5764	4.5526	83.2205
	S	143.755	93.736	101.386	99.052	132.175	92.129	89.224	96.844	125.676	72.961	99.851	129.996	105.508
23	T	6.3639	9.7291	3.8626	8.4576	9.3034	6.4766	5.2042	7.6931	5.6168	7.4595	8.5417	4.5630	83.2715
	S	143.780	93.557	101.145	98.835	132.063	92.115	89.351	95.983	125.152	73.579	100.257	129.699	105.443
24	T	6.3846	9.9326	3.8535	8.4917	9.3091	6.4326	5.2394	7.5943	5.5901	7.4742	8.5702	4.5620	83.4343
	S	143.314	91.640	101.384	98.438	131.982	92.745	88.751	97.232	125.750	73.434	99.923	129.728	105.237
25	T	6.3912	9.7903	3.8491	8.4661	9.3023	6.4667	5.1988	7.6841	5.5956	7.5270	8.4467	4.5662	83.2841
	S	143.166	92.972	101.500	98.736	132.079	92.256	89.444	96.096	125.626	72.919	101.384	129.608	105.427
26	T	7.0433	12.7685	4.8776	10.6553	12.7284	9.1200	7.7190						
	S	129.911	71.287	80.097	78.450	96.527	65.416	60.241						

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 14, 2022

Section Data for Car 3 - Green, Josh (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF	
1	T	7.3729	12.6263	4.5214	9.6298	9.2637	7.1432	5.4206	8.3780	7.8497	9.3812	11.5620	8.0745	101.2233	130.8667
	S	124.103	72.090	86.407	86.804	132.629	83.519	85.784	88.137	89.552	58.507	74.067	73.295	86.743	61.595
2	T	13.7250	15.3785	6.9144	15.4524	20.5087	12.5784	6.7895	13.9781	13.2534	10.6604	13.9539	9.9334	153.1261	
	S	66.667	59.188	56.503	54.096	59.908	47.430	68.488	52.826	53.040	51.486	61.371	59.579	57.341	
3	T	15.9413	18.0434	7.3208	14.9979	20.5368	11.0901	8.9765	11.9023	14.9609	9.9725	13.5383	10.3657	157.6465	
	S	57.398	50.447	53.366	55.735	59.826	53.795	51.802	62.039	46.986	55.038	63.255	57.094	55.697	
4	T	13.6467	20.0003	6.5202	12.4890	17.8102	10.8994	10.0984	9.0266	14.2625	10.7626	8.5401	4.4989	138.5549	
	S	67.049	45.511	59.919	66.932	68.985	54.736	46.047	81.804	49.287	50.997	100.276	131.547	63.371	
5	T	6.2529	10.0615	3.8458	8.8325	9.1784	6.6657	5.3461	7.9709	5.5381	7.8130	8.5738	4.4705	84.5492	
	S	146.332	90.466	101.587	94.640	133.862	89.502	86.979	92.638	126.931	70.250	99.881	132.383	103.850	
6	T	6.2621			8.7055	9.2251	6.5921	5.3966	7.7259	5.6257	7.8504	8.5427	4.4775	84.4577	
	S	146.117			96.021	133.184	90.501	86.165	95.576	124.954	69.915	100.245	132.176	103.962	
7	T	6.1858			8.5744	9.2096	6.5224	5.2273	7.7126	5.6010	7.6517	8.5541	4.5475	83.8793	
	S	147.919			97.489	133.408	91.468	88.956	95.741	125.505	71.731	100.111	130.141	104.679	
8	T	6.3404	10.2591	4.0134	8.5072	9.2024	6.5290	5.2924	7.7611	5.5474	7.6131	8.5108	4.5284	84.1047	
	S	144.313	88.724	97.344	98.259	133.513	91.376	87.862	95.142	126.718	72.095	100.621	130.690	104.398	
9	T	6.3040	9.6876	3.9683	8.5110	9.2918	6.4302	5.2343	7.6944	5.5607	7.6459	8.5934	4.5741	83.4957	
	S	145.146	93.958	98.451	98.215	132.228	92.780	88.837	95.967	126.415	71.785	99.654	129.385	105.160	
10	T	6.3617	9.7672	3.9680	8.4109	9.2984	6.4064	5.2894	7.7403	5.6091	8.0934	8.5275	4.4830	83.9553	
	S	143.829	93.192	98.458	99.384	132.134	93.124	87.912	95.398	125.324	67.816	100.424	132.014	104.584	
11	T	6.2439	9.7816	3.9358	8.4630	9.3301	6.3514	5.2380	7.7061	5.5839	7.5959	8.5403	4.5701	83.3401	
	S	146.543	93.055	99.264	98.772	131.685	93.931	88.774	95.821	125.890	72.258	100.273	129.498	105.356	
12	T	6.3426	9.6710	3.9282	8.4699	9.3299	6.4167	5.2815	7.7064	5.5933	7.5580	8.5531	4.5658	83.4164	
	S	144.263	94.119	99.456	98.692	131.688	92.975	88.043	95.818	125.678	72.620	100.123	129.620	105.260	
13	T	6.3576	9.7379	3.9795	8.4736	9.3174	6.4011	5.2488	7.6760	5.5695	7.6200	8.6245	4.5685	83.5744	
	S	143.922	93.473	98.174	98.649	131.865	93.201	88.592	96.197	126.215	72.029	99.294	129.543	105.061	
14	T	6.3755	9.9800	3.8778	8.5462	9.3590	6.3813	5.2428	7.6333	5.5525	7.5969	8.4980	4.5590	83.6023	
	S	143.518	91.205	100.748	97.811	131.279	93.490	88.693	96.735	126.601	72.248	100.772	129.813	105.026	
15	T	6.3564	9.5954	3.9371	8.4703	9.3412	6.4399	5.2829	7.6131	5.5704	7.6518	8.5419	4.5552	83.3556	
	S	143.949	94.861	99.231	98.687	131.529	92.640	88.020	96.992	126.195	71.730	100.254	129.921	105.337	
16	T	6.4232	10.3978	4.0219	8.7125	9.2422	6.4837	5.3240	7.8121	5.5855	7.6337	8.5342	4.5645	84.7353	
	S	142.452	87.540	97.139	95.944	132.938	92.014	87.340	94.521	125.853	71.900	100.345	129.657	103.622	
17	T	6.3538	9.6592	3.9951	8.5467	9.2878	6.4959	5.2787	7.7512	5.5542	7.7170	8.5432	4.5165	83.6993	
	S	144.008	94.234	97.790	97.805	132.285	91.841	88.090	95.264	126.563	71.124	100.239	131.035	104.904	
18	T	6.3270	9.8924	3.9426	8.9976	9.3699	6.4217	5.3538	7.7824	5.6185	7.6364	8.5554	4.5584	84.4561	
	S	144.618	92.013	99.092	92.904	131.126	92.902	86.854	94.882	125.114	71.875	100.096	129.830	103.964	
19	T	6.3519	9.6481	3.9297	8.5121	9.3082	6.4278	5.2644	7.6835	5.5891	7.6706	8.5275	4.5421	83.4550	
	S	144.051	94.343	99.418	98.202	131.995	92.814	88.329	96.103	125.772	71.554	100.424	130.296	105.211	

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 14, 2022

Section Data for Car 3 - Green, Josh (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF
20	T	6.3444	9.7088	3.9294	8.4760	9.2937	6.4081	5.2808	7.6846	5.5866	7.5454	8.5334	4.5560	83.3472
	S	144.222	93.753	99.425	98.621	132.201	93.100	88.055	96.089	125.829	72.741	100.354	129.899	105.347
21	T	6.3566	9.7314	3.9607	8.5147	9.3127	6.4349	5.2800	7.6855	5.5767	7.5710	8.5479	4.5445	83.5166
	S	143.945	93.535	98.640	98.172	131.931	92.712	88.068	96.078	126.052	72.496	100.184	130.227	105.134
22	T	6.3608	9.7625	3.9137	8.4784	9.3150	6.4051	5.2959	7.7031	5.5834	7.5670	8.5864	4.5626	83.5339
	S	143.850	93.237	99.824	98.593	131.899	93.143	87.804	95.859	125.901	72.534	99.735	129.711	105.112
23	T	6.3704	9.7755	3.9425	8.5517	9.3564	6.3885	5.3171	7.7171	5.5829	7.6231	8.5717	4.5722	83.7691
	S	143.633	93.113	99.095	97.748	131.315	93.385	87.454	95.685	125.912	72.000	99.906	129.438	104.817
24	T	6.3832	9.7760	3.9224	8.5606	9.3443	6.4389	5.3151	7.8072	5.5971	7.5893	8.5561	4.5822	83.8724
	S	143.345	93.108	99.603	97.646	131.485	92.654	87.487	94.581	125.593	72.321	100.088	129.156	104.688
25	T	6.3862	9.8113	3.9303	8.4854	9.3022	6.4757	5.2830	7.6597	5.5544	7.7919	8.5335	4.5055	83.7191
	S	143.278	92.773	99.403	98.511	132.080	92.128	88.018	96.402	126.558	70.440	100.353	131.355	104.879
26	T	7.2247	12.7536	4.7090	9.4798	10.5874	7.6605							
	S	126.649	71.370	82.965	88.178	116.047	77.879							

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 14, 2022

Section Data for Car 4 - Eves, Braden

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PI to PO	PO to SF	
1	T	7.3931	11.9847	4.5797	10.2215	11.2424	9.1403	6.9354	8.8505	7.0335	10.5705	13.8561	8.1710	119.2376	136.9364	140.1003
	S	123.764	75.949	85.307	81.779	109.286	65.270	67.047	83.431	99.944	51.924	61.804	72.429	73.638	10.374	57.536
2	T			4.0474	8.6551	9.4483	6.7843	5.3539	7.7269	5.9439	7.6261	8.6710	4.6052	199.8012		83.4980
	S			96.527	96.580	130.038	87.937	86.853	95.563	118.265	71.972	98.762	128.511	43.946		96.539
3	T	6.5380	10.4984	3.8875	8.4563	9.3918	6.5541	5.2095	7.6430	6.4617	8.7385	12.9639	9.6839	96.0266		
	S	139.951	86.702	100.497	98.850	130.820	91.026	89.260	96.612	108.788	62.810	66.058	61.114	91.437		
4	T	13.6147	21.6992	5.6342	12.7964	17.3096	12.4152	8.0815	9.0961	13.4262	10.5653	8.6830	4.5166	137.8380		
	S	67.207	41.948	69.341	65.324	70.980	48.053	57.539	81.179	52.357	51.950	98.625	131.032	63.701		
5	T	6.3460	9.9342	3.9136	8.4421	9.1191	6.5811	5.3998	7.6360	5.7499	7.5132	8.8520	4.5316	84.0186		
	S	144.185	91.626	99.827	99.017	134.732	90.652	86.114	96.701	122.255	73.053	96.742	130.598	104.505		
6	T	6.2829	9.7577	3.9689	8.4481	9.0951	6.5193	5.4005	8.0039	5.5543	7.6360	8.6474	4.5089	83.8230		
	S	145.633	93.283	98.436	98.946	135.088	91.511	86.103	92.256	126.560	71.878	99.031	131.256	104.749		
7	T	6.2536	9.9432	3.9381	8.5766	9.1525	6.4726	5.3738	7.7082	5.6093	7.5555	8.5983	4.4897	83.6714		
	S	146.316	91.543	99.206	97.464	134.241	92.172	86.531	95.795	125.319	72.644	99.597	131.817	104.939		
8	T	6.2151	9.7772	3.9514	8.4432	9.2248	6.4692	5.3101	7.6074	5.5831	7.5284	8.5092	4.5374	83.1565		
	S	147.222	93.097	98.872	99.004	133.188	92.220	87.569	97.065	125.908	72.906	100.640	130.431	105.589		
9	T	6.3357	9.6876	3.8668	8.4144	9.2283	6.4502	5.2898	7.5935	5.5784	7.4210	8.6030	4.5263	82.9950		
	S	144.420	93.958	101.035	99.343	133.138	92.492	87.905	97.242	126.014	73.961	99.542	130.751	105.794		
10	T	6.3103	9.7820	3.8693	8.4884	9.2294	6.4555	5.3255	7.6843	5.5936	7.5460	8.5795	4.4945	83.3583		
	S	145.001	93.051	100.970	98.477	133.122	92.416	87.316	96.093	125.671	72.736	99.815	131.676	105.333		
11	T	6.2523	9.7193	3.8652	8.4720	9.2016	6.4684	5.3117	7.7322	5.5625	7.4849	9.3496	4.5618	83.9815		
	S	146.346	93.652	101.077	98.667	133.524	92.232	87.543	95.498	126.374	73.329	91.594	129.733	104.552		
12	T	6.2746	9.7611	3.8636	8.4542	9.1854	6.5415	5.3061	7.6575	5.5959	7.4620	8.5943	4.5000	83.1962		
	S	145.826	93.250	101.119	98.875	133.760	91.201	87.635	96.430	125.620	73.554	99.643	131.515	105.538		
13	T	6.2339	9.7788	3.8955	8.5302	9.1801	6.4997	5.3748	7.6659	5.5774	7.4914	8.5174	4.4755	83.2206		
	S	146.778	93.082	100.291	97.994	133.837	91.787	86.515	96.324	126.036	73.266	100.543	132.235	105.508		
14	T	6.2083	9.7711	3.9365	8.4220	9.2849	6.4333	5.2976	7.6285	5.5837	7.4230	8.5703	4.5057	83.0649		
	S	147.383	93.155	99.246	99.253	132.326	92.735	87.776	96.796	125.894	73.941	99.922	131.349	105.705		
15	T	6.2921	9.7624	3.8991	8.4801	9.2373	6.4264	5.2944	7.6455	5.5933	7.5147	8.5418	4.5037	83.1908		
	S	145.420	93.238	100.198	98.573	133.008	92.834	87.829	96.581	125.678	73.039	100.256	131.407	105.545		
16	T	6.2723	9.7854	3.9079	8.5579	9.1790	6.5723	5.3918	7.6838	5.5951	7.4883	8.5640	4.5023	83.5001		
	S	145.880	93.019	99.972	97.677	133.853	90.774	86.242	96.099	125.638	73.296	99.996	131.448	105.154		
17	T	6.2727	9.8738	3.8699	8.4838	9.1481	8.4356	6.2325	7.7885	5.5579	7.6811	8.6924	4.5555	86.5918		
	S	145.870	92.186	100.954	98.530	134.305	70.723	74.609	94.808	126.478	71.456	98.519	129.913	101.400		
18	T	6.4431	10.1219	3.8500	8.5941	9.2037	6.6054	5.2590	7.6038	5.5864	7.5445	8.6212	4.5086	83.9417		
	S	142.012	89.927	101.476	97.265	133.494	90.319	88.420	97.111	125.833	72.750	99.332	131.264	104.601		
19	T	6.2950	9.7592	3.8862	8.5101	9.2398	6.5088	5.2677	7.6668	5.6299	7.4850	8.5724	4.5251	83.3460		
	S	145.353	93.269	100.531	98.226	132.972	91.659	88.274	96.313	124.861	73.328	99.898	130.786	105.349		

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 14, 2022

Section Data for Car 4 - Eves, Braden

Lap	T/SF to PI
1	T 98.6044
	S 81.165
2	T
	S
3	T
	S
4	T
	S
5	T
	S
6	T
	S
7	T
	S
8	T
	S
9	T
	S
10	T
	S
11	T
	S
12	T
	S
13	T
	S
14	T
	S
15	T
	S
16	T
	S
17	T
	S
18	T
	S
19	T
	S

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 14, 2022

Section Data for Car 4 - Eves, Braden

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PI to PO	PO to SF	
20	T	6.3233	9.7723	3.8893	8.4251	9.2396	6.4533	5.3043	7.6309	5.6166	7.4532	8.5897	4.5199	83.2175		
	S	144.703	93.144	100.450	99.217	132.975	92.447	87.665	96.766	125.157	73.641	99.697	130.936	105.511		
21	T	6.3226	9.7907	3.8876	8.5343	9.2375	6.5272	5.3408	7.7695	5.5896	7.5688	8.5534	4.4914	83.6134		
	S	144.719	92.969	100.494	97.947	133.005	91.401	87.066	95.039	125.761	72.517	100.120	131.767	105.012		
22	T	6.2538	9.7810	3.8955	8.5610	9.1930	6.5272	5.3311	7.6833	5.6009	7.5990	8.5011	4.5035	83.4304		
	S	146.311	93.061	100.291	97.642	133.649	91.401	87.224	96.106	125.507	72.228	100.736	131.413	105.242		
23	T	6.2525	9.8524	3.8928	8.5250	9.1926	6.5700	5.2841	7.7489	5.5841	7.7434	8.4786	4.5187	83.6431		
	S	146.341	92.386	100.360	98.054	133.655	90.805	88.000	95.292	125.885	70.881	101.003	130.971	104.975		
24	T	6.3097	9.7834	3.8478	8.5794	9.1897	6.6237	5.3282	7.6511	5.5795	7.5951	8.5572	4.4673	83.5121		
	S	145.015	93.038	101.534	97.432	133.697	90.069	87.271	96.510	125.989	72.265	100.075	132.478	105.139		
25	T	6.1927	10.1078	4.0654	8.8162	9.1957	6.8791	5.3946	7.7662	5.5919	7.4335	8.6852	4.5525	84.6808		
	S	147.755	90.052	96.099	94.815	133.610	86.725	86.197	95.080	125.709	73.837	98.600	129.999	103.688		
26	T	6.4495	11.4486	3.9646	8.7476	11.9599	7.8228	6.8288								
	S	141.871	79.506	98.543	95.559	102.730	76.263	68.094								

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 14, 2022

Section Data for Car 4 - Eves, Braden

Lap	T/SF to PI
20	T
	S
21	T
	S
22	T
	S
23	T
	S
24	T
	S
25	T
	S
26	T
	S

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 14, 2022

Section Data for Car 40 - Miller, Jack William

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF	
1	T	7.6052	10.4356	4.0301	8.4421	9.3716	24.7423	7.4109	8.3011	5.9302	7.7983	8.7399	4.6243	107.4316	151.9093
	S	120.312	87.223	96.941	99.017	131.102	24.112	62.745	88.953	118.538	70.382	97.983	127.980	81.730	53.063
2	T	11.1228	17.2007	7.0334	14.3212	19.1644	13.0786	9.2104	12.4730	11.7920	12.4985	13.0247	9.1424	150.0621	
	S	82.263	52.918	55.547	58.369	64.110	45.616	50.486	59.201	59.613	43.914	65.749	64.733	58.512	
3	T	15.4914	18.0015	7.4942	15.2762	19.9044	10.8866	9.0966	11.7671	15.2141	10.0097	13.4227	10.4073	156.9718	
	S	59.065	50.564	52.131	54.720	61.727	54.800	51.118	62.752	46.204	54.833	63.800	56.866	55.936	
4	T	13.4956	21.0353	5.2616	12.8956	17.8277	10.7322	9.8278	9.0592	14.2148	10.6739	8.5365	4.4555	138.0157	
	S	67.800	43.271	74.252	64.821	68.917	55.589	47.315	81.509	49.452	51.421	100.318	132.829	63.619	
5	T	6.2590	9.7924	3.8843	8.5535	9.1019	6.7871	5.4189	7.8002	5.5092	7.9842	8.4653	4.4010	83.9570	
	S	146.189	92.952	100.580	97.727	134.987	87.901	85.811	94.665	127.596	68.744	101.162	134.474	104.582	
6	T	6.2549	9.7818	3.8878	8.6080	9.1172	6.5807	5.2918	7.8299	5.7164	7.6010	8.5132	4.5081	83.6908	
	S	146.285	93.053	100.489	97.108	134.760	90.658	87.872	94.306	122.972	72.209	100.592	131.279	104.915	
7	T	6.2684	9.6507	3.9260	8.3327	9.1492	6.4925	5.3340	7.5857	5.6164	7.5605	8.5011	4.5071	82.9243	
	S	145.970	94.317	99.511	100.317	134.289	91.889	87.177	97.342	125.161	72.596	100.736	131.308	105.885	
8	T	6.2644	9.6205	3.9378	8.3624	9.1085	6.7067	5.3038	7.5827	5.6398	7.4993	8.5348	4.5378	83.0985	
	S	146.063	94.613	99.213	99.960	134.889	88.954	87.673	97.381	124.642	73.189	100.338	130.420	105.663	
9	T	6.3473	9.7565	3.8889	8.3516	9.2630	6.3947	5.2237	7.6063	5.6554	7.5095	8.5722	4.5176	83.0867	
	S	144.156	93.294	100.461	100.090	132.639	93.295	89.017	97.079	124.298	73.089	99.900	131.003	105.678	
10	T	6.3200	9.5801	3.8718	8.3252	9.2492	6.3762	5.3729	7.6237	5.6149	7.4170	8.5371	4.5180	82.8061	
	S	144.778	95.012	100.904	100.407	132.837	93.565	86.545	96.857	125.194	74.001	100.311	130.991	106.036	
11	T	6.2974	9.6904	3.9055	8.3738	9.2370	6.4217	5.2708	7.5928	5.6221	7.4609	8.5107	4.4796	82.8627	
	S	145.298	93.931	100.034	99.824	133.012	92.902	88.222	97.251	125.034	73.565	100.622	132.114	105.963	
12	T	6.2274	9.8384	3.9305	8.4265	9.1050	6.7011	5.3202	7.6175	5.6416	7.4535	8.4924	4.5399	83.2940	
	S	146.931	92.518	99.397	99.200	134.941	89.029	87.403	96.936	124.602	73.638	100.839	130.359	105.415	
13	T	6.3477	9.6722	3.8538	8.3792	9.2736	6.4116	5.3151	7.6649	5.6326	7.4260	8.5150	4.5328	83.0245	
	S	144.147	94.108	101.376	99.760	132.488	93.049	87.487	96.336	124.801	73.911	100.571	130.563	105.757	
14	T	6.3616	9.7206	3.8878	8.3562	9.2983	6.4138	5.2344	7.5933	5.5989	7.4761	8.5720	4.5456	83.0586	
	S	143.832	93.639	100.489	100.035	132.136	93.017	88.835	97.245	125.552	73.416	99.902	130.196	105.713	
15	T	6.3504	9.6180	3.8574	8.4856	9.2858	6.3810	5.3377	7.6204	5.6054	7.4480	8.5713	4.5221	83.0831	
	S	144.085	94.638	101.281	98.509	132.313	93.495	87.116	96.899	125.407	73.693	99.911	130.872	105.682	
16	T	6.3300	9.6873	3.8964	8.4056	9.2553	6.4779	5.3051	7.6935	5.6145	7.4511	8.5676	4.5100	83.1943	
	S	144.550	93.961	100.267	99.447	132.749	92.096	87.652	95.978	125.203	73.662	99.954	131.224	105.541	
17	T	6.3268	9.6657	3.8824	8.3646	9.2141	6.4619	5.2728	7.7413	5.6430	7.4831	8.5645	4.5068	83.1270	
	S	144.623	94.171	100.629	99.934	133.343	92.324	88.188	95.386	124.571	73.347	99.990	131.317	105.626	
18	T	6.3048	9.6249	3.9031	8.4706	9.2444	6.5309	5.2166	7.6638	5.5468	7.5342	8.6498	4.5006	83.1905	
	S	145.128	94.570	100.095	98.684	132.906	91.349	89.139	96.350	126.732	72.850	99.004	131.498	105.546	
19	T	6.2782	9.8132	3.8982	8.5223	9.2355	6.4944	5.3110	7.7059	5.6185	7.5513	8.5761	4.5026	83.5072	
	S	145.742	92.755	100.221	98.085	133.034	91.862	87.554	95.824	125.114	72.685	99.855	131.439	105.145	

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 14, 2022

Section Data for Car 40 - Miller, Jack William

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF
20	T	6.2893	9.7149	3.9245	8.4904	9.2703	6.4748	5.3318	7.6239	5.6255	7.5283	8.6622	4.5257	83.4616
	S	145.485	93.694	99.549	98.453	132.535	92.140	87.213	96.855	124.959	72.907	98.862	130.768	105.203
21	T	6.3163	9.8023	3.9285	8.5206	9.2946	6.4924	5.3356	7.6874	5.6517	7.5083	8.6226	4.5319	83.6922
	S	144.863	92.859	99.448	98.104	132.188	91.891	87.150	96.054	124.379	73.101	99.316	130.589	104.913
22	T	6.3377	9.7997	4.0295	8.4653	9.3406	6.4904	5.2503	8.0501	5.6544	7.6331	8.5508	4.5703	84.1722
	S	144.374	92.883	96.955	98.745	131.537	91.919	88.566	91.727	124.320	71.906	100.150	129.492	104.315
23	T	6.4042	9.9683	3.9281	8.4530	9.3718	6.4990	5.2359	7.6500	5.6344	7.4138	8.6941	4.5834	83.8360
	S	142.875	91.312	99.458	98.889	131.099	91.797	88.810	96.524	124.761	74.033	98.499	129.122	104.733
24	T	6.4207	9.8647	3.9144	8.4336	9.3802	6.4141	5.4264	7.6663	5.5958	7.5216	8.6931	4.5724	83.9033
	S	142.508	92.271	99.806	99.117	130.982	93.012	85.692	96.319	125.622	72.972	98.511	129.433	104.649
25	T	6.4166	9.8777	3.8866	8.5847	9.3866	6.4889	5.3581	7.7371	5.6380	7.4950	8.7461	4.5734	84.1888
	S	142.599	92.150	100.520	97.372	130.893	91.940	86.784	95.437	124.682	73.231	97.914	129.404	104.294
26	T	6.4374	11.2557	4.3693	9.5761	12.1760	8.8144	7.9912						
	S	142.138	80.868	89.415	87.291	100.906	67.684	58.189						

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 14, 2022

Section Data for Car 47 - Ahmed, Enaam

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PI to PO	PO to SF	
1	T	7.3425	12.3440	4.5990	18.1192	21.4942	11.1102	8.5261	11.7436	9.3120	10.3047	13.7583	8.0549	151.6152	1278.9256	137.9267
	S	124.617	73.738	84.949	46.134	57.161	53.698	54.538	62.878	75.489	53.263	62.243	73.473	57.912	1.111	58.443
2	T			4.0865	8.9751	9.8213	6.9520	5.3278	7.8426	5.7690	7.6844	8.5517	4.6145	1342.5013		84.6802
	S			95.603	93.136	125.099	85.816	87.278	94.154	121.850	71.426	100.140	128.252	6.540		95.191
3	T	6.5209	9.9316	3.8792	8.4901	9.4866	6.5847	5.1512	7.7607	5.6636	7.4847	8.5921	4.6036	84.1490		
	S	140.318	91.650	100.712	98.457	129.513	90.603	90.270	95.147	124.118	73.331	99.669	128.556	104.343		
4	T	6.5100	10.0405	3.8572	8.5773	9.4596	6.6896	5.2244	7.7750	7.2876	7.7359	8.6307	4.5673	86.3551		
	S	140.553	90.656	101.286	97.456	129.882	89.182	89.005	94.972	96.459	70.950	99.223	129.577	101.678		
5	T	6.4148	9.7741	3.8841	8.4407	9.3589	6.4621	5.1966	7.6879	5.6062	7.3629	8.6235	4.5486	83.3604		
	S	142.639	93.126	100.585	99.033	131.280	92.322	89.482	96.048	125.389	74.544	99.306	130.110	105.331		
6	T	6.3946	9.6834	3.8621	8.4438	9.3607	6.4806	5.2108	7.7598	5.9438				105.4581		
	S	143.089	93.999	101.158	98.997	131.255	92.058	89.238	95.158	118.267				83.260		

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 14, 2022

Section Data for Car 47 - Ahmed, Enaam

Lap	T/SF to PI	
1	T	130.5107
	S	61.322
2	T	
	S	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	84.6649
	S	94.528

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 14, 2022

Section Data for Car 5 - Brichacek, Wyatt

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF	
1	T	7.3488	12.3738	4.3785	9.5561	9.4987	7.1925	5.5725	8.0366	7.5780	9.4413	11.9002	7.8594	100.7364	132.7808
	S	124.510	73.561	89.227	87.474	129.348	82.946	83.445	91.881	92.763	58.134	71.962	75.301	87.162	60.708
2	T	13.0085	16.1617	6.1880	16.1984	20.2911	12.8076	6.6951	13.3463	12.4345	10.5537	15.4153	9.3744	152.4746	
	S	70.339	56.320	63.135	51.604	60.551	46.581	69.454	55.327	56.533	52.007	55.553	63.131	57.586	
3	T	16.4922	17.7015	7.4329	14.9603	20.4041	11.1650	9.6093	11.4097	15.0281	9.8110	13.6614	10.0261	157.7016	
	S	55.481	51.421	52.561	55.875	60.215	53.434	48.391	64.718	46.776	55.944	62.685	59.028	55.677	
4	T	14.0822	19.5094	6.3246	12.7469	18.5154	10.9315	9.2188	9.7977	14.3813	10.9360	8.4735	4.4775	139.3948	
	S	64.976	46.656	61.772	65.577	66.358	54.575	50.440	75.366	48.880	50.189	101.064	132.176	62.989	
5	T	6.2048	10.3751	3.9125	8.7920	9.2960	7.1703	5.4990	7.6859	5.5438	7.9695	8.5032	4.4599	85.4120	
	S	147.466	87.732	99.855	95.076	132.168	83.203	84.561	96.073	126.800	68.871	100.711	132.698	102.801	
6	T	6.2347	9.9771	3.8705	8.7653	9.1151	6.6152	5.5383	8.0083	5.6315	8.0110	8.4778	4.4357	84.6805	
	S	146.759	91.232	100.938	95.366	134.791	90.185	83.961	92.205	124.825	68.514	101.012	133.422	103.689	
7	T	6.1797	10.0869	3.9261	8.6674	9.1541	6.5310	5.3672	7.5695	5.6411	7.6248	8.5721	4.4811	83.8010	
	S	148.065	90.239	99.509	96.443	134.217	91.348	86.637	97.551	124.613	71.984	99.901	132.070	104.777	
8	T	6.1916	10.1013	3.9148	8.7312	9.2774	6.7780	5.2948	7.5988	5.5329	7.8977	8.5012	4.5088	84.3285	
	S	147.781	90.110	99.796	95.738	132.433	88.019	87.822	97.174	127.050	69.497	100.734	131.258	104.121	
9	T	6.3162	9.7681	3.9453	8.4680	9.2515	6.4404	5.2751	7.6942	5.6348	7.5899	8.5320	4.5062	83.4217	
	S	144.866	93.184	99.025	98.714	132.804	92.633	88.150	95.970	124.752	72.315	100.371	131.334	105.253	
10	T	6.2987	9.7150	3.9480	8.4836	9.2115	6.3980	5.2651	7.5581	5.5562	7.4101	8.6941	4.5638	83.1022	
	S	145.268	93.693	98.957	98.532	133.381	93.246	88.317	97.698	126.517	74.070	98.499	129.677	105.658	
11	T	6.4209	10.0997	3.9159	8.5323	9.2062	6.5919	5.2749	7.6718	5.5360	7.7558	8.5422	4.5114	84.0590	
	S	142.503	90.124	99.768	97.970	133.457	90.504	88.153	96.250	126.979	70.768	100.251	131.183	104.455	
12	T	6.2694	9.9118	3.9534	8.4596	9.2663	6.4578	5.2889	7.6137	5.5864	7.6604	8.4868	4.5097	83.4642	
	S	145.947	91.833	98.822	98.812	132.592	92.383	87.920	96.984	125.833	71.649	100.905	131.232	105.200	
13	T	6.2807	9.7392	3.9016	8.4735	9.1985	6.6257	5.2480	7.5956	5.5711	7.6175	8.4956	4.4894	83.2364	
	S	145.684	93.460	100.134	98.650	133.569	90.042	88.605	97.215	126.179	72.053	100.801	131.826	105.488	
14	T	6.2329	9.9949	3.8946	8.7616	9.2687	6.5392	5.3351	7.5770	5.5574	7.5455	8.5104	4.4986	83.7159	
	S	146.802	91.069	100.314	95.406	132.558	91.233	87.159	97.454	126.490	72.741	100.626	131.556	104.883	
15	T	6.2500	9.7095	3.9268	8.4676	9.2073	6.4513	5.3584	7.5903	5.5971	7.5561	8.4704	4.4753	83.0601	
	S	146.400	93.746	99.491	98.719	133.442	92.476	86.780	97.283	125.593	72.638	101.101	132.241	105.711	
16	T	6.2901	10.2715	4.0024	8.4957	9.2941	6.3611	5.2747	7.5748	5.5806	7.4838	8.5391	4.5362	83.7041	
	S	145.467	88.617	97.612	98.392	132.195	93.787	88.157	97.482	125.964	73.340	100.287	130.466	104.898	
17	T	6.3620	9.6458	3.8778	8.4304	9.2509	6.4325	5.8001	7.7826	5.5112			4.4808	84.0075	
	S	143.823	94.365	100.748	99.154	132.813	92.746	80.171	94.879	127.550			132.079	104.519	
18	T	6.3114	9.7611	3.8978	8.4480	9.3076	6.4062	5.1917	7.6647	5.5841	7.5197	8.5532	4.5301	83.1756	
	S	144.976	93.250	100.231	98.948	132.004	93.127	89.566	96.339	125.885	72.990	100.122	130.641	105.565	
19	T	6.3412	9.6597	3.8990	8.4225	9.2865	6.3464	5.2310	7.5303	5.6011	7.6015	8.5607	4.5253	83.0052	
	S	144.294	94.229	100.201	99.247	132.303	94.005	88.893	98.058	125.503	72.205	100.034	130.780	105.781	

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 14, 2022

Section Data for Car 5 - Brichacek, Wyatt

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF
20	T	6.3328	9.6414	3.8777	8.4457	9.2768	6.4357	5.2606	7.6061	5.6003	7.4089	8.5763	4.5282	82.9905
	S	144.486	94.408	100.751	98.975	132.442	92.700	88.393	97.081	125.521	74.082	99.852	130.696	105.800
21	T	6.3149	9.8121	3.8565	8.8565	9.3388	6.5097	5.2015	7.5867	5.5468	7.5580	8.4903	4.5402	83.6120
	S	144.895	92.766	101.305	94.384	131.563	91.646	89.397	97.329	126.732	72.620	100.864	130.351	105.014
22	T	6.3334	9.6945	3.9309	8.4622	9.2728	6.4092	5.2845	7.5337	5.5556	7.5312	8.4663	4.5344	83.0087
	S	144.472	93.891	99.387	98.782	132.499	93.084	87.993	98.014	126.531	72.879	101.150	130.517	105.777
23	T	6.2725	9.7175	3.9590	8.4968	9.2570	6.4453	5.2588	7.5640	5.5579	7.5179	8.5261	4.5343	83.1071
	S	145.875	93.669	98.682	98.379	132.725	92.562	88.423	97.622	126.478	73.008	100.440	130.520	105.652
24	T	6.2784	10.0856	3.9460	8.7662	9.3380	6.4378	5.1979	7.5383			8.5410	4.5583	83.7204
	S	145.738	90.250	99.007	95.356	131.574	92.670	89.459	97.954			100.265	129.833	104.878
25	T	6.3855	9.6429	3.8913	8.4124	9.3012	6.4090	5.2137	7.5796	5.6001	7.4360	8.5668	4.5310	82.9695
	S	143.293	94.394	100.399	99.366	132.094	93.086	89.188	97.421	125.525	73.812	99.963	130.615	105.827
26	T	6.5234	11.3147	4.2208	9.6331	11.3892	7.5371	7.6270						
	S	140.264	80.446	92.561	86.775	107.877	79.154	60.968						

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 14, 2022

Section Data for Car 55 - Gold, Reece

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF	
1	T	7.5035	11.2538	4.1635	9.0157	9.2440	7.0093	5.5314	7.6841	7.1083	9.3157	11.5934	7.0293	96.4520	147.0604
	S	121.943	80.882	93.835	92.717	132.912	85.114	84.066	96.096	98.892	58.918	73.866	84.193	91.034	54.813
2	T	12.6301	17.7928	6.3719	15.5607	20.4957	11.5153	8.0123	13.4635	12.2344	10.3845	15.4991	9.0763	153.0366	
	S	72.446	51.157	61.313	53.719	59.946	51.809	58.036	54.845	57.457	52.854	55.252	65.205	57.375	
3	T	16.0432	17.8581	6.8662	14.4402	20.4869	11.5928	8.2401	12.6160	11.9833	11.7240	14.0879	10.1291	156.0678	
	S	57.034	50.970	56.899	57.888	59.972	51.462	56.431	58.530	58.661	46.815	60.787	58.428	56.260	
4	T	14.9106	18.1125	8.0472	11.4322	19.4494	12.2761	8.3930	11.7911	14.4120	11.6007	8.5756	4.4967	143.4971	
	S	61.366	50.254	48.549	73.119	63.171	48.598	55.403	62.624	48.776	47.313	99.860	131.612	61.189	
5	T	6.3626	9.9058	3.9563	8.4964	9.3803	6.5721	5.1613	7.5545	5.6617	7.3798	8.5729	4.5643	83.5680	
	S	143.809	91.888	98.749	98.384	130.980	90.776	90.094	97.744	124.160	74.374	99.892	129.662	105.069	
6	T	6.4516	9.8187	3.8849	8.3498	9.3436	6.3537	5.2342	7.5179	5.6235	7.4093	8.4604	4.5614	83.0090	
	S	141.825	92.703	100.564	100.111	131.495	93.897	88.839	98.220	125.003	74.078	101.220	129.745	105.776	
7	T	6.4394	9.8033	3.8596	8.3444	9.3620	6.2946	5.1436	7.6252	5.6156	7.3758	8.4934	4.5649	82.9218	
	S	142.094	92.849	101.223	100.176	131.237	94.778	90.404	96.838	125.179	74.414	100.827	129.645	105.888	
8	T	6.4461	9.7320	3.8554	8.3365	9.3796	6.3420	5.1987	7.5511	5.6303	7.4496	8.4826	4.5626	82.9665	
	S	141.946	93.529	101.334	100.271	130.990	94.070	89.445	97.788	124.852	73.677	100.955	129.711	105.831	
9	T	6.4378	9.6730	3.8576	8.3474	9.3790	6.3241	5.1998	7.5496	5.6258	7.4799	8.5485	4.5676	82.9901	
	S	142.129	94.100	101.276	100.140	130.999	94.336	89.427	97.808	124.952	73.378	100.177	129.569	105.801	
10	T	6.4531	9.6070	3.8663	8.4074	9.4010	6.3297	5.1475	7.5664	5.6547	7.4550	8.5939	4.5652	83.0472	
	S	141.792	94.746	101.048	99.425	130.692	94.253	90.335	97.591	124.313	73.624	99.648	129.637	105.728	
11	T	6.4363	9.7527	3.8822	8.3641	9.3958	6.3620	5.1447	7.5757	5.6526	7.4875	8.5501	4.5701	83.1738	
	S	142.162	93.331	100.634	99.940	130.764	93.774	90.384	97.471	124.360	73.304	100.158	129.498	105.567	
12	T	6.4374	9.7000	3.8756	8.3981	9.4007	6.4153	5.1329	7.5338	5.6234	7.4298	8.5419	4.5676	83.0565	
	S	142.138	93.838	100.806	99.536	130.696	92.995	90.592	98.013	125.005	73.873	100.254	129.569	105.716	
13	T	6.4425	9.6739	3.8782	8.3640	9.3691	6.3569	5.1900	7.5489	5.6059	7.4066	8.5666	4.5678	82.9704	
	S	142.026	94.091	100.738	99.941	131.137	93.849	89.595	97.817	125.395	74.105	99.965	129.563	105.826	
14	T	6.4438	9.6011	3.8712	8.4437	9.3952	6.4694	5.1364	7.5749	5.6334	7.4706	8.5857	4.5801	83.2055	
	S	141.997	94.804	100.920	98.998	130.773	92.217	90.530	97.481	124.783	73.470	99.743	129.215	105.527	
15	T	6.4582	9.6087	3.8652	8.4040	9.3778	6.3456	5.1720	7.5982	5.6216	7.3810	8.5732	4.5774	82.9829	
	S	141.680	94.729	101.077	99.466	131.015	94.016	89.907	97.182	125.045	74.362	99.888	129.291	105.810	
16	T	6.4476	9.7297	3.8675	8.4200	9.3786	6.4088	5.1798	7.5821	5.6244	7.4131	8.5440	4.5698	83.1654	
	S	141.913	93.551	101.017	99.277	131.004	93.089	89.772	97.388	124.983	74.040	100.230	129.506	105.578	
17	T	6.4600	9.7744	3.8434	8.4613	9.3807	6.3305	5.2129	7.5884	5.6078	7.5295	8.5275	4.5675	83.2839	
	S	141.641	93.124	101.650	98.792	130.975	94.241	89.202	97.308	125.353	72.895	100.424	129.572	105.427	
18	T	6.4531	9.7491	3.8612	8.3837	9.3670	6.4149	5.1844	7.6045	5.6324	7.4138	8.6254	4.5740	83.2635	
	S	141.792	93.365	101.181	99.706	131.166	93.001	89.692	97.102	124.806	74.033	99.284	129.387	105.453	
19	T	6.4442	9.7992	3.8562	8.3886	9.3771	6.3622	5.1691	7.6352	5.6374	7.4712	8.5740	4.5637	83.2781	
	S	141.988	92.888	101.313	99.648	131.025	93.771	89.958	96.711	124.695	73.464	99.879	129.679	105.435	

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 14, 2022

Section Data for Car 55 - Gold, Reece

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF
20	T	6.4335	9.6979	3.8723	8.3768	9.3931	6.3770	5.1820	7.6087	5.6218	7.4144	8.5795	4.5605	83.1175
	S	142.224	93.858	100.891	99.789	130.802	93.554	89.734	97.048	125.041	74.027	99.815	129.770	105.638
21	T	6.4406	9.7417	3.8630	8.4890	9.3733	6.3583	5.1375	7.5815	5.6218	7.4429	8.5449	4.5614	83.1559
	S	142.068	93.436	101.134	98.470	131.078	93.829	90.511	97.396	125.041	73.743	100.219	129.745	105.590
22	T	6.4279	9.6273	3.8882	8.4015	9.3731	6.3701	5.1631	7.6088	5.6360	7.4469	8.6205	4.5739	83.1373
	S	142.348	94.546	100.479	99.495	131.081	93.655	90.062	97.047	124.726	73.704	99.340	129.390	105.613
23	T	6.4491	9.7575	3.8620	8.4348	9.3759	6.4002	5.2215	7.5745	5.6179	7.3708	8.5574	4.5731	83.1947
	S	141.880	93.285	101.160	99.102	131.042	93.214	89.055	97.486	125.128	74.465	100.073	129.413	105.540
24	T	6.4407	9.7404	3.8734	8.4679	9.3854	6.3665	5.1927	7.5900	5.6097	7.4323	8.5697	4.5766	83.2453
	S	142.065	93.449	100.863	98.715	130.909	93.708	89.549	97.287	125.311	73.848	99.929	129.314	105.476
25	T	6.4317	9.6788	3.8512	8.4409	9.4060	6.4177	5.2253	7.6445	5.6766	7.5740	8.5814	4.5697	83.4978
	S	142.264	94.043	101.444	99.031	130.623	92.960	88.990	96.594	123.834	72.467	99.793	129.509	105.157
26	T	6.4756	11.6329	5.2666	11.1320	13.9585	9.2055	7.5111						
	S	141.300	78.246	74.181	75.091	88.021	64.808	61.908						

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 14, 2022

Section Data for Car 6 - De Alba, Salvador (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF	
1	T	7.2264	11.7546	4.1923	8.8681	9.3102	6.9049	5.4715	7.7865	7.6868	9.7845	11.9807	7.6535	98.6200	129.3762
	S	126.619	77.436	93.190	94.260	131.967	86.401	84.986	94.832	91.450	56.095	71.479	77.326	89.033	62.305
2	T	12.4923	16.9233	5.9456	16.1410	20.3589	12.9908	6.7131	13.2996	12.1784	10.5611	15.3668	9.7188	152.6897	
	S	73.245	53.785	65.709	51.788	60.349	45.924	69.268	55.521	57.721	51.970	55.728	60.894	57.505	
3	T	16.5369	17.6602	7.5374	14.3500	20.3205	10.9982	10.2594	11.3058	14.9855	8.9554	14.4957	9.9854	157.3904	
	S	55.331	51.541	51.832	58.252	60.463	54.244	45.324	65.312	46.909	61.289	59.077	59.268	55.787	
4	T	14.2069	18.8199	6.8336	12.7952	18.9262	11.0009	8.3686	10.7747	14.7393	11.0492	8.4300	4.4754	140.4199	
	S	64.405	48.365	57.171	65.330	64.917	54.231	55.565	68.532	47.693	49.675	101.585	132.238	62.530	
5	T	6.1912	10.4884	3.9784	8.6616	9.2149	6.8276	5.4300	7.9842	5.6065	7.4915	8.5125	4.5152	84.9020	
	S	147.790	86.784	98.201	96.507	133.331	87.379	85.635	92.484	125.382	73.265	100.601	131.072	103.418	
6	T	6.3367	9.8825	3.9142	8.4535	9.1936	6.4455	5.2838	7.6189	5.5834	7.6600	8.4606	4.4945	83.3272	
	S	144.397	92.105	99.811	98.883	133.640	92.559	88.005	96.918	125.901	71.653	101.218	131.676	105.373	
7	T	6.2831	9.7632	3.9150	8.4024	9.1937	6.5192	5.3052	7.6110	5.5999	7.5666	8.5051	4.5021	83.1665	
	S	145.629	93.230	99.791	99.485	133.639	91.513	87.650	97.019	125.530	72.538	100.688	131.454	105.576	
8	T	6.2660	9.8911	3.9928	8.3615	9.1913	6.5530	5.2518	7.6853	5.6073	7.5043	8.4657	4.5123	83.2824	
	S	146.026	92.025	97.847	99.971	133.674	91.041	88.541	96.081	125.364	73.140	101.157	131.157	105.429	
9	T	6.3073	9.7180	3.8974	8.3463	9.2055	6.5056	5.2170	7.6922	5.6090	7.5392	8.5040	4.5168	83.0583	
	S	145.070	93.664	100.242	100.153	133.468	91.704	89.132	95.995	125.326	72.801	100.701	131.026	105.714	
10	T	6.3143	9.6684	3.9201	8.3767	9.2354	6.4672	5.3025	7.7346	5.6073	7.5328	8.5545	4.5056	83.2194	
	S	144.909	94.145	99.661	99.790	133.036	92.249	87.694	95.468	125.364	72.863	100.107	131.352	105.509	
11	T	6.2919	9.6610	3.8993	8.3916	9.2255	6.5933	5.2675	7.6814	5.6612	7.5116	8.5161	4.5156	83.2160	
	S	145.425	94.217	100.193	99.613	133.178	90.484	88.277	96.129	124.171	73.069	100.558	131.061	105.513	
12	T	6.3133	9.8080	3.8798	8.6013	9.2579	6.8456	5.5075	7.7831	5.6332	7.6339	8.4511	4.4729	84.1876	
	S	144.932	92.805	100.696	97.184	132.712	87.150	84.430	94.873	124.788	71.898	101.332	132.312	104.296	
13	T	6.2414	9.7988	3.9561	8.4941	9.2101	6.4678	5.3646	7.6729	5.6173	7.4491	8.4930	4.4756	83.2408	
	S	146.602	92.892	98.754	98.411	133.401	92.240	86.679	96.236	125.141	73.682	100.832	132.232	105.482	
14	T	6.2639	9.7706	3.8930	8.4939	9.2243	6.5510	5.2579	7.6884	5.6010	7.5189	8.5661	4.5076	83.3366	
	S	146.075	93.160	100.355	98.413	133.196	91.069	88.438	96.042	125.505	72.998	99.971	131.293	105.361	
15	T	6.2942	9.6616	3.9066	8.4290	9.2019	6.4772	5.2633	7.6565	5.6224	7.6218	8.6250	4.5129	83.2724	
	S	145.372	94.211	100.006	99.171	133.520	92.106	88.348	96.442	125.027	72.012	99.289	131.139	105.442	
16	T	6.2893	9.7473	3.9131	8.5062	9.2420	6.4438	5.2805	7.6820	5.6373	7.6320	8.4583	4.4937	83.3255	
	S	145.485	93.383	99.839	98.271	132.941	92.584	88.060	96.122	124.697	71.916	101.245	131.700	105.375	
17	T	6.2989	9.7841	3.9270	8.4605	9.2211	6.4750	5.2876	7.7919	5.6230	7.5160	8.5909	4.5153	83.4913	
	S	145.263	93.031	99.486	98.801	133.242	92.138	87.942	94.766	125.014	73.026	99.683	131.070	105.165	
18	T	6.3149	9.7863	3.8840	8.6288	9.2743	6.4726	5.3497	7.6702	5.6414	7.5553	8.6182	4.5143	83.7100	
	S	144.895	93.010	100.587	96.874	132.478	92.172	86.921	96.270	124.606	72.646	99.367	131.099	104.891	
19	T	6.3271	9.7611	3.8868	8.4994	9.2497	6.4663	5.2366	7.7853	5.6358	7.5527	8.5542	4.5240	83.4790	
	S	144.616	93.250	100.515	98.349	132.830	92.262	88.798	94.847	124.730	72.671	100.110	130.817	105.181	

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 14, 2022

Section Data for Car 6 - De Alba, Salvador (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF
20	T	6.3422	9.8228	3.8979	8.5067	9.2634	6.5279	5.3083	7.8000	5.6386	7.5532	8.5434	4.5200	83.7244
	S	144.272	92.665	100.229	98.265	132.633	91.391	87.599	94.668	124.668	72.666	100.237	130.933	104.873
21	T	6.3453	9.7685	3.9017	8.5691	9.2855	6.5009	5.2883	7.7880	5.6648	7.5690	8.5592	4.5305	83.7708
	S	144.201	93.180	100.131	97.549	132.318	91.771	87.930	94.814	124.092	72.515	100.052	130.630	104.815
22	T	6.3500	9.8226	3.9057	8.5556	9.2885	6.5246	5.3320	7.7980	5.6431	7.6126	8.5537	4.5478	83.9342
	S	144.094	92.667	100.029	97.703	132.275	91.437	87.209	94.692	124.569	72.099	100.116	130.133	104.611
23	T	6.3554	9.8483	3.9159	8.5022	9.2924	6.5737	5.3353	7.7340	5.6389	7.5334	8.5752	4.5571	83.8618
	S	143.972	92.425	99.768	98.317	132.219	90.754	87.155	95.476	124.662	72.857	99.865	129.867	104.701
24	T	6.3805	9.9439	3.9021	8.5316	9.2705	6.5461	5.2899	7.7652	5.6241	7.5553	8.5406	4.5281	83.8779
	S	143.406	91.536	100.121	97.978	132.532	91.137	87.903	95.092	124.990	72.646	100.270	130.699	104.681
25	T	6.3417	9.9305	3.8940	8.5349	9.2930	6.5758	5.2895	7.7754	5.6520	7.6614	8.5987	4.5176	84.0645
	S	144.283	91.660	100.329	97.940	132.211	90.725	87.910	94.967	124.373	71.640	99.592	131.003	104.448
26	T	6.7730	11.2416	4.3950	9.5063	10.9637	8.0541	7.9545						
	S	135.095	80.970	88.892	87.932	112.064	74.073	58.457						

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 14, 2022

Section Data for Car 8 - Siegel, Nolan (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF	
1	T	7.5349	10.8506	4.0034	8.6313	9.3015	7.0499	5.4060	7.8290	6.7842	8.8824	11.2832	7.6152	95.1716	148.2155
	S	121.435	83.887	97.588	96.846	132.090	84.624	86.016	94.317	103.616	61.792	75.897	77.715	92.259	54.386
2	T	12.1138	17.8538	6.5995	15.2476	20.1535	11.5356	8.5421	13.5514	11.9382	11.1233	14.5075	9.8036	152.9699	
	S	75.534	50.982	59.199	54.822	60.964	51.717	54.436	54.490	58.883	49.344	59.029	60.367	57.400	
3	T	14.9879	19.6408	6.9578	14.3181	20.3328	11.8822	7.8230	13.1034	11.8175	11.6145	14.3775	9.9736	156.8291	
	S	61.049	46.344	56.150	58.381	60.426	50.209	59.440	56.352	59.484	47.257	59.563	59.338	55.987	
4	T	14.6184	18.0777	7.3570	12.4688	19.5253	10.9919	9.5014	12.0747	14.3082	11.6924	8.7362	4.6109	143.9629	
	S	62.592	50.351	53.103	67.040	62.925	54.276	48.940	61.153	49.129	46.942	98.025	128.352	60.991	
5	T	6.4926	10.4399	3.9485	8.5503	9.1508	6.6894	5.3534	7.6263	5.6317	7.5412	8.4732	4.4913	84.3886	
	S	140.930	87.187	98.944	97.764	134.265	89.185	86.861	96.824	124.821	72.782	101.067	131.770	104.047	
6	T	6.2555	9.9599	3.8905	8.4732	9.1887	6.5737	5.2108	7.6605	5.6332	7.4840	8.5193	4.5012	83.3505	
	S	146.271	91.389	100.419	98.653	133.712	90.754	89.238	96.392	124.788	73.338	100.520	131.480	105.343	
7	T	6.2652	9.7946	3.8886	8.4008	9.2166	6.4463	5.2025	7.5976	5.6155	7.4437	8.5579	4.5147	82.9440	
	S	146.045	92.932	100.469	99.504	133.307	92.548	89.380	97.190	125.181	73.735	100.067	131.087	105.859	
8	T	6.2854	9.7772	3.8646	8.4353	9.2558	6.3959	5.2671	7.6334	5.6662	7.4520	8.5256	4.5090	83.0675	
	S	145.575	93.097	101.092	99.097	132.742	93.277	88.284	96.734	124.061	73.653	100.446	131.253	105.702	
9	T	6.2671	9.9216	3.8527	8.4653	9.2618	6.4122	5.2574	7.6045	5.6223	7.4837	8.5286	4.5195	83.1967	
	S	146.001	91.742	101.405	98.745	132.656	93.040	88.447	97.102	125.030	73.341	100.411	130.948	105.538	
10	T	6.3014	9.7042	3.8959	8.4867	9.2708	6.4530	5.1756	7.6247	5.6337	7.5292	8.5353	4.5134	83.1239	
	S	145.206	93.797	100.280	98.496	132.528	92.452	89.845	96.844	124.777	72.898	100.332	131.125	105.630	
11	T	6.2968	9.6905	3.8559	8.4496	9.2843	6.3579	5.2591	7.6264	5.6142	7.4389	8.5227	4.5121	82.9084	
	S	145.312	93.930	101.321	98.929	132.335	93.835	88.418	96.823	125.210	73.783	100.480	131.162	105.905	
12	T	6.2859	9.7609	3.8546	8.4412	9.2444	6.4495	5.2887	7.6066	5.6302	7.5978	8.5595	4.5128	83.2321	
	S	145.564	93.252	101.355	99.027	132.906	92.502	87.923	97.075	124.854	72.240	100.048	131.142	105.493	
13	T	6.3027	9.7376	3.8857	8.5224	9.2740	6.4526	5.1965	7.6208	5.6223	7.4814	8.5899	4.5233	83.2092	
	S	145.176	93.476	100.543	98.084	132.482	92.457	89.483	96.894	125.030	73.364	99.694	130.838	105.522	
14	T	6.3149	9.6653	3.9089	8.4750	9.3148	6.4133	5.2483	7.5896	5.5955	7.5382	8.5665	4.5216	83.1519	
	S	144.895	94.175	99.947	98.632	131.902	93.024	88.600	97.292	125.629	72.811	99.967	130.887	105.595	
15	T	6.3272	9.6702	3.8886	8.4916	9.2900	6.4374	5.2658	7.6153	5.6379	7.7152	8.5389	4.5287	83.4068	
	S	144.614	94.127	100.469	98.440	132.254	92.676	88.306	96.964	124.684	71.141	100.290	130.682	105.272	
16	T	6.3281	9.6786	3.8857	8.4870	9.2773	6.4540	5.2465	7.6644	5.5926	7.4762	8.5498	4.5391	83.1793	
	S	144.593	94.045	100.543	98.493	132.435	92.437	88.631	96.343	125.694	73.415	100.162	130.382	105.560	
17	T	6.3260	9.6914	3.8743	8.5399	9.2716	6.4638	5.2170	7.6290	5.5905	7.5435	8.5483	4.5265	83.2218	
	S	144.641	93.921	100.839	97.883	132.516	92.297	89.132	96.790	125.741	72.760	100.179	130.745	105.506	
18	T	6.3166	9.7150	3.8815	8.4645	9.2644	6.5201	5.2825	7.6137	5.5959	7.5285	8.5786	4.5307	83.2920	
	S	144.856	93.693	100.652	98.755	132.619	91.500	88.027	96.984	125.620	72.905	99.826	130.624	105.417	
19	T	6.3344	9.7492	3.8850	8.4582	9.2748	6.4906	5.2054	7.7039	5.6249	7.4404	8.5836	4.5258	83.2762	
	S	144.449	93.364	100.562	98.828	132.470	91.916	89.330	95.849	124.972	73.768	99.767	130.765	105.437	

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 14, 2022

Section Data for Car 8 - Siegel, Nolan (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF
20	T	6.3221	9.7291	3.9027	8.4972	9.2877	6.4944	5.2882	7.5837	5.6016	7.5365	8.5808	4.5323	83.3563
	S	144.730	93.557	100.106	98.375	132.286	91.862	87.932	97.368	125.492	72.827	99.800	130.578	105.336
21	T	6.3435	9.7096	3.9379	8.6449	9.3279	6.4749	5.2213	7.6282	5.5970	7.4870	8.5503	4.5296	83.4521
	S	144.242	93.745	99.211	96.694	131.716	92.139	89.058	96.800	125.595	73.309	100.156	130.656	105.215
22	T	6.3353	9.7174	3.8629	8.4525	9.3165	6.5345	5.2239	7.7366	5.6467	7.6431	8.5138	4.5476	83.5308
	S	144.429	93.670	101.137	98.895	131.877	91.299	89.014	95.444	124.489	71.812	100.585	130.139	105.116
23	T	6.3533	9.7768	3.8726	8.4667	9.3503	6.5073	5.2721	7.6171	5.5964	7.4750	8.6233	4.5701	83.4810
	S	144.020	93.101	100.884	98.729	131.401	91.680	88.200	96.941	125.608	73.427	99.308	129.498	105.178
24	T	6.3723	9.7208	3.8548	8.4147	9.2970	6.4313	5.2027	7.6177	5.5868	7.5127	8.5518	4.5414	83.1040
	S	143.590	93.637	101.349	99.339	132.154	92.764	89.377	96.933	125.824	73.058	100.138	130.316	105.656
25	T	6.3396	9.7003	3.8400	8.4668	9.3175	6.4630	5.2083	7.6461	5.5997	7.5705	8.4944	4.5658	83.2120
	S	144.331	93.835	101.740	98.728	131.863	92.309	89.281	96.573	125.534	72.500	100.815	129.620	105.518
26	T	6.8147	12.3916	4.9096	10.6193	12.5403	9.2446	7.6898						
	S	134.269	73.455	79.575	78.716	97.975	64.534	60.470						

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 14, 2022

Section Data for Car 83 - Finelli, Charles

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF	
1	T	7.5726	12.9939	4.6698	10.1272	9.6611	8.0723	6.2925	8.8509	6.7391	9.4121	11.1336	7.2125	102.7376	121.9443
	S	120.830	70.050	83.661	82.541	127.174	73.906	73.897	83.428	104.310	58.315	76.917	82.055	85.464	66.102
2	T	13.6063	17.2365	6.7757	14.5676	19.4388	12.9577	8.8653	12.5738	11.9338	11.9786	13.2457	10.1968	153.3766	
	S	67.248	52.808	57.659	57.381	63.205	46.041	52.452	58.726	58.905	45.820	64.652	58.040	57.247	
3	T	15.9188	18.1456	7.8479	15.9874	20.6910	9.5244	8.8216	11.4771	15.7106	10.7756	12.5826	9.8489	157.3315	
	S	57.479	50.162	49.782	52.285	59.380	62.638	52.712	64.338	44.744	50.936	68.059	60.090	55.808	
4	T	13.6103	21.7825	5.6783	12.8517	16.8774	10.6495	10.1879	9.1562	13.4827	11.0616	9.4987	4.6212	139.4580	
	S	67.228	41.787	68.803	65.043	72.798	56.021	45.642	80.646	52.138	49.619	90.156	128.066	62.961	
5	T	6.4397	10.3977	4.1926	8.8481	9.4376	6.8917	5.5831	7.8744	5.7410	7.8672	8.7746	4.6078	86.6555	
	S	142.087	87.541	93.184	94.473	130.185	86.567	83.287	93.773	122.445	69.766	97.596	128.438	101.325	
6	T	6.4494	10.6705	4.0932	8.7267	9.4541	6.8612	5.4194	8.1199	5.7899	8.0049	8.7614	4.6100	86.9606	
	S	141.874	85.303	95.447	95.788	129.958	86.951	85.803	90.938	121.410	68.566	97.743	128.377	100.970	
7	T	6.4696	10.0539	4.0744	8.6310	9.4775	6.8172	5.5526	7.7731	5.7287	7.9619	8.6107	4.6187	85.7693	
	S	141.431	90.535	95.887	96.850	129.637	87.513	83.745	94.995	122.708	68.936	99.453	128.135	102.372	
8	T	6.4817	10.2244	4.0420	8.6764	9.5156	6.9047	5.6164	7.7903	5.7973	7.8666	8.6467	4.6618	86.2239	
	S	141.167	89.025	96.656	96.343	129.118	86.404	82.793	94.786	121.256	69.771	99.039	126.951	101.833	
9	T	6.5222	10.7960	4.1462	8.7215	9.5113	6.8481	5.4551	7.9757	5.8187	7.7084	8.7005	4.6307	86.8344	
	S	140.290	84.312	94.226	95.845	129.176	87.118	85.241	92.582	120.810	71.203	98.427	127.803	101.117	
10	T	6.4885	10.0238	4.1391	8.8381	9.6076	6.8166	5.4852	7.9186	5.8200	7.6809	8.7932	4.6485	86.2601	
	S	141.019	90.807	94.388	94.580	127.882	87.520	84.774	93.250	120.783	71.458	97.389	127.314	101.790	
11	T	6.4989	10.2843	3.9925	8.7596	9.5621	6.8642	5.4583	7.9895	5.7948	7.5556	8.7828	4.6453	86.1879	
	S	140.793	88.506	97.854	95.428	128.490	86.913	85.191	92.422	121.308	72.643	97.505	127.401	101.875	
12	T	6.5054	10.0794	4.0463	8.7408	9.5353	6.6980	5.3154	8.0531	5.8662	7.6927	8.7385	4.6329	85.9040	
	S	140.652	90.306	96.553	95.633	128.851	89.070	87.482	91.693	119.831	71.349	97.999	127.742	102.212	
13	T	6.5016	10.2248	4.1872	8.8099	9.5390	6.6826	5.5112	7.9664	5.7804	7.7897	9.2520	4.7419	86.9867	
	S	140.735	89.022	93.304	94.883	128.801	89.275	84.374	92.690	121.610	70.460	92.560	124.806	100.940	
14	T	6.4759	10.1386	4.0412	8.8124	9.4831	6.8061	5.4585	7.9632	5.8184	7.8181	8.8164	4.6253	86.2572	
	S	141.293	89.778	96.675	94.856	129.561	87.655	85.188	92.728	120.816	70.204	97.133	127.952	101.793	
15	T	6.4748	10.1864	3.9993	8.7938	9.5879	6.6582	5.4446	8.0756	5.8569	7.8176	8.7976	4.6407	86.3334	
	S	141.317	89.357	97.688	95.057	128.144	89.602	85.406	91.437	120.022	70.209	97.341	127.528	101.703	
16	T	6.5257	10.0698	3.9165	9.1462	9.5809	6.7338	5.6072	7.9159	5.8130	7.5252	8.8696	4.6570	86.3608	
	S	140.215	90.392	99.753	91.394	128.238	88.596	82.929	93.282	120.928	72.937	96.550	127.081	101.671	
17	T	6.5215	10.0645	4.0219	8.7751	9.4959	6.7998	5.3734	8.2711	5.7858	7.5553	8.8338	4.6375	86.1356	
	S	140.305	90.439	97.139	95.259	129.386	87.737	86.537	89.276	121.497	72.646	96.942	127.616	101.937	
18	T	6.5015	10.0276	4.0320	8.7738	9.5058	6.6027	5.3870	7.8941	5.7546	7.6594	8.8505	4.6432	85.6322	
	S	140.737	90.772	96.895	95.273	129.251	90.356	86.319	93.539	122.155	71.659	96.759	127.459	102.536	
19	T	6.5112	10.4588	3.9760	9.2120	9.6612	6.7167	5.4878	8.0446	5.7565	7.6976	8.9228	4.6480	87.0932	
	S	140.527	87.030	98.260	90.741	127.172	88.822	84.733	91.789	122.115	71.303	95.975	127.327	100.816	

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 14, 2022

Section Data for Car 83 - Finelli, Charles

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF
20	T	6.5057	9.9606	4.0252	8.7177	9.5268	6.6821	5.4125	7.9841	5.8066	7.7293	8.7271	4.6256	85.7033
	S	140.646	91.383	97.059	95.886	128.966	89.282	85.912	92.485	121.061	71.011	98.127	127.944	102.451
21	T	6.4951	9.8743	4.2087	8.8282	9.5873	6.7937	5.5575	8.0428	5.8161	7.7446	8.6877	4.6338	86.2698
	S	140.875	92.181	92.827	94.686	128.152	87.815	83.671	91.810	120.864	70.870	98.572	127.718	101.778
22	T	6.5018	10.2971	4.0187	8.8207	9.5489	6.7199	5.5277	7.8716	5.7555	7.6056	8.6661	4.6421	85.9757
	S	140.730	88.396	97.216	94.767	128.668	88.780	84.122	93.807	122.136	72.166	98.818	127.489	102.127
23	T	6.5058	10.0239	3.9719	8.9471	9.5942	6.7297	5.5183	7.9636	5.7600	7.4931	9.0455	4.6673	86.2204
	S	140.644	90.806	98.361	93.428	128.060	88.650	84.265	92.723	122.041	73.249	94.673	126.801	101.837
24	T	6.5199	9.9586	4.0656	8.9096	9.5576	6.7173	5.4653	8.0384	5.7368	7.6880	8.7907	4.6423	86.0901
	S	140.340	91.401	96.095	93.821	128.551	88.814	85.082	91.860	122.534	71.392	97.417	127.484	101.991
25	T	6.5328	9.9588	3.9992	8.8154	9.5589	6.7950	5.5156	8.0363	5.7347	7.5788	8.8679	4.6349	86.0283
	S	140.062	91.399	97.690	94.824	128.533	87.799	84.306	91.884	122.579	72.421	96.569	127.687	102.064

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 14, 2022

Section Data for Car 90 - Foster, Louis (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PI to PO	PO to SF
1	T	7.5846	10.6924	4.0294	8.4354	9.1862	8.5065	5.7939	8.3099	7.2958	9.6880	11.6433	7.2085	98.3739	149.8672
	S	120.639	85.128	96.958	99.095	133.748	70.134	80.257	88.859	96.351	56.654	73.550	82.100	89.255	53.786
2	T	12.8939	17.3511	5.9158	15.6927	20.6867	11.5339	8.1519	12.8335	12.6726	10.5023	15.4444	8.9794	152.6582	
	S	70.964	52.459	66.040	53.267	59.393	51.725	57.042	57.538	55.470	52.261	55.448	65.908	57.517	
3	T	16.5977	18.1133	7.7114	14.5151	19.5468	11.6827	9.1315	11.8120	15.5137	8.9907	14.5771	9.4734	157.6654	
	S	55.128	50.252	50.663	57.589	62.856	51.066	50.923	62.513	45.312	61.048	58.747	62.472	55.690	
4	T	14.7687	18.7526	6.8944	12.7924	18.7733	11.1688	8.4608	10.8055	14.8579	11.1255	8.4316	4.5857	141.4172	
	S	61.955	48.539	56.667	65.344	65.446	53.416	54.959	68.336	47.312	49.334	101.566	129.057	62.089	
5	T	6.2321	10.3200	4.0241	8.5448	9.1342	6.7399	5.3568	7.6431	5.6778	7.6013	8.4489	4.4830	84.2060	
	S	146.820	88.200	97.086	97.827	134.509	88.516	86.806	96.611	123.808	72.207	101.358	132.014	104.273	
6	T	6.2351	9.9857	3.9168	8.5076	9.1701	6.6491	5.1765	7.7064	5.6326	7.5745	8.4678	4.4666	83.4888	
	S	146.750	91.153	99.745	98.254	133.983	89.725	89.829	95.818	124.801	72.462	101.132	132.499	105.169	
7	T	6.2048	9.7947	3.8706	8.4436	9.1163	6.7719	5.2583	7.6209	5.5745	7.6284	8.5392	4.4945	83.3177	
	S	147.466	92.931	100.936	98.999	134.774	88.098	88.432	96.893	126.102	71.950	100.286	131.676	105.385	
8	T	6.2642	9.7798	3.9045	8.4711	9.1925	6.4861	5.1695	7.5389	5.6395				98.7816	41.5797
	S	146.068	93.072	100.059	98.678	133.656	91.980	89.951	97.947	124.648				88.887	34.165
9	T			3.7640	8.3745	9.3655	6.4353	5.1035	7.5388	5.5992	7.3736	8.5667	4.5548	101.1580	80.0299
	S			103.794	99.816	131.187	92.706	91.114	97.948	125.546	74.436	99.964	129.933	86.799	100.722
10	T	6.3911	9.7005	3.8764	8.3504	9.3419	6.3865	5.0866	7.5254	5.5856	7.3508	8.5277	4.5499	82.6728	
	S	143.168	93.833	100.785	100.104	131.519	93.414	91.417	98.122	125.851	74.667	100.421	130.073	106.207	
11	T	6.3714	9.5536	3.8515	8.2990	9.3595	6.3569	5.0937	7.4900	5.5698	7.4012	8.5739	4.5602	82.4807	
	S	143.611	95.276	101.436	100.724	131.272	93.849	91.289	98.586	126.208	74.159	99.880	129.779	106.454	
12	T	6.3756	9.5602	3.8690	8.3513	9.3669	6.3987	5.0612	7.5318	5.5578	7.4245	8.6347	4.5591	82.6908	
	S	143.516	95.210	100.977	100.093	131.168	93.236	91.875	98.039	126.481	73.926	99.177	129.810	106.184	
13	T	6.3687	9.6054	3.9007	8.4294	9.3532	6.4191	5.1405	7.5594	5.6360	7.5071	8.5769	4.5775	83.0739	
	S	143.671	94.762	100.157	99.166	131.360	92.940	90.458	97.681	124.726	73.113	99.845	129.289	105.694	
14	T	6.4076	9.6757	3.8461	8.4570	9.3480	6.6256	5.1645	7.5236	5.5998	7.5761	8.8621	4.5891	83.6752	
	S	142.799	94.074	101.579	98.842	131.433	90.043	90.038	98.146	125.532	72.447	96.632	128.962	104.934	
15	T	6.4112	9.6248	3.8808	8.4539	9.3250	6.3715	5.1571	7.5432	5.5664	7.3746	8.6208	4.5569	82.8862	
	S	142.719	94.571	100.670	98.879	131.757	93.634	90.167	97.891	126.285	74.426	99.337	129.873	105.933	
16	T	6.3720	9.6473	3.8299	8.4757	9.2941	6.4218	5.0984	7.5342	5.5631	7.4847	8.5631	4.5412	82.8255	
	S	143.597	94.350	102.008	98.624	132.195	92.901	91.205	98.008	126.360	73.331	100.006	130.322	106.011	
17	T	6.3470	9.7436	3.8841	8.4293	9.2716	6.4530	5.1665	7.5309	5.5768	7.4795	8.5524	4.5505	82.9852	
	S	144.163	93.418	100.585	99.167	132.516	92.452	90.003	98.051	126.050	73.382	100.131	130.056	105.807	
18	T	6.3750	9.7796	3.8886	8.4408	9.3412	6.4747	5.1001	7.5789	5.5957	7.4792	8.5921	4.5622	83.2081	
	S	143.529	93.074	100.469	99.032	131.529	92.142	91.175	97.430	125.624	73.385	99.669	129.722	105.523	
19	T	6.3879	9.6289	3.8342	8.4067	9.3746	6.3928	5.0960	7.5749	5.5828	7.4342	8.5679	4.5485	82.8294	
	S	143.240	94.531	101.894	99.434	131.060	93.322	91.248	97.481	125.914	73.830	99.950	130.113	106.006	

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 14, 2022

Section Data for Car 90 - Foster, Louis (R)

Lap	T/SF to PI	
1	T	
	S	
2	T	
	S	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	
	S	
7	T	
	S	
8	T	78.3300
	S	102.173
9	T	
	S	
10	T	
	S	
11	T	
	S	
12	T	
	S	
13	T	
	S	
14	T	
	S	
15	T	
	S	
16	T	
	S	
17	T	
	S	
18	T	
	S	
19	T	
	S	

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 14, 2022

Section Data for Car 90 - Foster, Louis (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PI to PO	PO to SF	
20	T	6.3709	9.6497	3.8416	8.4893	9.3402	6.4694	5.0959	7.5951	5.5825	7.4400	8.5408	4.5489	82.9643		
	S	143.622	94.327	101.698	98.466	131.543	92.217	91.250	97.222	125.921	73.772	100.267	130.101	105.833		
21	T	6.3717	9.6676	3.9858	8.4490	9.3466	6.5030	5.1194	7.5360	5.5383	7.8041	8.5587	4.5485	83.4287		
	S	143.604	94.152	98.018	98.936	131.453	91.741	90.831	97.984	126.926	70.330	100.058	130.113	105.244		
22	T	6.3824	9.6450	3.8618	8.5182	9.3544	6.4564	5.0803	7.5595	5.5336	7.4332	8.5072	4.5482	82.8802		
	S	143.363	94.373	101.166	98.132	131.343	92.403	91.530	97.680	127.034	73.839	100.663	130.121	105.941		
23	T	6.3762	9.6270	3.8650	8.3820	9.3787	6.4162	5.1329	7.5634	5.5564	7.4735	8.5915	4.5660	82.9288		
	S	143.502	94.549	101.082	99.727	131.003	92.982	90.592	97.629	126.513	73.441	99.676	129.614	105.879		
24	T	6.3805	9.6257	3.8663	8.3833	9.3501	6.4344	5.1226	7.5031	5.5302	7.4433	8.6147	4.5660	82.8202		
	S	143.406	94.562	101.048	99.711	131.404	92.719	90.774	98.414	127.112	73.739	99.407	129.614	106.018		
25	T	6.3941	9.6345	3.8955	8.4284	9.3703	6.3840	5.1127	7.5381	5.5532	7.4984	8.5422	4.5460	82.8974		
	S	143.101	94.476	100.291	99.178	131.120	93.451	90.950	97.957	126.585	73.197	100.251	130.184	105.919		
26	T	6.3846	9.6989	3.8650	8.4890	9.2986										
	S	143.314	93.849	101.082	98.470	132.131										

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 14, 2022

Section Data for Car 90 - Foster, Louis (R)

Lap	T/SF to PI
20	T
	S
21	T
	S
22	T
	S
23	T
	S
24	T
	S
25	T
	S
26	T
	S

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 14, 2022

Section Data for Car 93 - Brewer, Lindsay (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF	
1	T	7.2366	12.7131	4.7340	10.0702	9.4815	6.9122	5.4854	7.8827	8.1060	9.2705	11.6200	8.0665	101.5787	127.8849
	S	126.441	71.598	82.527	83.008	129.582	86.310	84.770	93.675	86.720	59.205	73.697	73.367	86.439	63.032
2	T	13.8185	15.3655	6.9566	15.5503	20.3396	12.5360	6.8922	13.8045	13.3717	10.9709	13.7648	10.2519	153.6225	
	S	66.216	59.238	56.160	53.755	60.406	47.590	67.468	53.490	52.570	50.029	62.214	57.728	57.156	
3	T	15.7723	17.7475	7.3786	15.3050	20.4588	10.8939	9.0178	11.7015	15.0608	10.1435	13.3825	10.4782	157.3404	
	S	58.013	51.288	52.948	54.617	60.054	54.764	51.565	63.104	46.674	54.110	63.991	56.481	55.805	
4	T	13.4933	21.1360	5.4047	12.7423	17.6639	10.9099	10.0056	8.9501	14.2237	10.7931	8.7098	4.5195	138.5519	
	S	67.811	43.065	72.286	65.601	69.556	54.683	46.474	82.503	49.421	50.853	98.322	130.948	63.373	
5	T	6.4099	10.2600	3.9665	8.5657	9.1635	6.6779	5.3506	7.8103	5.6907	7.9962	8.8473	4.4444	85.1830	
	S	142.748	88.716	98.495	97.588	134.079	89.338	86.906	94.543	123.527	68.641	96.794	133.160	103.077	
6	T	6.2492	9.9888	3.9840	8.6002	9.1339	6.6179	5.3057	7.7272	5.7382	7.8691	8.6150	4.4533	84.2825	
	S	146.419	91.125	98.063	97.196	134.514	90.148	87.642	95.560	122.504	69.749	99.404	132.894	104.178	
7	T	6.1810	10.0594	3.9088	8.5785	9.1347	6.5903	5.3009	7.7653	5.6466	7.6630	8.5812	4.4855	83.8952	
	S	148.034	90.485	99.949	97.442	134.502	90.526	87.721	95.091	124.492	71.625	99.795	131.940	104.659	
8	T	6.2446	9.7293	3.9658	8.6651	9.1285	6.9011	5.3741	7.8132	5.6421	7.5437	8.6350	4.4731	84.1156	
	S	146.527	93.555	98.513	96.468	134.593	86.449	86.526	94.508	124.591	72.758	99.174	132.306	104.385	
9	T	6.2020	9.8285	3.9483	8.6423	9.2427	6.6354	5.4037	7.7247	5.6157	7.5611	8.5773	4.5035	83.8852	
	S	147.533	92.611	98.949	96.723	132.930	89.910	86.052	95.591	125.177	72.590	99.841	131.413	104.672	
10	T	6.2728	9.6806	4.0034	8.5293	9.2277	6.5484	5.2743	7.6264	5.5968	7.5202	8.6388	4.5178	83.4365	
	S	145.868	94.026	97.588	98.004	133.147	91.105	88.163	96.823	125.599	72.985	99.130	130.997	105.235	
11	T	6.3294	9.7498	3.9789	8.5954	9.3095	6.4467	5.2204	7.8073	5.5988	7.4865	8.6422	4.5046	83.6695	
	S	144.563	93.359	98.188	97.251	131.977	92.542	89.074	94.579	125.555	73.314	99.091	131.381	104.941	
12	T	6.2411	9.6493	4.0101	8.5863	9.2137	6.5383	5.1987	8.0208	5.7085	7.5611	8.6385	4.5167	83.8831	
	S	146.609	94.331	97.424	97.354	133.349	91.246	89.445	92.062	123.142	72.590	99.133	131.029	104.674	
13	T	6.2915	9.7015	3.9696	8.5318	9.2888	6.4000	5.2029	7.7509	5.5974	7.4416	8.6775	4.5232	83.3767	
	S	145.434	93.823	98.418	97.976	132.271	93.217	89.373	95.268	125.586	73.756	98.688	130.841	105.310	
14	T	6.3130	9.6599	3.9016	8.6540	9.2715	6.4824	5.2456	7.7876	5.6327	7.4562	8.6244	4.5073	83.5362	
	S	144.939	94.227	100.134	96.592	132.518	92.032	88.646	94.819	124.799	73.612	99.295	131.302	105.109	
15	T	6.2861	9.7511	3.9154	8.5513	9.2846	6.3903	5.3637	7.7475	5.6432	7.5234	8.6856	4.5301	83.6723	
	S	145.559	93.346	99.781	97.752	132.331	93.359	86.694	95.309	124.567	72.954	98.596	130.641	104.938	
16	T	6.3350	9.7519	4.6144	8.7951	9.3232	6.6239	5.3979	7.8135	5.6742	7.5549	8.7619	4.5498	85.1957	
	S	144.436	93.338	84.666	95.043	131.783	90.066	86.145	94.504	123.886	72.650	97.737	130.076	103.062	
17	T	6.3458	9.8037	3.9057	8.4895	9.2733	6.4734	5.2823	7.7839	5.6401	7.5352	8.7659	4.5497	83.8485	
	S	144.190	92.845	100.029	98.464	132.492	92.160	88.030	94.864	124.635	72.840	97.693	130.079	104.717	
18	T	6.3645	9.7137	3.9427	8.5385	9.3093	6.4918	5.3778	7.6679	5.6075	7.3967	8.7242	4.5439	83.6785	
	S	143.766	93.706	99.090	97.899	131.979	91.899	86.467	96.299	125.360	74.204	98.160	130.245	104.930	
19	T	6.3285	9.5924	3.9548	8.5037	9.2606	6.4476	5.2594	7.8057	5.6388	7.3708	8.7016	4.5293	83.3932	
	S	144.584	94.890	98.787	98.299	132.674	92.529	88.413	94.599	124.664	74.465	98.415	130.664	105.289	

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 14, 2022

Section Data for Car 93 - Brewer, Lindsay (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF
20	T	6.3112	9.7272	3.9039	8.5099	9.2752	6.4554	5.3296	7.6303	5.5704	7.4261	8.7076	4.5318	83.3786
	S	144.980	93.575	100.075	98.228	132.465	92.417	87.249	96.773	126.195	73.910	98.347	130.592	105.308
21	T	6.3214	9.7442	3.9543	8.5160	9.3213	6.5585	5.2110	7.6014	5.6216	7.3660	8.6693	4.5229	83.4079
	S	144.746	93.412	98.799	98.157	131.810	90.965	89.234	97.141	125.045	74.513	98.781	130.849	105.271
22	T	6.3098	9.6926	3.9078	8.5345	9.2969	6.5882	5.2767	7.6595	5.5806	7.4293	8.6602	4.5381	83.4742
	S	145.013	93.910	99.975	97.945	132.155	90.554	88.123	96.404	125.964	73.878	98.885	130.411	105.187
23	T	6.3188	9.8356	3.9400	8.4983	9.2841	6.5707	5.3012	7.7998	5.6339	7.3849	8.7306	4.5387	83.8366
	S	144.806	92.544	99.158	98.362	132.338	90.796	87.716	94.670	124.772	74.322	98.088	130.394	104.732
24	T	6.3416	9.8640	3.9337	8.5504	9.2737	6.4797	5.2910	7.7931	5.6422	7.3949	8.6940	4.5388	83.7971
	S	144.285	92.278	99.317	97.763	132.486	92.071	87.885	94.752	124.589	74.222	98.501	130.391	104.782
25	T	6.3133	9.6819	3.9362	8.5621	9.2671	6.4955	5.2901	7.8431	5.6602	7.5113	8.7471	4.5264	83.8343
	S	144.932	94.013	99.254	97.629	132.580	91.847	87.900	94.148	124.193	73.072	97.903	130.748	104.735
26	T	6.5100	12.7333	4.4258	9.5294	10.7111	7.7323							
	S	140.553	71.484	88.274	87.719	114.707	77.156							

Event: Indy Pro 2000 GP of Indianapolis

Round 5/6/7

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 14, 2022

Section Data for Car

Report Support Information

Section Legend	
Name	Length
SF to I1	0.254167 miles
I1 to I2	0.252841 miles
I2 to I3A	0.108523 miles
I3A to I3	0.232197 miles
I3 to I4	0.341288 miles
I4 to I5A	0.165720 miles
I5A to I5	0.129167 miles
I5 to I6	0.205114 miles
I6 to I7	0.195265 miles
I7 to I8	0.152462 miles
I8 to I9	0.237879 miles
I9 to SF	0.164394 miles
I2 to I3	0.340720 miles
I4 to I5	0.294886 miles
Lap	2.439000 miles
PI to PO	0.394602 miles
PO to SF	2.239110 miles
SF to PI	2.223106 miles
PO to I2	0.307102 miles
I7 to PI	0.338826 miles
PO to PI	2.023201 miles

Color Legend	
	Fastest Lap
	Section Under Caution
	Section Under Green
	Section Time Data
	Section Speed Data

