

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

September 2, 2022

Section Data for Car 1 - Porto, Kiko (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF	
1	T	2.2975	6.1068	3.5349	6.5075	4.8333	5.1100	8.2235	5.0285	4.4179	7.5507	5.8107	7.4124	6.5754	73.4091	127.2151
	S	101.790	86.751	50.535	95.868	92.117	82.459	77.107	73.490	110.347	132.739	122.149	86.097	121.113	96.315	54.389
2	T	1.7434	5.5391	3.0656	6.3922	4.5775	4.9718	8.0957	4.9946	4.4082	7.5088	5.7278	7.3491	6.5863	70.9601	
	S	134.142	95.642	58.271	97.598	97.264	84.751	78.324	73.989	110.589	133.480	123.917	86.838	120.912	99.639	
3	T	1.7465	5.4572	3.0215	6.3953	4.5742	5.0056	7.9391	4.9434	4.4013	7.5353	5.6782	7.3928	6.6029	70.6933	
	S	133.904	97.078	59.122	97.550	97.334	84.178	79.869	74.755	110.763	133.010	125.000	86.325	120.608	100.015	
4	T	1.7527	5.3718	3.0609	6.4422	4.5202	4.9338	7.9145	4.9654	4.4111	7.5248	5.7059	7.3121	6.5815	70.4969	
	S	133.430	98.621	58.361	96.840	98.497	85.403	80.118	74.424	110.517	133.196	124.393	87.278	121.000	100.294	
5	T	1.7467	5.4668	3.0240	6.3741	4.5370	4.9372	7.8897	4.9790	4.4060	7.5258	5.7014	7.3092	6.5689	70.4658	
	S	133.889	96.907	59.073	97.875	98.133	85.345	80.369	74.221	110.645	133.178	124.491	87.312	121.232	100.338	
6	T	1.7449	5.4094	2.9928	6.3736	4.5234	4.9306	7.9009	4.9799	4.4269	7.5228	5.7845	7.3213	6.5762	70.4872	
	S	134.027	97.936	59.689	97.882	98.428	85.459	80.256	74.207	110.122	133.231	122.703	87.168	121.098	100.308	
7	T	1.7472	5.6385	3.4357	6.5849	4.6886	4.9618	7.9058	4.9336	4.3985	7.5167	5.6770	7.3964	6.6309	71.5156	
	S	133.851	93.956	51.994	94.742	94.960	84.922	80.206	74.904	110.833	133.339	125.026	86.283	120.099	98.865	
8	T	1.7558	5.4282	3.6048	6.6520	4.8860	5.0062	8.0688	5.0246	4.3984	7.4479	5.7614	7.4251	6.5410	72.0002	
	S	133.195	97.596	49.555	93.786	91.123	84.168	78.586	73.547	110.836	134.571	123.194	85.949	121.750	98.200	
9	T	1.7283	5.4888	3.0183	6.3842	4.5505	4.9189	7.9151	4.9792	4.3996	7.4830	5.6734	7.3440	6.5694	70.4527	
	S	135.314	96.519	59.184	97.720	97.841	85.662	80.112	74.218	110.806	133.940	125.105	86.898	121.223	100.357	
10	T	1.7391	5.4260	2.9781	6.3776	4.5089	4.8959	7.8788	4.9181	4.3921	7.4740	5.6941	7.3048	6.5472	70.1347	
	S	134.474	97.636	59.983	97.821	98.744	86.065	80.481	75.140	110.995	134.101	124.651	87.365	121.634	100.812	
11	T	1.7365	5.3406	3.0048	6.3757	4.4983	4.9496	7.8529	5.0410	4.4025	7.4955	5.6910	7.3750	6.5735	70.3369	
	S	134.675	99.197	59.450	97.850	98.977	85.131	80.746	73.308	110.733	133.717	124.718	86.533	121.148	100.522	
12	T	1.7374	5.3568	2.9872	6.3721	4.5187	4.9136	7.8544	5.0052	4.4004	7.4881	5.6562	7.4370	6.5954	70.3225	
	S	134.606	98.897	59.801	97.905	98.530	85.755	80.731	73.832	110.785	133.849	125.486	85.812	120.745	100.543	
13	T	1.7511	5.3549	2.9980	6.3777	4.5192	4.9258	7.8202	4.8881	4.4070	7.4936	5.6509	7.2857	6.5657	70.0379	
	S	133.552	98.932	59.585	97.820	98.519	85.542	81.084	75.601	110.619	133.750	125.603	87.594	121.292	100.951	
14	T	1.7418	5.3707	2.9868	6.3626	4.4685	4.9326	7.8332	4.9579	4.4077	7.4927	5.6752	7.2900	6.5596	70.0793	
	S	134.265	98.641	59.809	98.052	99.637	85.424	80.949	74.537	110.602	133.767	125.066	87.542	121.404	100.891	
15	T	1.7401	5.2816	2.9936	6.3596	4.4911	4.9566	7.8603	4.9883	4.3829	7.4884	5.6997	7.2606	6.5490	70.0518	
	S	134.397	100.305	59.673	98.098	99.135	85.011	80.670	74.082	111.228	133.843	124.528	87.897	121.601	100.931	
16	T	1.7451	5.3129	2.9962	6.3777	4.4849	4.9782	7.8456	4.9876	4.4074	7.4997	5.6195	7.2912	6.5611	70.1071	
	S	134.012	99.714	59.621	97.820	99.273	84.642	80.821	74.093	110.609	133.642	126.305	87.528	121.377	100.851	
17	T	1.7377	5.2147	3.0095	6.3913	4.4726	4.9274	7.9027	4.9453	4.4179	7.4988	5.6672	7.2545	6.5546	69.9942	
	S	134.582	101.592	59.357	97.611	99.546	85.514	80.237	74.727	110.347	133.658	125.242	87.970	121.497	101.014	
18	T	1.7420	5.3279	3.0050	6.3576	4.4947	4.9509	7.9183	4.9380	4.3934	7.5003	5.6548	7.3053	6.5467	70.1349	
	S	134.250	99.434	59.446	98.129	99.056	85.108	80.079	74.837	110.962	133.631	125.517	87.359	121.644	100.811	
19	T	1.7399	5.2944	2.9995	6.3740	4.4914	4.9361	7.9241	4.9203	4.3856	7.4821	5.6793	7.2568	6.5580	70.0415	
	S	134.412	100.063	59.555	97.876	99.129	85.364	80.021	75.106	111.159	133.956	124.975	87.943	121.434	100.946	

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

September 2, 2022

Section Data for Car 1 - Porto, Kiko (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF
20	T	1.7456	5.3283	2.9774	6.3458	4.4938	4.9731	7.9105	5.0055	4.3933	7.4916	5.6451	7.2920	6.5608	70.1628
	S	133.973	99.426	59.997	98.311	99.076	84.729	80.158	73.828	110.964	133.786	125.733	87.518	121.382	100.771
21	T	1.7404	5.2196	3.0212	6.3617	4.5114	4.9695	7.9445	5.0254	4.3977	7.4902	5.6118	7.2556	6.5556	70.1046
	S	134.373	101.497	59.128	98.066	98.689	84.790	79.815	73.536	110.853	133.811	126.479	87.957	121.478	100.855
22	T	1.7411	5.3488	2.9818	6.3346	4.4802	4.9672	7.9244	4.9495	4.3998	7.4953	5.6860	7.2789	6.5703	70.1579
	S	134.319	99.045	59.909	98.485	99.377	84.829	80.018	74.663	110.800	133.720	124.828	87.676	121.207	100.778
23	T	1.8078	6.8191	3.5479	7.6732	5.4885	5.5052	8.9026	5.1442						
	S	129.364	77.690	50.350	81.304	81.120	76.539	71.225	71.837						

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

September 2, 2022

Section Data for Car 18 - Sundaramoorthy, Yuven (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF	
1	T	2.2785	6.8881	3.8802	6.7176	5.1536	5.1637	8.2985	5.2102	4.3940	7.3598	6.2889	7.6246	6.4920	75.7497	117.7662
	S	102.639	76.911	46.038	92.870	86.392	81.601	76.410	70.927	110.947	136.182	112.861	83.700	122.668	93.339	58.753
2	T	1.7268	5.5204	3.6448	6.6551	4.9604	5.2738	8.2359	5.2688	4.3897	7.4975			7.0175	85.7445	
	S	135.432	95.966	49.011	93.742	89.756	79.898	76.991	70.138	111.055	133.681			113.483	82.459	
3	T	1.8022	5.8916	3.1595	6.3814	4.5530	4.8682	7.9244	5.1427	4.4271	7.5096	5.6698	7.3542	6.6098	71.2935	
	S	129.766	89.920	56.539	97.763	97.788	86.554	80.018	71.858	110.117	133.466	125.185	86.778	120.482	99.173	
4	T	1.7574	5.3280	3.0689	6.3880	4.5527	4.8858	8.0905	5.1373	4.4994	7.5609	5.5693	7.3036	6.6167	70.7585	
	S	133.074	99.432	58.209	97.662	97.794	86.243	78.375	71.934	108.348	132.560	127.444	87.379	120.357	99.923	
5	T	1.7551	5.4833	2.9429	6.3740	4.5157	4.9677	7.8705	4.9920	4.3924	7.5075	5.5715	7.2817	6.5714	70.2257	
	S	133.248	96.616	60.701	97.876	98.595	84.821	80.566	74.028	110.987	133.503	127.393	87.642	121.186	100.681	
6	T	1.7461	5.3604	2.9272	6.3429	4.5090	4.9111	7.9772	5.0050	4.4204	7.4828	5.5600	7.4493	6.6498	70.3412	
	S	133.935	98.831	61.026	98.356	98.742	85.798	79.488	73.835	110.284	133.944	127.657	85.670	119.758	100.516	
7	T	1.7453	5.4239	3.0012	6.3688	4.5344	5.0483	7.9990	4.9829	4.3627	7.4394	5.5900	7.4839	6.5448	70.5246	
	S	133.996	97.674	59.522	97.956	98.189	83.466	79.271	74.163	111.743	134.725	126.972	85.274	121.679	100.254	
8	T	1.7213	5.5662	2.9997	6.3315	4.6926	5.0948	8.1896	4.9899	4.4184	7.4082	6.1578	7.4318	6.4977	71.4995	
	S	135.865	95.177	59.551	98.533	94.879	82.705	77.426	74.059	110.334	135.292	115.264	85.872	122.561	98.887	
9	T	1.7138	6.0635	3.4094	6.5141	4.5607	4.9365	7.9291	5.0865	4.3886	7.4517	5.6426	7.2689	6.5282	71.4936	
	S	136.459	87.371	52.395	95.771	97.623	85.357	79.970	72.652	111.083	134.503	125.788	87.796	121.988	98.896	
10	T	1.7487	5.5866	3.0462	6.3409	4.5252	4.9551	8.1952	4.9862	4.3833	7.4857	5.5766	7.3720	6.6072	70.8089	
	S	133.736	94.829	58.642	98.387	98.388	85.036	77.373	74.114	111.218	133.892	127.277	86.568	120.530	99.852	
11	T	1.7529	5.5287	2.9828	6.3522	4.4904	4.9368	7.9611	5.0116	4.3789	7.4865	5.5737	7.4060	6.6103	70.4719	
	S	133.415	95.822	59.889	98.212	99.151	85.352	79.649	73.738	111.329	133.877	127.343	86.171	120.473	100.329	
12	T	1.7529	5.4761	2.9509	6.3410	4.5403	4.9587	7.9984	5.0806	4.3784	7.4916	5.5772	7.2648	6.5797	70.3906	
	S	133.415	96.743	60.536	98.386	98.061	84.975	79.277	72.737	111.342	133.786	127.263	87.846	121.033	100.445	
13	T	1.7530	5.2747	2.9523	6.3606	4.4648	4.8646	7.9157	5.0511	4.3788	7.4743	5.5366	7.3183	6.6244	69.9692	
	S	133.408	100.437	60.508	98.083	99.719	86.618	80.105	73.161	111.332	134.096	128.196	87.204	120.217	101.050	
14	T	1.7537	5.2675	2.9763	6.3713	4.4768	4.8502	8.0001	4.9916	4.3730	7.4789	5.5689	7.5673	6.6564	70.3320	
	S	133.354	100.574	60.020	97.918	99.452	86.876	79.260	74.033	111.480	134.013	127.453	84.334	119.639	100.529	
15	T	1.7595	5.3369	2.9940	6.3314	4.4519	4.9339	7.8696	4.9909	4.3762	7.4649	5.5487	7.3023	6.5862	69.9464	
	S	132.915	99.266	59.665	98.535	100.008	85.402	80.575	74.044	111.398	134.265	127.917	87.395	120.914	101.083	
16	T	1.7509	5.3036	2.9677	6.3417	4.4548	4.9313	7.8999	5.0745	4.3938	7.4794	5.5403	7.3177	6.5854	70.0410	
	S	133.568	99.889	60.194	98.375	99.943	85.447	80.266	72.824	110.952	134.004	128.111	87.211	120.929	100.947	
17	T	1.7455	5.3544	3.0012	6.3433	4.4374	4.9380	7.8071	5.1281	4.3965	7.4817	5.5314	7.3343	6.6002	70.0991	
	S	133.981	98.942	59.522	98.350	100.335	85.331	81.220	72.063	110.884	133.963	128.317	87.013	120.658	100.863	
18	T	1.7524	5.2978	2.9824	6.3739	4.4745	4.8886	7.8741	4.9922	4.4206	7.4924	5.5657	7.3384	6.6168	70.0698	
	S	133.453	99.999	59.897	97.878	99.503	86.193	80.529	74.025	110.279	133.772	127.526	86.965	120.355	100.905	
19	T	1.7506	5.2507	2.9879	6.3795	4.4548	4.9653	7.6908	5.5463	4.4239	7.4889	5.5833	7.4204	6.6458	70.5882	
	S	133.591	100.896	59.787	97.792	99.943	84.862	82.448	66.629	110.197	133.834	127.124	86.004	119.830	100.164	

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

September 2, 2022

Section Data for Car 18 - Sundaramoorthy, Yuven (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF
20	T	1.7567	5.2029	3.0036	6.3896	4.4798	4.8759	7.9038	5.0849	4.3872	7.4788	5.5785	7.3159	6.5902	70.0478
	S	133.127	101.823	59.474	97.637	99.386	86.418	80.226	72.675	111.119	134.015	127.234	87.232	120.841	100.937
21	T	1.7453	5.2885	2.9724	6.3492	4.5085	4.9186	7.8910	4.9733	4.4005	7.4656	5.4876	7.2831	6.5835	69.8671
	S	133.996	100.174	60.098	98.259	98.753	85.667	80.356	74.306	110.783	134.252	129.341	87.625	120.964	101.198
22	T	1.7466	5.2056	3.0368	6.3841	4.4540	4.9370	7.8270	5.0848	4.4238	7.4797	5.5219	7.4278	6.6151	70.1442
	S	133.897	101.770	58.824	97.721	99.961	85.348	81.013	72.676	110.199	133.999	128.538	85.918	120.386	100.798
23	T	1.7921	6.5201	3.2244	6.5030	5.2681									
	S	130.497	81.252	55.401	95.935	84.514									

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

September 2, 2022

Section Data for Car 19 - Missig, Jordan (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF	
1	T	2.2598	6.8054	3.9665	6.5985	5.2154	5.2401	8.4202	5.1692	4.4255	7.4865	5.9483	7.7437	6.5841	75.8632	113.4989
	S	103.489	77.846	45.036	94.546	85.368	80.411	75.306	71.490	110.157	133.877	119.324	82.413	120.953	93.199	60.962
2	T	1.7356	5.5470	3.3640	6.6112	5.0904	5.2788	8.2876	5.1774	4.3779	7.4004	6.5997	7.5803	6.6720	73.7223	
	S	134.745	95.506	53.102	94.365	87.464	79.822	76.511	71.377	111.355	135.435	107.546	84.190	119.359	95.906	
3	T	1.7716	5.5687	3.4471	6.5422	4.7338	4.9470	8.0751	5.1972	4.3790	7.5106	5.7413	7.3443	6.5917	71.8496	
	S	132.007	95.134	51.822	95.360	94.053	85.176	78.524	71.105	111.327	133.448	123.626	86.895	120.813	98.406	
4	T	1.7556	5.3183	3.1193	6.4766	4.6047	4.9128	8.0421	5.0318	4.3992	7.5120	5.7974	7.4028	6.6057	70.9783	
	S	133.210	99.613	57.268	96.326	96.690	85.769	78.846	73.442	110.816	133.423	122.429	86.208	120.557	99.614	
5	T	1.7536	5.3394	3.0322	6.3964	4.5609	4.9112	8.0174	4.9769	4.4016	7.5152	5.7245	7.3200	6.5851	70.5344	
	S	133.362	99.220	58.913	97.534	97.618	85.796	79.089	74.252	110.755	133.366	123.989	87.183	120.934	100.240	
6	T	1.7543	5.2295	3.0485	6.4291	4.5553	4.9232	7.9962	4.9589	4.3910	7.4731	5.7579	7.3487	6.5976	70.4633	
	S	133.309	101.305	58.598	97.037	97.738	85.587	79.299	74.522	111.023	134.117	123.269	86.843	120.705	100.342	
7	T	1.7513	5.3132	3.0429	6.3933	4.5581	4.8917	8.0814	4.9663	4.3801	7.4769	5.7414	7.3739	6.5994	70.5699	
	S	133.537	99.709	58.706	97.581	97.678	86.138	78.463	74.411	111.299	134.049	123.624	86.546	120.672	100.190	
8	T	1.7500	5.3155	2.9762	6.3356	4.5903	4.9558	8.0362	4.9953	4.3894	7.4750	5.7563	7.3524	6.5697	70.4977	
	S	133.636	99.666	60.022	98.470	96.993	85.024	78.904	73.979	111.063	134.083	123.304	86.799	121.218	100.293	
9	T	1.7494	5.2679	3.0042	6.3924	4.5640	4.8933	8.1429	4.9372	4.3877	7.4804	5.7257	7.3791	6.6167	70.5409	
	S	133.682	100.566	59.462	97.595	97.552	86.110	77.870	74.849	111.106	133.987	123.963	86.485	120.357	100.231	
10	T	1.7589	5.3391	2.9910	6.3846	4.5444	4.8905	8.0437	4.9440	4.3688	7.4742	5.7229	7.3562	6.5789	70.3972	
	S	132.960	99.225	59.725	97.714	97.973	86.160	78.831	74.746	111.587	134.098	124.023	86.754	121.048	100.436	
11	T	1.7454	5.2777	3.0440	6.3993	4.6029	4.8741	8.1523	4.9352	4.3674	7.4806	5.7445	7.3984	6.5842	70.6060	
	S	133.989	100.379	58.685	97.489	96.728	86.450	77.781	74.880	111.622	133.983	123.557	86.259	120.951	100.139	
12	T	1.7502	5.2632	3.0139	6.3981	4.5600	4.8821	8.0486	4.9836	4.3838	7.4674	5.7435	7.3223	6.5468	70.3635	
	S	133.621	100.656	59.271	97.508	97.638	86.308	78.783	74.152	111.205	134.220	123.578	87.156	121.642	100.484	
13	T	1.7425	5.2297	3.0112	6.3742	4.5978	4.9594	8.0627	4.9781	4.3809	7.4574	5.6826	7.2545	6.5369	70.2679	
	S	134.212	101.301	59.324	97.873	96.835	84.963	78.645	74.234	111.279	134.400	124.903	87.970	121.826	100.621	
14	T	1.7373	5.4023	3.0148	6.3680	4.6227	4.9521	8.0661	5.0698	4.3910	7.4661	5.7421	7.4062	6.5811	70.8196	
	S	134.613	98.064	59.253	97.969	96.313	85.088	78.612	72.892	111.023	134.243	123.609	86.169	121.008	99.837	
15	T	1.7378	5.2560	3.0552	6.4190	4.5936	4.9574	8.0524	5.0204	4.3910	7.4557	5.7847	7.3429	6.5388	70.6049	
	S	134.575	100.794	58.470	97.190	96.923	84.997	78.746	73.609	111.023	134.430	122.698	86.911	121.790	100.140	
16	T	1.7322	5.2128	2.9927	6.3588	4.6295	4.9729	8.1022	4.9729	4.3727	7.4517	5.7015	7.3708	6.5592	70.4299	
	S	135.010	101.629	59.691	98.110	96.172	84.732	78.262	74.312	111.487	134.503	124.489	86.582	121.412	100.389	
17	T	1.7298	5.3293	3.0385	6.3991	4.6227	4.9458	8.1379	4.9964	4.3770	7.4643	5.7377	7.3326	6.5598	70.6709	
	S	135.197	99.408	58.791	97.492	96.313	85.196	77.918	73.962	111.378	134.276	123.703	87.033	121.401	100.047	
18	T	1.7380	5.2741	2.9705	6.3652	4.5659	4.9533	8.0910	4.9730	4.3675	7.4674	5.7266	7.3030	6.5275	70.3230	
	S	134.559	100.448	60.137	98.012	97.511	85.067	78.370	74.310	111.620	134.220	123.943	87.386	122.001	100.542	
19	T	1.7273	5.2820	3.0326	6.3883	4.6556	4.9617	8.1009	4.9879	4.3657	7.3986	5.7030	7.3046	6.4555	70.3637	
	S	135.393	100.298	58.905	97.657	95.633	84.923	78.274	74.088	111.666	135.468	124.456	87.367	123.362	100.484	

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

September 2, 2022

Section Data for Car 19 - Missig, Jordan (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF
20	T	1.7342	5.2828	3.4404	6.4367	4.6550	4.9395	8.0824	5.0061	4.3580	7.4591	5.7579	7.3506	6.5269	71.0296
	S	134.854	100.283	51.923	96.923	95.645	85.305	78.453	73.819	111.863	134.369	123.269	86.820	122.013	99.542
21	T	1.7284	5.3196	3.0148	6.3535	4.6728	4.9664	8.0333	5.0949	4.3771	7.4536	5.7424	7.3741	6.5160	70.6469
	S	135.306	99.589	59.253	98.192	95.281	84.843	78.933	72.532	111.375	134.468	123.602	86.544	122.217	100.081
22	T	1.7280	5.2883	2.9960	6.3767	4.6690	4.9846	7.9486	5.2375	4.3931	7.4639	5.7320	7.3602	6.5066	70.6845
	S	135.338	100.178	59.625	97.835	95.358	84.533	79.774	70.558	110.969	134.283	123.826	86.707	122.393	100.028
23	T	1.7978	6.4072	3.2880	7.7408	5.6792	5.9361								
	S	130.083	82.684	54.330	80.594	78.396	70.983								

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

September 2, 2022

Section Data for Car 2 - Browne, Jonathan (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PI to PO	
1	T	2.2699	6.9951	3.9583	6.7953	5.4000	5.4047	8.6062	5.4058	4.4697	7.4413	6.5866	7.7336	6.6211	77.6876	
	S	103.028	75.735	45.130	91.808	82.449	77.962	73.678	68.361	109.068	134.691	107.760	82.521	120.277	91.011	
2	T	1.7471	5.4787	3.2149	6.4628	4.9261	5.1333	8.1663	5.2219	4.3988	7.4650	6.2156	7.8161	6.6130	72.8596	
	S	133.858	96.697	55.565	96.531	90.381	82.084	77.647	70.768	110.826	134.263	114.192	81.650	120.424	97.041	
3	T	1.7674	5.5590	3.1924	6.3985	4.9985	5.2476	8.1276	5.1324	4.3489	7.4220	6.5069	7.5778	6.7260	73.0050	
	S	132.321	95.300	55.957	97.502	89.072	80.296	78.017	72.002	112.097	135.041	109.080	84.217	118.401	96.848	
4	T	1.8077	183.8375			7.2367	6.5519	9.1555	6.5564	4.8269	8.8993	8.5525		171.7314	93.3357	
	S	129.371	2.882			61.524	64.312	69.258	56.364	100.996	112.624	82.990		41.171	10.059	
5	T			3.4393	6.6705	4.9962	5.3398	8.1763	5.1000	4.4943	7.6612	6.0795	7.5802	6.7341	80.1852	
	S			51.940	93.526	89.113	78.910	77.552	72.460	108.471	130.825	116.749	84.191	118.258	88.176	
6	T	1.8016	5.5139	3.1234	6.4550	4.6644	4.9932	8.0515	5.0180	4.4385	7.5864	5.9947	7.4765	6.6815	71.7986	
	S	129.809	96.079	57.193	96.648	95.452	84.387	78.754	73.644	109.834	132.114	118.400	85.358	119.189	98.475	
7	T	1.7885	5.4538	3.1005	6.4090	4.6161	4.9747	8.0835	4.9318	4.4076	7.5685	5.9628	7.4257	6.6521	71.3746	
	S	130.760	97.138	57.615	97.342	96.451	84.701	78.443	74.931	110.604	132.427	119.033	85.942	119.716	99.060	
8	T	1.7778	5.2318	3.0328	6.4306	4.5360	4.9096	7.9511	5.0121	4.4417	7.5898	5.8910	7.3252	6.6274	70.7569	
	S	131.547	101.260	58.901	97.015	98.154	85.824	79.749	73.731	109.755	132.055	120.484	87.121	120.162	99.925	
9	T	1.7768	5.2257	3.0967	6.4013	4.5771	4.9492	7.9136	5.1200	4.4364	7.5998	5.8308	7.4093	6.6512	70.9879	
	S	131.621	101.378	57.686	97.459	97.273	85.138	80.127	72.177	109.886	131.881	121.728	86.133	119.732	99.600	
10	T	1.7726	5.2191	2.9980	6.3942	4.4935	4.9305	7.9034	5.0437	4.4184	7.5580	5.8091	7.3556	6.6414	70.5375	
	S	131.933	101.507	59.585	97.567	99.083	85.461	80.230	73.269	110.334	132.611	122.183	86.761	119.909	100.236	
11	T	1.7734	5.2357	3.0185	6.3761	4.5495	4.9549	7.9999	4.9653	4.4097	7.5581	5.7810	7.3807	6.6568	70.6596	
	S	131.873	101.185	59.181	97.844	97.863	85.040	79.262	74.426	110.552	132.609	122.777	86.466	119.632	100.063	
12	T	1.7776	5.2375	3.0391	6.4101	4.5430	4.9902	8.0210	5.0465	4.4213	7.5677	5.8261	7.4230	6.6495	70.9526	
	S	131.561	101.150	58.779	97.325	98.003	84.438	79.054	73.228	110.262	132.441	121.826	85.974	119.763	99.650	
13	T	1.7784	5.2159	3.0353	6.4055	4.6153	4.9848	7.9833	4.9854	4.4058	7.5524	5.8085	7.3637	6.6368	70.7711	
	S	131.502	101.569	58.853	97.395	96.468	84.530	79.427	74.126	110.650	132.709	122.196	86.666	119.992	99.905	
14	T	1.7795	5.2731	3.0029	6.3955	4.5925	4.9838	7.9472	4.9853	4.4161	7.5583	5.8676	7.4483	6.6550	70.9051	
	S	131.421	100.467	59.488	97.547	96.947	84.547	79.788	74.127	110.392	132.606	120.965	85.682	119.664	99.716	
15	T	1.7728	5.2384	2.9959	6.4080	4.6240	5.0263	7.9580	5.0120	4.4048	7.5559	5.8499	7.4057	6.6543	70.9060	
	S	131.918	101.133	59.627	97.357	96.286	83.832	79.680	73.732	110.675	132.648	121.331	86.174	119.677	99.715	
16	T	1.7757	5.2825	3.0095	6.4262	4.7290	4.9879	7.9694	5.0129	4.4080	7.5555	5.8118	7.4802	6.6670	71.1156	
	S	131.702	100.288	59.357	97.081	94.148	84.477	79.566	73.719	110.594	132.655	122.126	85.316	119.449	99.421	
17	T	1.7816	5.3057	3.0248	6.3913	4.6587	5.0560	7.9807	5.0120	4.3881	7.5481	5.8555	7.4165	6.6518	71.0708	
	S	131.266	99.850	59.057	97.611	95.569	83.339	79.453	73.732	111.096	132.785	121.215	86.049	119.722	99.484	
18	T	1.7757	5.2654	3.0000	6.4085	4.6549	5.0096	7.9691	5.0360	4.4184	7.5598	5.7998	7.4061	6.6391	70.9424	
	S	131.702	100.614	59.545	97.349	95.647	84.111	79.569	73.381	110.334	132.579	122.379	86.170	119.951	99.664	
19	T	1.7758	5.3642	2.9807	6.3664	4.6915	5.0276	8.0171	5.0761	5.1398	9.0045	6.0782	7.4292	6.5962	73.5473	
	S	131.695	98.761	59.931	97.993	94.901	83.810	79.092	72.801	94.848	111.308	116.774	85.902	120.731	96.134	

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

September 2, 2022

Section Data for Car 2 - Browne, Jonathan (R)

Lap	T/SPO to SF	SF to PI
1	T 114.7027	
	S 60.322	
2	T	
	S	
3	T	
	S	
4	T 82.8685	
	S 75.711	
5	T 75.7124	
	S 91.386	
6	T	
	S	
7	T	
	S	
8	T	
	S	
9	T	
	S	
10	T	
	S	
11	T	
	S	
12	T	
	S	
13	T	
	S	
14	T	
	S	
15	T	
	S	
16	T	
	S	
17	T	
	S	
18	T	
	S	
19	T	
	S	

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

September 2, 2022

Section Data for Car 2 - Browne, Jonathan (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PI to PO
20	T	1.7549	5.3719	2.9718	6.3427	4.6078	5.0616	8.0169	5.0185	4.4084	7.5484	5.8738	7.4711	6.6368	71.0846
	S	133.263	98.619	60.110	98.359	96.625	83.247	79.094	73.637	110.584	132.779	120.837	85.420	119.992	99.465
21	T	1.8999	6.6674	3.3618	7.6988	5.7663	6.1624	10.1015	6.0397	5.8324					
	S	123.093	79.457	53.137	81.034	77.212	68.377	62.772	61.186	83.585					

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

September 2, 2022

Section Data for Car 2 - Browne, Jonathan (R)

Lap	T/SPO to SF	SF to PI
20	T	
	S	
21	T	
	S	

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

September 2, 2022

Section Data for Car 3 - Green, Josh (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF	
1	T	2.3036	6.7560	3.8708	6.6561	5.0396	5.2512	8.2964	5.4239	4.4931	7.3886	6.0634	7.7926	6.5944	75.9297	121.7591
	S	101.521	78.415	46.150	93.728	88.346	80.241	76.430	68.133	108.500	135.651	117.059	81.896	120.764	93.118	56.826
2	T	1.7676	5.6412	3.5734	6.6191	4.8279	5.2739	8.3277	5.1458	4.4642	7.5900		7.2126	102.7682		
	S	132.306	93.911	49.991	94.252	92.220	79.896	76.142	71.815	109.202	132.052		110.413	68.799		
3	T	1.8778	7.0024	3.3931	6.6236	4.8816	5.0408	8.0861	5.0845	4.4325	7.5873	5.9544	7.4389	6.6368	74.0398	
	S	124.541	75.656	52.647	94.188	91.205	83.591	78.417	72.681	109.983	132.099	119.201	85.790	119.992	95.495	
4	T	1.7771	5.3445	3.0854	6.4223	4.4771	4.8397	7.9588	4.9177	4.4117	7.5608	5.6985	7.3163	6.6251	70.4350	
	S	131.598	99.125	57.897	97.140	99.445	87.064	79.672	75.146	110.502	132.562	124.554	87.227	120.204	100.382	
5	T	1.7731	5.2877	2.9847	6.3667	4.4478	4.8532	7.9740	4.9501	4.4147	7.5695	5.6907	7.3697	6.6404	70.3223	
	S	131.895	100.190	59.851	97.989	100.101	86.822	79.520	74.654	110.427	132.409	124.725	86.595	119.927	100.543	
6	T	1.7718	5.2380	2.9942	6.3841	4.4501	4.8873	7.9419	4.9188	4.4133	7.5488	5.6754	7.3085	6.6161	70.1483	
	S	131.992	101.140	59.661	97.721	100.049	86.216	79.841	75.129	110.462	132.772	125.061	87.320	120.368	100.792	
7	T	1.7677	5.2314	2.9773	6.3841	4.4259	4.8666	7.9589	4.9280	4.4206	7.5491	5.6632	7.3137	6.6190	70.1055	
	S	132.298	101.268	59.999	97.721	100.596	86.583	79.671	74.989	110.279	132.767	125.331	87.258	120.315	100.854	
8	T	1.7668	5.1318	3.0167	6.3925	4.4653	4.8982	7.9062	4.9017	4.4123	7.5480	5.5957	7.3052	6.6238	69.9642	
	S	132.366	103.233	59.216	97.593	99.708	86.024	80.202	75.391	110.487	132.787	126.843	87.360	120.228	101.057	
9	T	1.7674	5.2071	3.0083	6.4011	4.4661	4.9071	7.8253	5.0181	4.4265	7.5475	5.6441	7.3494	6.6245	70.1925	
	S	132.321	101.740	59.381	97.462	99.690	85.868	81.031	73.643	110.132	132.795	125.755	86.835	120.215	100.729	
10	T	1.7700	5.2621	3.0341	6.3927	4.4817	4.9145	7.8653	4.9519	4.4165	7.5444	5.6505	7.3383	6.5978	70.2198	
	S	132.126	100.677	58.876	97.590	99.343	85.739	80.619	74.627	110.382	132.850	125.612	86.966	120.701	100.690	
11	T	1.7613	5.2454	2.9803	6.3597	4.4617	4.8410	7.8838	4.9382	4.4059	7.5304	5.6110	7.2613	6.5816	69.8616	
	S	132.779	100.998	59.939	98.096	99.789	87.041	80.430	74.834	110.647	133.097	126.497	87.888	120.998	101.206	
12	T	1.7561	5.2484	2.9536	6.3377	4.4601	4.8347	7.8621	4.9857	4.4177	7.5487	5.6270	7.3196	6.6198	69.9712	
	S	133.172	100.940	60.481	98.437	99.825	87.154	80.652	74.121	110.352	132.774	126.137	87.188	120.300	101.047	
13	T	1.7684	5.2418	2.9270	6.3253	4.4460	4.8768	7.9451	4.9097	4.4160	7.5263	5.6801	7.2949	6.6123	69.9697	
	S	132.246	101.067	61.031	98.630	100.141	86.402	79.809	75.268	110.394	133.169	124.958	87.483	120.437	101.049	
14	T	1.7600	5.2042	2.9239	6.3388	4.4555	4.8905	7.8455	4.9778	4.4118	7.5303	5.5796	7.3488	6.6196	69.8863	
	S	132.877	101.797	61.095	98.420	99.928	86.160	80.822	74.239	110.499	133.099	127.209	86.842	120.304	101.170	
15	T	1.7648	5.2259	2.9339	6.3509	4.4149	4.9035	7.8675	5.1379	4.4147	7.5257	5.6770	7.2917	6.6004	70.1088	
	S	132.516	101.374	60.887	98.232	100.847	85.931	80.596	71.925	110.427	133.180	125.026	87.522	120.654	100.849	
16	T	1.7607	5.2274	2.9614	6.3612	4.4766	4.8957	7.9000	4.9471	4.4085	7.5264	5.6175	7.3559	6.6168	70.0552	
	S	132.824	101.345	60.322	98.073	99.457	86.068	80.265	74.699	110.582	133.168	126.350	86.758	120.355	100.926	
17	T	1.7586	5.2452	2.9737	6.3486	4.4767	4.9100	7.9014	4.9518	4.4063	7.5271	5.6066	7.3135	6.5832	70.0027	
	S	132.983	101.001	60.072	98.268	99.454	85.817	80.250	74.629	110.637	133.155	126.596	87.261	120.969	101.002	
18	T	1.7608	5.1720	2.9376	6.3699	4.4878	4.8633	7.9184	4.9758	4.4026	7.5100	5.6201	7.3575	6.6004	69.9762	
	S	132.817	102.431	60.810	97.939	99.208	86.642	80.078	74.269	110.730	133.458	126.292	86.739	120.654	101.040	
19	T	1.7527	5.2215	3.0011	6.3762	4.5049	4.9021	7.8420	4.9340	4.3965	7.5054	5.6009	7.3558	6.6001	69.9932	
	S	133.430	101.460	59.524	97.843	98.832	85.956	80.858	74.898	110.884	133.540	126.725	86.759	120.659	101.016	

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

September 2, 2022

Section Data for Car 3 - Green, Josh (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF
20	T	1.7553	5.2104	2.9360	6.3302	4.5330	4.8845	7.8787	4.9475	4.3906	7.4961	5.6024	7.3217	6.5570	69.8434
	S	133.233	101.676	60.843	98.554	98.219	86.265	80.482	74.693	111.033	133.706	126.691	87.163	121.452	101.232
21	T	1.7420	5.2454	2.9478	6.3209	4.4700	4.8891	7.9867	4.9661	4.4073	7.4841	5.5869	7.3223	6.5405	69.9091
	S	134.250	100.998	60.600	98.699	99.603	86.184	79.393	74.414	110.612	133.920	127.042	87.156	121.759	101.137
22	T	1.7355	5.2152	2.9716	6.3265	4.5445	4.8737	7.9649	5.0057	4.3888	7.4422	5.6576	7.3730	6.4868	69.9860
	S	134.753	101.582	60.115	98.611	97.971	86.457	79.611	73.825	111.078	134.674	125.455	86.557	122.767	101.026
23	T	1.7112	6.4778	3.8707											
	S	136.666	81.783	46.151											

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

September 2, 2022

Section Data for Car 4 - Eves, Braden

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF	
1	T	2.2835	6.5258	4.0178	6.9266	5.2421	5.4446	8.7043	5.4741	4.5468	7.5396	6.2144	7.4839	6.5444	76.9479	115.7411
	S	102.415	81.181	44.461	90.068	84.933	77.391	72.848	67.508	107.218	132.934	114.214	85.274	121.686	91.886	59.781
2	T	1.7292	5.5788	3.3521	6.5222	4.7475	5.1000	8.3237	5.1199	4.3895	7.4142	6.4934	7.5950	6.5176	72.8831	
	S	135.244	94.962	53.291	95.652	93.781	82.620	76.179	72.178	111.060	135.183	109.307	84.027	122.187	97.010	
3	T	1.7240	5.5896	3.3352	6.6070	4.9952	5.0118	8.1642	5.0385	4.3815	7.4056	5.9867	7.4475	6.5738	72.2606	
	S	135.652	94.778	53.561	94.425	89.131	84.074	77.667	73.344	111.263	135.340	118.558	85.691	121.142	97.846	
4	T	1.7369	5.2494	3.0912	6.4153	4.6982	4.9100	8.1733	4.9875	4.3732	7.4236	5.8660	7.4686	6.5544	70.9476	
	S	134.644	100.921	57.789	97.246	94.766	85.817	77.581	74.094	111.474	135.012	120.998	85.449	121.501	99.657	
5	T	1.7292	5.2484	3.0301	6.3519	4.6898	4.9051	8.1848	4.9820	4.3710	7.4390	5.7520	7.3419	6.5347	70.5599	
	S	135.244	100.940	58.954	98.217	94.935	85.903	77.472	74.176	111.531	134.732	123.396	86.923	121.867	100.204	
6	T	1.7294	5.2300	3.0328	6.3723	4.6691	4.8901	8.1044	5.0547	4.3863	7.4189	5.7841	7.4589	6.5854	70.7164	
	S	135.228	101.295	58.901	97.902	95.356	86.167	78.240	73.109	111.142	135.097	122.711	85.560	120.929	99.982	
7	T	1.7391	5.1820	3.0232	6.3815	4.6128	4.9680	8.1157	5.0627	4.3907	7.4454	5.7848	7.3160	6.5530	70.5749	
	S	134.474	102.233	59.089	97.761	96.520	84.816	78.131	72.994	111.030	134.616	122.696	87.231	121.527	100.183	
8	T	1.7326	5.1570	3.0830	6.4193	4.6079	4.9857	8.0473	5.1123	4.3972	7.4567	5.7964	7.3794	6.5503	70.7251	
	S	134.978	102.729	57.942	97.186	96.623	84.514	78.795	72.286	110.866	134.412	122.451	86.482	121.577	99.970	
9	T	1.7399	5.1803	2.9903	6.3513	4.6308	4.8826	8.0573	5.0366	4.3942	7.4591	5.7543	7.3369	6.5578	70.3714	
	S	134.412	102.267	59.739	98.226	96.145	86.299	78.698	73.372	110.942	134.369	123.346	86.982	121.438	100.473	
10	T	1.7382	5.2255	3.0194	6.4375	4.6368	4.8738	8.0521	5.0125	4.3742	7.4275	5.8162	7.3895	6.5673	70.5705	
	S	134.544	101.382	59.163	96.911	96.020	86.455	78.749	73.725	111.449	134.941	122.034	86.363	121.262	100.189	
11	T	1.7372	5.2283	2.9986	6.3654	4.6319	4.8591	8.1018	5.0900	4.3846	7.4511	5.8053	7.3348	6.5315	70.5196	
	S	134.621	101.328	59.573	98.009	96.122	86.716	78.265	72.602	111.185	134.513	122.263	87.007	121.927	100.261	
12	T	1.7297	5.4742	3.2308	6.4479	4.6015	4.9023	8.0491	5.0781	4.3885	7.4693	5.7686	7.3745	6.5669	71.0814	
	S	135.205	96.776	55.292	96.755	96.757	85.952	78.778	72.772	111.086	134.186	123.041	86.539	121.269	99.469	
13	T	1.7511	5.2238	2.9683	6.3426	4.6060	4.9304	8.0047	5.0203	4.3947	7.4536	5.7393	7.2932	6.5389	70.2669	
	S	133.552	101.415	60.181	98.361	96.662	85.462	79.215	73.610	110.929	134.468	123.669	87.504	121.789	100.622	
14	T	1.7379	5.2302	3.0049	6.3466	4.6181	4.8788	8.1006	5.0282	4.3859	7.4520	5.7592	7.3101	6.5356	70.3881	
	S	134.567	101.291	59.448	98.299	96.409	86.366	78.277	73.495	111.152	134.497	123.242	87.301	121.850	100.449	
15	T	1.7340	5.2260	2.9867	6.3410	4.6344	4.9116	8.0508	5.1112	4.3902	7.4499	5.7482	7.3342	6.5305	70.4487	
	S	134.869	101.373	59.811	98.386	96.070	85.789	78.761	72.301	111.043	134.535	123.477	87.015	121.945	100.362	
16	T	1.7307	5.2223	3.0300	6.3504	4.6088	4.9716	7.9762	5.0529	4.3773	7.4375	5.7920	7.3179	6.5282	70.3958	
	S	135.127	101.444	58.956	98.240	96.604	84.754	79.498	73.135	111.370	134.759	122.544	87.208	121.988	100.438	
17	T	1.7264	5.3099	3.0216	6.3582	4.6082	4.9278	8.1167	5.0003	4.3637	7.4277	5.7741	7.3153	6.5085	70.4584	
	S	135.463	99.771	59.120	98.120	96.616	85.507	78.122	73.905	111.717	134.937	122.924	87.239	122.357	100.349	
18	T	1.7263	5.2414	3.0024	6.3701	4.6869	4.9330	8.0501	4.9553	4.3558	7.4147	5.7495	7.3177	6.4950	70.2982	
	S	135.471	101.075	59.498	97.936	94.994	85.417	78.768	74.576	111.920	135.174	123.449	87.211	122.612	100.577	
19	T	1.7167	5.1936	3.0212	6.3568	4.6731	4.9218	8.1435	5.1016	4.3725	7.4343	5.8304	7.3081	6.5179	70.5915	
	S	136.229	102.005	59.128	98.141	95.275	85.612	77.865	72.437	111.492	134.817	121.737	87.325	122.181	100.159	

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

September 2, 2022

Section Data for Car 4 - Eves, Braden

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF
20	T	1.7433	5.4044	3.0733	6.3506	4.8261	4.9841	8.1364	5.0571	4.3474	7.3760	5.8498	7.4268	6.5201	71.0954
	S	134.150	98.026	58.125	98.237	92.254	84.542	77.933	73.075	112.136	135.883	121.333	85.930	122.140	99.449
21	T	1.7187	5.2152	3.0044	6.3407	4.6583	4.9447	8.2248	5.0330	4.3623	7.3902	5.7807	7.3016	6.4621	70.4367
	S	136.070	101.582	59.458	98.390	95.577	85.215	77.095	73.424	111.753	135.622	122.783	87.403	123.236	100.379
22	T	1.7033	5.3232	3.0226	6.2967	4.7002	4.9968	8.1971	5.1367	4.3904	7.4213	5.8135	7.3845	6.5195	70.9058
	S	137.300	99.521	59.100	99.078	94.725	84.327	77.356	71.942	111.038	135.054	122.090	86.422	122.151	99.715
23	T	1.7315	6.9946	3.3261	7.1845	5.6291	6.0856								
	S	135.064	75.740	53.707	86.835	79.094	69.239								

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

September 2, 2022

Section Data for Car 40 - Miller, Jack William

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF	
1	T	2.3044	6.3968	3.6012	6.6267	5.1428	5.1563	8.1700	5.3798	4.4220	7.4918	6.3990	7.6228	6.5239	75.2375	123.5860
	S	101.486	82.818	49.605	94.144	86.573	81.718	77.612	68.691	110.244	133.783	110.919	83.720	122.069	93.974	55.986
2	T	1.7167	5.6473	3.1410	6.3971	4.6328	5.0295	8.0802	4.9595	4.4127	7.4440	5.7130	7.3165	6.4796	70.9699	
	S	136.229	93.810	56.872	97.523	96.103	83.778	78.475	74.513	110.477	134.642	124.238	87.225	122.903	99.625	
3	T	1.7178	5.3233	3.0209	6.5054	4.5726	5.0797	8.1410	5.0824	4.4061	7.4546	5.7134	7.3542	6.4981	70.8695	
	S	136.141	99.520	59.133	95.899	97.369	82.950	77.889	72.711	110.642	134.450	124.229	86.778	122.553	99.766	
4	T	1.7208	5.2705	2.9849	6.3435	4.5469	4.9833	8.0972	4.9713	4.4103	7.4445	5.6842	7.3758	6.5054	70.3386	
	S	135.904	100.517	59.847	98.347	97.919	84.555	78.310	74.336	110.537	134.633	124.868	86.524	122.416	100.519	
5	T	1.7204	5.2223	3.0102	6.3850	4.6093	5.0589	8.0483	4.9225	4.3750	7.4238	5.7415	7.3009	6.4994	70.3175	
	S	135.936	101.444	59.344	97.708	96.593	83.292	78.786	75.073	111.429	135.008	123.621	87.411	122.529	100.550	
6	T	1.7190	5.3503	2.9991	6.3103	4.4954	5.0464	8.0435	4.9165	4.3459	7.3613	5.7359	7.4644	6.5208	70.3088	
	S	136.046	99.017	59.563	98.864	99.041	83.498	78.833	75.164	112.175	136.154	123.742	85.497	122.127	100.562	
7	T	1.7133	5.4358	3.0201	6.3094	4.7302	5.1073	8.1240	4.9874	4.3476	7.3225	5.8592	7.4354	6.4785	70.8707	
	S	136.499	97.460	59.149	98.878	94.124	82.502	78.052	74.096	112.131	136.876	121.138	85.830	122.924	99.765	
8	T	1.7142	5.3995	3.0780	6.4278	5.1296	5.1666	8.1467	5.0370	4.3867	7.3893	5.8030	7.5160	6.5227	71.7171	
	S	136.427	98.115	58.037	97.057	86.796	81.555	77.834	73.366	111.131	135.638	122.311	84.910	122.091	98.587	
9	T	1.7128	5.5225	3.0699	6.3333	4.6699	5.0076	8.0173	4.9361	4.3544	7.3576	5.7172	7.3447	6.4412	70.4845	
	S	136.539	95.930	58.190	98.505	95.340	84.145	79.090	74.866	111.956	136.223	124.147	86.890	123.636	100.311	
10	T	1.7019	5.5296	3.0245	6.3439	4.6099	4.9885	8.0068	4.9481	4.3535	7.3593	5.6345	7.4974	6.4987	70.4966	
	S	137.413	95.807	59.063	98.341	96.581	84.467	79.194	74.684	111.979	136.191	125.969	85.120	122.542	100.294	
11	T	1.7121	5.3598	3.0309	6.3470	4.5468	5.0298	7.8940	4.9024	4.3597	7.3611	5.6660	7.3577	6.4570	70.0243	
	S	136.595	98.842	58.938	98.293	97.921	83.773	80.326	75.381	111.820	136.158	125.269	86.737	123.333	100.971	
12	T	1.7002	5.4405	2.9623	6.2883	4.6558	5.0586	8.0435	4.9153	4.3544	7.3442	5.6308	7.3263	6.4444	70.1646	
	S	137.551	97.376	60.303	99.210	95.629	83.296	78.833	75.183	111.956	136.471	126.052	87.108	123.575	100.769	
13	T	1.7017	5.4292	3.0252	6.3328	4.6062	5.0518	7.9349	5.0322	4.3876	7.3617	5.6356	7.3329	6.4379	70.2697	
	S	137.429	97.578	59.049	98.513	96.658	83.409	79.912	73.436	111.109	136.147	125.944	87.030	123.699	100.618	
14	T	1.6990	5.2794	3.0772	6.3437	4.6535	5.0465	7.9650	4.9733	4.3802	7.3660	5.6144	7.4118	6.4671	70.2771	
	S	137.648	100.347	58.052	98.344	95.676	83.496	79.610	74.306	111.296	136.067	126.420	86.103	123.141	100.607	
15	T	1.7022	5.4492	3.0559	6.3148	4.5649	5.0096	8.0801	4.9714	4.3834	7.3962	5.7291	7.4000	6.4782	70.5350	
	S	137.389	97.220	58.456	98.794	97.533	84.111	78.476	74.334	111.215	135.512	123.889	86.241	122.930	100.240	
16	T	1.7142	5.3704	2.9713	6.3211	4.5350	4.9671	8.0233	4.9981	4.3729	7.3914	5.6563	7.2616	6.4853	70.0680	
	S	136.427	98.647	60.121	98.695	98.176	84.831	79.031	73.937	111.482	135.600	125.484	87.884	122.795	100.908	
17	T	1.7116	5.3208	3.0961	6.3308	4.5394	5.0031	8.0748	4.9635	4.3769	7.4103	5.7055	7.3254	6.4826	70.3408	
	S	136.635	99.566	57.697	98.544	98.081	84.221	78.527	74.453	111.380	135.254	124.401	87.119	122.846	100.516	
18	T	1.7179	5.3712	2.9506	6.2899	4.5266	4.9816	8.0781	4.9202	4.3620	7.4022	5.6152	7.3851	6.5202	70.1208	
	S	136.133	98.632	60.542	99.185	98.358	84.584	78.495	75.108	111.761	135.402	126.402	86.415	122.138	100.832	
19	T	1.7206	5.3216	2.9681	6.3275	4.5420	4.9326	8.0707	4.9677	4.3775	7.4002	5.6573	7.3320	6.4976	70.1154	
	S	135.920	99.551	60.185	98.596	98.024	85.424	78.567	74.390	111.365	135.439	125.461	87.041	122.563	100.839	

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

September 2, 2022

Section Data for Car 40 - Miller, Jack William

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF
20	T	1.7223	5.3421	2.9369	6.3129	4.5583	4.9956	8.0328	5.0447	4.3897	7.4157	5.6497	7.3403	6.5266	70.2676
	S	135.786	99.169	60.825	98.824	97.674	84.347	78.938	73.254	111.055	135.156	125.630	86.942	122.018	100.621
21	T	1.7194	5.3566	3.0134	6.3202	4.5277	5.0265	8.0451	4.9989	4.3749	7.4077	5.6854	7.2926	6.5016	70.2700
	S	136.015	98.901	59.281	98.709	98.334	83.828	78.817	73.925	111.431	135.301	124.841	87.511	122.487	100.618
22	T	1.7216	5.4147	3.0625	6.3447	4.5377	5.0807	8.0680	4.9671	4.3618	7.4038	5.6871	7.3040	6.4938	70.4475
	S	135.841	97.840	58.330	98.328	98.117	82.934	78.593	74.399	111.766	135.373	124.804	87.374	122.634	100.364
23	T	1.7362	6.8721	3.4298	9.4234	7.4454	7.4641								
	S	134.699	77.090	52.084	66.204	59.799	56.452								

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

September 2, 2022

Section Data for Car 47 - Ahmed, Enaam

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF	
1	T	2.3036	6.3455	3.5872	6.5123	4.9546	5.2429	8.4350	5.2540	4.4674	7.5602	6.0468	7.5475	6.6139	74.8709	125.1541
	S	101.521	83.488	49.798	95.798	89.861	80.368	75.174	70.336	109.124	132.572	117.380	84.555	120.408	94.435	55.285
2	T	1.7458	5.4596	3.0197	6.3410	4.6250	4.9258	8.0488	4.9689	4.3995	7.5048	5.7055	7.4528	6.5897	70.7869	
	S	133.958	97.035	59.157	98.386	96.265	85.542	78.781	74.372	110.808	133.551	124.401	85.630	120.850	99.883	
3	T	1.7467	5.3156	2.9969	6.3589	4.5842	4.9154	8.0345	4.9962	4.3680	7.4773	5.7293	7.3557	6.5465	70.4252	
	S	133.889	99.664	59.607	98.109	97.122	85.723	78.921	73.965	111.607	134.042	123.885	86.760	121.647	100.396	
4	T	1.7356	5.2541	2.9938	6.3375	4.6011	4.9441	7.9989	5.0516	4.3898	7.4639	5.6765	7.4522	6.5308	70.4299	
	S	134.745	100.830	59.669	98.440	96.765	85.226	79.272	73.154	111.053	134.283	125.037	85.637	121.940	100.389	
5	T	1.7320	5.2974	2.9862	6.3234	4.5905	4.9378	7.9888	5.0590	4.3726	7.4583	5.6923	7.3787	6.5410	70.3580	
	S	135.025	100.006	59.821	98.660	96.989	85.334	79.372	73.047	111.490	134.384	124.690	86.490	121.750	100.492	
6	T	1.7288	5.3266	2.9796	6.3399	4.7562	4.8995	7.9536	5.0735	4.3685	7.4447	5.6823	7.4012	6.5374	70.4918	
	S	135.275	99.458	59.953	98.403	93.610	86.001	79.724	72.838	111.594	134.629	124.909	86.227	121.817	100.301	
7	T	1.7288	5.4562	3.0190	6.4297	4.9030	5.1271	8.0901	4.9920	4.3524	7.4177	5.7094	7.4024	6.5174	71.1452	
	S	135.275	97.096	59.171	97.028	90.807	82.184	78.379	74.028	112.007	135.119	124.317	86.213	122.190	99.380	
8	T	1.7389	5.3336	3.1960	6.4210	5.1703	5.1228	8.0996	4.9869	4.3395	7.3628	5.7931	7.4914	6.4897	71.5456	
	S	134.489	99.327	55.894	97.160	86.112	82.253	78.287	74.103	112.340	136.127	122.520	85.189	122.712	98.824	
9	T	1.7159	5.7084	3.0484	6.3384	4.6295	4.9678	7.8849	5.0343	4.3636	7.4304	5.6544	7.4378	6.5278	70.7416	
	S	136.292	92.806	58.600	98.426	96.172	84.819	80.418	73.406	111.720	134.888	125.526	85.802	121.996	99.947	
10	T	1.7232	5.4504	2.9694	6.3129	4.5467	4.9697	7.9682	4.9816	4.3626	7.4451	5.6542	7.3489	6.5229	70.2558	
	S	135.715	97.199	60.159	98.824	97.923	84.787	79.578	74.182	111.745	134.622	125.530	86.840	122.087	100.638	
11	T	1.7272	5.2628	2.9688	6.3021	4.6245	4.9593	7.8902	5.0559	4.3702	7.4556	5.6665	7.4159	6.5361	70.2351	
	S	135.400	100.664	60.171	98.993	96.276	84.964	80.364	73.092	111.551	134.432	125.258	86.056	121.841	100.668	
12	T	1.7242	5.3323	2.9904	6.3503	4.6219	4.9790	7.8389	5.0024	4.3564	7.4466	5.6447	7.3381	6.5005	70.1257	
	S	135.636	99.352	59.737	98.242	96.330	84.628	80.890	73.874	111.904	134.595	125.741	86.968	122.508	100.825	
13	T	1.7223	5.4341	2.9601	6.2973	4.6048	5.0214	7.9311	5.0011	4.3590	7.4328	5.6371	7.3676	6.5226	70.2913	
	S	135.786	97.490	60.348	99.068	96.688	83.914	79.950	73.893	111.838	134.845	125.911	86.620	122.093	100.587	
14	T	1.7267	5.3546	2.9877	6.3346	4.5688	4.9214	7.8702	5.0623	4.3557	7.4216	5.6199	7.4368	6.5279	70.1882	
	S	135.440	98.938	59.791	98.485	97.449	85.619	80.569	73.000	111.922	135.048	126.296	85.814	121.994	100.735	
15	T	1.7263	5.3224	2.9745	6.3411	4.5680	4.9649	7.8710	4.9896	4.3700	7.4406	5.6230	7.3639	6.5351	70.0904	
	S	135.471	99.536	60.056	98.384	97.467	84.869	80.560	74.063	111.556	134.703	126.227	86.664	121.859	100.875	
16	T	1.7328	5.3254	2.9523	6.3102	4.6190	4.9625	7.9091	5.0260	4.3761	7.4495	5.5888	7.4530	6.5796	70.2843	
	S	134.963	99.480	60.508	98.866	96.390	84.910	80.172	73.527	111.401	134.542	126.999	85.628	121.035	100.597	
17	T	1.7343	5.2459	2.9583	6.3250	4.5677	4.9379	7.9289	4.9176	4.3753	7.4469	5.6297	7.3137	6.4945	69.8757	
	S	134.846	100.988	60.385	98.635	97.473	85.333	79.972	75.148	111.421	134.589	126.076	87.258	122.621	101.185	
18	T	1.7261	5.1738	2.9725	6.3276	4.5291	4.9068	7.8950	5.0965	4.3778	7.4580	5.6350	7.3405	6.5173	69.9560	
	S	135.487	102.395	60.096	98.594	98.304	85.873	80.316	72.510	111.357	134.389	125.958	86.940	122.192	101.069	
19	T	1.7246	5.2817	2.9614	6.3222	4.5876	4.9388	7.9740	4.9703	4.3619	7.4361	5.5789	7.3195	6.5065	69.9635	
	S	135.605	100.303	60.322	98.678	97.050	85.317	79.520	74.351	111.763	134.785	127.224	87.189	122.395	101.058	

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

September 2, 2022

Section Data for Car 47 - Ahmed, Enaam

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF	
20	T	1.7262	5.2511	2.9537	6.3164	4.5338	4.9607	7.9248	5.0760	4.3625	7.4371	5.6485	7.3868	6.5086	70.0862	
	S	135.479	100.888	60.479	98.769	98.202	84.940	80.013	72.802	111.748	134.767	125.657	86.395	122.356	100.881	
21	T	1.7208	5.2719	2.9710	6.3418	4.5800	4.9800	8.0238	4.9713	4.3498	7.4164	5.5684	7.3867	6.5253	70.1072	
	S	135.904	100.490	60.127	98.373	97.211	84.611	79.026	74.336	112.074	135.143	127.464	86.396	122.042	100.851	
22	T	1.7222	5.3216	3.0095	6.3257	4.5925	4.9642	7.9510	5.0856	4.4050	7.4775	5.6210	7.3873	6.5658	70.4289	
	S	135.794	99.551	59.357	98.624	96.947	84.880	79.750	72.665	110.670	134.038	126.272	86.389	121.290	100.391	
23	T	1.8270	7.0387	3.5626	10.1555	7.6674	7.4362									
	S	128.004	75.266	50.142	61.431	58.068	56.664									

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

September 2, 2022

Section Data for Car 5 - Flack, Marcos (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF	
1	T	2.2413	6.7725	4.0376	6.7100	5.3127	5.4658	8.5355	5.5108	4.5169	7.5697	6.3297	11.0150	11.8630	77.0570	110.1243
	S	104.343	78.224	44.243	92.975	83.804	77.091	74.289	67.058	107.928	132.406	112.134	57.938	67.130	91.755	62.830
2	T	1.7068	5.7266	3.2484	6.4543	4.8605	5.1445	8.2652	5.1536	4.3746	7.4079	6.3485			72.9689	
	S	137.019	92.511	54.992	96.659	91.601	81.906	76.718	71.706	111.439	135.298	111.802			96.896	
3	T	1.7450	5.6562	3.1912	6.5491	4.9917	5.1403	8.2727	5.1462	4.3990	7.4808	12.8992			100.6586	
	S	134.019	93.662	55.978	95.259	89.194	81.973	76.649	71.809	110.821	133.979	55.025			70.241	

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)

Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

September 2, 2022



Section Data for Car 5 - Flack, Marcos (R)

Lap	T/SF to PI	
1	T	
	S	
2	T	
	S	
3	T	75.4124
	S	83.197

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

September 2, 2022

Section Data for Car 55 - Gold, Reece

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF	
1	T	2.3057	5.9170	3.3725	6.5375	4.7826	5.0420	8.2502	4.9542	4.3831	7.5197	5.8199	7.4490	6.5892	72.9226	131.7001
	S	101.428	89.534	52.969	95.428	93.093	83.571	76.858	74.592	111.223	133.286	121.956	85.673	120.859	96.958	52.537
2	T	1.7529	5.6686	3.0228	6.3593	4.5333	4.9755	8.0705	4.9124	4.3751	7.5087	5.7210	7.2898	6.5601	70.7500	
	S	133.415	93.457	59.096	98.103	98.213	84.688	78.569	75.227	111.426	133.482	124.064	87.544	121.395	99.935	
3	T	1.7483	5.4333	2.9520	6.3311	4.4787	4.9472	7.9081	4.9137	4.3483	7.4778	5.6924	7.3165	6.5549	70.1023	
	S	133.766	97.505	60.514	98.540	99.410	85.172	80.182	75.207	112.113	134.033	124.688	87.225	121.491	100.858	
4	T	1.7482	5.3541	2.9614	6.3157	4.4502	4.8899	7.8762	5.0004	4.3705	7.4964	5.6814	7.4219	6.5572	70.1235	
	S	133.774	98.947	60.322	98.780	100.047	86.170	80.507	73.903	111.543	133.701	124.929	85.986	121.449	100.828	
5	T	1.7453	5.3859	2.9103	6.2832	4.4561	4.9410	7.9135	4.8837	4.3681	7.4989	5.6487	7.2690	6.5528	69.8565	
	S	133.996	98.363	61.381	99.291	99.914	85.279	80.128	75.669	111.605	133.656	125.652	87.795	121.530	101.213	
6	T	1.7456	5.4586	2.9148	6.2994	4.4614	4.9058	7.8478	4.8709	4.3547	7.4634	5.7190	7.3527	6.5492	69.9433	
	S	133.973	97.053	61.286	99.035	99.795	85.891	80.799	75.868	111.948	134.292	124.108	86.796	121.597	101.088	
7	T	1.7395	5.2304	3.0232	6.3552	4.4569	4.9398	7.8520	4.9085	4.3645	7.4735	5.5649	7.3306	6.5596	69.7986	
	S	134.443	101.287	59.089	98.166	99.896	85.300	80.755	75.287	111.697	134.110	127.545	87.057	121.404	101.297	
8	T	1.7413	5.3478	2.8962	6.2859	4.5553	4.9936	7.8833	4.9707	4.3932	7.4997	5.6296	7.2680	6.5340	69.9986	
	S	134.304	99.064	61.680	99.248	97.738	84.381	80.435	74.345	110.967	133.642	126.079	87.807	121.880	101.008	
9	T	1.7390	5.3533	2.8947	6.3144	4.4359	4.9465	7.8339	5.0030	4.3853	7.4819	5.6226	7.2756	6.5358	69.8219	
	S	134.482	98.962	61.712	98.800	100.369	85.184	80.942	73.865	111.167	133.960	126.236	87.715	121.846	101.263	
10	T	1.7355	5.3189	2.8980	6.3054	4.4417	4.9098	7.8596	4.9223	4.3741	7.4731	5.6521	7.2416	6.5335	69.6656	
	S	134.753	99.602	61.641	98.941	100.238	85.821	80.677	75.076	111.451	134.117	125.577	88.127	121.889	101.491	
11	T	1.7367	5.4506	2.9256	6.2753	4.4767	4.9564	7.8718	4.9420	4.3742	7.4711	5.6410	7.2691	6.5333	69.9238	
	S	134.660	97.195	61.060	99.416	99.454	85.014	80.552	74.776	111.449	134.153	125.824	87.794	121.893	101.116	
12	T	1.7332	5.3537	2.8827	6.2673	4.4716	4.9524	7.7509	5.0294	4.3877	7.4786	5.6201	7.2901	6.5484	69.7661	
	S	134.932	98.955	61.968	99.543	99.568	85.083	81.809	73.477	111.106	134.019	126.292	87.541	121.612	101.344	
13	T	1.7388	5.2396	2.9254	6.3295	4.4888	4.9414	7.8677	4.8890	4.3738	7.4794	5.5723	7.3643	6.5706	69.7806	
	S	134.497	101.109	61.064	98.564	99.186	85.272	80.594	75.587	111.459	134.004	127.375	86.659	121.201	101.323	
14	T	1.7403	5.3306	2.9281	6.3354	4.4648	4.9093	7.8693	4.9069	4.3656	7.4707	5.5945	7.2773	6.5156	69.7084	
	S	134.381	99.383	61.008	98.473	99.719	85.830	80.578	75.311	111.668	134.160	126.870	87.695	122.224	101.428	
15	T	1.7306	5.2719	2.9464	6.3380	4.4382	4.9429	7.8121	4.9929	4.3702	7.4722	5.6364	7.2773	6.5397	69.7688	
	S	135.134	100.490	60.629	98.432	100.317	85.246	81.168	74.014	111.551	134.134	125.927	87.695	121.774	101.340	
16	T	1.7346	5.4553	2.9131	6.3259	4.4788	4.9903	7.8414	5.0237	4.4030	7.4764	5.6369	7.2229	6.5129	70.0152	
	S	134.823	97.112	61.322	98.621	99.408	84.437	80.865	73.560	110.720	134.058	125.915	88.355	122.275	100.984	
17	T	1.7290	5.4286	2.9411	6.2733	4.4812	4.9939	7.8663	4.8999	4.3665	7.4612	5.6338	7.2553	6.5328	69.8629	
	S	135.259	97.589	60.738	99.447	99.354	84.376	80.609	75.419	111.645	134.331	125.985	87.961	121.902	101.204	
18	T	1.7343	5.3660	2.9444	6.3280	4.4872	4.9869	7.8439	4.9596	4.3764	7.4748	5.6051	7.3332	6.5173	69.9571	
	S	134.846	98.728	60.670	98.588	99.222	84.494	80.839	74.511	111.393	134.087	126.630	87.026	122.192	101.068	
19	T	1.7336	5.2776	2.9447	6.3460	4.5038	4.9591	7.8637	4.9298	4.3640	7.4549	5.6627	7.2645	6.5319	69.8363	
	S	134.901	100.381	60.664	98.308	98.856	84.968	80.635	74.962	111.709	134.445	125.342	87.849	121.919	101.242	

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

September 2, 2022

Section Data for Car 55 - Gold, Reece

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF
20	T	1.7339	5.2849	2.9292	6.3296	4.5314	4.9732	7.8498	4.9531	4.3690	7.4560	5.6542	7.2367	6.5042	69.8052
	S	134.877	100.243	60.985	98.563	98.254	84.727	80.778	74.609	111.582	134.425	125.530	88.187	122.438	101.288
21	T	1.7378	5.4641	2.9540	6.3360	4.5226	4.9962	7.9768	4.9410	4.3663	7.4570	5.7110	7.3179	6.5808	70.3615
	S	134.575	96.955	60.473	98.463	98.445	84.337	79.492	74.792	111.651	134.407	124.282	87.208	121.013	100.487
22	T	1.7392	5.4400	2.9502	6.3001	4.5158	5.0279	7.8295	4.9480	4.3920	7.4823	5.8318	7.3127	6.5704	70.3399
	S	134.466	97.385	60.551	99.024	98.593	83.805	80.987	74.686	110.997	133.952	121.707	87.270	121.205	100.518
23	T	1.8988	6.5199	3.5727	7.8427	5.9648	6.6278	10.3971	6.1019	5.9370					
	S	123.164	81.255	50.000	79.547	74.642	63.575	60.987	60.562	82.112					

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

September 2, 2022

Section Data for Car 6 - De Alba, Salvador (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF	
1	T	2.2803	6.6427	3.6856	6.5109	5.2849	5.2289	8.4545	5.3743	4.4288	7.4042	6.0405	7.6463	6.4273	75.4092	122.8822
	S	102.558	79.753	48.469	95.818	84.245	80.584	75.000	68.762	110.075	135.365	117.502	83.463	123.903	93.760	56.307
2	T	1.7019	5.5574	3.2778	6.3612	4.7555	5.0647	8.0453	5.0722	4.3961	7.4352	5.7974	7.3224	6.4942	71.2813	
	S	137.413	95.327	54.499	98.073	93.624	83.196	78.815	72.857	110.894	134.801	122.429	87.155	122.627	99.190	
3	T	1.7181	5.4002	3.0975	6.4826	4.6545	4.9516	8.0439	5.1791	4.3843	7.4113	5.7887	7.4098	6.5415	71.0631	
	S	136.118	98.102	57.671	96.237	95.655	85.096	78.829	71.353	111.192	135.236	122.613	86.127	121.740	99.495	
4	T	1.7254	5.4897	3.0228	6.3556	4.7372	4.9180	8.0306	5.0336	4.4035	7.4551	5.6952	7.3825	6.5521	70.8013	
	S	135.542	96.503	59.096	98.160	93.985	85.678	78.959	73.416	110.707	134.441	124.626	86.445	121.543	99.863	
5	T	1.7316	5.3530	3.0410	6.3777	4.6603	4.9587	8.1379	5.0757	4.4011	7.4624	5.8353	7.3932	6.5589	70.9868	
	S	135.056	98.967	58.743	97.820	95.536	84.975	77.918	72.807	110.768	134.310	121.634	86.320	121.417	99.602	
6	T	1.7351	5.3755	3.0062	6.3502	4.6510	4.9960	7.9494	5.0211	4.3929	7.4479	5.7825	7.2855	6.5412	70.5345	
	S	134.784	98.553	59.423	98.243	95.727	84.340	79.766	73.599	110.975	134.571	122.745	87.596	121.746	100.240	
7	T	1.7305	5.3736	3.0195	6.3266	4.6570	5.0254	7.9828	5.0371	4.3838	7.4349	5.7322	7.3544	6.5476	70.6054	
	S	135.142	98.588	59.161	98.610	95.604	83.847	79.432	73.365	111.205	134.806	123.822	86.776	121.627	100.140	
8	T	1.7425	5.3245	3.0569	6.3226	4.7464	5.0043	8.2398	5.2391	4.4195	7.4333	5.8913	7.4093	6.5486	71.3781	
	S	134.212	99.497	58.437	98.672	93.803	84.200	76.955	70.536	110.307	134.836	120.478	86.133	121.608	99.056	
9	T	1.7295	5.3513	3.0010	6.3658	4.6679	4.9404	7.9683	5.0391	4.3959	7.4466	5.8060	7.3166	6.5201	70.5485	
	S	135.220	98.999	59.526	98.002	95.381	85.289	79.577	73.336	110.899	134.595	122.248	87.224	122.140	100.220	
10	T	1.7288	5.3677	2.9671	6.3157	4.6493	5.0183	7.9200	5.0338	4.3881	7.4521	5.7821	7.3798	6.5428	70.5456	
	S	135.275	98.696	60.206	98.780	95.762	83.965	80.062	73.413	111.096	134.495	122.753	86.477	121.716	100.225	
11	T	1.7287	5.3474	2.9780	6.3364	4.7159	5.0045	7.9930	5.0373	4.4001	7.4734	5.7864	7.3450	6.5812	70.7273	
	S	135.283	99.071	59.985	98.457	94.410	84.197	79.331	73.362	110.793	134.112	122.662	86.887	121.006	99.967	
12	T	1.7401	5.3717	3.3851	6.4417	4.7215	5.0980	7.8838	5.0607	4.4003	7.4708	5.7770	7.3243	6.5599	71.2349	
	S	134.397	98.623	52.771	96.848	94.298	82.653	80.430	73.023	110.788	134.159	122.862	87.132	121.399	99.255	
13	T	1.7395	5.3335	2.9440	6.2952	4.6313	4.9675	7.9306	5.0749	4.4085	7.4564	5.7910	7.2745	6.5494	70.3963	
	S	134.443	99.329	60.678	99.101	96.134	84.824	79.955	72.818	110.582	134.418	122.565	87.729	121.593	100.437	
14	T	1.7362	5.3845	3.0126	6.3207	4.6552	4.9574	7.8641	5.0872	4.4001	7.4707	5.7556	7.3176	6.5313	70.4932	
	S	134.699	98.388	59.296	98.702	95.641	84.997	80.631	72.642	110.793	134.160	123.319	87.212	121.930	100.299	
15	T	1.7334	5.4094	3.3197	6.3877	4.6484	5.0596	7.8700	5.0665	4.4022	7.4711	5.7914	7.2562	6.5234	70.9390	
	S	134.916	97.936	53.811	97.666	95.781	83.280	80.571	72.939	110.740	134.153	122.556	87.950	122.078	99.669	
16	T	1.7291	5.2451	2.9887	6.3355	4.6113	5.0034	7.9173	5.0942	4.3908	7.4623	5.7737	7.3597	6.5482	70.4593	
	S	135.252	101.003	59.771	98.471	96.551	84.215	80.089	72.542	111.028	134.312	122.932	86.713	121.616	100.347	
17	T	1.7320	5.3125	2.9832	6.3194	4.7104	5.0529	7.9890	5.0571	4.4122	7.4879	5.7255	7.3392	6.5444	70.6657	
	S	135.025	99.722	59.881	98.722	94.520	83.390	79.370	73.075	110.489	133.852	123.967	86.955	121.686	100.054	
18	T	1.7377	5.2706	2.9685	6.3475	4.6270	4.9920	7.9667	5.0491	4.3862	7.4653	5.7061	7.3203	6.5495	70.3865	
	S	134.582	100.515	60.177	98.285	96.224	84.408	79.593	73.190	111.144	134.258	124.388	87.180	121.592	100.451	
19	T	1.7350	5.5686	3.3558	6.4560	4.6945	5.0213	7.8816	5.0206	4.3986	7.4618	5.7871	7.3912	6.5605	71.3326	
	S	134.792	95.136	53.232	96.633	94.840	83.915	80.452	73.606	110.831	134.321	122.647	86.343	121.388	99.119	

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

September 2, 2022

Section Data for Car 6 - De Alba, Salvador (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF
20	T	1.7440	5.2659	3.0097	6.3483	4.6783	5.0597	7.9575	5.0163	4.3897	7.4795	5.9039	7.3471	6.5524	70.7523
	S	134.096	100.604	59.354	98.273	95.169	83.278	79.685	73.669	111.055	134.003	120.221	86.862	121.538	99.932
21	T	1.7371	5.2718	2.9555	6.3253	4.6773	5.0127	7.9054	5.2534	4.3902	7.4707	5.8029	7.3804	6.5696	70.7523
	S	134.629	100.492	60.442	98.630	95.189	84.059	80.210	70.344	111.043	134.160	122.313	86.470	121.220	99.932
22	T	1.7421	5.3384	2.9890	6.3359	4.6678	5.0863	7.9143	5.0744	4.4097	7.4927	5.8594	7.4645	6.5678	70.9423
	S	134.242	99.238	59.765	98.465	95.383	82.843	80.120	72.825	110.552	133.767	121.134	85.496	121.253	99.664
23	T	1.8597	6.3455	3.1754	7.1616	5.5298	5.3891								
	S	125.753	83.488	56.256	87.112	80.514	78.188								

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

September 2, 2022

Section Data for Car 7 - Garg, Bijoy (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF	
1	T	2.3186	6.6035	3.9487	6.8713	5.2658	5.4359	8.6815	5.3448	4.4999	7.5868	5.9216	7.6947	6.7202	76.8933	119.5530
	S	100.864	80.226	45.239	90.793	84.551	77.515	73.039	69.141	108.336	132.107	119.862	82.938	118.503	91.951	57.875
2	T	1.8037	5.6147	3.7791	6.8620	5.1641	5.1068	8.4977	5.0558	4.4428	7.5438	6.1397	7.6053	6.6150	74.2305	
	S	129.658	94.355	47.270	90.916	86.216	82.510	74.619	73.093	109.728	132.860	115.604	83.913	120.388	95.249	
3	T	1.7716	5.6428	3.2037	6.4565	4.8176	5.2142	8.2988	5.0520	4.4008	7.4956	6.8903	7.4411	6.6496	73.3346	
	S	132.007	93.885	55.759	96.626	92.417	80.811	76.408	73.148	110.775	133.715	103.010	85.764	119.761	96.413	
4	T	1.7798	5.5076	3.0157	6.3638	4.5144	4.8871	8.0782	5.0135	4.4746	7.5652	5.7255	7.3265	6.5988	70.8507	
	S	131.399	96.189	59.235	98.033	98.624	86.220	78.494	73.710	108.948	132.485	123.967	87.106	120.683	99.793	
5	T	1.7602	5.3988	3.0844	6.3895	4.4945	4.8868	7.9457	4.9028	4.4180	7.5440	5.7402	7.2961	6.6048	70.4658	
	S	132.862	98.128	57.916	97.639	99.060	86.225	79.803	75.374	110.344	132.857	123.649	87.469	120.573	100.338	
6	T	1.7656	5.4113	2.9556	6.3348	4.5192	4.9009	7.9649	4.9367	4.4237	7.5161	5.6835	7.3427	6.5965	70.3515	
	S	132.456	97.901	60.440	98.482	98.519	85.977	79.611	74.857	110.202	133.350	124.883	86.914	120.725	100.501	
7	T	1.7550	5.4309	2.9931	6.3792	4.5033	4.9021	8.0036	4.9493	4.4019	7.4953	5.6777	7.3105	6.5829	70.3848	
	S	133.256	97.548	59.683	97.797	98.867	85.956	79.226	74.666	110.748	133.720	125.011	87.297	120.975	100.454	
8	T	1.7503	5.3689	2.9757	6.3421	4.5363	4.9736	8.0451	4.9483	4.4147	7.4927	5.6498	7.3433	6.5772	70.4180	
	S	133.613	98.674	60.032	98.369	98.148	84.720	78.817	74.681	110.427	133.767	125.628	86.907	121.079	100.406	
9	T	1.7547	5.3966	2.9720	6.3591	4.5370	4.9845	7.9723	4.9140	4.4054	7.5045	5.7535	7.3130	6.5845	70.4511	
	S	133.278	98.168	60.106	98.106	98.133	84.535	79.537	75.203	110.660	133.556	123.364	87.267	120.945	100.359	
10	T	1.7607	5.4682	2.9387	6.3566	4.5057	4.9269	7.9124	4.9260	4.4065	7.5055	5.6534	7.3147	6.5907	70.2660	
	S	132.824	96.882	60.788	98.144	98.814	85.523	80.139	75.019	110.632	133.538	125.548	87.246	120.831	100.623	
11	T	1.7556	5.3971	2.9373	6.3166	4.5639	4.9223	7.9212	5.0017	4.4087	7.4848	5.8368	7.4394	6.5776	70.5630	
	S	133.210	98.159	60.817	98.766	97.554	85.603	80.050	73.884	110.577	133.908	121.603	85.784	121.072	100.200	
12	T	1.7460	5.3957	2.9557	6.3093	4.6499	4.9419	7.9798	4.9745	4.3733	7.4256	5.8010	7.4953	6.6021	70.6501	
	S	133.943	98.184	60.438	98.880	95.750	85.263	79.462	74.288	111.472	134.975	122.354	85.144	120.623	100.076	
13	T	1.7563	5.4194	2.9486	6.3232	4.6857	4.9673	8.0084	5.0461	4.4184	7.4745	5.6631	7.3029	6.5591	70.5730	
	S	133.157	97.755	60.583	98.663	95.018	84.827	79.178	73.234	110.334	134.092	125.333	87.387	121.414	100.186	
14	T	1.7536	5.4631	2.9672	6.3517	4.5949	4.9925	7.9717	5.0024	4.3774	7.4663	5.6727	7.3572	6.5688	70.5395	
	S	133.362	96.973	60.204	98.220	96.896	84.399	79.543	73.874	111.367	134.240	125.121	86.742	121.234	100.233	
15	T	1.7468	5.3925	3.0111	6.3793	4.5522	4.9123	8.0304	5.0873	4.3798	7.4718	5.7496	7.2568	6.5533	70.5232	
	S	133.881	98.243	59.326	97.795	97.805	85.777	78.961	72.641	111.306	134.141	123.447	87.943	121.521	100.256	
16	T	1.7456	5.4405	2.9510	6.3362	4.6063	4.9580	8.0987	4.9410	4.3950	7.4907	5.7505	7.3496	6.5875	70.6506	
	S	133.973	97.376	60.534	98.460	96.656	84.987	78.295	74.792	110.922	133.802	123.428	86.832	120.890	100.076	
17	T	1.7475	5.4495	2.9462	6.3257	4.5399	4.9606	7.9629	4.9815	4.4051	7.4902	5.7089	7.3112	6.5681	70.3973	
	S	133.828	97.215	60.633	98.624	98.070	84.942	79.631	74.184	110.667	133.811	124.327	87.288	121.247	100.436	
18	T	1.7498	5.4236	2.9599	6.3338	4.6460	4.9235	8.0169	4.9313	4.3960	7.4964	5.7502	7.3787	6.5853	70.5914	
	S	133.652	97.679	60.352	98.498	95.830	85.582	79.094	74.939	110.896	133.701	123.434	86.490	120.931	100.160	
19	T	1.7478	5.3986	3.0024	6.3240	4.5961	4.9449	7.8762	4.9728	4.3888	7.4738	5.7289	7.3784	6.6066	70.4393	
	S	133.805	98.132	59.498	98.650	96.871	85.212	80.507	74.313	111.078	134.105	123.893	86.493	120.541	100.376	

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

September 2, 2022

Section Data for Car 7 - Garg, Bijoy (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF
20	T	1.7638	5.4101	3.0517	6.3942	4.6123	4.9994	7.9748	4.9989	4.3887	7.4825	5.7423	7.2978	6.5535	70.6700
	S	132.591	97.923	58.537	97.567	96.530	84.283	79.512	73.925	111.081	133.949	123.604	87.449	121.517	100.048
21	T	1.7387	5.3739	2.9886	6.3556	4.5753	4.9888	7.9789	5.0884	4.3964	7.4406	5.7417	7.3940	6.5600	70.6209
	S	134.505	98.583	59.773	98.160	97.311	84.462	79.471	72.625	110.886	134.703	123.617	86.311	121.397	100.118
22	T	1.7403	5.5295	2.9824	6.3431	4.5311	4.9179	7.9307	5.0386	4.3810	7.4431	5.6866	7.3152	6.5131	70.3526
	S	134.381	95.808	59.897	98.353	98.260	85.680	79.954	73.343	111.276	134.658	124.815	87.241	122.271	100.499
23	T	1.7236	6.8754	3.2161	7.4812	5.8007	5.8931								
	S	135.683	77.053	55.544	83.391	76.754	71.501								

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

September 2, 2022

Section Data for Car 8 - Siegel, Nolan (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF	
1	T	2.3500	6.6648	3.6373	6.6638	5.1700	5.1407	8.3570	5.2283	4.4437	7.4956	6.2495	7.7018	6.5606	75.6631	126.3674
	S	99.516	79.488	49.112	93.620	86.117	81.966	75.875	70.682	109.706	133.715	113.573	82.861	121.386	93.446	54.754
2	T	1.7327	5.8303	3.3778	6.4798	4.7170	5.0254	8.1730	4.9579	4.3718	7.4630	5.8190	7.4732	6.5905	72.0114	
	S	134.971	90.865	52.885	96.278	94.388	83.847	77.584	74.537	111.510	134.299	121.975	85.396	120.835	98.184	
3	T	1.7453	5.4430	3.0285	6.3579	4.6391	4.9853	8.1560	4.9841	4.3816	7.4728	5.7848	7.3741	6.5364	70.8889	
	S	133.996	97.331	58.985	98.124	95.973	84.521	77.745	74.145	111.261	134.123	122.696	86.544	121.835	99.739	
4	T	1.7340	5.4547	3.0225	6.3670	4.6275	4.9773	8.0485	4.9559	4.3838	7.4503	5.8095	7.4139	6.5475	70.7924	
	S	134.869	97.122	59.102	97.984	96.213	84.657	78.784	74.567	111.205	134.528	122.174	86.079	121.629	99.875	
5	T	1.7315	5.4545	2.9709	6.3036	4.6251	4.9611	8.0647	5.0140	4.3701	7.4062	5.9397	7.4123	6.5065	70.7602	
	S	135.064	97.126	60.129	98.969	96.263	84.934	78.625	73.703	111.554	135.329	119.496	86.098	122.395	99.921	
6	T	1.7186	5.5317	2.9973	6.3162	4.6574	5.0124	8.0312	5.0068	4.3744	7.4255	5.7377	7.3873	6.5256	70.7221	
	S	136.078	95.770	59.599	98.772	95.596	84.064	78.953	73.809	111.444	134.977	123.703	86.389	122.037	99.974	
7	T	1.7268	5.3492	3.0566	6.3576	4.5816	4.9888	8.0048	4.9669	4.3568	7.3955	5.7555	7.4124	6.5237	70.4762	
	S	135.432	99.038	58.443	98.129	97.177	84.462	79.214	74.402	111.894	135.525	123.321	86.097	122.072	100.323	
8	T	1.7275	5.4130	3.0338	6.3259	4.6085	5.0488	8.1151	5.2160	4.3717	7.4207	6.0586	7.4772	6.4970	71.3138	
	S	135.377	97.870	58.882	98.621	96.610	83.458	78.137	70.848	111.513	135.064	117.151	85.350	122.574	99.145	
9	T	1.7167	5.5068	3.0086	6.3467	4.6310	4.9985	8.2536	4.9251	4.3758	7.4746	5.7029	7.3432	6.5408	70.8243	
	S	136.229	96.203	59.375	98.297	96.141	84.298	76.826	75.033	111.408	134.090	124.458	86.908	121.753	99.830	
10	T	1.7347	5.2952	3.0334	6.3594	4.6173	5.0090	7.9972	4.9205	4.3603	7.4320	5.6984	7.3260	6.4889	70.2723	
	S	134.815	100.048	58.890	98.101	96.426	84.121	79.289	75.103	111.804	134.859	124.556	87.112	122.727	100.614	
11	T	1.7123	5.4584	3.0128	6.3233	4.5636	5.0936	8.0426	5.0678	4.3715	7.4285	5.7286	7.2957	6.4483	70.5470	
	S	136.579	97.056	59.292	98.661	97.561	82.724	78.842	72.920	111.518	134.923	123.900	87.474	123.500	100.223	
12	T	1.7163	5.5784	3.4131	6.4939	4.7032	5.0281	8.0648	5.0433	4.3738	7.4500	5.7179	7.4457	6.5611	71.5896	
	S	136.260	94.969	52.338	96.069	94.665	83.802	78.625	73.275	111.459	134.533	124.132	85.711	121.377	98.763	
13	T	1.7376	5.3399	3.0193	6.3450	4.5879	4.9455	7.9632	4.8995	4.3616	7.3960	5.7862	7.3546	6.4889	70.2252	
	S	134.590	99.210	59.165	98.324	97.044	85.201	79.628	75.425	111.771	135.516	122.666	86.773	122.727	100.682	
14	T	1.7137	5.5010	3.0583	6.3804	4.6501	4.9352	8.0734	4.9004	4.3599	7.4383	5.6564	7.3058	6.4580	70.4309	
	S	136.467	96.305	58.410	97.778	95.746	85.379	78.541	75.411	111.814	134.745	125.481	87.353	123.314	100.388	
15	T	1.7055	5.5126	3.3454	6.3976	4.5886	5.0107	8.0799	4.9618	4.3615	7.4035	5.8727	7.3462	6.5214	71.1074	
	S	137.123	96.102	53.398	97.515	97.029	84.093	78.478	74.478	111.773	135.378	120.860	86.872	122.115	99.433	
16	T	1.7258	5.2828	2.9996	6.3477	4.5486	4.9765	8.0609	5.0347	4.4124	7.4695	5.6905	7.4739	6.5584	70.5813	
	S	135.510	100.283	59.553	98.282	97.882	84.671	78.663	73.400	110.484	134.182	124.729	85.388	121.427	100.174	
17	T	1.7311	5.3032	2.9944	6.3394	4.5568	5.0251	7.9925	5.0864	4.3888	7.4326	5.7252	7.4038	6.5162	70.4955	
	S	135.095	99.897	59.657	98.411	97.706	83.852	79.336	72.654	111.078	134.848	123.973	86.197	122.213	100.296	
18	T	1.7238	5.3381	3.0316	6.3139	4.6628	4.9763	7.9502	4.9668	4.3434	7.3926	5.8080	7.3158	6.4674	70.2907	
	S	135.667	99.244	58.925	98.808	95.485	84.674	79.758	74.403	112.239	135.578	122.206	87.233	123.135	100.588	
19	T	1.7085	5.4602	3.4274	6.4513	4.8683	5.0421	7.9460	5.0717	4.3889	7.4496	5.7612	7.5124	6.6339	71.7215	
	S	136.882	97.024	52.120	96.704	91.454	83.569	79.800	72.864	111.076	134.540	123.199	84.950	120.045	98.581	

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

September 2, 2022

Section Data for Car 8 - Siegel, Nolan (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF
20	T	1.7827	5.5185	3.5456	6.5238	4.7154	4.9447	8.0260	5.0914	4.3548	7.4476	5.6933	7.2724	6.4834	71.3996
	S	131.185	95.999	50.383	95.629	94.420	85.215	79.005	72.582	111.945	134.577	124.668	87.754	122.831	99.026
21	T	1.7193	5.3283	3.0203	6.3406	4.7116	4.9305	8.0210	5.0884	4.3900	7.3968	5.7092	7.5551	6.5727	70.7838
	S	136.023	99.426	59.145	98.392	94.496	85.461	79.054	72.625	111.048	135.501	124.321	84.470	121.162	99.887
22	T	1.7329	5.2868	3.0350	6.4401	4.6364	5.0012	7.9927	4.9818	4.3831	7.4183	5.7043	7.5236	6.5645	70.7007
	S	134.955	100.207	58.859	96.872	96.029	84.253	79.334	74.179	111.223	135.108	124.428	84.824	121.314	100.005
23	T	1.8359	6.5997	3.2614	7.4699	5.7915	5.5520								
	S	127.384	80.272	54.773	83.517	76.876	75.894								

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

September 2, 2022

Section Data for Car 90 - Foster, Louis (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF	
1	T	2.3566	6.2361	3.5737	6.6863	4.9980	5.1464	8.2040	5.0744	4.4211	7.4741	5.9179	7.3905	6.5499	74.0290	130.0816
	S	99.238	84.953	49.986	93.305	89.081	81.875	77.290	72.825	110.267	134.099	119.937	86.352	121.584	95.509	53.190
2	T	1.7382	5.5216	3.0190	6.3508	4.7003	5.0038	8.0854	5.0249	4.4186	7.4704	5.7113	7.3923	6.5628	70.9994	
	S	134.544	95.946	59.171	98.234	94.723	84.209	78.424	73.543	110.329	134.166	124.275	86.331	121.345	99.584	
3	T	1.7351	5.4083	3.0150	6.3716	4.6465	5.0227	8.0508	4.9496	4.3786	7.4405	5.6508	7.3063	6.4985	70.4743	
	S	134.784	97.955	59.249	97.913	95.820	83.892	78.761	74.662	111.337	134.705	125.606	87.347	122.546	100.326	
4	T	1.7148	5.5351	3.0314	6.3818	4.5958	4.9843	8.0577	4.9564	4.3903	7.4457	5.6814	7.4062	6.5437	70.7246	
	S	136.380	95.712	58.929	97.757	96.877	84.538	78.694	74.559	111.040	134.611	124.929	86.169	121.699	99.971	
5	T	1.7283	5.3808	2.9637	6.3287	4.5383	5.0242	7.9459	5.0190	4.3688	7.4160	5.6563	7.4077	6.5255	70.3032	
	S	135.314	98.456	60.275	98.577	98.104	83.867	79.801	73.629	111.587	135.150	125.484	86.151	122.039	100.570	
6	T	1.7199	5.4082	2.9498	6.3300	4.5268	4.9550	7.9986	4.9409	4.3639	7.3784	5.9327	7.3622	6.4857	70.3521	
	S	135.975	97.957	60.559	98.557	98.354	85.038	79.275	74.793	111.712	135.839	119.637	86.684	122.788	100.500	
7	T	1.7091	5.5026	3.4823	6.5337	4.9029	5.0907	7.9843	4.9118	4.3627	7.3964	5.7322	7.2834	6.4543	71.3464	
	S	136.834	96.277	51.298	95.484	90.809	82.771	79.417	75.236	111.743	135.508	123.822	87.621	123.385	99.100	
8	T	1.7044	5.4590	3.4828	6.5109	4.7174	4.9478	7.9625	4.9131	4.3874	7.4975	5.6634	7.3200	6.5742	71.1404	
	S	137.212	97.046	51.291	95.818	94.380	85.162	79.635	75.216	111.114	133.681	125.326	87.183	121.135	99.387	
9	T	1.7535	5.4585	2.9422	6.3377	4.4675	4.9259	7.8710	4.8834	4.3742	7.4878	5.6299	7.3087	6.5615	70.0018	
	S	133.370	97.055	60.715	98.437	99.659	85.540	80.560	75.674	111.449	133.854	126.072	87.318	121.369	101.003	
10	T	1.7499	5.3441	2.9744	6.3602	4.4662	4.9114	7.8249	4.9353	4.4034	7.5010	5.6045	7.2956	6.5641	69.9350	
	S	133.644	99.132	60.058	98.089	99.688	85.793	81.035	74.878	110.710	133.619	126.643	87.475	121.321	101.100	
11	T	1.7506	5.3643	2.9540	6.3703	4.4360	4.9069	7.8142	4.8887	4.3908	7.4943	5.6049	7.2638	6.5442	69.7830	
	S	133.591	98.759	60.473	97.933	100.367	85.872	81.146	75.592	111.028	133.738	126.634	87.858	121.690	101.320	
12	T	1.7443	5.2733	2.9097	6.3119	4.4532	4.9213	7.8048	4.8670	4.3638	7.4823	5.5890	7.4363	6.5932	69.7501	
	S	134.073	100.463	61.393	98.839	99.979	85.620	81.244	75.929	111.715	133.952	126.995	85.820	120.786	101.368	
13	T	1.7574	5.3580	2.9204	6.3040	4.4369	4.9120	7.8197	4.8474	4.3759	7.4848	5.5668	7.2443	6.5532	69.5808	
	S	133.074	98.875	61.168	98.963	100.346	85.782	81.089	76.236	111.406	133.908	127.501	88.094	121.523	101.614	
14	T	1.7465	5.2776	2.9136	6.3128	4.4331	4.8828	7.7748	4.9141	4.3767	7.4794	5.6075	7.3506	6.5535	69.6230	
	S	133.904	100.381	61.311	98.825	100.432	86.295	81.557	75.201	111.385	134.004	126.576	86.820	121.517	101.553	
15	T	1.7444	5.2958	2.9390	6.3445	4.4563	4.9158	7.8098	4.9227	4.3652	7.4760	5.5670	7.3732	6.5907	69.8004	
	S	134.065	100.036	60.781	98.331	99.910	85.716	81.192	75.070	111.679	134.065	127.496	86.554	120.831	101.295	
16	T	1.7516	5.3174	2.9618	6.3497	4.4804	4.9293	7.8221	4.8825	4.3615	7.4632	5.5754	7.3318	6.5754	69.8021	
	S	133.514	99.630	60.313	98.251	99.372	85.481	81.064	75.688	111.773	134.295	127.304	87.043	121.113	101.292	
17	T	1.7447	5.2679	2.9245	6.3160	4.4136	4.8859	7.8145	4.8708	4.3766	7.4683	5.5217	7.2298	6.5438	69.3781	
	S	134.042	100.566	61.083	98.775	100.876	86.241	81.143	75.870	111.388	134.204	128.542	88.271	121.697	101.911	
18	T	1.7426	5.3143	2.9106	6.3073	4.4189	4.9497	7.8341	4.8666	4.3722	7.4731	5.5324	7.3885	6.5810	69.6913	
	S	134.204	99.688	61.374	98.911	100.755	85.129	80.940	75.935	111.500	134.117	128.294	86.375	121.010	101.453	
19	T	1.7458	5.2304	2.9381	6.3174	4.4715	4.9930	7.8197	4.8893	4.3841	7.4758	5.5673	7.3084	6.5661	69.7069	
	S	133.958	101.287	60.800	98.753	99.570	84.391	81.089	75.582	111.197	134.069	127.490	87.322	121.284	101.430	

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

September 2, 2022

Section Data for Car 90 - Foster, Louis (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF
20	T	1.7471	5.3044	2.9115	6.3303	4.4503	4.9331	7.7922	4.8529	4.3725	7.4666	5.5970	7.3429	6.5481	69.6489
	S	133.858	99.874	61.355	98.552	100.044	85.416	81.375	76.149	111.492	134.234	126.813	86.911	121.618	101.515
21	T	1.7424	5.3027	2.9155	6.3232	4.4714	4.9197	7.8274	4.9650	4.3768	7.4553	5.5821	7.3032	6.5437	69.7284
	S	134.219	99.906	61.271	98.663	99.572	85.648	81.009	74.430	111.383	134.438	127.152	87.384	121.699	101.399
22	T	1.7348	5.3096	2.9161	6.3185	4.5059	4.9422	7.8812	4.8895	4.3784	7.4581	5.5983	7.2964	6.5217	69.7507
	S	134.807	99.776	61.259	98.736	98.810	85.258	80.456	75.579	111.342	134.387	126.784	87.465	122.110	101.367
23	T	1.8308	6.6337	3.4607	7.7247	5.2437	5.6427	10.1360	6.0777						
	S	127.738	79.861	51.619	80.762	84.907	74.674	62.558	60.804						

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

September 2, 2022

Section Data for Car 93 - Brewer, Lindsay (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF	
1	T	2.2514	7.4388	3.7700	6.8410	5.2473	5.3883	8.7363	5.3348	4.4629	7.4265	6.5884	7.7379	6.5523	77.7759	112.6400
	S	103.875	71.217	47.384	91.195	84.849	78.200	72.581	69.271	109.234	134.959	107.731	82.475	121.540	90.907	61.427
2	T	1.7162	5.6417	3.2012	6.5045	5.0989	5.1706	8.5059	5.1165	4.3781	7.4259	6.4621	7.6114	6.5269	73.3599	
	S	136.268	93.903	55.803	95.913	87.318	81.492	74.547	72.226	111.350	134.970	109.836	83.846	122.013	96.380	
3	T	1.7228	6.2052	3.2023	6.4378	4.6385	5.1618	8.4917	5.0526	4.4130	7.4321	8.5919	7.6639	6.5912	75.6048	
	S	135.746	85.376	55.784	96.906	95.985	81.631	74.672	73.140	110.469	134.857	82.610	83.271	120.822	93.518	
4	T	1.7555	5.6081	3.0179	6.5235	5.1742	5.0310	8.3533	4.9985	4.4343	7.5147	5.9129	7.4669	6.6234	72.4142	
	S	133.218	94.466	59.192	95.633	86.048	83.753	75.909	73.931	109.938	133.375	120.038	85.468	120.235	97.638	
5	T	1.7556	5.5379	3.0348	6.4195	4.6957	5.0673	7.9969	4.9863	4.4122	7.5087	5.9416	7.4382	6.6146	71.4093	
	S	133.210	95.663	58.863	97.183	94.816	83.153	79.292	74.112	110.489	133.482	119.458	85.798	120.395	99.012	
6	T	1.7586	5.4667	3.0390	6.4178	4.9966	5.0936	8.0438	5.0516	4.4455	7.5166	5.8976	7.4728	6.6261	71.8263	
	S	132.983	96.909	58.781	97.208	89.106	82.724	78.830	73.154	109.661	133.341	120.349	85.401	120.186	98.437	
7	T	1.7575	5.5301	3.0395	6.4301	4.6848	5.0045	8.0218	4.9977	4.4298	7.4994	6.0281	7.4548	6.6127	71.4908	
	S	133.066	95.798	58.772	97.022	95.037	84.197	79.046	73.943	110.050	133.647	117.744	85.607	120.429	98.899	
8	T	1.7539	5.4872	3.0463	6.4177	4.7015	5.0828	8.0960	5.0333	4.4405	7.5271	5.9990	7.4321	6.6173	71.6347	
	S	133.339	96.547	58.640	97.210	94.699	82.900	78.322	73.420	109.785	133.155	118.315	85.868	120.346	98.701	
9	T	1.7638	5.4853	3.2594	6.5135	4.8106	4.9881	8.0335	4.9452	4.4235	7.5112	5.9030	7.4418	6.6439	71.7228	
	S	132.591	96.580	54.807	95.780	92.551	84.474	78.931	74.728	110.207	133.437	120.239	85.756	119.864	98.580	
10	T	1.7745	5.8625	3.1394	6.4344	4.6269	5.1203	8.0697	5.1338	4.4306	7.4528	5.8817	7.4472	6.6013	71.9751	
	S	131.791	90.366	56.901	96.958	96.226	82.293	78.577	71.983	110.030	134.483	120.675	85.694	120.637	98.234	
11	T	1.7454	5.4609	2.9988	6.3611	4.6675	5.0780	7.9969	5.0177	4.4208	7.4779	5.8703	7.4512	6.5785	71.1250	
	S	133.989	97.012	59.569	98.075	95.389	82.978	79.292	73.648	110.274	134.031	120.909	85.648	121.056	99.408	
12	T	1.7456	5.4957	3.0197	6.4230	4.6263	5.0646	7.9111	5.0333	4.4280	7.4955	5.8999	7.4421	6.6149	71.1997	
	S	133.973	96.398	59.157	97.130	96.238	83.198	80.152	73.420	110.095	133.717	120.303	85.753	120.389	99.304	
13	T	1.7567	5.4866	3.0318	6.4081	4.6249	5.0358	7.9397	4.9534	4.4154	7.4845	5.8176	7.3793	6.5975	70.9313	
	S	133.127	96.558	58.921	97.355	96.267	83.674	79.863	74.604	110.409	133.913	122.004	86.483	120.707	99.680	
14	T	1.7529	5.4159	3.0036	6.3579	4.5679	5.0038	7.8930	5.0557	4.4416	7.5077	5.8410	7.3961	6.5962	70.8333	
	S	133.415	97.818	59.474	98.124	97.469	84.209	80.336	73.095	109.758	133.499	121.516	86.286	120.731	99.817	
15	T	1.7526	5.3995	2.9436	6.3760	4.5501	4.9604	7.9252	5.1365	4.4597	7.5071	5.8447	7.3894	6.5997	70.8445	
	S	133.438	98.115	60.686	97.846	97.850	84.945	80.009	71.945	109.312	133.510	121.439	86.364	120.667	99.802	
16	T	1.7519	5.4303	2.9807	6.3666	4.6047	4.9999	7.9155	5.0097	4.4268	7.5000	5.8061	7.3546	6.6147	70.7615	
	S	133.491	97.559	59.931	97.990	96.690	84.274	80.107	73.766	110.125	133.636	122.246	86.773	120.393	99.919	
17	T	1.7547	5.3968	2.9813	6.3948	4.6497	4.9970	8.0223	5.0035	4.4235	7.4964	5.8548	7.3683	6.5903	70.9334	
	S	133.278	98.164	59.919	97.558	95.754	84.323	79.041	73.857	110.207	133.701	121.229	86.612	120.839	99.677	
18	T	1.7565	5.3835	2.9802	6.4131	4.5575	5.0268	8.0892	5.1683	4.4686	7.5395	5.9635	7.5568	6.6720	71.5755	
	S	133.142	98.407	59.941	97.280	97.691	83.823	78.387	71.502	109.095	132.936	119.019	84.451	119.359	98.782	
19	T	1.7641	5.4910	3.0496	6.4907	4.7353	5.1749	8.0148	5.1504	4.4413	7.5266	5.9614	7.4154	6.6288	71.8443	
	S	132.568	96.480	58.577	96.117	94.023	81.424	79.115	71.751	109.765	133.164	119.061	86.062	120.137	98.413	

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

September 2, 2022

Section Data for Car 93 - Brewer, Lindsay (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF
20	T	1.7631	5.4268	3.0239	6.4461	4.6156	5.0922	8.0234	5.2092	4.4543	7.5377	5.9392	7.4544	6.6271	71.6130
	S	132.643	97.622	59.075	96.782	96.461	82.747	79.030	70.941	109.445	132.968	119.506	85.611	120.168	98.731
21	T	1.7592	5.4231	3.0214	6.4130	4.5987	5.0264	7.8959	5.0128	4.4141	7.5061	5.8946	7.4261	6.6121	71.0035
	S	132.937	97.688	59.124	97.281	96.816	83.830	80.306	73.720	110.442	133.528	120.411	85.938	120.440	99.578
22	T	1.7593	5.3532	2.9499	6.4207	4.5735	5.0425	7.9835	4.9671	4.4017	7.5042	5.8943	7.4792	6.6328	70.9619
	S	132.930	98.964	60.557	97.164	97.349	83.562	79.425	74.399	110.753	133.562	120.417	85.328	120.064	99.637
23	T	1.7586	5.4770	3.1814											
	S	132.983	96.727	56.150											

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship






Session: Race 2

September 2, 2022

Section Data for Car

Report Support Information

Section Legend	
Name	Length
SF to I1	0.064962 miles
I1 to I2A	0.147159 miles
I2A to I2	0.049621 miles
I2 to I3	0.173295 miles
I3 to I4	0.123674 miles
I4 to I5	0.117045 miles
I5 to I6	0.176136 miles
I6 to I7	0.102652 miles
I7 to I8	0.135417 miles
I8 to I9	0.278409 miles
I9 to I10	0.197159 miles
I10 to I11	0.177273 miles
I11 to SF	0.221212 miles
I1 to I2	0.196780 miles
Lap	1.964000 miles
PI to PO	0.260795 miles
PO to SF	1.921970 miles
SF to PI	1.742803 miles
PO to I2A	0.170076 miles
I10 to PI	0.177273 miles
PO to PI	1.681818 miles

Color Legend	
	Fastest Lap
	Section Under Caution
	Section Under Green
	Section Time Data
	Section Speed Data

