

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 28, 2019

Section Data for Car 10 - Lindh, Rasmus (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.7436	10.4676	8.0575	9.5685	8.1880	2.9029	8.2260	5.6822	5.8745	7.6173	12.1710	6.6477	10.7243	8.0347	8.6501
	S	89.744	76.535	71.503	64.772	118.244	132.000	85.124	67.555	58.148	66.953	45.600	57.231	49.844	51.425	51.628
2	T	10.1628	8.9514	9.5978	12.0691	16.4935	6.8789	14.8177	5.2109	4.7145	8.7436	10.3219	5.5878	10.5459	8.3797	11.6744
	S	50.720	89.498	60.028	51.352	58.701	55.704	47.256	73.666	72.455	58.328	53.769	68.087	50.688	49.307	38.254
3	T	9.3861	9.0480	9.8143	12.0844	18.6115	4.5855	10.5861	6.2236	7.0867	8.2602	11.0379	6.0141	10.2837	7.4666	8.1362
	S	54.917	88.543	58.704	51.287	52.021	83.564	66.146	61.679	48.202	61.742	50.281	63.260	51.980	55.337	54.889
4	T	5.2842	7.6787	4.5919	8.3497	7.6739	2.5505	7.2033	5.2199	4.5730	5.0288	6.3590	3.2842	5.0914	5.5585	4.6868
	S	97.546	104.332	125.468	74.227	126.166	150.238	97.209	73.539	74.697	101.416	87.278	115.844	104.990	74.333	95.287
5	T	4.2640	6.8873	4.4565	8.1436	7.7276	2.6150	6.6714	5.1385	4.3236	4.9414	6.0884	3.2260	4.9202	5.3413	4.5482
	S	120.885	116.321	129.280	76.105	125.289	146.532	104.960	74.703	79.006	103.210	91.157	117.934	108.643	77.356	98.191
6	T	4.2415	6.6680	4.3830	7.9752	7.6994	2.6030	6.6099	5.0373	4.1596	4.8850	6.0440	3.2083	4.8163	5.2696	4.5302
	S	121.526	120.146	131.448	77.712	125.748	147.208	105.936	76.204	82.121	104.401	91.827	118.584	110.987	78.409	98.581
7	T	4.2261	6.6453	4.3597	7.8277	7.6532	2.5861	6.5023	5.0015	4.1993	4.8995	6.0300	3.2086	4.8185	5.2196	4.5117
	S	121.969	120.557	132.150	79.177	126.507	148.170	107.689	76.750	81.345	104.092	92.040	118.573	110.936	79.160	98.985
8	T	4.2054	6.6087	4.3336	7.8429	7.6409	2.5789	6.4817	4.9912	4.1525	4.8512	6.0453	3.2109	4.8160	5.1792	4.5123
	S	122.570	121.225	132.946	79.023	126.710	148.583	108.031	76.908	82.262	105.129	91.807	118.488	110.994	79.777	98.972
9	T	4.1907	6.6320	4.3533	7.8334	7.6316	2.5680	6.6602	4.9637	4.1910	4.8609	6.0198	3.1999	4.8563	5.2030	4.5360
	S	123.000	120.799	132.345	79.119	126.865	149.214	105.136	77.334	81.506	104.919	92.196	118.896	110.073	79.412	98.455
10	T	4.1980	6.5504	4.3011	7.8914	7.6402	2.5851	6.4917	4.9632	4.1184	4.8397	5.9448	3.1869	4.7543	5.1953	4.5128
	S	122.786	122.303	133.951	78.538	126.722	148.227	107.865	77.342	82.943	105.378	93.359	119.381	112.434	79.530	98.961
11	T	4.1973	6.6046	4.3222	7.8014	7.6287	2.5829	6.5841	5.0009	4.1671	4.8621	5.9638	3.2287	4.7893	5.2571	4.5307
	S	122.806	121.300	133.297	79.444	126.913	148.353	106.351	76.759	81.973	104.893	93.061	117.835	111.612	78.595	98.570
12	T	4.2160	6.5431	4.3233	7.7528	7.6825	2.5923	6.4273	4.8893	4.1087	4.8526	5.9972	3.2124	4.7885	5.1977	4.4966
	S	122.262	122.440	133.263	79.942	126.024	147.815	108.946	78.511	83.138	105.098	92.543	118.433	111.631	79.493	99.317
13	T	4.2045	6.5782	4.3245	7.7410	7.6639	2.5970	6.4876	4.9783	4.1136	4.8347	5.9819	3.2136	4.7524	5.1973	4.5220
	S	122.596	121.787	133.226	80.064	126.330	147.548	107.933	77.107	83.039	105.487	92.780	118.389	112.479	79.499	98.760
14	T	4.1991	6.5748	4.3361	7.8514	7.7227	2.6015	6.5468	4.9640	4.0996	4.8393	5.9469	3.1969	4.7560	5.2139	4.4738
	S	122.754	121.850	132.870	78.938	125.368	147.293	106.957	77.329	83.323	105.387	93.326	119.007	112.394	79.246	99.824
15	T	4.2150	6.5103	4.3068	7.7895	7.6726	2.5961	6.5174	4.9088	4.1464	4.8482	5.9499	3.2042	4.7605	5.1953	4.5191
	S	122.291	123.057	133.774	79.565	126.187	147.599	107.440	78.199	82.383	105.194	93.279	118.736	112.288	79.530	98.823
16	T	4.2163	6.5255	4.3252	7.9649	7.7097	2.6061	6.5100	4.9235	4.1455	4.8262	5.9160	3.1892	4.7475	5.2873	4.4696
	S	122.253	122.770	133.205	77.813	125.580	147.033	107.562	77.966	82.400	105.673	93.813	119.295	112.595	78.146	99.917
17	T	4.1917	6.5546	4.3274	7.8276	7.6685	2.5881	6.4919	4.9294	4.1539	4.8363	5.9296	3.1825	4.7756	5.2500	4.4960
	S	122.970	122.225	133.137	79.178	126.254	148.055	107.862	77.872	82.234	105.453	93.598	119.546	111.933	78.701	99.331
18	T	4.1961	6.5468	4.3161	7.9082	7.6612	2.5809	6.4949	4.9693	4.1604	4.8329	6.0372	3.2242	4.7703	5.1883	4.5178
	S	122.841	122.371	133.485	78.371	126.375	148.468	107.812	77.247	82.105	105.527	91.930	118.000	112.057	79.637	98.851
19	T	4.1865	6.6015	4.3164	7.8801	7.6049	2.5732	6.5010	4.9557	4.1389	5.3731	6.8078	4.0285	6.6938	6.0295	5.5174
	S	123.123	121.357	133.476	78.650	127.310	148.913	107.711	77.459	82.532	94.917	81.524	94.441	79.857	68.527	80.942

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 28, 2019

Section Data for Car 10 - Lindh, Rasmus (R)

Lap	T/SLap	PO to SF
1	T 118.5559	132.0811
	S 68.565	57.645
2	T 144.1499	
	S 56.391	
3	T 138.6249	
	S 58.639	
4	T 83.1338	
	S 97.780	
5	T 79.2930	
	S 102.516	
6	T 78.1303	
	S 104.042	
7	T 77.6891	
	S 104.632	
8	T 77.4507	
	S 104.955	
9	T 77.6998	
	S 104.618	
10	T 77.1733	
	S 105.332	
11	T 77.5209	
	S 104.859	
12	T 77.0803	
	S 105.459	
13	T 77.1905	
	S 105.308	
14	T 77.3228	
	S 105.128	
15	T 77.1401	
	S 105.377	
16	T 77.3625	
	S 105.074	
17	T 77.2031	
	S 105.291	
18	T 77.4046	
	S 105.017	
19	T 83.2083	
	S 97.692	

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 28, 2019

Section Data for Car 10 - Lindh, Rasmus (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	5.8149	14.6357	12.7974	11.2379	16.2870	6.4643	13.5299	7.1727	5.9891	9.6819	13.1663	6.9833	9.5136	8.2553	7.2618
	S	88.644	54.739	45.020	55.150	59.445	59.277	51.754	53.517	57.035	52.676	42.153	54.481	56.188	50.050	61.499
21	T	8.8378	13.0553	11.9096	10.0732	14.5543	6.2820	12.4031	6.4958	6.3464	8.6959	9.7230	5.7101	9.5753	6.9660	4.6342
	S	58.324	61.365	48.376	61.527	66.522	60.997	56.456	59.094	53.824	58.648	57.081	66.628	55.825	59.314	96.369
22	T	4.2564	7.2230	4.5127	8.1406	7.6426	2.5897	6.7022	5.1577	4.3810	4.9697	6.2418	3.2601	4.9451	5.4954	4.5725
	S	121.101	110.915	127.670	76.134	126.682	147.964	104.477	74.425	77.971	102.622	88.917	116.700	108.096	75.187	97.669
23	T	4.2273	6.8034	4.4171	7.9141	7.6431	2.5867	6.5374	5.1251	4.3656	4.8785	6.0704	3.2023	4.8239	5.3721	4.5062
	S	121.935	117.755	130.433	78.312	126.674	148.135	107.111	74.899	78.246	104.540	91.427	118.807	110.812	76.913	99.106
24	T	4.1916	6.7334	4.3956	7.8909	7.6283	2.5804	6.5619	5.0920	4.2698	4.8847	6.0587	3.2111	4.8728	5.3762	4.4690
	S	122.973	118.979	131.071	78.543	126.920	148.497	106.711	75.386	80.002	104.408	91.604	118.481	109.700	76.854	99.931
25	T	4.1978	6.7128	4.3818	7.9542	7.6198	2.5785	6.6105	5.0543	4.2640	4.8866	6.1099	3.2154	4.8533	5.2512	4.5667
	S	122.792	119.345	131.484	77.918	127.061	148.606	105.927	75.948	80.110	104.367	90.836	118.323	110.141	78.683	97.793
26	T	4.3173	7.3301	4.8928	8.2268	8.3128	3.1048	7.9485								
	S	119.393	109.294	117.752	75.336	116.469	123.416	88.096								

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 28, 2019

Section Data for Car 10 - Lindh, Rasmus (R)

Lap	T/SLap	PO to SF
20	T	148.7911
	S	54.632
21	T	135.2620
	S	60.097
22	T	80.0905
	S	101.495
23	T	78.4732
	S	103.587
24	T	78.2164
	S	103.927
25	T	78.2568
	S	103.873
26	T	
	S	

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 28, 2019

Section Data for Car 11 - Serravalle, Antonio

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	6.6997	10.8517	9.5920	10.3287	11.4828	3.1453	7.8974	5.3348	4.7068	5.3641	9.5182	6.8700	11.3411	8.0611	8.9182
	S	76.937	73.826	60.064	60.005	84.316	121.827	88.666	71.955	72.574	95.077	58.309	55.379	47.133	51.256	50.076
2	T	9.5427	8.7715	9.9369	11.9461	16.4801	6.7613	16.3687	5.5037	4.8582	6.9761	9.9953	5.3954	10.1342		
	S	54.016	91.334	57.979	51.881	58.749	56.673	42.778	69.746	70.312	73.107	55.526	70.515	52.747		
3	T			4.7410	8.5201	7.7962	2.6403	7.1616	5.2895	4.5589	5.2318	6.4111	3.3099	5.3721	5.5227	4.6002
	S			121.522	72.742	124.186	145.128	97.775	72.571	74.928	97.481	86.569	114.944	99.504	74.815	97.081
4	T	4.2795	6.9931	4.5024	8.2093	7.7876	2.6262	6.7391	5.1238	4.3829	5.0465	6.1867	3.2292	5.2378	5.3109	4.6070
	S	120.447	114.561	127.962	75.496	124.324	145.907	103.905	74.918	77.937	101.060	89.709	117.817	102.055	77.799	96.937
5	T	4.2989	6.8853	4.4619	8.0717	7.7413	2.6232	6.8385	5.1075	4.3927	4.9749	6.2717	3.2651	5.2513	5.3651	4.5810
	S	119.904	116.355	129.124	76.783	125.067	146.074	102.395	75.157	77.763	102.515	88.493	116.522	101.793	77.013	97.488
6	T	4.2692	6.7633	4.3867	8.0553	7.7445	2.6191	6.6450	5.1095	4.3787	4.9199	6.1875	3.2236	5.0442	5.2635	4.5878
	S	120.738	118.453	131.337	76.940	125.015	146.303	105.377	75.127	78.012	103.661	89.697	118.022	105.972	78.499	97.343
7	T	4.2561	6.8164	4.4853	8.0712	7.7327	2.6255	6.7017	5.0218	4.2980	4.9006	6.1136	3.1979	4.9851	5.2237	4.5138
	S	121.110	117.531	128.450	76.788	125.206	145.946	104.485	76.439	79.477	104.069	90.781	118.970	107.229	79.098	98.939
8	T	4.2208	6.6740	4.3811	7.9960	7.6939	2.6133	6.6803	4.9752	4.3085	4.8913	6.0679	3.2074	5.0130	5.2155	4.5281
	S	122.122	120.038	131.505	77.510	125.838	146.628	104.820	77.155	79.283	104.267	91.465	118.618	106.632	79.222	98.627
9	T	4.2309	6.6230	4.3664	8.0327	7.7128	2.6145	6.6255	4.9758	4.2894	4.8761	6.0667	3.1998	4.9549	5.2608	4.5399
	S	121.831	120.963	131.948	77.156	125.529	146.560	105.687	77.146	79.636	104.592	91.483	118.899	107.882	78.540	98.370
10	T	4.2278	6.6328	4.3844	7.9533	7.6877	2.6141	6.6018	4.9850	4.3239	4.8660	6.0969	3.1884	4.9269	5.2313	4.4964
	S	121.920	120.784	131.406	77.926	125.939	146.583	106.066	77.004	79.001	104.809	91.030	119.325	108.495	78.983	99.322
11	T	4.2113	6.6072	4.3596	7.9913	7.6969	2.6056	6.5379	4.9770	4.3298	4.8541	6.0953	3.2081	5.0046	5.2093	4.5170
	S	122.398	121.252	132.153	77.556	125.789	147.061	107.103	77.128	78.893	105.066	91.054	118.592	106.811	79.316	98.869
12	T	4.2078	6.7511	4.4191	8.0131	7.6968	2.6041	6.5171	5.0457	4.3459	4.9696	6.3315	3.3163	5.3332	5.7210	4.5967
	S	122.500	118.668	130.374	77.345	125.790	147.146	107.445	76.077	78.601	102.624	87.657	114.723	100.230	72.222	97.155
13	T	4.3036	7.0307	4.4274	8.1243	7.6490	2.5745	6.6840	5.0259	4.3395	4.8786	6.1468	3.2214	5.0340	5.1862	4.5410
	S	119.773	113.948	130.130	76.286	126.576	148.837	104.762	76.377	78.717	104.538	90.291	118.102	106.187	79.669	98.346
14	T	4.2398	6.6347	4.3526	7.9774	7.7306	2.6161	6.5599	4.9932	4.3265	4.8632	6.0750	3.1959	4.9609	5.2328	4.5198
	S	121.575	120.749	132.366	77.691	125.240	146.471	106.744	76.877	78.953	104.869	91.358	119.045	107.752	78.960	98.808
15	T	4.2267	6.6081	4.3543	7.9385	7.6919	2.6172	6.5346	4.9616	4.2931	4.8498	6.1508	3.2278	5.0099	5.1805	4.5272
	S	121.952	121.236	132.314	78.072	125.870	146.409	107.157	77.367	79.567	105.159	90.232	117.868	106.698	79.757	98.646
16	T	4.2329	6.5785	4.3888	7.9859	7.7012	2.6132	6.6041	4.9839	4.3198	4.8562	6.1488	3.2133	5.0141	5.3232	4.5376
	S	121.773	121.781	131.274	77.608	125.718	146.633	106.029	77.021	79.076	105.020	90.262	118.400	106.608	77.619	98.420
17	T	4.2293	6.6414	4.3552	7.8845	7.6850	2.6154	6.5697	4.9119	4.2899	4.8474	6.1003	3.2186	4.9564	5.2655	4.4949
	S	121.877	120.628	132.287	78.606	125.983	146.510	106.584	78.150	79.627	105.211	90.979	118.205	107.850	78.470	99.355
18	T	4.2176	6.6830	4.3574	7.8697	7.6548	2.6005	6.5441	4.9295	4.3145	4.8731	6.1325	3.2214	5.0250	5.2705	4.5730
	S	122.215	119.877	132.220	78.754	126.480	147.349	107.001	77.871	79.173	104.656	90.501	118.102	106.377	78.395	97.658
19	T	4.2997	7.0462	4.5599	8.0314	7.7070	2.6084	6.9069	5.0444	4.3339	5.0897	6.3246	3.2506	5.2269	5.2720	4.5541
	S	119.882	113.698	126.348	77.169	125.624	146.903	101.381	76.097	78.818	100.202	87.753	117.041	102.268	78.373	98.063

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)

Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 28, 2019



Section Data for Car 11 - Serravalle, Antonio

Lap	T/Slap	PI to PO	PO to SF	SF to PI
1	T	120.1119		126.5340
	S	67.677		60.172
2	T	142.1323	113.0902	130.9244
	S	57.192	7.940	58.681
3	T	182.2035		80.3212
	S	44.614		94.793
4	T	80.2620		
	S	101.278		
5	T	80.1301		
	S	101.445		
6	T	79.1978		
	S	102.639		
7	T	78.9434		
	S	102.970		
8	T	78.4663		
	S	103.596		
9	T	78.3692		
	S	103.724		
10	T	78.2167		
	S	103.927		
11	T	78.2050		
	S	103.942		
12	T	79.8690		
	S	101.777		
13	T	79.1669		
	S	102.679		
14	T	78.2784		
	S	103.845		
15	T	78.1720		
	S	103.986		
16	T	78.5015		
	S	103.550		
17	T	78.0654		
	S	104.128		
18	T	78.2666		
	S	103.860		
19	T	80.2557		
	S	101.286		

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 28, 2019

Section Data for Car 11 - Serravalle, Antonio

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.2802	7.0971	4.5419	7.9930	7.6759	2.6163	6.7361	5.0785	4.3867	5.4276	12.8167	5.6794	8.2428	8.5193	7.2556
	S	120.428	112.882	126.849	77.539	126.133	146.459	103.951	75.586	77.870	93.964	43.303	66.989	64.850	48.500	61.551
21	T	8.7061	14.2351	11.9554	11.2894	12.7974	5.7172	12.5036	6.3322	5.7923	8.8903	9.5701	5.6600	8.6885	6.4952	4.6042
	S	59.206	56.279	48.190	54.899	75.655	67.023	56.002	60.621	58.973	57.366	57.993	67.218	61.523	63.613	96.996
22	T	4.3205	7.2776	4.4526	8.7535	7.6988	2.5695	6.8331	5.1162	4.5665	5.0117	6.4153	3.2798	5.2180	5.4459	4.5610
	S	119.304	110.082	129.393	70.803	125.757	149.127	102.476	75.029	74.804	101.762	86.512	115.999	102.443	75.870	97.915
23	T	4.2313	7.0526	4.4124	8.1547	7.6317	2.5615	6.7075	5.1284	4.6003	4.9365	6.3643	3.2371	5.1345	5.4378	4.5494
	S	121.819	113.594	130.572	76.002	126.863	149.593	104.395	74.851	74.254	103.312	87.205	117.529	104.109	75.983	98.165
24	T	4.2292	6.7987	4.4034	8.1172	7.6387	2.5656	6.5982	5.0194	4.4200	4.8541	6.1933	3.2065	5.2170	5.2706	4.4993
	S	121.880	117.837	130.839	76.353	126.747	149.354	106.124	76.476	77.283	105.066	89.613	118.651	102.462	78.394	99.258
25	T	4.2018	6.7824	4.3822	8.0192	7.5831	2.5565	6.6953	5.5942	4.4761	4.9065	6.1645	3.1939	5.1233	5.3342	4.5181
	S	122.675	118.120	131.472	77.286	127.676	149.885	104.585	68.618	76.314	103.944	90.032	119.119	104.336	77.459	98.845
26	T	4.2870	7.3002	5.2318	8.9924	9.6455	3.3798									
	S	120.237	109.742	110.122	68.922	100.377	113.374									

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 28, 2019

Section Data for Car 11 - Serravalle, Antonio

Lap	T/SLap	PI to PO	PO to SF	SF to PI
20	T	98.3471		
	S	82.654		
21	T	133.2370		
	S	61.010		
22	T	81.5200		
	S	99.715		
23	T	80.1400		
	S	101.432		
24	T	79.0312		
	S	102.856		
25	T	79.5313		
	S	102.209		
26	T			
	S			

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 28, 2019

Section Data for Car 2 - Robb, Sting Ray

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.7024	8.6568	5.9699	9.2161	9.2884	3.1020	9.0982	6.3083	6.4423	7.6749	10.5233	8.0031	10.9138	7.6822	8.5146
	S	90.393	92.544	96.507	67.249	104.236	123.527	76.963	60.851	53.023	66.450	52.740	47.538	48.979	53.784	52.450
2	T	7.1282	11.4295	10.2558	11.8427	15.8895	7.4827	12.4962	6.3415	6.7171	8.5631	9.6625	6.6233	10.5299	8.1891	9.5776
	S	72.312	70.094	56.177	52.334	60.932	51.209	56.035	60.532	50.854	59.558	57.439	57.442	50.765	50.455	46.629
3	T	7.1671	12.8951	9.5234	12.5552	15.0950	5.9827	12.3979	7.0494	7.1001	8.1516	10.4900	6.6058	10.4433	7.8405	8.3072
	S	71.920	62.127	60.497	49.364	64.139	64.048	56.480	54.453	48.111	62.564	52.908	57.594	51.185	52.698	53.759
4	T	5.3075	7.2958	4.3875	8.3649	7.6551	2.6185	7.0758	5.2186	4.5235	5.0439	6.2658	3.2275	5.2258	5.3912	4.5945
	S	97.118	109.808	131.313	74.092	126.475	146.336	98.961	73.557	75.515	101.112	88.576	117.879	102.290	76.640	97.201
5	T	4.2246	7.0226	4.4412	8.0625	7.6701	2.5832	6.6994	5.2081	4.2856	4.9689	6.1858	3.2573	5.0390	5.4129	4.5644
	S	122.013	114.080	129.725	76.871	126.228	148.336	104.521	73.705	79.707	102.638	89.722	116.801	106.082	76.333	97.842
6	T	4.2296	6.7458	4.3887	7.8937	7.6736	2.5898	6.5672	5.0839	4.1832	4.9325	5.9917	3.1961	4.9047	5.3136	4.4819
	S	121.868	118.761	131.277	78.515	126.170	147.958	106.625	75.506	81.658	103.396	92.628	119.037	108.986	77.759	99.643
7	T	4.1985	6.7599	4.3781	7.7854	7.6358	2.5879	6.4993	5.1024	4.2261	4.8884	5.9663	3.1995	4.9127	5.2648	4.5278
	S	122.771	118.513	131.595	79.607	126.795	148.067	107.739	75.232	80.829	104.329	93.022	118.911	108.809	78.480	98.633
8	T	4.2132	6.6541	4.3449	7.8380	7.6495	2.5913	6.4772	5.0760	4.1419	4.8683	5.9859	3.2008	4.8533	5.3043	4.4909
	S	122.343	120.397	132.601	79.073	126.568	147.872	108.106	75.623	82.472	104.759	92.718	118.862	110.141	77.896	99.444
9	T	4.1888	6.5828	4.3577	7.8626	7.6712	2.5917	6.5173	5.0475	4.1278	4.8445	6.0035	3.1967	4.8117	5.2181	4.4851
	S	123.055	121.701	132.211	78.825	126.210	147.850	107.441	76.050	82.754	105.274	92.446	119.015	111.093	79.182	99.572
10	T	4.1828	6.5981	4.3233	7.7108	7.6086	2.5875	6.4840	4.9862	4.1343	4.8291	5.8888	3.1721	4.8748	5.3325	4.4217
	S	123.232	121.419	133.263	80.377	127.248	148.090	107.993	76.985	82.624	105.610	94.247	119.938	109.655	77.484	101.000
11	T	4.1665	6.6380	4.3340	7.7893	7.6279	2.5859	6.4671	4.9645	4.1551	4.8234	5.9155	3.1771	4.8196	5.2127	4.4648
	S	123.714	120.689	132.934	79.567	126.926	148.181	108.275	77.322	82.210	105.735	93.821	119.749	110.911	79.264	100.025
12	T	4.1757	6.5933	4.3013	7.7714	7.6234	2.5794	6.4767	4.9522	4.0781	4.8286	5.9774	3.1851	4.8079	5.2854	4.4342
	S	123.441	121.508	133.945	79.750	127.001	148.555	108.115	77.514	83.762	105.621	92.850	119.448	111.181	78.174	100.715
13	T	4.1660	6.5772	4.2868	7.7384	7.5612	2.5665	6.5214	4.9812	4.1670	4.8888	5.9453	3.1789	4.8872	5.2089	4.5562
	S	123.729	121.805	134.398	80.091	128.046	149.301	107.374	77.062	81.975	104.320	93.351	119.681	109.377	79.322	98.018
14	T	4.1939	6.6351	4.3279	7.8176	7.6374	2.5833	6.4482	4.9380	4.1293	4.8324	5.9518	3.1936	4.8413	5.1754	4.4980
	S	122.906	120.742	133.121	79.279	126.769	148.330	108.593	77.737	82.724	105.538	93.249	119.130	110.414	79.836	99.287
15	T	4.1922	6.6096	4.3115	7.7698	7.6271	2.5870	6.4687	4.9705	4.1314	4.8282	5.9546	3.1858	4.8171	5.1939	4.5192
	S	122.956	121.208	133.628	79.767	126.940	148.118	108.249	77.228	82.682	105.629	93.205	119.422	110.968	79.551	98.821
16	T	4.1995	6.7151	4.3629	7.8710	7.6318	2.5919	6.4715	4.9894	4.1199	4.8766	5.9479	3.1757	4.9819	5.2301	4.4692
	S	122.742	119.304	132.054	78.741	126.862	147.838	108.202	76.936	82.912	104.581	93.310	119.802	107.298	79.001	99.926
17	T	4.1853	6.5847	4.3214	7.8059	7.6400	2.5828	6.4577	4.9996	4.1285	4.8256	5.9398	3.1829	4.8491	5.2670	4.4637
	S	123.158	121.666	133.322	79.398	126.725	148.359	108.433	76.779	82.740	105.686	93.437	119.531	110.236	78.447	100.049
18	T	4.1924	6.8082	4.3814	7.7943	7.6368	2.5803	6.4294	4.9784	4.1411	4.8557	5.9914	3.2020	4.8043	5.2734	4.4371
	S	122.950	117.672	131.496	79.516	126.778	148.503	108.910	77.106	82.488	105.031	92.633	118.818	111.264	78.352	100.649
19	T	4.1791	6.6596	4.3417	7.8124	7.6452	2.5823	6.4243	4.9739	4.1277	5.5087	6.3184	3.8776	6.6705	6.1072	5.4944
	S	123.341	120.298	132.698	79.332	126.639	148.388	108.997	77.176	82.756	92.581	87.839	98.116	80.136	67.655	81.281

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 28, 2019

Section Data for Car 2 - Robb, Sting Ray

Lap	T/SLap	PO to SF
1	T 117.0963	141.2770
	S 69.420	53.893
2	T 142.7287	
	S 56.953	
3	T 141.6043	
	S 57.405	
4	T 82.1959	
	S 98.895	
5	T 79.6256	
	S 102.088	
6	T 78.1760	
	S 103.981	
7	T 77.9329	
	S 104.305	
8	T 77.6896	
	S 104.632	
9	T 77.5070	
	S 104.878	
10	T 77.1346	
	S 105.385	
11	T 77.1414	
	S 105.375	
12	T 77.0701	
	S 105.473	
13	T 77.2310	
	S 105.253	
14	T 77.2032	
	S 105.291	
15	T 77.1666	
	S 105.341	
16	T 77.6344	
	S 104.706	
17	T 77.2340	
	S 105.249	
18	T 77.5062	
	S 104.879	
19	T 82.7230	
	S 98.265	

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 28, 2019

Section Data for Car 2 - Robb, Sting Ray

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	5.5918	15.3644	12.2361	11.5617	16.4118	6.6364	12.9966	6.9941	6.3627	9.9449	13.2712	6.7638	9.6578	7.9979	7.3108
	S	92.180	52.142	47.085	53.606	58.993	57.739	53.878	54.884	53.686	51.283	41.820	56.249	55.349	51.661	61.086
21	T	9.0332	12.9024	9.7318	12.0541	14.4671	6.2134	12.9742	6.5197	6.3659	8.4456	10.0388	5.5760	9.7156	7.0723	4.6098
	S	57.062	62.092	59.201	51.416	66.923	61.670	53.971	58.877	53.659	60.386	55.285	68.231	55.019	58.423	96.879
22	T	4.1620	7.3640	4.5037	8.0442	7.6846	2.6060	6.6142	5.1552	4.3177	4.9203	6.2083	3.2270	5.0420	5.4688	4.5260
	S	123.848	108.791	127.925	77.046	125.990	147.038	105.867	74.461	79.114	103.652	89.396	117.897	106.019	75.553	98.672
23	T	4.2301	6.8091	4.3986	7.9776	7.6361	2.5908	6.5892	5.0460	4.2565	4.8701	6.0181	3.1813	4.9757	5.4327	4.4845
	S	121.854	117.657	130.982	77.689	126.790	147.901	106.269	76.073	80.252	104.721	92.222	119.591	107.431	76.055	99.585
24	T	4.1971	6.7575	4.3898	7.8746	7.6583	2.5976	6.5828	5.1017	4.2066	4.8635	6.0914	3.2079	4.8992	5.2694	4.5040
	S	122.812	118.555	131.244	78.705	126.423	147.514	106.372	75.242	81.204	104.863	91.112	118.599	109.109	78.412	99.154
25	T	4.2008	6.7808	4.4030	7.9813	7.6584	2.5994	6.6085	5.0550	4.2914	4.8781	6.0090	3.1936	4.8529	5.3002	4.4991
	S	122.704	118.148	130.851	77.653	126.421	147.412	105.959	75.937	79.599	104.549	92.361	119.130	110.150	77.956	99.262
26	T	4.3526	7.1207	5.2145	8.1827	9.0560	2.9257	8.4336								
	S	118.425	112.508	110.487	75.742	106.911	130.971	83.028								

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 28, 2019

Section Data for Car 2 - Robb, Sting Ray

Lap	T/SLap	PO to SF
20	T	149.1020
	S	54.518
21	T	135.7199
	S	59.894
22	T	79.8440
	S	101.809
23	T	78.4964
	S	103.556
24	T	78.2014
	S	103.947
25	T	78.3115
	S	103.801
26	T	
	S	

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 28, 2019

Section Data for Car 28 - Kirkwood, Kyle (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.4530	7.9475	4.9898	9.0953	8.5683	3.7270	9.4804	6.5030	6.1841	7.9691	10.8351	7.5995	11.5998	8.1911	7.8417
	S	94.527	100.804	115.463	68.142	112.996	102.812	73.861	59.029	55.237	63.997	51.222	50.063	46.082	50.443	56.951
2	T	5.3183	11.1599	10.1694	12.9524	16.5807	6.4199	13.1850	7.0394	6.5723	8.3028	9.9549	6.6542	10.0583	8.1353	7.9231
	S	96.921	71.787	56.654	47.850	58.392	59.687	53.108	54.531	51.974	61.425	55.751	57.175	53.145	50.789	56.366
3	T	8.9212	13.6662	9.3928	12.5493	15.1728	6.0573	12.6921	6.8045	7.1510	7.9452	10.3533	7.1319	10.8525	8.0686	8.3684
	S	57.779	58.622	61.338	49.387	63.810	63.260	55.170	56.413	47.768	64.190	53.606	53.345	49.256	51.209	53.366
4	T	5.1862	6.9534	4.4403	8.1765	7.7575	2.6321	6.8169	5.2637	4.4191	5.0350	6.2548	3.2639	5.0512	5.2916	4.5798
	S	99.390	115.215	129.752	75.799	124.806	145.580	102.719	72.927	77.299	101.291	88.732	116.564	105.825	78.083	97.513
5	T	4.2552	6.7917	4.4150	7.9787	7.6575	2.6101	6.6733	5.1209	4.2679	4.9354	6.0607	3.2215	4.9706	5.2707	4.5102
	S	121.135	117.958	130.495	77.678	126.436	146.807	104.930	74.960	80.037	103.335	91.574	118.099	107.541	78.392	99.018
6	T	4.2491	6.6878	4.3797	7.9111	7.6575	2.6040	6.5764	5.0474	4.1819	4.9113	6.0633	3.2443	4.9666	5.3008	4.5105
	S	121.309	119.791	131.547	78.342	126.436	147.151	106.476	76.052	81.683	103.842	91.534	117.269	107.628	77.947	99.011
7	T	4.2377	6.7281	4.3637	7.8640	7.6267	2.5949	6.5463	5.0320	4.1546	4.8615	6.0031	3.2124	4.8443	5.1582	4.4716
	S	121.635	119.073	132.029	78.811	126.946	147.667	106.965	76.285	82.220	104.906	92.452	118.433	110.345	80.102	99.873
8	T	4.2179	6.5349	4.3168	7.8411	7.6336	2.5969	6.5293	4.9713	4.1547	4.8604	5.9647	3.2134	4.7746	5.2061	4.4691
	S	122.206	122.594	133.464	79.042	126.832	147.554	107.244	77.216	82.218	104.930	93.047	118.396	111.956	79.365	99.929
9	T	4.2195	6.5448	4.3419	7.8164	7.6469	2.6096	6.5561	4.9771	4.1524	4.8354	5.9986	3.2207	4.7997	5.1596	4.4735
	S	122.160	122.408	132.692	79.291	126.611	146.835	106.805	77.126	82.263	105.472	92.522	118.128	111.371	80.080	99.830
10	T	4.2165	6.5215	4.3188	7.8399	7.6274	2.6007	6.4864	4.9806	4.1483	4.8367	5.9486	3.2066	4.8732	5.2442	4.4878
	S	122.247	122.845	133.402	79.054	126.935	147.338	107.953	77.072	82.345	105.444	93.299	118.647	109.691	78.788	99.512
11	T	4.2100	6.4811	4.3084	7.9255	7.6345	2.6048	6.5224	4.9720	4.2051	4.8611	5.9996	3.2101	4.7880	5.2547	4.4531
	S	122.436	123.611	133.724	78.200	126.817	147.106	107.357	77.205	81.233	104.915	92.506	118.518	111.643	78.631	100.288
12	T	4.2109	6.5411	4.3153	7.8606	7.6451	2.5950	6.4764	4.9751	4.1635	4.8409	5.9839	3.2073	4.7945	5.2227	4.4531
	S	122.410	122.477	133.510	78.845	126.641	147.662	108.120	77.157	82.044	105.352	92.749	118.621	111.491	79.113	100.288
13	T	4.2137	6.5611	4.3144	7.8420	7.6211	2.5981	6.4945	4.9738	4.1678	4.8517	6.0138	3.2214	4.7303	5.1887	4.4313
	S	122.328	122.104	133.538	79.032	127.040	147.485	107.819	77.177	81.960	105.118	92.288	118.102	113.005	79.631	100.781
14	T	4.2070	6.5014	4.3056	7.8477	7.6529	2.6041	6.3997	4.9100	4.0987	4.8233	5.9363	3.2052	4.7551	5.2281	4.4457
	S	122.523	123.225	133.811	78.975	126.512	147.146	109.416	78.180	83.341	105.737	93.493	118.699	112.415	79.031	100.455
15	T	4.2201	6.4925	4.2881	7.7799	7.6045	2.5983	6.4950	4.9896	4.1784	4.8424	6.0256	3.2213	4.7729	5.2350	4.4517
	S	122.143	123.394	134.357	79.663	127.317	147.474	107.810	76.933	81.752	105.320	92.107	118.106	111.996	78.927	100.319
16	T	4.2202	6.5305	4.3017	7.7987	7.6134	2.6003	6.4277	4.9409	4.1187	4.8399	6.0205	3.2214	4.7414	5.2854	4.4222
	S	122.140	122.676	133.932	79.471	127.168	147.361	108.939	77.691	82.937	105.374	92.185	118.102	112.740	78.174	100.988
17	T	4.1985	6.5495	4.3195	7.8675	7.6288	2.6017	6.5046	5.0084	4.1806	4.8517	6.0304	3.2203	4.7815	5.2834	4.4898
	S	122.771	122.320	133.380	78.776	126.911	147.281	107.651	76.644	81.709	105.118	92.034	118.143	111.795	78.204	99.468
18	T	4.2328	6.5324	4.3065	7.8194	7.6198	2.5939	6.4394	4.9230	4.2116	4.8642	6.0025	3.2133	4.7788	5.2803	4.4355
	S	121.776	122.640	133.783	79.261	127.061	147.724	108.741	77.974	81.107	104.848	92.461	118.400	111.858	78.250	100.686
19	T	4.2001	6.5556	4.3171	7.8751	7.6179	2.5906	6.4202	4.9934	4.1847	4.9997	6.7039	4.7114	6.7960	6.2064	5.5534
	S	122.724	122.206	133.454	78.700	127.093	147.912	109.066	76.874	81.629	102.006	82.788	80.752	78.656	66.574	80.418

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 28, 2019

Section Data for Car 28 - Kirkwood, Kyle (R)

Lap	T/S Lap	PO to SF
1	T 115.9847	144.3880
	S 70.085	52.732
2	T 140.4259	
	S 57.887	
3	T 145.1271	
	S 56.012	
4	T 81.1220	
	S 100.205	
5	T 78.7394	
	S 103.237	
6	T 78.2917	
	S 103.827	
7	T 77.6991	
	S 104.619	
8	T 77.2848	
	S 105.180	
9	T 77.3522	
	S 105.088	
10	T 77.3372	
	S 105.109	
11	T 77.4304	
	S 104.982	
12	T 77.2854	
	S 105.179	
13	T 77.2237	
	S 105.263	
14	T 76.9208	
	S 105.678	
15	T 77.1953	
	S 105.302	
16	T 77.0829	
	S 105.455	
17	T 77.5162	
	S 104.866	
18	T 77.2534	
	S 105.223	
19	T 83.7255	
	S 97.089	

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 28, 2019

Section Data for Car 28 - Kirkwood, Kyle (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	5.5510	15.9624	11.1322	12.7856	16.4780	6.1091	13.4306	7.2110	6.3453	9.7823	13.1889	6.6939	9.5436	8.3044	7.4169
	S	92.858	50.189	51.754	48.474	58.756	62.723	52.137	53.233	53.834	52.135	42.081	56.836	56.011	49.755	60.213
21	T	8.8256	13.0148	9.2224	11.8411	15.3118	6.0360	13.0779	6.4909	6.4285	8.2682	9.7080	6.2750	10.0933	7.1923	4.6179
	S	58.404	61.556	62.471	52.341	63.231	63.483	53.543	59.139	53.137	61.682	57.169	60.630	52.960	57.448	96.709
22	T	4.2816	6.8347	4.3756	7.9356	7.6269	2.6068	6.6237	5.1145	4.3145	4.9396	6.1847	3.2498	4.9662	5.3431	4.4978
	S	120.388	117.216	131.670	78.100	126.943	146.993	105.715	75.054	79.173	103.247	89.738	117.070	107.637	77.330	99.291
23	T	4.2504	6.7803	4.4060	7.9671	7.6318	2.6065	6.5031	5.0398	4.2517	4.8914	6.0510	3.1993	4.8876	5.3176	4.4708
	S	121.272	118.156	130.762	77.792	126.862	147.010	107.676	76.166	80.342	104.265	91.720	118.918	109.368	77.701	99.891
24	T	4.2083	6.6243	4.3700	7.8610	7.6126	2.6009	6.4949	4.9957	4.2756	4.8416	6.0351	3.2138	4.8224	5.2235	4.4207
	S	122.485	120.939	131.839	78.841	127.181	147.327	107.812	76.839	79.893	105.337	91.962	118.382	110.846	79.101	101.023
25	T	4.2053	6.5384	4.3200	7.7656	7.5842	2.5956	6.4366	5.0022	4.2063	4.8351	6.0090	3.2099	4.8249	5.1206	4.4265
	S	122.573	122.528	133.365	79.810	127.658	147.627	108.788	76.739	81.209	105.479	92.361	118.525	110.789	80.690	100.890
26	T	4.4279	7.9956	5.8244	8.7016	7.9269	2.6337	7.9987								
	S	116.411	100.197	98.918	71.225	122.139	145.492	87.543								

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 28, 2019

Section Data for Car 28 - Kirkwood, Kyle (R)

Lap	T/SLap	PO to SF
20	T	149.9352
	S	54.215
21	T	136.4037
	S	59.594
22	T	78.8951
	S	103.033
23	T	78.2544
	S	103.877
24	T	77.6004
	S	104.752
25	T	77.0802
	S	105.459
26	T	
	S	

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 28, 2019

Section Data for Car 3 - Comeau, Antoine (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	164.9477	12.2096	6.3362	10.2677	9.5257	3.3486	9.3993	6.2488	5.4488	6.6340	7.5007	4.6877	7.6061	8.0140	12.4158
	S	3.125	65.615	90.928	60.361	101.639	114.430	74.498	61.430	62.691	76.877	73.993	81.160	70.279	51.558	35.970
2	T			4.9846	8.8757	7.9516	2.6955	7.2266	5.4791	4.5439	5.3528	6.4385	3.3414	5.3847	5.5031	4.6981
	S			115.583	69.828	121.759	142.156	96.896	70.060	75.176	95.277	86.200	113.861	99.271	75.082	95.058
3	T	4.3353	7.0479	4.5667	8.3314	7.8475	2.6826	6.8659	5.3499	4.2908	5.0084	6.2276	3.2882	5.1854	5.4079	4.7058
	S	118.897	113.670	126.160	74.390	123.375	142.840	101.986	71.752	79.610	101.829	89.119	115.703	103.087	76.403	94.902
4	T	4.3527	6.8696	4.4858	8.1485	7.7790	2.6648	6.7777	5.2385	4.3431	4.9758	6.2352	3.2709	5.1261	5.4154	4.6088
	S	118.422	116.621	128.436	76.060	124.461	143.794	103.313	73.277	78.651	102.496	89.011	116.315	104.279	76.298	96.900
5	T	4.2952	6.7894	4.4370	8.1150	7.8106	2.6701	6.7207	5.2280	4.2331	4.9619	6.1372	3.2613	5.0433	5.3073	4.5674
	S	120.007	117.998	129.848	76.374	123.957	143.508	104.190	73.425	80.695	102.783	90.432	116.657	105.991	77.852	97.778
6	T	4.2788	6.8232	4.4649	7.9266	7.7569	2.6590	6.7123	5.1193	4.2389	4.9603	6.3065	3.2842	4.9260	5.3526	4.5357
	S	120.467	117.414	129.037	78.189	124.816	144.107	104.320	74.984	80.585	102.816	88.004	115.844	108.515	77.193	98.461
7	T	4.2713	6.6559	4.4186	7.9343	7.7444	2.6564	6.6764	5.1964	4.2229	4.8915	6.1065	3.2545	4.8789	5.2912	4.4986
	S	120.679	120.365	130.389	78.113	125.017	144.249	104.881	73.871	80.890	104.262	90.887	116.901	109.563	78.088	99.273
8	T	4.2428	6.6076	4.4035	7.9512	7.7816	2.6608	6.6435	5.1515	4.2485	4.9594	6.1691	3.2818	4.9703	5.3383	4.5274
	S	121.489	121.245	130.836	77.947	124.419	144.010	105.400	74.515	80.403	102.835	89.965	115.929	107.548	77.400	98.642
9	T	4.2515	6.6105	4.3881	7.9902	7.7803	2.6603	6.6560	5.0711	4.3053	4.9718	6.0900	3.2343	4.9828	5.2596	4.5317
	S	121.241	121.191	131.295	77.567	124.440	144.037	105.202	75.696	79.342	102.579	91.133	117.631	107.278	78.558	98.548
10	T	4.2415	6.6177	4.3900	8.0358	7.7663	2.6618	6.6462	5.1057	4.1899	4.9021	6.1145	3.2525	4.8659	5.2479	4.5260
	S	121.526	121.060	131.238	77.126	124.664	143.956	105.358	75.183	81.527	104.037	90.768	116.973	109.855	78.733	98.672
11	T	4.2590	6.6429	4.4077	7.9465	7.7431	2.6541	6.5653	5.0397	4.1420	4.8542	6.0879	3.2394	4.8515	5.2491	4.5062
	S	121.027	120.600	130.711	77.993	125.038	144.374	106.656	76.168	82.470	105.064	91.164	117.446	110.181	78.715	99.106
12	T	4.2538	6.5190	4.3591	7.8770	7.7542	2.6604	6.5231	5.0807	4.1496	4.8839	6.0571	3.2421	4.8581	5.1895	4.5109
	S	121.175	122.893	132.169	78.681	124.859	144.032	107.346	75.553	82.319	104.425	91.628	117.348	110.032	79.619	99.003
13	T	4.2443	6.5618	4.3740	7.8689	7.7432	2.6564	6.5564	5.0521	4.1929	4.8667	6.1168	3.2411	4.8605	5.1494	4.5248
	S	121.446	122.091	131.718	78.762	125.036	144.249	106.801	75.981	81.469	104.794	90.734	117.384	109.977	80.239	98.698
14	T	4.2553	6.5857	4.3725	7.9134	7.7594	2.6613	6.6083	5.0744	4.1626	4.8900	6.1903	3.2545	4.8921	5.2693	4.5066
	S	121.132	121.648	131.764	78.319	124.775	143.983	105.962	75.647	82.062	104.294	89.656	116.901	109.267	78.413	99.097
15	T	4.2519	6.5747	4.3793	7.7958	7.7208	2.6497	6.6031	5.0710	4.1889	4.8911	6.1579	3.2687	4.8094	5.1714	4.5079
	S	121.229	121.851	131.559	79.501	125.399	144.613	106.045	75.698	81.547	104.271	90.128	116.393	111.146	79.897	99.069
16	T	4.2517	6.6002	4.3815	7.8769	7.7683	2.6564	6.6095	5.0085	4.2039	4.9567	6.1332	3.2597	4.8914	5.3167	4.5511
	S	121.235	121.381	131.493	78.682	124.632	144.249	105.943	76.642	81.256	102.891	90.491	116.715	109.283	77.714	98.128
17	T	4.2606	6.8946	4.5280	8.0869	7.7817	2.6582	6.7392	5.0666	4.2002	5.1309	6.4495	3.3187	5.1138	5.3936	4.5305
	S	120.982	116.198	127.239	76.639	124.418	144.151	103.904	75.764	81.327	99.398	86.053	114.640	104.530	76.606	98.574
18	T	4.2600	6.7891	4.7202	8.2176	7.7661	2.6536	7.0734	5.1196	4.3780	5.5895	6.8510	3.3363	5.2393	5.4364	4.5923
	S	120.999	118.003	122.058	75.420	124.668	144.401	98.994	74.979	78.024	91.243	81.010	114.035	102.026	76.003	97.248
19	T	4.4545	7.4431	4.6513	8.2966	7.8234	2.8071	10.7092	5.5173	5.6300	10.5463	14.2031	5.8824	8.6928	8.2300	7.0438
	S	115.715	107.635	123.866	74.702	123.755	136.505	65.386	69.575	60.673	48.358	39.076	64.677	61.493	50.204	63.402

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 28, 2019

Section Data for Car 3 - Comeau, Antoine (R)

Lap	T/Slap	PI to PO	PO to SF	SF to PI	
1	T	272.6645	79.0682	128.0487	261.4331
	S	29.812	11.357	59.461	29.387
2	T	149.9654		82.1286	
	S	54.205		92.707	
3	T	81.1413			
	S	100.181			
4	T	80.2919			
	S	101.241			
5	T	79.5775			
	S	102.149			
6	T	79.3452			
	S	102.449			
7	T	78.6978			
	S	103.291			
8	T	78.9373			
	S	102.978			
9	T	78.7835			
	S	103.179			
10	T	78.5638			
	S	103.468			
11	T	78.1886			
	S	103.964			
12	T	77.9185			
	S	104.324			
13	T	78.0093			
	S	104.203			
14	T	78.3957			
	S	103.689			
15	T	78.0416			
	S	104.160			
16	T	78.4657			
	S	103.597			
17	T	80.1530			
	S	101.416			
18	T	82.0224			
	S	99.105			
19	T	111.9309			
	S	72.623			

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 28, 2019

Section Data for Car 3 - Comeau, Antoine (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	8.7959	14.0221	12.2720	11.1322	12.6500	5.7069	12.8518	6.1138	5.9832	8.9759	9.5927	5.5361	8.8807	6.3980	4.7205
	S	58.602	57.134	46.947	55.674	76.536	67.144	54.485	62.786	57.092	56.819	57.856	68.722	60.192	64.580	94.607
21	T	4.3567	7.4933	4.5344	8.3788	7.7010	2.6171	6.8125	5.2416	4.3138	5.0603	7.2688	3.5073	5.6341	5.6252	4.7391
	S	118.313	106.914	127.059	73.969	125.722	146.415	102.786	73.234	79.186	100.785	76.354	108.475	94.877	73.452	94.235
22	T	4.4148	7.2185	4.5282	8.4110	7.7516	2.6264	7.0260	5.1894	4.3053	5.1941	6.3024	3.2849	5.2173	5.3295	4.6008
	S	116.756	110.984	127.233	73.686	124.901	145.896	99.662	73.971	79.342	98.188	88.062	115.819	102.456	77.527	97.068
23	T	4.3053	7.0194	4.5405	8.0423	7.7098	2.6331	6.8102	5.0678	4.1988	4.9297	6.1380	3.2488	5.0513	5.2362	4.5133
	S	119.726	114.132	126.888	77.064	125.578	145.525	102.820	75.746	81.354	103.455	90.420	117.106	105.823	78.909	98.950
24	T	4.2494	6.8702	4.4974	8.1181	7.7694	2.6395	6.7466	5.6998	4.3908	5.0524	6.1715	3.2463	5.0989	5.2874	4.5978
	S	121.301	116.610	128.104	76.345	124.615	145.172	103.790	67.347	77.797	100.942	89.930	117.196	104.835	78.145	97.131
25	T	4.5277	7.6633	5.5484	9.0277											
	S	113.845	104.542	103.838	68.652											

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 28, 2019

Section Data for Car 3 - Comeau, Antoine (R)

Lap	T/SLap	PI to PO	PO to SF	SF to PI
20	T	133.6318		
	S	60.830		
21	T	83.2840		
	S	97.603		
22	T	81.4002		
	S	99.862		
23	T	79.4445		
	S	102.320		
24	T	80.4355		
	S	101.060		
25	T			
	S			

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 28, 2019

Section Data for Car 5 - Rodriguez, Ian (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.6565	10.4404	6.9381	8.4586	7.9089	2.7163	9.1376	6.3431	6.5714	7.6642	11.6865	6.9746	10.7430	7.4757	9.1577
	S	91.126	76.734	83.040	73.271	122.417	141.068	76.631	60.517	51.981	66.543	47.491	54.549	49.758	55.270	48.767
2	T	9.2044	9.3465	9.9790	11.7451	16.7506	7.4244	14.2038	5.2955	5.1555	8.6132	9.7745	6.4325	10.6459	8.1659	11.4461
	S	56.001	85.715	57.735	52.769	57.800	51.611	49.299	72.489	66.258	59.211	56.780	59.146	50.211	50.598	39.017
3	T	9.4947	8.5760	9.7241	12.4392	17.7110	4.4358	11.8288	6.4465	7.1525	8.1556	10.6185	6.5058	10.5672	7.6678	8.0941
	S	54.289	93.416	59.248	49.824	54.666	86.384	59.197	59.546	47.758	62.534	52.267	58.479	50.585	53.885	55.175
4	T	5.1839	7.5715	4.5241	8.4336	7.7246	2.5943	7.0766	5.2887	4.4790	5.0351	6.3529	3.2617	5.1011	5.5594	4.5379
	S	99.434	105.809	127.348	73.489	125.337	147.701	98.950	72.582	76.265	101.289	87.362	116.643	104.790	74.321	98.414
5	T	4.2581	7.2940	4.7355	8.4304	7.6908	2.5822	6.7524	5.2021	4.3147	5.0344	6.1729	3.2180	5.0233	5.4046	4.5597
	S	121.053	109.835	121.663	73.516	125.888	148.394	103.701	73.790	79.169	101.303	89.909	118.227	106.413	76.450	97.943
6	T	4.2664	6.8665	4.4340	8.0803	7.6761	2.5937	6.6240	5.0908	4.2325	4.9647	6.0679	3.2143	4.9296	5.2958	4.4948
	S	120.817	116.673	129.936	76.702	126.129	147.736	105.711	75.403	80.707	102.725	91.465	118.363	108.436	78.021	99.357
7	T	4.2505	6.8575	4.4022	7.9240	7.6508	2.5974	6.5911	5.0879	4.2629	4.9283	6.1067	3.2266	4.9813	5.3264	4.4966
	S	121.269	116.826	130.875	78.215	126.546	147.525	106.238	75.446	80.131	103.484	90.884	117.912	107.310	77.572	99.317
8	T	4.2546	6.8334	4.4071	7.9439	7.6595	2.6034	6.5220	4.9853	4.2235	4.8731	6.0254	3.2026	4.9602	5.2684	4.4743
	S	121.152	117.238	130.729	78.019	126.403	147.185	107.364	76.999	80.879	104.656	92.110	118.796	107.767	78.426	99.812
9	T	4.2301	6.8268	4.4203	7.9736	7.7069	2.6184	6.6157	5.0482	4.1986	4.8655	5.9620	3.1888	4.9239	5.3058	4.4566
	S	121.854	117.352	130.339	77.728	125.625	146.342	105.843	76.040	81.358	104.820	93.090	119.310	108.561	77.874	100.209
10	T	4.2351	6.7751	4.3799	7.8887	7.6510	2.6067	6.5076	5.0355	4.1971	4.8632	5.9474	3.1821	4.9110	5.3074	4.4982
	S	121.710	118.247	131.541	78.565	126.543	146.999	107.601	76.231	81.387	104.869	93.318	119.561	108.847	77.850	99.282
11	T	4.2417	6.7399	4.3871	8.0558	7.7121	2.6162	6.4459	5.0070	4.2102	4.8542	5.9701	3.1890	4.9214	5.2099	4.4637
	S	121.521	118.865	131.325	76.935	125.541	146.465	108.631	76.665	81.134	105.064	92.963	119.302	108.617	79.307	100.049
12	T	4.2316	6.7424	4.3772	7.9553	7.6597	2.6094	6.4711	4.9861	4.2038	4.8282	5.9538	3.1951	4.8468	5.1898	4.4365
	S	121.811	118.821	131.622	77.907	126.399	146.847	108.208	76.987	81.258	105.629	93.218	119.074	110.288	79.614	100.663
13	T	4.2340	6.7126	4.3639	7.8116	7.6515	2.6089	6.4169	4.9958	4.1380	4.8207	6.0614	3.2246	4.8722	5.2621	4.4728
	S	121.742	119.348	132.023	79.340	126.535	146.875	109.122	76.837	82.550	105.794	91.563	117.985	109.713	78.520	99.846
14	T	4.2404	6.8094	4.3842	7.8769	7.6639	2.6119	6.4284	4.9381	4.1605	4.7978	6.0286	3.2314	4.9091	5.2255	4.4388
	S	121.558	117.652	131.412	78.682	126.330	146.706	108.927	77.735	82.103	106.299	92.061	117.737	108.889	79.070	100.611
15	T	4.2426	6.7335	4.3448	7.8354	7.6681	2.6132	6.4138	4.9493	4.1632	4.8097	5.9964	3.2060	4.8996	5.2810	4.4710
	S	121.495	118.978	132.604	79.099	126.261	146.633	109.175	77.559	82.050	106.036	92.556	118.670	109.100	78.239	99.886
16	T	4.2482	6.7151	4.3281	7.9071	7.6517	2.6077	6.4077	5.0021	4.1734	4.8233	5.9694	3.2074	4.9103	5.2365	4.4345
	S	121.335	119.304	133.115	78.382	126.532	146.942	109.279	76.740	81.850	105.737	92.974	118.618	108.862	78.904	100.708
17	T	4.2370	6.7764	4.3747	7.9318	7.7027	2.6177	6.4549	4.9597	4.1816	4.8486	5.9422	3.1938	4.8958	5.2730	4.4616
	S	121.656	118.224	131.697	78.138	125.694	146.381	108.480	77.397	81.689	105.185	93.400	119.123	109.184	78.358	100.097
18	T	4.2485	6.7851	4.3568	7.7791	7.6439	2.6094	6.4455	4.9686	4.2002	4.8568	5.9830	3.2140	4.8812	5.2437	4.4602
	S	121.326	118.073	132.238	79.672	126.661	146.847	108.638	77.258	81.327	105.007	92.763	118.374	109.511	78.796	100.128
19	T	4.2308	6.7418	4.3772	7.8007	7.6413	2.6029	6.3904	4.9866	4.2078	5.0860	6.7122	3.4232	5.9802	5.8926	5.1216
	S	121.834	118.831	131.622	79.451	126.704	147.213	109.575	76.979	81.180	100.275	82.685	111.140	89.386	70.119	87.198

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 28, 2019

Section Data for Car 5 - Rodriguez, Ian (R)

Lap	T/SLap	PO to SF
1	T 117.8726	133.1923
	S 68.963	57.164
2	T 144.1829	
	S 56.378	
3	T 139.4176	
	S 58.305	
4	T 82.7244	
	S 98.264	
5	T 80.6731	
	S 100.762	
6	T 78.8314	
	S 103.116	
7	T 78.6902	
	S 103.301	
8	T 78.2367	
	S 103.900	
9	T 78.3412	
	S 103.761	
10	T 77.9860	
	S 104.234	
11	T 78.0242	
	S 104.183	
12	T 77.6868	
	S 104.636	
13	T 77.6470	
	S 104.689	
14	T 77.7449	
	S 104.557	
15	T 77.6276	
	S 104.715	
16	T 77.6225	
	S 104.722	
17	T 77.8515	
	S 104.414	
18	T 77.6760	
	S 104.650	
19	T 81.1953	
	S 100.114	

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 28, 2019

Section Data for Car 5 - Rodriguez, Ian (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	5.5377	11.4084	10.4855	11.2445	16.4316	5.9699	14.1717	6.7209	6.0677	9.5675	13.6572	6.7480	9.2512	8.3788	6.9563
	S	93.081	70.223	54.946	55.118	58.922	64.186	49.410	57.115	56.297	53.305	40.638	56.380	57.781	49.313	64.199
21	T	8.8902	13.9202	12.0610	10.3816	13.4812	6.2429	12.3539	6.6265	6.1211	8.8657	10.1936	5.5307	9.1357	6.7281	4.5822
	S	57.980	57.552	47.769	59.699	71.817	61.379	56.681	57.929	55.805	57.525	54.446	68.790	58.512	61.411	97.462
22	T	4.2800	7.2703	4.5249	8.5379	7.6059	2.5246	6.9907	5.1951	4.5284	4.9166	6.5028	3.2492	5.2068	5.4695	4.5004
	S	120.433	110.193	127.326	72.591	127.294	151.779	100.166	73.890	75.433	103.730	85.348	117.092	102.663	75.543	99.234
23	T	4.2786	6.9068	4.3796	8.0997	7.5611	2.5519	6.5036	5.1268	4.3997	4.8992	6.0674	3.2087	4.9418	5.3575	4.4785
	S	120.473	115.992	131.550	76.518	128.048	150.155	107.668	74.874	77.640	104.099	91.472	118.570	108.168	77.122	99.719
24	T	4.2119	6.8715	4.4044	7.9857	7.6234	2.5895	6.4844	5.0421	4.2104	4.8396	6.0442	3.1982	4.8835	5.2449	4.4203
	S	122.381	116.588	130.809	77.610	127.001	147.975	107.986	76.132	81.130	105.381	91.824	118.959	109.459	78.778	101.032
25	T	4.2162	6.7960	4.3551	7.9270	7.5746	2.5745	6.4450	5.0041	4.2027	4.8596	6.1550	3.2456	5.0131	5.3086	4.4638
	S	122.256	117.884	132.290	78.185	127.820	148.837	108.647	76.710	81.279	104.947	90.171	117.222	106.630	77.833	100.047
26	T	4.2283	7.2572	5.0826	8.4505	8.4668	3.5283	9.1157								
	S	121.906	110.392	113.355	73.342	114.350	108.602	76.816								

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 28, 2019

Section Data for Car 5 - Rodriguez, Ian (R)

Lap	T/SLap	PO to SF
20	T	142.5969
	S	57.005
21	T	135.1146
	S	60.162
22	T	81.3031
	S	99.981
23	T	78.7609
	S	103.209
24	T	78.0540
	S	104.143
25	T	78.1409
	S	104.027
26	T	
	S	

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 28, 2019

Section Data for Car 51 - Abel, Jacob (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.9853	10.4541	8.4459	9.6227	8.5995	3.2316	8.1633	5.4225	5.3493	7.3508	11.8783	6.8405	11.0991	8.5074	8.8984
	S	86.120	76.634	68.215	64.407	112.586	118.573	85.777	70.791	63.857	69.380	46.724	55.618	48.161	48.567	50.188
2	T	9.4574	8.9707	9.9538	11.5197	16.6279	7.1321	15.6300	5.4461	4.7288	7.6109	9.9874	5.6594	10.3640	8.6813	11.9275
	S	54.503	89.306	57.881	53.801	58.226	53.726	44.800	70.484	72.236	67.009	55.570	67.225	51.577	47.594	37.442
3	T	9.2501	9.0712	9.7768	11.8568	18.8552	4.7490	11.1333	5.5826	6.7974	8.2120	10.9882	6.1520	10.1358	7.2601	7.9942
	S	55.724	88.316	58.929	52.272	51.348	80.687	62.895	68.761	50.253	62.104	50.509	61.842	52.738	56.911	55.864
4	T	5.2757	7.7871	4.6098	8.6399	7.7663	2.6429	7.3132	5.3567	4.7084	5.1722	6.3309	3.2458	5.3634	5.5790	4.5527
	S	97.704	102.880	124.981	71.734	124.664	144.985	95.748	71.660	72.549	98.604	87.665	117.214	99.665	74.060	98.094
5	T	4.2854	6.9348	4.4568	8.2809	7.6287	2.5565	6.9615	5.1034	4.6582	5.3980	6.4480	3.2536	5.1982	5.5286	4.5866
	S	120.282	115.524	129.271	74.844	126.913	149.885	100.586	75.217	73.331	94.479	86.073	116.933	102.833	74.735	97.369
6	T	4.2979	6.8670	4.4065	8.1715	7.6066	2.5554	6.8677	5.0851	4.6012	4.9747	6.3282	3.2872	5.0413	5.4465	4.5433
	S	119.932	116.665	130.747	75.846	127.282	149.950	101.960	75.488	74.240	102.519	87.703	115.738	106.033	75.862	98.297
7	T	4.2533	7.0363	4.5155	8.2749	7.5996	2.5359	6.9031	5.1327	4.4873	4.9808	6.1798	3.2229	5.0805	5.4703	4.5145
	S	121.189	113.858	127.591	74.898	127.399	151.103	101.437	74.788	76.124	102.393	89.809	118.047	105.215	75.532	98.924
8	T	4.2424	6.8300	4.3892	8.1858	7.5958	2.5586	6.8656	5.1251	4.5648	5.2634	6.2950	3.2444	5.0786	5.3727	4.4852
	S	121.501	117.297	131.262	75.713	127.463	149.762	101.991	74.899	74.832	96.896	88.165	117.265	105.254	76.904	99.570
9	T	4.2330	6.7287	4.3479	7.9887	7.5576	2.5859	6.9696	5.0926	4.5537	4.9336	6.2040	3.2602	4.9906	5.3691	4.5032
	S	121.771	119.063	132.509	77.581	128.107	148.181	100.469	75.377	75.014	103.373	89.458	116.697	107.110	76.956	99.172
10	T	4.2158	6.6722	4.3492	8.1186	7.6013	2.5562	6.9887	5.0282	4.4008	4.9133	6.1355	3.2252	4.9786	5.3461	4.4692
	S	122.267	120.071	132.470	76.340	127.371	149.903	100.194	76.342	77.620	103.800	90.457	117.963	107.369	77.287	99.926
11	T	4.2297	6.8154	4.3454	7.8957	7.5442	2.5738	6.9146	5.0238	4.3627	4.9525	6.1399	3.2340	4.9405	5.3276	4.4740
	S	121.866	117.548	132.585	78.495	128.335	148.878	101.268	76.409	78.298	102.978	90.392	117.642	108.197	77.555	99.819
12	T	4.2153	6.9745	4.4363	8.3012	7.6138	2.5822	6.9915	5.0349	4.3281	4.8491	6.1715	3.2411	4.8983	5.3130	4.4758
	S	122.282	114.866	129.869	74.661	127.161	148.394	100.154	76.241	78.924	105.174	89.930	117.384	109.129	77.768	99.779
13	T	4.2272	6.7246	4.3717	8.1236	7.6799	2.6077	6.6287	5.0208	4.2770	4.8551	6.0231	3.1929	5.0478	5.3792	4.4511
	S	121.938	119.135	131.788	76.293	126.067	146.942	105.636	76.455	79.867	105.044	92.145	119.156	105.897	76.811	100.333
14	T	4.2321	6.7897	4.3719	8.1821	7.5323	2.5708	6.8146	5.2541	4.3576	4.9503	6.0966	3.2254	5.0268	5.3570	4.4578
	S	121.796	117.993	131.782	75.747	128.537	149.052	102.754	73.060	78.390	103.024	91.034	117.956	106.339	77.129	100.182
15	T	4.2290	6.7645	4.3626	8.0532	7.6327	2.5956	6.7018	5.0185	4.6079	4.8843	6.2245	3.2623	4.9451	5.3673	4.4951
	S	121.886	118.432	132.063	76.960	126.847	147.627	104.483	76.490	74.132	104.416	89.164	116.622	108.096	76.981	99.351
16	T	4.2325	6.7480	4.3634	7.9773	7.6115	2.5944	6.6549	4.9732	4.5668	4.9848	6.2866	3.2301	4.9121	5.3622	4.4688
	S	121.785	118.722	132.038	77.692	127.200	147.696	105.220	77.186	74.799	102.311	88.283	117.784	108.822	77.055	99.935
17	T	4.2881	6.8269	4.3309	8.2053	7.5641	2.6041	6.7327	5.0937	4.5942	5.3109	6.1762	3.2211	4.9644	5.3438	4.4886
	S	120.206	117.350	133.029	75.533	127.997	147.146	104.004	75.360	74.353	96.029	89.861	118.113	107.676	77.320	99.494
18	T	4.2328	6.7279	4.3158	8.0807	7.5567	2.5712		4.9304	5.2924	6.8763	3.3124	5.1999	5.3519	4.5025	
	S	121.776	119.077	133.495	76.698	128.122	149.028		69.283	96.365	80.712	114.858	102.799	77.203	99.187	
19	T	4.2923	6.7022	4.4628	8.0533	7.7368	2.6297	6.7597	4.9942	4.3091	5.3952	7.3962	3.3181	5.0808	5.3009	4.4998
	S	120.088	119.533	129.098	76.959	125.140	145.713	103.589	76.862	79.272	94.528	75.039	114.660	105.209	77.946	99.247

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 28, 2019

Section Data for Car 51 - Abel, Jacob (R)

Lap	T/SLap	PO to SF
1	T 119.8487	130.8941
	S 67.826	58.168
2	T 143.6970	
	S 56.569	
3	T 137.8147	
	S 58.984	
4	T 84.3440	
	S 96.377	
5	T 81.2792	
	S 100.011	
6	T 80.0801	
	S 101.508	
7	T 80.1874	
	S 101.373	
8	T 80.0966	
	S 101.487	
9	T 79.3184	
	S 102.483	
10	T 78.9989	
	S 102.898	
11	T 78.7738	
	S 103.192	
12	T 79.4266	
	S 102.344	
13	T 78.6104	
	S 103.406	
14	T 79.2191	
	S 102.612	
15	T 79.1444	
	S 102.708	
16	T 78.9666	
	S 102.940	
17	T 79.7450	
	S 101.935	
18	T 84.2968	
	S 96.431	
19	T 80.9311	
	S 100.441	

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 28, 2019

Section Data for Car 51 - Abel, Jacob (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.4284	7.0392	4.5082	8.3275	9.0808	5.2627	15.1245	5.7595	6.0767	9.6246	14.0736	6.0866	9.4132	8.5145	6.6750
	S	116.397	113.811	127.797	74.425	106.619	72.811	46.298	66.649	56.213	52.989	39.436	62.507	56.787	48.527	66.905
21	T	8.7776	13.6625	12.5420	11.5035	12.4233	5.8101	12.8606	6.2992	5.9280	8.8847	9.6441	5.6395	8.8214	6.5860	4.6260
	S	58.724	58.638	45.937	53.877	77.933	65.951	54.447	60.938	57.623	57.402	57.548	67.462	60.596	62.736	96.539
22	T	4.3336	7.0518	4.5106	8.2811	7.6520	2.5924	6.6855	5.1939	4.6070	5.1061	6.3633	3.2556	5.2423	5.4900	4.4834
	S	118.944	113.607	127.729	74.842	126.527	147.810	104.738	73.907	74.146	99.881	87.219	116.862	101.968	75.261	99.610
23	T	4.2851	7.4160	4.5230	8.4016	7.5843	2.5400	6.8265	5.0874	4.3671	4.9231	6.0521	3.2202	4.9272	5.3621	4.4806
	S	120.290	108.028	127.379	73.768	127.656	150.859	102.575	75.454	78.219	103.593	91.704	118.146	108.489	77.056	99.672
24	T	4.2319	6.7168	4.4143	7.9737	7.6286	2.6062	6.5773	4.9847	4.2513	4.8334	6.1115	3.2368	4.9023	5.2790	4.4724
	S	121.802	119.274	130.516	77.727	126.915	147.027	106.461	77.008	80.350	105.516	90.812	117.540	109.040	78.269	99.855
25	T	4.2210	6.6260	4.3536	8.0254	7.5117	2.5373			4.8711	5.1205	6.2797	3.2537	5.2653	5.3244	4.6257
	S	122.117	120.908	132.336	77.226	128.890	151.020			70.126	99.600	88.380	116.930	101.522	77.602	96.546
26	T	4.4045														
	S	117.029														

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 28, 2019

Section Data for Car 51 - Abel, Jacob (R)

Lap	T/SLap	PO to SF
20	T	119.9950
	S	67.743
21	T	134.0085
	S	60.659
22	T	80.8486
	S	100.543
23	T	79.9963
	S	101.615
24	T	78.2202
	S	103.922
25	T	116.4665
	S	69.795
26	T	
	S	

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 28, 2019

Section Data for Car 6 - de la Vara, Moises

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	6.2115	10.7104	9.3774	11.0348	12.3765	3.8694	10.1783	6.3914	5.8937	6.7040	8.8150	5.1084	8.0275	8.2511	8.8222
	S	82.984	74.800	61.439	56.165	78.227	99.029	68.796	60.059	57.959	76.074	62.961	74.476	66.589	50.076	50.621
2	T			5.2249	9.1784	8.2328	2.7872	7.8163	5.7288	4.9144	6.2889	8.0403	4.5711	6.9400	6.6404	5.1308
	S			110.267	67.525	117.601	137.479	89.586	67.006	69.508	81.095	69.027	83.230	77.024	62.222	87.041
3	T	7.7945	8.5239	7.8093	10.6362	18.8621	5.2541	10.8964	5.6905	5.9958	8.4217	10.6804	6.1131	10.1478	6.7292	7.3493
	S	66.131	93.987	73.776	58.270	51.329	72.930	64.262	67.457	56.972	60.558	51.964	62.236	52.676	61.401	60.766
4	T	5.2978	7.7490	4.5791	8.4888	7.6819	2.5835	7.1084	5.3283	4.6730	5.1182	6.4031	3.2829	5.2901	5.5662	4.5860
	S	97.296	103.386	125.819	73.011	126.034	148.319	98.507	72.042	73.099	99.644	86.677	115.890	101.046	74.231	97.381
5	T	4.3142	6.8820	4.4327	8.2781	7.7135	2.5676	6.7900	5.1912	4.7345	5.1905	6.1840	3.2918	5.1443	5.4070	4.6174
	S	119.479	116.410	129.974	74.869	125.518	149.237	103.126	73.945	72.149	98.256	89.748	115.576	103.910	76.416	96.719
6	T	4.3269	6.8223	4.4645	8.1554	7.8516	2.6452	6.6897	5.0953	4.4184	4.9332	6.2338	3.3237	5.1131	5.4916	4.6623
	S	119.128	117.429	129.048	75.995	123.310	144.859	104.672	75.337	77.311	103.381	89.031	114.467	104.544	75.239	95.788
7	T	4.3324	6.8354	4.4334	8.1407	7.8193	2.6565	6.8308	5.1824	4.3907	4.9465	6.3839	3.3323	5.0028	5.3777	4.6093
	S	118.977	117.204	129.954	76.133	123.820	144.243	102.510	74.071	77.799	103.103	86.937	114.172	106.849	76.832	96.889
8	T	4.3259	6.7780	4.4185	8.0677	7.8329	2.6557	7.1256	5.1413	4.5906	5.1070	6.1316	3.2875	4.9665	5.3476	4.4806
	S	119.155	118.197	130.392	76.821	123.605	144.287	98.269	74.663	74.411	99.863	90.515	115.728	107.630	77.265	99.672
9	T	4.2572	6.7446	4.3982	8.0608	7.7607	2.6360	6.8020	5.0318	4.4297	4.9116	6.1974	3.2930	4.9278	5.4258	4.5308
	S	121.078	118.782	130.994	76.887	124.754	145.365	102.944	76.288	77.114	103.836	89.554	115.534	108.475	76.151	98.568
10	T	4.2791	6.7518	4.4048	7.9530	7.7958	2.6358	6.7907	5.0263	4.3498	4.8921	6.1543	3.2840	4.9333	5.2908	4.5260
	S	120.459	118.655	130.797	77.929	124.193	145.376	103.116	76.371	78.530	104.250	90.181	115.851	108.355	78.094	98.672
11	T	4.2637	6.6629	4.3961	7.9567	7.7537	2.6456	6.7207	5.0418	4.3272	4.8513	6.0998	3.2776	4.9259	5.3416	4.5450
	S	120.894	120.238	131.056	77.893	124.867	144.837	104.190	76.136	78.940	105.126	90.987	116.077	108.517	77.352	98.260
12	T	4.2940	6.7559	4.4260	7.9122	7.7520	2.6311	6.5455	4.9526	4.2202	4.8678	6.0396	3.2625	4.8493	5.4336	4.4580
	S	120.041	118.583	130.171	78.331	124.894	145.636	106.978	77.507	80.942	104.770	91.894	116.614	110.231	76.042	100.177
13	T	4.2693	6.7211	4.4113	7.9292	7.7947	2.6443	6.9043	5.0550	4.3872	4.9538	6.1816	3.2940	4.9010	5.4174	4.5208
	S	120.735	119.197	130.605	78.163	124.210	144.909	101.419	75.937	77.861	102.951	89.783	115.499	109.069	76.269	98.786
14	T	4.2590	6.7086	4.4823	8.0780	7.7715	2.6555	6.6125	4.9811	4.3108	4.8844	6.1758	3.3006	4.8812	5.4072	4.5368
	S	121.027	119.419	128.536	76.724	124.581	144.297	105.894	77.064	79.241	104.414	89.867	115.268	109.511	76.413	98.437
15	T	4.2983	6.7420	4.4049	7.9176	7.7455	2.6283	6.7948	5.0047	4.2441	4.9122	6.1478	3.2743	4.9235	5.4042	4.5521
	S	119.921	118.828	130.794	78.278	124.999	145.791	103.053	76.701	80.486	103.823	90.276	116.194	108.570	76.456	98.107
16	T	4.3076	6.7371	4.3833	7.8903	7.7374	2.6383	6.7920	5.3230	4.5334	5.0092	6.0849	3.2562	4.9381	5.4008	4.5662
	S	119.662	118.914	131.439	78.549	125.130	145.238	103.096	72.114	75.350	101.813	91.209	116.840	108.249	76.504	97.804
17	T	4.2974	6.8373	4.4075	8.0924	7.7303	2.6380	6.7083	5.1294	4.5585	5.1120	6.1116	3.2822	4.8885	5.3480	4.4920
	S	119.946	117.171	130.717	76.587	125.245	145.255	104.382	74.836	74.935	99.765	90.811	115.914	109.348	77.259	99.419
18	T	4.2775	6.7748	4.4088	7.8980	7.7638	2.6343	6.9632	5.4166	4.5827	5.2900	215.2722	8.4910	11.7596		
	S	120.504	118.252	130.679	78.472	124.705	145.459	100.561	70.868	74.539	96.408	2.578	44.807	45.456		

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 28, 2019

Section Data for Car 6 - de la Vara, Moises

Lap	T/Slap	PI to PO	PO to SF	SF to PI	
1	T	124.0221	65.9761	128.1246	113.3320
	S	65.543	13.610	59.425	67.790
2	T	146.3456		91.0596	
	S	55.545		83.614	
3	T	130.9043			
	S	62.097			
4	T	83.7363			
	S	97.076			
5	T	80.7388			
	S	100.680			
6	T	80.2270			
	S	101.322			
7	T	80.2741			
	S	101.263			
8	T	80.2570			
	S	101.285			
9	T	79.4074			
	S	102.368			
10	T	79.0676			
	S	102.808			
11	T	78.8096			
	S	103.145			
12	T	78.4003			
	S	103.683			
13	T	79.3850			
	S	102.397			
14	T	79.0453			
	S	102.837			
15	T	78.9943			
	S	102.904			
16	T	79.5978			
	S	102.123			
17	T	79.6334			
	S	102.078			
18	T	317.1698			302.7606
	S	25.629			25.376

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 28, 2019

Section Data for Car 68 - Frost, Danial (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.7695	8.5007	5.7425	8.8743	8.1108	3.7601	8.9468	7.0023	5.9822	7.7407	10.6688	7.5295	11.3758	8.0768	8.2045
	S	89.341	94.244	100.328	69.839	119.369	101.907	78.266	54.820	57.101	65.886	52.021	50.529	46.990	51.157	54.432
2	T	5.8033	11.3072	10.2283	13.0041	16.0828	6.2116	13.3402	7.0159	6.5066	8.4735	9.9551	6.3258	10.4223	8.1959	12.5802
	S	88.821	70.852	56.328	47.660	60.200	61.688	52.490	54.713	52.499	60.188	55.750	60.143	51.289	50.413	35.500
3	T	18.6327	11.2840	5.8968	9.6535	18.8112	5.6101	11.2458	5.8284	5.3709	9.1309	9.2550	6.2266	10.0954	6.6049	7.3938
	S	27.664	70.998	97.703	64.202	51.468	68.302	62.266	65.861	63.600	55.854	59.968	61.101	52.949	62.557	60.401
4	T	5.3848	7.7424	4.7245	8.6492	7.7003	2.5622	7.0669	5.3654	4.7768	5.1956	6.4668	3.2428	5.3873	5.5317	4.6025
	S	95.724	103.474	121.947	71.657	125.733	149.552	99.085	71.544	71.510	98.160	85.823	117.323	99.223	74.693	97.032
5	T	4.2635	7.0409	4.4454	8.1619	7.6380	2.5619	6.8802	5.1380	4.6231	5.1452	6.4940	3.2440	5.4592	5.4301	4.5782
	S	120.899	113.783	129.603	75.935	126.759	149.569	101.774	74.711	73.888	99.122	85.464	117.279	97.916	76.091	97.547
6	T	4.3087	6.9226	4.3737	8.2951	7.7064	2.5677	6.7610	5.0126	4.5360	5.0178	6.2234	3.1978	5.3337	5.3534	4.5608
	S	119.631	115.728	131.727	74.716	125.633	149.232	103.569	76.580	75.307	101.638	89.180	118.974	100.220	77.181	97.919
7	T	4.3025	6.8757	4.3522	8.1231	7.5050	2.5330	7.1053	5.2802	4.6510	4.8970	6.4611	3.3005	5.3997	5.3189	4.5309
	S	119.803	116.517	132.378	76.298	129.005	151.276	98.550	72.699	73.445	104.145	85.899	115.272	98.995	77.682	98.566
8	T	4.2136	6.9755	4.4179	7.9348	7.6118	2.5590	6.6458	5.0281	4.5232	4.9955	6.3980	3.1863	5.2667	5.4896	4.4704
	S	122.331	114.850	130.410	78.108	127.195	149.739	105.364	76.344	75.520	102.092	86.746	119.403	101.495	75.266	99.900
9	T	4.2112	6.9050	4.3890	7.9541	7.5752	2.5539	6.6241	4.9818	4.7778	4.9554	6.2299	3.1831	5.0932	5.3728	4.5036
	S	122.401	116.023	131.268	77.919	127.809	150.038	105.709	77.053	71.495	102.918	89.087	119.523	104.953	76.903	99.163
10	T	4.2085	6.8052	4.3452	8.0837	7.6446	2.5716	6.5822	5.0818	4.4370	4.9013	6.2407	3.1965	5.0626	5.3330	4.5729
	S	122.479	117.724	132.591	76.669	126.649	149.005	106.382	75.537	76.987	104.054	88.932	119.022	105.587	77.476	97.660
11	T	4.1999	6.7538	4.3707	7.9049	7.5168	2.5162	6.7495	5.0911	4.5080	4.8431	6.0114	3.1697	4.9700	5.3979	4.5380
	S	122.730	118.620	131.818	78.404	128.802	152.286	103.745	75.399	75.774	105.304	92.325	120.029	107.554	76.545	98.411
12	T	4.2086	6.6993	4.2996	8.0077	7.6071	2.5681	6.6259	4.9338	4.2034	4.8284	6.0255	3.1712	4.8907	5.5086	4.6186
	S	122.476	119.585	133.998	77.397	127.273	149.208	105.680	77.803	81.265	105.625	92.109	119.972	109.298	75.007	96.694
13	T	4.2506	6.7341	4.3554	7.8564	7.5869	2.5479	6.5699	5.0191	4.2347	4.7882	5.9608	3.1638	4.7964	5.3015	4.3987
	S	121.266	118.967	132.281	78.888	127.612	150.391	106.581	76.481	80.665	106.512	93.108	120.252	111.447	77.937	101.528
14	T	4.2017	6.6668	4.3670	7.8398	7.6712	2.6123	6.4870	4.9851	4.1023	4.7687	5.9191	3.1701	4.7738	5.2637	4.4647
	S	122.678	120.168	131.930	79.055	126.210	146.684	107.943	77.002	83.268	106.947	93.764	120.013	111.975	78.496	100.027
15	T	4.2148	6.5885	4.3328	7.8134	7.6392	2.5962	6.4169	4.9781	4.1509	4.7956	5.9739	3.1747	4.8028	5.2482	4.4538
	S	122.296	121.596	132.971	79.322	126.739	147.593	109.122	77.110	82.293	106.347	92.904	119.840	111.299	78.728	100.272
16	T	4.1975	6.5929	4.3184	7.7801	7.6352	2.5976	6.4354	4.9411	4.1710	4.8129	6.0433	3.1774	4.8790	5.2972	4.4582
	S	122.800	121.515	133.414	79.661	126.805	147.514	108.809	77.688	81.897	105.965	91.837	119.738	109.560	78.000	100.173
17	T	4.2027	6.7303	4.3214	7.8394	7.5534	2.5923	6.7530	4.9857	4.1619	4.7723	5.9304	3.1802	4.8439	5.2616	4.4841
	S	122.648	119.034	133.322	79.059	128.178	147.815	103.691	76.993	82.076	106.867	93.586	119.632	110.354	78.528	99.594
18	T	4.2335	6.6051	4.3251	7.7546	7.6456	2.6059	6.4318	5.0291	4.1492	4.8196	5.9843	3.1902	4.8103	5.2264	4.4260
	S	121.756	121.291	133.208	79.923	126.633	147.044	108.870	76.328	82.327	105.818	92.743	119.257	111.125	79.057	100.902
19	T	4.1866	6.5873	4.3463	7.7498	7.6285	2.6850	7.3530	5.2331	4.8198	4.8813	6.1299	3.2127	5.0569	5.3891	4.5068
	S	123.120	121.618	132.558	79.973	126.916	142.712	95.230	73.353	70.872	104.480	90.540	118.422	105.706	76.670	99.093

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 28, 2019

Section Data for Car 68 - Frost, Danial (R)

Lap	T/S Lap	PO to SF
1	T 116.2853	143.4941
	S 69.904	53.060
2	T 145.4528	
	S 55.886	
3	T 141.0400	
	S 57.635	
4	T 84.3992	
	S 96.314	
5	T 81.1036	
	S 100.227	
6	T 80.1707	
	S 101.394	
7	T 80.6361	
	S 100.808	
8	T 79.7162	
	S 101.972	
9	T 79.3101	
	S 102.494	
10	T 79.0668	
	S 102.809	
11	T 78.5410	
	S 103.498	
12	T 78.1965	
	S 103.954	
13	T 77.5644	
	S 104.801	
14	T 77.2933	
	S 105.168	
15	T 77.1798	
	S 105.323	
16	T 77.3372	
	S 105.109	
17	T 77.6126	
	S 104.736	
18	T 77.2367	
	S 105.245	
19	T 79.7661	
	S 101.908	

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 28, 2019

Section Data for Car 68 - Frost, Danial (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.4578	7.2507	8.5150	11.2519	16.3971	6.1596	14.0395	6.9252	5.8587	9.5968	13.6817	6.8196	9.1605	8.4263	6.9628
	S	115.630	110.491	67.661	55.082	59.046	62.209	49.876	55.430	58.305	53.143	40.565	55.788	58.353	49.035	64.140
21	T	8.8184	13.9109	12.1609	10.5832	13.3372	6.1649	12.4827	6.7094	5.8406	9.3678	9.7331	5.4752	9.1608	6.7839	4.4694
	S	58.452	57.591	47.376	58.562	72.593	62.155	56.096	57.213	58.486	54.442	57.022	69.487	58.351	60.906	99.922
22	T	4.2470	7.1764	4.3935	8.3923	7.5403	2.5707	6.9735	5.1908	4.4680	4.9690	6.3177	3.2118	5.3232	5.3472	4.5043
	S	121.369	111.635	131.134	73.850	128.401	149.057	100.413	73.951	76.453	102.636	87.848	118.455	100.418	77.271	99.148
23	T	4.2450	7.0343	4.4395	8.0619	7.6204	2.5801	6.8734	5.2957	4.3837	4.8811	6.1245	3.1882	5.0598	5.3013	4.4462
	S	121.426	113.890	129.775	76.877	127.051	148.514	101.875	72.486	77.923	104.485	90.620	119.332	105.646	77.940	100.443
24	T	4.1841	6.9731	4.3902	7.9900	7.5950	2.5580	6.8126	5.0419	4.2609	4.9686	6.1672	3.2173	5.0130	5.3404	4.4934
	S	123.194	114.890	131.232	77.569	127.476	149.797	102.784	76.135	80.169	102.645	89.992	118.253	106.632	77.369	99.388
25	T	4.2431	6.9793	4.4961	8.0959	7.6313	2.5958	6.8238	5.0663	4.2941	4.9234	6.1657	3.2308	5.1051	5.2979	4.5154
	S	121.481	114.787	128.141	76.554	126.870	147.616	102.615	75.768	79.549	103.587	90.014	117.759	104.708	77.990	98.904
26	T	4.4301	8.3594	5.9837	9.6682	9.6393	3.3731									
	S	116.353	95.837	96.284	64.104	100.441	113.599									

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 28, 2019

Section Data for Car 68 - Frost, Danial (R)

Lap	T/SLap	PO to SF
20	T	135.5032
	S	59.990
21	T	134.9984
	S	60.214
22	T	80.6257
	S	100.821
23	T	79.5351
	S	102.204
24	T	79.0057
	S	102.889
25	T	79.4640
	S	102.295
26	T	
	S	

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 28, 2019

Section Data for Car 8 - Thompson, Parker

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.4364	8.2898	5.4602	9.3143	9.5303	3.3799	8.7936	6.7820	6.4968	7.7164	10.4007	7.8768	10.8507	7.9808	8.3810
	S	94.815	96.641	105.516	66.540	101.590	113.371	79.629	56.600	52.578	66.093	53.362	48.301	49.264	51.772	53.286
2	T	6.1097	11.8098	10.7875	12.0266	15.7479	7.6924	12.1984	6.6406	6.4808	8.4977	9.8950	6.4969	10.5851	8.3036	9.4009
	S	84.367	67.837	53.408	51.533	61.480	49.813	57.403	57.806	52.708	60.016	56.089	58.559	50.500	49.759	47.505
3	T	7.2684	12.8078	9.4126	12.8699	14.8541	6.1060	12.3690	7.1150	6.9948	8.1858	10.6845	6.5606	10.9882	7.7296	8.2306
	S	70.917	62.551	61.209	48.157	65.179	62.755	56.611	53.951	48.835	62.303	51.944	57.991	48.647	53.454	54.260
4	T	5.2314	7.3109	4.4732	8.2442	7.7371	2.6414	6.7425	5.2961	4.4206	5.0286	6.3037	3.2734	5.0821	5.3316	4.5515
	S	98.531	109.581	128.797	75.177	125.135	145.068	103.853	72.480	77.273	101.420	88.044	116.226	105.182	77.497	98.120
5	T	4.2750	6.9481	4.4646	7.9983	7.7243	2.6184	6.6747	5.0595	4.2775	4.9493	6.0320	3.2283	4.9766	5.1880	4.4971
	S	120.574	115.303	129.045	77.488	125.342	146.342	104.908	75.870	79.858	103.045	92.009	117.850	107.412	79.642	99.306
6	T	4.2549	6.7747	4.4023	7.8499	7.6850	2.6086	6.5654	5.0071	4.1626	4.8601	6.0539	3.2432	4.8496	5.2353	4.4650
	S	121.144	118.254	130.872	78.953	125.983	146.892	106.654	76.664	82.062	104.936	91.676	117.308	110.225	78.922	100.020
7	T	4.2297	6.8019	4.3875	7.8302	7.6647	2.5977	6.4329	5.0198	4.1801	4.8411	5.9747	3.2148	4.8668	5.2333	4.4690
	S	121.866	117.781	131.313	79.152	126.317	147.508	108.851	76.470	81.718	105.348	92.892	118.345	109.835	78.952	99.931
8	T	4.2265	6.7550	4.3779	7.8204	7.6593	2.6002	6.5589	4.9972	4.1978	4.8611	5.9382	3.2187	4.8340	5.1259	4.4786
	S	121.958	118.599	131.601	79.251	126.406	147.366	106.760	76.816	81.374	104.915	93.463	118.201	110.580	80.607	99.717
9	T	4.2233	6.6690	4.3766	7.7785	7.6688	2.6065	6.4780	5.0148	4.1718	4.8572	5.9885	3.2229	4.8324	5.1569	4.4482
	S	122.050	120.128	131.640	79.678	126.249	147.010	108.093	76.546	81.881	104.999	92.678	118.047	110.617	80.122	100.398
10	T	4.2114	6.8090	4.3914	7.8618	7.7001	2.6166	6.4940	4.9851	4.1367	4.8129	5.9312	3.2177	4.8142	5.1544	4.4381
	S	122.395	117.658	131.197	78.833	125.736	146.443	107.827	77.002	82.576	105.965	93.573	118.238	111.035	80.161	100.627
11	T	4.2184	6.6507	4.3572	7.7954	7.6559	2.6141	6.5076	4.9854	4.1491	4.8229	5.9664	3.2366	4.7779	5.1374	4.4383
	S	122.192	120.459	132.226	79.505	126.462	146.583	107.601	76.998	82.329	105.746	93.021	117.548	111.879	80.426	100.622
12	T	4.2139	6.7186	4.3585	7.8166	7.6905	2.6175	6.4342	4.9516	4.1158	4.8546	5.9418	3.2129	4.8146	5.1263	4.4300
	S	122.322	119.242	132.187	79.289	125.893	146.392	108.829	77.523	82.995	105.055	93.406	118.415	111.026	80.600	100.811
13	T	4.2183	6.6269	4.3272	7.7518	7.6729	2.6085	6.4422	4.9569	4.1240	4.8317	5.9528	3.2107	4.7407	5.1354	4.4620
	S	122.195	120.892	133.143	79.952	126.182	146.897	108.694	77.440	82.830	105.553	93.233	118.496	112.757	80.458	100.088
14	T	4.2183	6.6165	4.3380	7.7590	7.6680	2.6108	6.4451	4.9536	4.1385	4.8172	5.9794	3.2261	4.7802	5.1375	4.4417
	S	122.195	121.082	132.812	79.878	126.263	146.768	108.645	77.492	82.540	105.871	92.819	117.930	111.825	80.425	100.545
15	T	4.2280	6.6230	4.3206	7.7773	7.6888	2.6119	6.3917	4.9243	4.1567	4.8284	5.9813	3.2284	4.8093	5.2088	4.4235
	S	121.915	120.963	133.346	79.690	125.921	146.706	109.553	77.953	82.178	105.625	92.789	117.846	111.148	79.324	100.959
16	T	4.2227	6.6384	4.3407	7.8059	7.6762	2.6119	6.4480	4.9731	4.1575	4.8412	5.9466	3.2123	4.8118	5.1492	4.4470
	S	122.068	120.682	132.729	79.398	126.128	146.706	108.596	77.188	82.163	105.346	93.331	118.437	111.091	80.242	100.425
17	T	4.2313	6.7004	4.3541	7.7669	7.6873	2.6167	6.4556	4.9542	4.1394	4.8517	6.0063	3.2199	4.7966	5.1450	4.4396
	S	121.819	119.565	132.320	79.797	125.946	146.437	108.468	77.482	82.522	105.118	92.403	118.157	111.443	80.307	100.593
18	T	4.2284	6.6370	4.3348	7.7597	7.6526	2.6044	6.4449	4.9321	4.1544	4.8334	5.9593	3.2271	4.7791	5.2096	4.4582
	S	121.903	120.708	132.910	79.871	126.517	147.129	108.648	77.830	82.224	105.516	93.132	117.894	111.851	79.312	100.173
19	T	4.2230	6.6302	4.3372	7.7715	7.6575	2.6017	6.4872	4.9333	4.1312	5.1996	6.5652	4.4845	7.0047	6.1074	5.3187
	S	122.059	120.831	132.836	79.749	126.436	147.281	107.940	77.811	82.686	98.084	84.537	84.838	76.312	67.653	83.966

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 28, 2019

Section Data for Car 8 - Thompson, Parker

Lap	T/SLap	PO to SF
1	T 116.6897	142.1446
	S 69.662	53.564
2	T 142.6729	
	S 56.975	
3	T 142.1769	
	S 57.174	
4	T 81.6683	
	S 99.534	
5	T 78.9117	
	S 103.011	
6	T 78.0176	
	S 104.192	
7	T 77.7442	
	S 104.558	
8	T 77.6497	
	S 104.686	
9	T 77.4934	
	S 104.897	
10	T 77.5746	
	S 104.787	
11	T 77.3133	
	S 105.141	
12	T 77.2974	
	S 105.163	
13	T 77.0620	
	S 105.484	
14	T 77.1299	
	S 105.391	
15	T 77.2020	
	S 105.293	
16	T 77.2825	
	S 105.183	
17	T 77.3650	
	S 105.071	
18	T 77.2150	
	S 105.275	
19	T 83.4529	
	S 97.406	

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 28, 2019

Section Data for Car 8 - Thompson, Parker

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	5.7959	15.2531	11.4187	12.5556	16.5629	6.4773	13.0609	7.0623	6.3360	9.9032	13.1749	6.6879	9.5876	8.1978	7.2542
	S	88.934	52.523	50.456	49.362	58.455	59.158	53.612	54.354	53.913	51.499	42.126	56.887	55.754	50.402	61.563
21	T	9.1834	12.8919	9.3670	12.3460	14.6156	6.1945	12.7826	6.6164	6.3843	8.3627	10.2954	5.4551	9.8198	7.1860	4.6889
	S	56.129	62.143	61.507	50.200	66.243	61.858	54.780	58.017	53.505	60.985	53.908	69.743	54.435	57.498	95.244
22	T	4.2579	7.6967	4.6716	8.2379	7.6798	2.5789	6.8560	5.2303	4.4040	4.9867	6.2327	3.2679	5.0153	5.3930	4.4801
	S	121.058	104.088	123.327	75.234	126.069	148.583	102.133	73.392	77.564	102.272	89.046	116.422	106.583	76.614	99.683
23	T	4.2469	6.9013	4.4029	7.9451	7.6170	2.5928	6.5285	5.0316	4.2439	4.8514	6.1897	3.2375	4.8997	5.3324	4.4860
	S	121.372	116.085	130.854	78.007	127.108	147.787	107.257	76.291	80.490	105.124	89.665	117.515	109.098	77.485	99.552
24	T	4.2245	6.7381	4.3628	7.8997	7.5926	2.5805	6.5729	5.0527	4.2188	4.8465	6.1235	3.2189	4.9260	5.3003	4.4374
	S	122.016	118.896	132.057	78.455	127.517	148.491	106.532	75.972	80.969	105.231	90.634	118.194	108.515	77.954	100.642
25	T	4.2064	7.1085	4.5056	7.8881	7.6457	2.5923	6.5229	5.0288	4.1906	4.8558	5.9989	3.2001	4.9270	5.2521	4.5022
	S	122.541	112.701	127.871	78.571	126.631	147.815	107.349	76.333	81.514	105.029	92.517	118.888	108.493	78.670	99.194
26	T	4.3290	7.7303	4.9863	8.3294	8.8095	3.3824	7.7136								
	S	119.070	103.636	115.544	74.408	109.902	113.287	90.778								

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 28, 2019

Section Data for Car 8 - Thompson, Parker

Lap	T/SLap	PO to SF
20	T	149.3283
	S	54.436
21	T	136.1896
	S	59.687
22	T	80.9888
	S	100.369
23	T	78.5067
	S	103.543
24	T	78.0952
	S	104.088
25	T	78.4250
	S	103.651
26	T	
	S	

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 28, 2019

Section Data for Car 83 - Finelli, Charles

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	9.2616	10.4629	7.8438	11.0332	11.5725	3.1832	9.2914	6.4153	5.5616	6.4355	7.8819	3.6256	9.5143	8.2004	9.2643
	S	55.655	76.569	73.451	56.173	83.662	120.376	75.363	59.836	61.420	79.248	70.414	104.936	56.183	50.386	48.206
2	T	9.2723	12.3533	9.1225	10.7543	15.7953	6.5020	16.1366	6.6741	5.4928	6.1694	9.0830	5.0446	10.1529	8.0027	13.1845
	S	55.591	64.852	63.156	57.630	61.296	58.933	43.394	57.515	62.189	82.666	61.103	75.418	52.650	51.630	33.872
3	T	9.7653	10.2216	8.3022	10.8539	18.8290	5.1120	10.7085	5.8295	6.2812	8.4131	10.6776	6.0177	10.2724	6.8674	7.7969
	S	52.784	78.377	69.396	57.101	51.420	74.957	65.390	65.848	54.383	60.620	51.978	63.223	52.037	60.166	57.278
4	T	5.6292	8.2756	4.9806	8.9703	7.8966	2.6408	7.2700	5.5315	4.6142	5.3165	6.5675	3.3381	5.4583	5.7806	4.6613
	S	91.568	96.807	115.676	69.092	122.607	145.101	96.317	69.396	74.030	95.928	84.507	113.973	97.933	71.477	95.808
5	T	4.3703	7.0035	4.5563	8.4435	7.8058	2.6404	6.8723	5.3138	4.3300	5.1544	6.6036	3.3639	5.5048	5.7926	4.6764
	S	117.945	114.391	126.448	73.402	124.034	145.123	101.891	72.239	78.889	98.945	84.045	113.099	97.105	71.329	95.499
6	T	4.3622	7.0956	4.5853	8.5827	7.8296	2.6506	6.8962	5.2881	4.4075	5.1286	6.3809	3.3044	5.2749	5.6817	4.6166
	S	118.164	112.906	125.649	72.212	123.657	144.564	101.538	72.590	77.502	99.442	86.978	115.136	101.338	72.722	96.736
7	T	4.3022	7.1153	4.5251	8.3588	7.8223	2.6548	6.8381	5.3179	4.3929	5.0376	6.4420	3.3488	5.2187	5.5319	4.6348
	S	119.812	112.593	127.320	74.146	123.772	144.335	102.401	72.183	77.760	101.239	86.153	113.609	102.429	74.691	96.356
8	T	4.3114	6.9566	4.5132	8.2546	7.7662	2.6446	6.8481	5.2379	4.3955	4.9388	6.4981	3.3520	5.2917	5.7286	4.6615
	S	119.556	115.162	127.656	75.082	124.666	144.892	102.251	73.286	77.714	103.264	85.410	113.501	101.016	72.126	95.804
9	T	4.3021	6.8072	4.4951	8.2682	7.8051	2.6544	6.7413	5.1569	4.4496	5.0687	6.2552	3.3101	5.2919	5.6362	4.6135
	S	119.815	117.690	128.170	74.959	124.045	144.357	103.871	74.437	76.769	100.618	88.726	114.937	101.012	73.309	96.801
10	T	4.3333	6.8942	4.4874	8.1539	7.7650	2.6569	6.6984	5.1913	15.6907	8.9953	6.6035	3.3971	5.7274	5.6132	4.6760
	S	118.952	116.204	128.390	76.009	124.685	144.221	104.536	73.944	21.770	56.696	84.046	111.994	93.331	73.609	95.507
11	T	4.3872	7.0477	4.5817	8.3222	7.8536	2.6672	6.9702	5.2089	4.5207	5.0626	6.3770	3.3131	5.3327	5.5677	4.6219
	S	117.491	113.673	125.747	74.472	123.279	143.664	100.460	73.694	75.562	100.739	87.032	114.833	100.239	74.211	96.625
12	T	4.3490	6.8640	4.4670	8.2424	7.7935	2.6630	6.7668	5.1468	4.4756	5.0237	6.4733	3.3645	5.1985	5.6112	4.5850
	S	118.523	116.716	128.976	75.193	124.229	143.891	103.480	74.583	76.323	101.519	85.737	113.079	102.827	73.635	97.403
13	T	4.3094	6.8555	4.4770	8.2357	7.8090	2.6708	7.2918	5.2475	4.3560	4.9551	6.2528	3.2818	5.1893	5.3908	4.5148
	S	119.612	116.860	128.688	75.254	123.983	143.471	96.029	73.152	78.418	102.924	88.760	115.929	103.009	76.646	98.917
14	T	4.2823	6.9582	4.4378	8.1437	7.7493	2.6401	6.8599	5.2350	4.2653	5.0180	6.3348	3.2939	5.0876	5.4403	4.5225
	S	120.369	115.136	129.825	76.105	124.938	145.139	102.075	73.326	80.086	101.634	87.611	115.503	105.068	75.948	98.749
15	T	4.2783	6.9097	4.4694	8.1607	7.7406	2.6527	6.5858	5.2297	4.2828	5.1670	6.3184	3.2898	5.1217	5.4202	4.5724
	S	120.481	115.944	128.907	75.946	125.078	144.450	106.324	73.401	79.759	98.703	87.839	115.647	104.369	76.230	97.671
16	T	4.2978	6.7634	4.4494	8.0571	7.7879	2.6568	6.6669	5.1462	4.1689	4.9221	6.3309	3.2986	5.1029	5.5319	4.5291
	S	119.935	118.452	129.486	76.923	124.319	144.227	105.030	74.592	81.938	103.614	87.665	115.338	104.753	74.691	98.605
17	T	4.3015	6.8280	4.4208	8.4212	7.8144	2.6606	6.6894	5.1744	4.3159	5.1781	6.2544	3.2843	5.3427	5.6069	4.5774
	S	119.831	117.331	130.324	73.597	123.897	144.021	104.677	74.185	79.147	98.492	88.738	115.840	100.052	73.692	97.564
18	T	4.2945	6.8079	4.4905	8.2803	7.8385	2.7077	7.2297	5.1351	4.4438	5.6945	6.7977	3.4377	5.5985	5.6030	5.0348
	S	120.027	117.677	128.301	74.849	123.516	141.516	96.854	74.753	76.869	89.560	81.645	110.671	95.480	73.743	88.701

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 28, 2019

Section Data for Car 83 - Finelli, Charles

Lap	T/S Lap	PO to SF
1	T 119.5475	125.2464
	S 67.996	60.791
2	T 143.7403	
	S 56.552	
3	T 135.9483	
	S 59.793	
4	T 86.9311	
	S 93.509	
5	T 82.4316	
	S 98.613	
6	T 82.0849	
	S 99.029	
7	T 81.5412	
	S 99.689	
8	T 81.3988	
	S 99.864	
9	T 80.8555	
	S 100.535	
10	T 96.8836	
	S 83.903	
11	T 81.8344	
	S 99.332	
12	T 81.0243	
	S 100.325	
13	T 80.8373	
	S 100.558	
14	T 80.2687	
	S 101.270	
15	T 80.1992	
	S 101.358	
16	T 79.7099	
	S 101.980	
17	T 80.8700	
	S 100.517	
18	T 83.3942	
	S 97.474	

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 28, 2019

Section Data for Car 90 - Lastochkin, Nikita

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	6.6288	10.9206	9.4069	10.8840	12.1692	4.1688	9.7575	6.4698	6.0964	7.3089	8.6855	4.7920	8.2977	8.1080	9.1716
	S	77.760	73.360	61.246	56.943	79.560	91.917	71.763	59.332	56.032	69.778	63.900	79.394	64.421	50.960	48.693
2	T			4.8732	8.5093	8.0537	2.7575	7.0241	5.4537	4.6300	5.3230	6.4846	3.2988	5.4603	5.5507	4.6577
	S			118.225	72.835	120.216	138.960	99.689	70.386	73.778	95.811	85.587	115.331	97.897	74.438	95.882
3	T	4.4704	7.3334	4.5379	8.2765	7.8207	2.7291	9.0983	5.4428	5.9416	10.2940	9.3712	6.1751	9.8248	6.5437	7.0613
	S	115.304	109.245	126.961	74.883	123.797	140.406	76.962	70.527	57.491	49.543	59.224	61.611	54.408	63.142	63.245
4	T	5.2137	7.7797	4.5473	8.5636	7.6897	2.5830	7.2233	5.3995	4.7025	5.1594	6.4603	3.2856	5.2637	5.5486	4.5402
	S	98.865	102.978	126.699	72.373	125.906	148.348	96.940	71.092	72.640	98.849	85.909	115.795	101.553	74.466	98.364
5	T	4.2771	7.0487	4.4459	8.2266	7.6211	2.5561	6.9235	5.2264	4.6194	5.2301	6.5411	3.2436	5.3119	5.4648	4.5748
	S	120.515	113.657	129.588	75.338	127.040	149.909	101.138	73.447	73.947	97.512	84.848	117.294	100.632	75.608	97.620
6	T	4.2566	6.8841	4.3954	8.2678	7.6818	2.5785	6.6832	5.1673	4.4997	5.0382	6.2415	3.2487	5.2801	5.3769	4.5416
	S	121.095	116.375	131.077	74.962	126.036	148.606	104.774	74.287	75.914	101.227	88.921	117.110	101.238	76.844	98.333
7	T	4.2336	6.8237	4.3402	8.1528	7.6449	2.5937	7.0825	5.3072	4.5775	5.0292	6.4559	3.3004	5.2096	5.4055	4.5347
	S	121.753	117.405	132.744	76.020	126.644	147.736	98.867	72.329	74.624	101.408	85.968	115.275	102.608	76.437	98.483
8	T	4.2413	6.7276	4.3658	7.9978	7.6938	2.5926	6.6942	5.0344	4.4824	5.1014	6.4367	3.2252	5.1266	5.4122	4.5359
	S	121.532	119.082	131.966	77.493	125.839	147.798	104.602	76.248	76.207	99.973	86.224	117.963	104.269	76.343	98.457
9	T	4.2137	6.7359	4.3761	7.9652	7.6325	2.5741	6.7214	5.0978	4.6498	5.0289	6.1702	3.2393	4.9669	5.3677	4.5368
	S	122.328	118.935	131.655	77.810	126.850	148.861	104.179	75.300	73.464	101.414	89.948	117.450	107.622	76.976	98.437
10	T	4.2167	6.6933	4.3570	8.0681	7.5821	2.5603	6.8310	5.1535	4.3426	4.9834	6.1032	3.2126	5.0653	5.3048	4.4570
	S	122.241	119.692	132.232	76.818	127.693	149.663	102.507	74.486	78.660	102.340	90.936	118.426	105.531	77.888	100.200
11	T	4.1992	6.7563	4.3312	8.1522	7.6218	2.5836	6.9299	5.1622	4.5711	4.9744	6.0659	3.2224	4.9419	5.1903	4.5440
	S	122.751	118.576	133.020	76.025	127.028	148.313	101.044	74.360	74.728	102.525	91.495	118.066	108.166	79.607	98.281
12	T	4.2118	6.6829	4.3290	8.0781	7.5179	2.5125	6.7909	5.0277	4.2218	4.8613	5.9858	3.1775	4.9018	5.3312	4.4692
	S	122.383	119.879	133.088	76.723	128.784	152.510	103.113	76.350	80.911	104.910	92.719	119.734	109.051	77.503	99.926
13	T	4.2715	6.7784	4.3962	7.9514	7.6212	2.5758	6.6256	5.0406	4.3276	5.0230	6.1552	3.2216	5.0785	5.3524	4.4680
	S	120.673	118.190	131.053	77.945	127.038	148.762	105.685	76.154	78.933	101.533	90.168	118.095	105.257	77.196	99.953
14	T	4.2163	6.8879	4.5614	8.0154	7.6506	2.6085	6.6980	5.0876	4.3236	4.9552	6.0334	3.1984	4.9874	5.3921	4.5264
	S	122.253	116.311	126.307	77.323	126.550	146.897	104.543	75.451	79.006	102.922	91.988	118.952	107.179	76.627	98.664
15	T	4.2217	6.7541	4.3601	8.0125	7.5917	2.5505	6.8913	5.1513	4.4337	4.9988	6.0644	3.2128	4.8909	5.3346	4.5181
	S	122.096	118.615	132.138	77.351	127.532	150.238	101.610	74.518	77.044	102.024	91.518	118.418	109.294	77.453	98.845
16	T	4.2323	6.7468	4.3117	7.9854	7.5663	2.5545	6.7568	5.0662	4.3449	4.8774	5.9686	3.2032	4.8564	5.2450	4.5038
	S	121.791	118.743	133.622	77.613	127.960	150.003	103.633	75.770	78.619	104.564	92.987	118.773	110.070	78.776	99.159
17	T	4.2531	6.6489	4.3571	7.7854	7.6789	2.6226	6.5631	4.9456	4.1520	4.8500	5.9780	3.2172	4.8422	5.2172	4.4961
	S	121.195	120.492	132.229	79.607	126.083	146.108	106.692	77.617	82.271	105.155	92.840	118.256	110.393	79.196	99.329
18	T	4.2376	6.6372	4.3488	7.8979	7.7003	2.6298	6.4404	4.9618	4.1645	4.8425	5.9805	3.2126	4.8057	5.2393	4.4656
	S	121.638	120.704	132.482	78.473	125.733	145.708	108.724	77.364	82.024	105.318	92.802	118.426	111.232	78.862	100.007
19	T	4.2207	6.5822	4.3546	7.8697	7.6914	2.6163	6.8508	5.3827	4.6904	6.3247	6.5573	3.2845	5.3704	5.4315	4.6706
	S	122.125	121.713	132.305	78.754	125.878	146.459	102.211	71.314	72.828	80.636	84.638	115.833	99.536	76.071	95.617

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 28, 2019

Section Data for Car 90 - Lastochkin, Nikita

Lap	T/Slap	PI to PO	PO to SF	SF to PI	
1	T	125.5813	100.8927	126.7289	114.0988
	S	64.729	8.900	60.080	67.334
2	T	170.7512		81.3410	
	S	47.606		93.604	
3	T	104.9208			
	S	77.476			
4	T	83.9601			
	S	96.817			
5	T	81.3111			
	S	99.972			
6	T	80.1414			
	S	101.431			
7	T	80.6914			
	S	100.739			
8	T	79.6679			
	S	102.034			
9	T	79.2763			
	S	102.538			
10	T	78.9309			
	S	102.986			
11	T	79.2464			
	S	102.576			
12	T	78.0994			
	S	104.083			
13	T	78.8870			
	S	103.044			
14	T	79.1422			
	S	102.711			
15	T	78.9865			
	S	102.914			
16	T	78.2193			
	S	103.923			
17	T	77.6074			
	S	104.743			
18	T	77.5645			
	S	104.801			
19	T	81.8978			
	S	99.255			

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 28, 2019

Section Data for Car 90 - Lastochkin, Nikita

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.6051	7.2580	4.7120	8.4284	15.9429	6.1592	14.8044	6.2137	6.2616	9.3823	13.9491	6.2720	9.3488	8.4026	6.7962
	S	111.931	110.380	122.270	73.534	60.728	62.213	47.299	61.777	54.553	54.358	39.788	60.659	57.178	49.173	65.712
21	T	8.7963	13.8039	12.2900	11.2000	12.6707	6.0282	12.5409	6.6202	5.9368	8.9440	9.9094	5.3746	8.9688	6.6048	4.5492
	S	58.599	58.037	46.878	55.337	76.411	63.565	55.835	57.984	57.538	57.021	56.007	70.788	59.601	62.558	98.169
22	T	4.2716	6.9836	4.3621	8.5114	7.6326	2.5520	6.7883	5.2927	4.5767	5.1214	6.4439	3.2646	5.1488	5.3673	4.5128
	S	120.670	114.717	132.078	72.817	126.848	150.150	103.152	72.527	74.637	99.582	86.128	116.539	103.819	76.981	98.961
23	T	4.2647	6.8300	4.3880	8.1293	7.6689	2.6044	6.6954	5.0574	4.2834	5.0072	6.4311	3.2951	4.9290	5.4101	4.3935
	S	120.865	117.297	131.298	76.239	126.248	147.129	104.583	75.901	79.748	101.853	86.299	115.461	108.449	76.372	101.648
24	T	4.1809	6.6938	4.3596	8.0742	7.6442	2.5835	6.5927	5.0104	4.1964	4.9487	6.0906	3.1917	5.0491	5.4143	4.4935
	S	123.288	119.683	132.153	76.760	126.656	148.319	106.213	76.613	81.401	103.057	91.124	119.201	105.869	76.313	99.386
25	T	4.2062	6.8116	4.3702	8.2893	7.6255	2.6079	6.9271	5.2053	4.4601	4.9651	6.0084	3.1885	5.0183	5.2877	4.4862
	S	122.546	117.614	131.833	74.768	126.966	146.931	101.085	73.745	76.588	102.717	92.371	119.321	106.519	78.140	99.548
26	T	4.3216	8.3514	5.8039	9.9378	9.8516	3.3807									
	S	119.274	95.928	99.267	62.365	98.277	113.344									

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 28, 2019

Section Data for Car 90 - Lastochkin, Nikita

Lap	T/SLap	PI to PO	PO to SF	SF to PI
20	T	128.5363		
	S	63.241		
21	T	134.2378		
	S	60.555		
22	T	80.8298		
	S	100.567		
23	T	79.3875		
	S	102.394		
24	T	78.5236		
	S	103.520		
25	T	79.4574		
	S	102.304		
26	T			
	S			

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 28, 2019

Section Data for Car 98 - Denes, Phillippe (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.8520	11.0487	8.6401	9.4243	9.4390	4.2704	8.5483	5.3251	4.8108	6.2002	11.8584	6.8277	11.3961	8.1056	8.7800
	S	88.082	72.510	66.682	65.763	102.572	89.730	81.914	72.086	71.005	82.255	46.802	55.722	46.906	50.975	50.865
2	T	9.7348	8.6043	9.9615	11.5182	16.6477	7.1887	15.8567	5.3740	4.7712	7.5912	10.1801	5.2180	10.4362	8.2672	12.3881
	S	52.950	93.109	57.836	53.808	58.157	53.303	44.160	71.430	71.594	67.183	54.518	72.912	51.220	49.978	36.050
3	T	9.0220	9.1193	10.0561	11.6105	18.7940	5.2434	10.7332	5.5058	6.8319	8.2103	10.8256	6.0972	10.0951	6.9357	7.8602
	S	57.133	87.851	57.292	53.380	51.515	73.079	65.239	69.720	49.999	62.117	51.267	62.398	52.951	59.573	56.817
4	T	5.2140	7.6459	4.4994	8.5316	7.6463	2.5374	7.3351	5.3667	4.6671	5.1084	6.2904	3.2619	5.1743	5.6296	4.5828
	S	98.860	104.780	128.047	72.644	126.621	151.014	95.463	71.527	73.191	99.836	88.230	116.636	103.308	73.395	97.449
5	T	4.3299	7.0237	4.4892	8.4339	7.7277	2.6036	7.0143	5.1891	4.7348	5.3359	6.4431	3.2874	5.1716	5.5184	4.5821
	S	119.045	114.062	128.338	73.486	125.287	147.174	99.829	73.975	72.145	95.579	86.139	115.731	103.362	74.873	97.464
6	T	4.3079	6.8559	4.3938	8.1450	7.6684	2.5749	6.7908	5.2089	4.4072	5.0268	6.3414	3.2807	5.0132	5.4926	4.5151
	S	119.653	116.854	131.125	76.092	126.256	148.814	103.114	73.694	77.507	101.456	87.520	115.967	106.628	75.225	98.911
7	T	4.3049	6.8122	4.3953	8.2092	7.6516	2.5647	6.8444	5.3774	4.5606	4.9941	6.1911	3.2379	5.0938	5.4608	4.5465
	S	119.737	117.603	131.080	75.497	126.533	149.406	102.307	71.385	74.900	102.121	89.645	117.500	104.940	75.663	98.227
8	T	4.2850	6.7785	4.3782	8.1862	7.6600	2.5642	6.7250	5.0915	4.3521	4.9360	6.1165	3.2470	5.0035	5.3917	4.5048
	S	120.293	118.188	131.592	75.709	126.394	149.435	104.123	75.393	78.489	103.323	90.738	117.171	106.834	76.633	99.137
9	T	4.2896	6.7593	4.3786	7.9918	7.6976	2.6197	6.6334	5.0263	4.2949	4.8863	6.1336	3.2530	4.9012	5.3602	4.4647
	S	120.164	118.524	131.580	77.551	125.777	146.269	105.561	76.371	79.534	104.373	90.485	116.955	109.064	77.083	100.027
10	T	4.2549	6.7084	4.3707	7.9790	7.6887	2.6216	6.5954	5.0833	4.2491	4.8857	6.0447	3.2261	4.8570	5.3433	4.4861
	S	121.144	119.423	131.818	77.675	125.923	146.163	106.169	75.515	80.391	104.386	91.816	117.930	110.057	77.327	99.550
11	T	4.2546	6.7015	4.3843	7.9797	7.6885	2.6269	6.6687	5.0612	4.2487	4.8829	6.0609	3.2376	4.8327	5.3324	4.4772
	S	121.152	119.546	131.409	77.669	125.926	145.868	105.002	75.844	80.399	104.446	91.571	117.511	110.610	77.485	99.748
12	T	4.2532	6.6944	4.3859	7.9151	7.6904	2.6156	6.5759	5.0517	4.2109	4.8978	6.1224	3.2452	4.8701	5.3548	4.4906
	S	121.192	119.673	131.361	78.303	125.895	146.499	106.484	75.987	81.121	104.128	90.651	117.236	109.761	77.161	99.450
13	T	4.2657	6.6912	4.3507	7.9166	7.6933	2.6241	6.5098	5.0647	4.2443	4.8983	6.1091	3.2420	4.8114	5.2760	4.4726
	S	120.837	119.730	132.424	78.288	125.847	146.024	107.565	75.792	80.482	104.118	90.848	117.352	111.100	78.313	99.850
14	T	4.2599	6.7248	4.3716	7.9062	7.6975	2.6224	6.5350	5.0073	4.2229	4.8686	6.0066	3.2219	4.8429	5.2363	4.4385
	S	121.002	119.132	131.791	78.391	125.779	146.119	107.150	76.661	80.890	104.753	92.398	118.084	110.377	78.907	100.618
15	T	4.2641	6.6623	4.3415	7.8224	7.6718	2.6233	6.5143	5.0404	4.2026	4.8566	6.0714	3.2401	4.8267	5.2720	4.4829
	S	120.882	120.249	132.704	79.231	126.200	146.069	107.491	76.157	81.281	105.012	91.412	117.421	110.748	78.373	99.621
16	T	4.2650	6.6305	4.3231	7.8480	7.6715	2.6220	6.5629	5.0506	4.2453	4.8490	6.0730	3.2410	4.8770	5.2838	4.4727
	S	120.857	120.826	133.269	78.972	126.205	146.141	106.695	76.004	80.463	105.176	91.388	117.388	109.605	78.198	99.848
17	T	4.2589	6.7089	4.3534	7.9560	7.7016	2.6256	7.0124	5.1614	4.3363	4.9249	6.1749	3.2606	4.9179	5.3101	4.5014
	S	121.030	119.414	132.342	77.900	125.712	145.941	99.856	74.372	78.775	103.555	89.880	116.682	108.694	77.811	99.212
18	T	4.2583	6.7280	4.3569	7.8901	7.6974	2.6135	6.5973	5.0855	4.2793	4.8701	6.0680	3.2335	4.8329	5.3167	4.4357
	S	121.047	119.075	132.235	78.551	125.780	146.616	106.138	75.482	79.824	104.721	91.463	117.660	110.606	77.714	100.681
19	T	4.2340	6.7587	4.3896	7.8793	7.6654	2.6079	6.9889	5.4173	4.9835	5.3473	6.5791	3.3032	5.3098	5.6693	4.6113
	S	121.742	118.534	131.250	78.658	126.305	146.931	100.191	70.859	68.544	95.375	84.358	115.178	100.671	72.881	96.847

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 28, 2019

Section Data for Car 98 - Denes, Phillippe (R)

Lap	T/S Lap	PO to SF
1	T 120.5267	129.3087
	S 67.444	58.881
2	T 143.7379	
	S 56.553	
3	T 136.9403	
	S 59.360	
4	T 83.4909	
	S 97.362	
5	T 81.8847	
	S 99.271	
6	T 80.0226	
	S 101.581	
7	T 80.2445	
	S 101.300	
8	T 79.2202	
	S 102.610	
9	T 78.6902	
	S 103.301	
10	T 78.3940	
	S 103.692	
11	T 78.4378	
	S 103.634	
12	T 78.3740	
	S 103.718	
13	T 78.1698	
	S 103.989	
14	T 77.9624	
	S 104.266	
15	T 77.8924	
	S 104.359	
16	T 78.0154	
	S 104.195	
17	T 79.2043	
	S 102.631	
18	T 78.2632	
	S 103.865	
19	T 81.7446	
	S 99.441	

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 28, 2019

Section Data for Car 98 - Denes, Phillippe (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.3505	6.9755	6.0565	10.8130	16.4646	5.8325	14.3644	6.7035	6.3895	9.2711	13.8487	6.7646	9.1472	8.4009	6.6211
	S	118.482	114.850	95.127	57.317	58.804	65.698	48.747	57.263	53.461	55.010	40.076	56.242	58.438	49.183	67.450
21	T	8.9383	13.6387	12.4378	11.1748	12.5545	6.1943	12.5511	6.8161	5.7124	9.1659	9.8695	5.3208	9.0806	6.7184	4.5119
	S	57.668	58.740	46.321	55.462	77.118	61.860	55.790	56.317	59.798	55.641	56.234	71.503	58.867	61.500	98.981
22	T	4.2789	6.9487	4.4846	8.4798	7.6093	2.5382	6.9081	5.3180	4.5667	5.0210	6.4006	3.2628	5.4005	5.5880	4.6553
	S	120.464	115.293	128.470	73.088	127.237	150.966	101.363	72.182	74.800	101.573	86.711	116.604	98.981	73.941	95.932
23	T	4.3306	7.3970	4.4996	8.3165	7.6898	2.5965	7.0350	5.3641	4.5052	5.0191	6.2307	3.2451	5.0043	5.4653	4.5156
	S	119.026	108.306	128.042	74.523	125.905	147.576	99.535	71.562	75.821	101.612	89.075	117.240	106.817	75.601	98.900
24	T	4.2485	6.8065	4.3978	7.9627	7.6580	2.5918	6.6343	5.1005	4.3057	4.9490	6.1243	3.2276	4.9330	5.3636	4.4610
	S	121.326	117.702	131.006	77.834	126.428	147.844	105.547	75.260	79.335	103.051	90.623	117.875	108.361	77.034	100.110
25	T	4.2475	6.8469	4.4091	8.0366	7.6422	2.5912	6.7150	5.6125	4.4101	4.9934	6.2397	3.2364	5.0242	5.4042	4.5145
	S	121.355	117.007	130.670	77.119	126.689	147.878	104.278	68.394	77.456	102.135	88.947	117.555	106.394	76.456	98.924
26	T	4.2918	7.2851	6.1684	11.0479	9.0306										
	S	120.102	109.969	93.401	56.099	107.211										

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 28, 2019

Section Data for Car 98 - Denes, Phillippe (R)

Lap	T/SLap	PO to SF
20	T	132.0036
	S	61.580
21	T	134.6851
	S	60.354
22	T	81.4605
	S	99.788
23	T	81.2144
	S	100.091
24	T	78.7643
	S	103.204
25	T	79.9235
	S	101.707
26	T	
	S	

Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2


July 28, 2019

Section Data for Car

Report Support Information

Section Legend	
Name	Length
SF to I1	0.143182 miles
I1 to I2A	0.222538 miles
I2A to I2	0.160038 miles
I2 to I3A	0.172159 miles
I3A to I3	0.268939 miles
I3 to I4	0.106439 miles
I4 to I5A	0.194508 miles
I5A to I5B	0.106629 miles
I5B to I5	0.094886 miles
I5 to I6A	0.141667 miles
I6A to I6	0.154167 miles
I6 to I7A	0.105682 miles
I7A to I7	0.148485 miles
I7 to I8	0.114773 miles
I8 to SF	0.124053 miles
I1 to I2	0.382576 miles
I2 to I3	0.441098 miles
I4 to I5	0.396023 miles
I5 to I6	0.295833 miles
I6 to I7	0.254167 miles
Lap	2.258000 miles
PI to PO	0.249432 miles
PO to SF	2.114962 miles

Color Legend	
	Fastest Lap
	Section Under Caution
	Section Under Green
	Section Time Data
	Section Speed Data



Event: Cooper Tires Indy Pro 2000 GP of Mid-Ohio

Round 10 / 11

Track: Mid-Ohio Sports Car Course

2.258 mile(s)

Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

July 28, 2019



Section Data for Car

SF to PI	2.134091 miles
PO to I2	0.382576 miles
I7 to PI	0.114773 miles
PO to PI	2.008712 miles