

Event: Indy Pro 2000 GP of Indianapolis

Round 3 / 4

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 11, 2019

Section Data for Car 10 - Lindh, Rasmus (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF	
1	T	7.0599	10.1909	3.8725	8.2290	8.8684	6.4094	5.0474	7.3326	5.3250	7.1083	8.2645	4.3499	82.0578	140.7094
	S	129.605	89.318	100.886	101.581	138.541	93.081	92.127	100.702	132.010	77.214	103.620	136.053	107.003	57.287
2	T	6.1580	9.4331	3.7229	8.0836	8.8194	6.1771	4.9771	7.3099	5.2798	7.1317	8.3224	4.4170	79.8320	
	S	148.587	96.493	104.940	103.408	139.311	96.581	93.428	101.015	133.140	76.961	102.899	133.986	109.986	
3	T	6.2147	9.4250	3.7319	8.0882	8.8144	6.2730	4.9124	7.3267	5.2680	7.1158	8.3898	4.3305	79.8904	
	S	147.232	96.576	104.687	103.349	139.390	95.105	94.658	100.783	133.439	77.133	102.072	136.663	109.906	
4	T	6.1286	9.3706	3.7172	8.1342	8.8555	6.2449	4.9651	7.3250	5.2959	7.1102	8.4900	4.3389	79.9761	
	S	149.300	97.136	105.101	102.765	138.743	95.532	93.654	100.807	132.736	77.194	100.867	136.398	109.788	
5	T	6.1111	9.3734	3.7625	8.1002	8.8567	6.2727	5.0334	7.3280	5.2958	7.2176	8.3666	4.3060	80.0240	
	S	149.728	97.107	103.836	103.196	138.724	95.109	92.383	100.765	132.738	76.045	102.355	137.440	109.722	
6	T	6.0787	9.3589	3.8012	8.1213	8.8540	6.2177	4.9972	7.3682	5.3017	7.2586	8.3370	4.3073	80.0018	
	S	150.526	97.258	102.779	102.928	138.766	95.950	93.052	100.216	132.590	75.616	102.718	137.399	109.753	
7	T	6.0781	9.4056	3.7456	8.1460	8.8717	6.2887	4.9978	7.3652	5.3064	7.1045	8.4259	4.3214	80.0569	
	S	150.540	96.775	104.304	102.616	138.489	94.867	93.041	100.256	132.473	77.256	101.635	136.951	109.677	
8	T	6.0879	9.3507	3.7647	8.1106	8.8443	6.2683	5.0249	7.3204	5.3099	7.2128	8.3752	4.3226	79.9923	
	S	150.298	97.343	103.775	103.064	138.918	95.176	92.539	100.870	132.386	76.096	102.250	136.913	109.766	
9	T	6.0905	9.4045	3.7499	8.0870	8.8527	6.2461	5.0114	7.3328	5.2776	7.2049	8.3271	4.3004	79.8849	
	S	150.234	96.786	104.185	103.365	138.787	95.514	92.788	100.699	133.196	76.179	102.841	137.619	109.913	
10	T	6.0896	9.4661	3.8007	8.1193	8.8170	6.2220	4.9846	7.3329	5.3022	7.2350	8.3324	4.3083	80.0101	
	S	150.256	96.157	102.792	102.953	139.349	95.884	93.287	100.698	132.578	75.862	102.775	137.367	109.741	
11	T	6.0774	9.3697	3.7591	8.1530	8.8202	6.2518	5.0265	7.2906	5.2985	7.2601	8.2914	4.3142	79.9125	
	S	150.558	97.146	103.930	102.528	139.298	95.427	92.510	101.282	132.670	75.600	103.283	137.179	109.875	
12	T	6.0779	9.4180	3.7791	8.1562	8.8271	6.3334	5.0172	7.3044	5.2880	7.1737	8.4063	4.3077	80.0890	
	S	150.545	96.648	103.380	102.488	139.189	94.198	92.681	101.091	132.934	76.511	101.872	137.386	109.633	
13	T	6.0875	9.4785	3.7410	8.1418	8.8014	6.2421	4.9816	7.3048	5.2894	7.1594	8.3840	4.2993	79.9108	
	S	150.308	96.031	104.432	102.669	139.596	95.575	93.344	101.085	132.899	76.663	102.143	137.655	109.878	
14	T	6.0705	9.3744	3.7336	8.1194	8.8101	6.2161	4.9887	7.3219	5.2816	7.2795	8.3969	4.3303	79.9230	
	S	150.729	97.097	104.639	102.952	139.458	95.975	93.211	100.849	133.095	75.399	101.986	136.669	109.861	
15	T	6.0857	9.4794	3.7435	8.1024	8.8021	6.2242	5.0058	7.3498	5.2949	7.1846	8.5063	4.3314	80.1101	
	S	150.352	96.022	104.363	103.168	139.584	95.850	92.892	100.467	132.761	76.394	100.674	136.634	109.604	
16	T	6.0919	9.4211	3.7402	8.1174	8.8314	6.2982	5.0152	7.3274	5.2925	7.2202	8.5112	4.3213	80.1880	
	S	150.199	96.616	104.455	102.977	139.121	94.724	92.718	100.774	132.821	76.018	100.616	136.954	109.498	
17	T	6.0816	9.4282	3.7426	8.1052	8.8264	6.3297	5.0303	7.3071	5.2866	7.2154	8.3970	4.3085	80.0586	
	S	150.454	96.543	104.388	103.132	139.200	94.253	92.440	101.054	132.969	76.068	101.984	137.361	109.675	
18	T	6.0907	9.4115	3.7437	8.1876	8.8100	6.3036	5.0023	7.3132	5.2826	7.2759	8.3461	4.3078	80.0750	
	S	150.229	96.714	104.357	102.095	139.459	94.643	92.957	100.969	133.070	75.436	102.606	137.383	109.652	
19	T	6.0535	9.4498	3.7245	8.1174	8.8048	6.2821	5.0205	7.3739	5.3211	7.3190	8.3127	4.3127	80.0920	
	S	151.152	96.322	104.895	102.977	139.542	94.967	92.620	100.138	132.107	74.992	103.019	137.227	109.629	

Event: Indy Pro 2000 GP of Indianapolis

Round 3 / 4

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 11, 2019

Section Data for Car 10 - Lindh, Rasmus (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF
20	T	6.0740	9.4311	3.8031	8.1422	8.8076	6.2515	4.9950	7.2959	5.2605	7.2433	8.3469	4.3238	79.9749
	S	150.642	96.513	102.727	102.664	139.497	95.432	93.093	101.209	133.629	75.775	102.597	136.875	109.789
21	T	6.0890	9.4742	3.7353	8.1904	8.8284	6.3036	5.0032	7.3450	5.2829	7.2461	8.3863	4.3145	80.1989
	S	150.271	96.074	104.592	102.060	139.169	94.643	92.941	100.532	133.062	75.746	102.115	137.170	109.483
22	T	6.0586	9.5004	3.7772	8.1314	8.8549	6.2995	5.0298	7.2990	5.2756	7.1671	8.3864	4.3153	80.0952
	S	151.025	95.809	103.432	102.800	138.752	94.704	92.449	101.166	133.246	76.581	102.113	137.144	109.625
23	T	6.0760	9.4383	3.7476	8.1589	8.8130	6.2575	5.0312	7.3263	5.2643	7.2154	8.3657	4.3166	80.0108
	S	150.592	96.440	104.249	102.454	139.412	95.340	92.423	100.789	133.532	76.068	102.366	137.103	109.740
24	T	6.0710	9.4588	3.7559	8.1532	8.8158	6.2955	5.0592	7.3370	5.2898	7.2186	8.3215	4.3179	80.0942
	S	150.717	96.231	104.018	102.525	139.368	94.765	91.912	100.642	132.889	76.035	102.910	137.062	109.626
25	T	6.0678	9.4560	3.7451	8.1561	8.8370	6.3968	5.0329	7.3562	5.3106	7.2387	8.3758	4.3288	80.3018
	S	150.796	96.259	104.318	102.489	139.033	93.264	92.392	100.379	132.368	75.824	102.243	136.716	109.343
26	T	9.8173	17.1403	6.4115	12.9862									
	S	93.203	53.105	60.935	64.369									

Event: Indy Pro 2000 GP of Indianapolis

Round 3 / 4

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 11, 2019

Section Data for Car 11 - Serravalle, Antonio

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF	
1	T	6.9304	11.5662	4.1035	9.2746	9.0323	7.0041	5.8095	7.7718	5.4549	7.3775	8.6259	4.3543	87.3050	139.1215
	S	132.027	78.697	95.207	90.129	136.027	85.177	80.041	95.011	128.867	74.397	99.278	135.916	100.572	57.941
2	T	6.1128	9.9608	3.7840	8.3800	8.8764	6.3999	5.1412	7.5405	5.3242	7.2709	8.2825	4.3344	81.4076	
	S	149.686	91.381	103.246	99.750	138.416	93.219	90.446	97.926	132.030	75.488	103.394	136.540	107.857	
3	T	6.1228	9.6855	3.6790	8.2508	8.8196	6.3683	5.0577	7.4852	5.3020	7.3946	8.1944	4.2884	80.6483	
	S	149.441	93.978	106.192	101.312	139.307	93.681	91.939	98.649	132.583	74.225	104.506	138.004	108.873	
4	T	6.0146	9.5960	3.7342	8.3340	8.8402	6.3974	5.0769	7.5085	5.3523	7.3118	8.2226	4.2989	80.6874	
	S	152.130	94.855	104.623	100.301	138.983	93.255	91.591	98.343	131.337	75.065	104.148	137.667	108.820	
5	T	5.9803	9.7138	3.7532	8.3448	8.8214	6.4320	5.0674	7.5683	5.2950	7.4286	8.2226	4.2804	80.9078	
	S	153.002	93.705	104.093	100.171	139.279	92.754	91.763	97.566	132.758	73.885	104.148	138.262	108.524	
6	T	5.9946	9.5947	3.7440	8.2874	8.8879	6.3563	5.0235	7.4820	5.3147	7.3002	8.2094	4.2773	80.4720	
	S	152.637	94.868	104.349	100.865	138.237	93.858	92.565	98.691	132.266	75.185	104.315	138.363	109.111	
7	T	5.9827	9.5767	3.7798	8.3878	8.8626	6.4048	5.0764	7.5037	5.3542	7.2941	8.2397	4.2938	80.7563	
	S	152.941	95.046	103.360	99.658	138.632	93.147	91.600	98.406	131.290	75.248	103.931	137.831	108.727	
8	T	5.9770	9.6206	3.7429	8.3628	8.8635	6.3819	5.0408	7.5402	5.3187	7.3611	8.2926	4.2772	80.7793	
	S	153.087	94.612	104.379	99.956	138.618	93.482	92.247	97.930	132.167	74.563	103.268	138.366	108.696	
9	T	5.9717	9.6398	3.7713	8.3830	8.8681	6.3941	5.1013	7.5340	5.3113	7.5365	8.2729	4.2819	81.0659	
	S	153.223	94.424	103.593	99.715	138.546	93.303	91.153	98.010	132.351	72.827	103.514	138.214	108.312	
10	T	5.9986	9.5603	3.7464	8.3328	8.8722	6.3215	5.0452	7.4717	5.3954	7.2691	8.2734	4.2973	80.5839	
	S	152.536	95.209	104.282	100.316	138.482	94.375	92.167	98.827	130.288	75.506	103.508	137.719	108.960	
11	T	5.9995	9.5499	3.7512	8.3487	8.8574	6.2511	5.0201	7.5558	5.3820	7.2828	8.3101	4.2858	80.5944	
	S	152.513	95.313	104.148	100.124	138.713	95.438	92.628	97.727	130.612	75.364	103.051	138.088	108.946	
12	T	5.9876	9.5748	3.7467	8.3181	8.8595	6.2792	5.0217	7.5090	5.3379	7.2745	8.3219	4.2902	80.5211	
	S	152.816	95.065	104.274	100.493	138.680	95.011	92.598	98.337	131.691	75.450	102.905	137.947	109.045	
13	T	5.9931	9.5775	3.7517	8.3739	8.8863	6.3200	4.9922	7.4853	5.3508	7.3094	8.2507	4.2757	80.5666	
	S	152.676	95.038	104.135	99.823	138.262	94.397	93.145	98.648	131.374	75.090	103.793	138.414	108.983	
14	T	5.9736	9.5549	3.7596	8.3285	8.8421	6.3109	5.1467	7.6512	5.4001	7.3048	8.2931	4.2863	80.8518	
	S	153.174	95.263	103.916	100.367	138.953	94.533	90.349	96.509	130.174	75.137	103.262	138.072	108.599	
15	T	5.9612	9.7124	3.8555	8.3564	8.8478	6.3598	5.1228	7.5976	5.4626	7.8236	8.9646	4.3589	82.4232	
	S	153.493	93.718	101.331	100.032	138.863	93.807	90.771	97.190	128.685	70.155	95.527	135.772	106.528	
16	T	6.0673	9.8128	3.7862	8.4584	8.8552	6.4495	5.1354	7.5742	5.3507	7.3489	8.3038	4.2792	81.4216	
	S	150.808	92.759	103.186	98.826	138.747	92.502	90.548	97.490	131.376	74.687	103.129	138.301	107.839	
17	T	5.9792	9.6316	3.7407	8.4145	8.8518	6.3826	5.0432	7.5907	5.3453	7.4309	8.2708	4.2560	80.9373	
	S	153.031	94.504	104.441	99.342	138.801	93.471	92.203	97.278	131.509	73.862	103.541	139.055	108.484	
18	T	5.9529	9.6629	3.7651	8.3911	8.7738	6.3826	5.1152	7.5020	5.3383	7.3379	8.2600	4.2794	80.7612	
	S	153.707	94.198	103.764	99.619	140.035	93.471	90.906	98.428	131.681	74.798	103.676	138.295	108.721	
19	T	5.9858	9.6478	3.7653	8.3776	8.7954	6.2165	5.0833	7.5018	5.3525	7.3828	8.2340	4.2796	80.6224	
	S	152.862	94.346	103.758	99.779	139.691	95.969	91.476	98.431	131.332	74.344	104.003	138.288	108.908	

Event: Indy Pro 2000 GP of Indianapolis

Round 3 / 4

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 11, 2019

Section Data for Car 11 - Serravalle, Antonio

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF
20	T	5.9707	10.5116	4.1865	8.7657	8.9271	6.6994	5.2139	7.6919	5.3628	7.3303	8.2834	4.2866	83.2299
	S	153.248	86.593	93.319	95.361	137.630	89.051	89.185	95.998	131.080	74.876	103.383	138.062	105.496
21	T	5.9655	9.6883	3.7784	8.3516	8.8416	6.3907	5.0868	7.5749	5.2991	7.5792	8.2804	4.2943	81.1308
	S	153.382	93.951	103.399	100.090	138.961	93.353	91.413	97.481	132.655	72.417	103.421	137.815	108.225
22	T	5.9910	9.6193	3.7239	8.4843	8.8553	6.5505	5.0622	7.5926	5.3448	7.8108	8.4766	4.3101	81.8214
	S	152.729	94.625	104.912	98.524	138.746	91.076	91.857	97.254	131.521	70.270	101.027	137.310	107.312
23	T	6.0273	9.7325	4.1261	8.9708	8.7445	6.5807	5.2455	7.9510	5.4008	7.6692	8.3350	4.3056	83.0890
	S	151.809	93.525	94.685	93.181	140.504	90.658	88.647	92.870	130.157	71.567	102.743	137.453	105.675
24	T	6.0212	9.6567	3.7501	8.3017	8.8915	6.3698	5.0600	7.5772	5.3725	7.2878	8.3294	4.3147	80.9326
	S	151.963	94.259	104.179	100.691	138.181	93.659	91.897	97.451	130.843	75.313	102.812	137.163	108.490
25	T	6.0393	9.6306	3.7981	8.3784	8.8497	6.3926	5.1435	7.5579	5.3564	7.3479	8.2689	4.3097	81.0730
	S	151.508	94.514	102.862	99.770	138.834	93.325	90.405	97.700	131.236	74.697	103.564	137.322	108.302
26	T	6.1333	11.5614	4.5748										
	S	149.186	78.730	85.399										

Event: Indy Pro 2000 GP of Indianapolis

Round 3 / 4

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 11, 2019

Section Data for Car 2 - Robb, Sting Ray

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF	
1	T	7.0855	10.4105	3.8932	8.2755	8.7802	6.4823	5.0828	7.3749	5.3210	7.1973	8.3044	4.3246	82.5322	140.4346
	S	129.137	87.434	100.350	101.010	139.933	92.034	91.485	100.125	132.109	76.260	103.122	136.849	106.388	57.399
2	T	6.0475	9.4596	3.7656	8.1196	8.7557	6.2341	4.9991	7.3453	5.2917	7.1185	8.4115	4.3154	79.8636	
	S	151.302	96.223	103.750	102.950	140.324	95.698	93.017	100.528	132.841	77.104	101.809	137.141	109.942	
3	T	6.0426	9.4712	3.7802	8.1137	8.7482	6.3602	4.9703	7.3407	5.2881	7.1954	8.4697	4.3078	80.0881	
	S	151.425	96.105	103.350	103.024	140.444	93.801	93.556	100.591	132.931	76.280	101.109	137.383	109.634	
4	T	6.0299	9.4850	3.8140	8.1026	8.8049	6.1807	4.9518	7.3585	5.2983	7.1900	8.6668	4.3328	80.2153	
	S	151.744	95.965	102.434	103.166	139.540	96.525	93.905	100.348	132.675	76.337	98.810	136.590	109.460	
5	T	6.0324	9.4213	3.8349	8.1207	8.8265	6.3603	5.0349	7.3589	5.3138	7.2088	8.4455	4.3107	80.2687	
	S	151.681	96.614	101.875	102.936	139.199	93.799	92.355	100.342	132.288	76.138	101.399	137.291	109.388	
6	T	6.0254	9.4241	3.8025	8.2069	8.8886	6.3367	4.9911	7.3834	5.2920	7.1877	8.3904	4.3092	80.2380	
	S	151.857	96.585	102.743	101.854	138.226	94.149	93.166	100.009	132.833	76.362	102.065	137.338	109.429	
7	T	6.0318	9.3875	3.8216	8.1946	8.9019	6.2396	4.9861	7.3663	5.3109	7.2063	8.3591	4.3099	80.1156	
	S	151.696	96.962	102.230	102.007	138.020	95.614	93.259	100.242	132.361	76.164	102.447	137.316	109.597	
8	T	6.0276	9.3941	3.7942	8.1245	8.8625	6.2061	5.0007	7.3694	5.3452	7.2513	8.4067	4.3001	80.0824	
	S	151.802	96.894	102.968	102.887	138.633	96.130	92.987	100.199	131.511	75.692	101.867	137.629	109.642	
9	T	6.0321	9.3746	3.7845	8.1281	8.8628	6.3185	4.9844	7.3840	5.3025	7.2785	8.2976	4.2945	80.0421	
	S	151.688	97.095	103.232	102.842	138.628	94.420	93.291	100.001	132.570	75.409	103.206	137.808	109.697	
10	T	6.0312	9.4214	3.8396	8.1479	8.8359	6.2697	4.9731	7.3918	5.3181	7.2700	8.3379	4.3058	80.1424	
	S	151.711	96.613	101.751	102.592	139.051	95.155	93.503	99.896	132.182	75.497	102.707	137.447	109.560	
11	T	6.0250	9.3500	3.7794	8.1549	8.8156	6.2528	4.9496	7.3810	5.2848	7.2722	8.4053	4.3178	79.9884	
	S	151.867	97.351	103.371	102.504	139.371	95.412	93.947	100.042	133.014	75.474	101.884	137.065	109.771	
12	T	6.0290	9.3614	3.7929	8.1213	8.8153	6.2137	5.0068	7.3816	5.3051	7.1925	8.3893	4.2949	79.9038	
	S	151.766	97.232	103.003	102.928	139.375	96.012	92.874	100.034	132.505	76.311	102.078	137.796	109.887	
13	T	6.0236	9.3894	3.7670	8.1401	8.8297	6.2583	4.9472	7.3640	5.3147	7.2129	8.4179	4.2972	79.9620	
	S	151.903	96.942	103.712	102.690	139.148	95.328	93.993	100.273	132.266	76.095	101.731	137.722	109.807	
14	T	6.0130	9.3998	3.7660	8.2002	8.8194	6.2429	4.9444	7.3954	5.2903	7.1025	8.6346	4.3315	80.1400	
	S	152.170	96.835	103.739	101.938	139.311	95.563	94.046	99.847	132.876	77.278	99.178	136.631	109.563	
15	T	6.0316	9.3656	3.7767	8.1120	8.7932	6.2269	4.9510	7.4140	5.3172	7.2177	8.3435	4.3113	79.8607	
	S	151.701	97.188	103.445	103.046	139.726	95.809	93.920	99.597	132.204	76.044	102.638	137.271	109.946	
16	T	6.0351	9.4365	3.7854	8.1951	8.8643	6.2835	4.9996	7.4204	5.3252	7.2812	8.3476	4.2954	80.2693	
	S	151.613	96.458	103.208	102.001	138.605	94.946	93.007	99.511	132.005	75.381	102.588	137.780	109.387	
17	T	6.0229	9.3273	3.7881	8.2006	8.8462	6.2601	4.9604	7.4214	5.3334	7.2558	8.3863	4.2934	80.0959	
	S	151.920	97.587	103.134	101.933	138.889	95.301	93.742	99.497	131.802	75.645	102.115	137.844	109.624	
18	T	6.0346	9.3652	3.7917	8.1785	8.8313	6.3236	4.9561	7.3895	5.3270	7.3015	8.4590	4.3092	80.2672	
	S	151.626	97.193	103.036	102.208	139.123	94.344	93.824	99.927	131.961	75.171	101.237	137.338	109.390	
19	T	6.0181	9.4255	3.7731	8.1338	8.8078	6.2947	4.9856	7.3926	5.2833	7.2435	8.3023	4.2931	79.9534	
	S	152.041	96.571	103.544	102.770	139.494	94.777	93.269	99.885	133.052	75.773	103.148	137.853	109.819	

Event: Indy Pro 2000 GP of Indianapolis

Round 3 / 4

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 11, 2019

Section Data for Car 2 - Robb, Sting Ray

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF
20	T	6.0092	9.3913	3.8085	8.1198	8.8246	6.2539	4.9531	7.4059	5.3047	7.2919	8.3402	4.3182	80.0213
	S	152.267	96.922	102.582	102.947	139.229	95.395	93.881	99.706	132.515	75.270	102.679	137.052	109.726
21	T	6.0420	9.4214	3.7773	8.2073	8.8422	6.3228	4.9343	7.3651	5.2887	7.3393	8.3373	4.3004	80.1781
	S	151.440	96.613	103.429	101.849	138.951	94.355	94.238	100.258	132.916	74.784	102.715	137.619	109.511
22	T	6.0046	9.4063	3.8102	8.1337	8.8625	6.1980	4.9536	7.3714	5.2881	7.2640	8.3406	4.3065	79.9395
	S	152.383	96.768	102.536	102.771	138.633	96.255	93.871	100.172	132.931	75.559	102.674	137.424	109.838
23	T	6.0302	9.4102	3.7930	8.1577	8.8699	6.3107	4.9224	7.4157	5.3203	7.2798	8.3268	4.3019	80.1386
	S	151.736	96.728	103.001	102.469	138.517	94.536	94.466	99.574	132.127	75.395	102.844	137.571	109.565
24	T	6.0146	9.3679	3.7921	8.1769	8.8411	6.2550	4.9698	7.3691	5.2801	7.3256	8.3578	4.3179	80.0679
	S	152.130	97.164	103.025	102.228	138.969	95.378	93.565	100.203	133.133	74.924	102.463	137.062	109.662
25	T	6.0300	9.4848	3.7912	8.1904	8.8559	6.3472	4.9541	7.4081	5.3091	7.2183	8.3815	4.3146	80.2852
	S	151.741	95.967	103.050	102.060	138.736	93.993	93.862	99.676	132.406	76.038	102.173	137.166	109.365
26	T	8.0398	14.7773	4.9888	11.0871									
	S	113.809	61.596	78.312	75.395									

**Event:** Indy Pro 2000 GP of Indianapolis  
**Track:** Indianapolis Motor Speedway RC  
**Report:** Section Data Report  
**Session:** Race 2

**Round 3 / 4**  
**2.439 mile(s)**



**Indy Pro 2000 Championship**  
**May 11, 2019**

**Section Data for Car 28 - Kirkwood, Kyle (R)**

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PI to PO	PO to SF	
1	T	6.9776	11.1647	4.1341	9.4904	9.6280	8.0351	7.1207	8.2388	6.0413	12.2917	16.8818	7.9388	107.4352	109.2029	141.0146
	S	131.134	81.527	94.502	88.079	127.611	74.248	65.303	89.626	116.358	44.653	50.727	74.548	81.727	13.009	57.163
2	T			3.6688	8.4035	8.8933	6.4552	5.0230	7.4273	5.3218	7.2736	8.1434	4.3126	168.5129		78.5139
	S			106.488	99.472	138.153	92.420	92.574	99.418	132.090	75.460	105.160	137.230	52.105		102.667
3	T	6.0988	9.7799	3.6642	8.0457	8.8703	6.3628	5.0017	7.3572	5.2828	7.1259	8.3764	4.3337	80.2994		
	S	150.030	93.071	106.621	103.895	138.511	93.762	92.968	100.366	133.065	77.024	102.235	136.562	109.346		
4	T	6.0792	9.5395	3.6821	8.0693	8.8289	6.3452	4.9757	7.3743	5.3346	7.1432	8.2739	4.3064	79.9523		
	S	150.513	95.417	106.103	103.591	139.161	94.022	93.454	100.133	131.773	76.837	103.502	137.428	109.820		
5	T	6.0699	9.4853	3.7061	8.0559	8.8333	6.3022	5.0111	7.3743	5.3100	7.1787	8.2200	4.3052	79.8520		
	S	150.744	95.962	105.416	103.764	139.091	94.664	92.794	100.133	132.383	76.457	104.180	137.466	109.958		
6	T	6.0585	9.4282	3.6724	8.0153	8.8428	6.2564	5.0261	7.3674	5.2977	7.1906	8.1550	4.3131	79.6235		
	S	151.027	96.543	106.383	104.289	138.942	95.357	92.517	100.227	132.691	76.331	105.011	137.214	110.274		
7	T	6.0532	9.6030	3.7648	8.0431	8.8349	6.2184	5.0116	7.3406	5.3151	7.1743	8.3364	4.3076	80.0030		
	S	151.160	94.786	103.772	103.929	139.066	95.940	92.785	100.592	132.256	76.504	102.726	137.389	109.751		
8	T	6.0729	9.6192	3.7034	8.0856	8.8637	6.1416	5.0417	7.3691	5.2791	7.1759	8.2504	4.2843	79.8869		
	S	150.669	94.626	105.493	103.382	138.614	97.139	92.231	100.203	133.158	76.487	103.797	138.136	109.910		
9	T	6.0299	9.4302	3.6795	8.0955	8.8329	6.2869	5.0593	7.3065	5.2517	7.4687	8.2108	4.3122	79.9641		
	S	151.744	96.523	106.178	103.256	139.098	94.894	91.910	101.062	133.853	73.489	104.297	137.243	109.804		
10	T	6.0508	9.4502	3.7159	8.0496	8.7868	6.2977	5.0223	7.3817	5.3046	7.2240	8.2328	4.2963	79.8127		
	S	151.220	96.318	105.138	103.845	139.828	94.732	92.587	100.032	132.518	75.978	104.019	137.751	110.013		
11	T	6.0403	9.4678	3.7454	8.1665	8.7984	6.2023	4.9830	7.4348	5.3125	7.1992	8.2354	4.2886	79.8742		
	S	151.483	96.139	104.310	102.358	139.643	96.189	93.317	99.318	132.321	76.240	103.986	137.998	109.928		
12	T	6.0433	9.4848	3.6913	8.0052	8.7926	6.2868	4.9680	7.3415	5.3351	7.2659	8.2022	4.2969	79.7136		
	S	151.407	95.967	105.839	104.421	139.735	94.896	93.599	100.580	131.760	75.540	104.407	137.731	110.149		
13	T	6.0424	9.4170	3.7212	8.0497	8.7871	6.1949	5.0269	7.3493	5.2871	7.2601	8.1841	4.3145	79.6343		
	S	151.430	96.658	104.988	103.844	139.823	96.304	92.502	100.473	132.957	75.600	104.637	137.170	110.259		
14	T	6.0437	9.4527	3.7004	8.0043	8.8299	6.3488	4.9628	7.3932	5.2997	7.2310	8.2727	4.3103	79.8495		
	S	151.397	96.293	105.578	104.433	139.145	93.969	93.697	99.877	132.640	75.904	103.517	137.303	109.962		
15	T	6.0525	9.5566	3.7180	8.0096	8.8316	6.2338	4.9998	7.4045	5.2524	7.5545	8.2057	4.2933	80.1123		
	S	151.177	95.246	105.078	104.363	139.118	95.703	93.004	99.724	133.835	72.654	104.362	137.847	109.601		
16	T	6.0406	9.4415	3.7169	8.3146	8.9327	6.2601	5.0079	7.4544	5.2992	7.2957	8.1600	4.2870	80.2106		
	S	151.475	96.407	105.110	100.535	137.544	95.301	92.853	99.057	132.653	75.231	104.947	138.049	109.467		
17	T	6.0576	9.4905	3.6656	8.0571	8.8225	6.1417	5.0178	7.4122	5.3030	7.3385	8.1478	4.2896	79.7439		
	S	151.050	95.909	106.581	103.748	139.262	97.138	92.670	99.621	132.558	74.792	105.104	137.966	110.107		
18	T	6.0266	9.5372	3.6904	8.0507	8.8018	6.2703	4.9857	7.3667	5.2378	7.2254	8.1651	4.2933	79.6510		
	S	151.827	95.440	105.864	103.831	139.589	95.146	93.267	100.236	134.208	75.963	104.881	137.847	110.236		
19	T	6.0059	9.5096	3.6806	8.0975	8.8008	6.1655	5.0102	7.2571	5.2216	7.2618	8.2014	4.2881	79.5001		
	S	152.350	95.717	106.146	103.231	139.605	96.763	92.811	101.750	134.624	75.582	104.417	138.014	110.445		

Event: Indy Pro 2000 GP of Indianapolis

Round 3 / 4

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 11, 2019

Section Data for Car 28 - Kirkwood, Kyle (R)

Lap	T/SF to PI
1	T 88.2313
	S 90.707
2	T
	S
3	T
	S
4	T
	S
5	T
	S
6	T
	S
7	T
	S
8	T
	S
9	T
	S
10	T
	S
11	T
	S
12	T
	S
13	T
	S
14	T
	S
15	T
	S
16	T
	S
17	T
	S
18	T
	S
19	T
	S



Event: Indy Pro 2000 GP of Indianapolis

Round 3 / 4

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 11, 2019

Section Data for Car 28 - Kirkwood, Kyle (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PI to PO	PO to SF	
20	T	6.0028	9.4551	3.6887	8.0528	8.8154	6.1860	4.9707	7.3458	5.2599	7.2805	8.2532	4.2952	79.6061		
	S	152.429	96.268	105.913	103.804	139.374	96.442	93.548	100.521	133.644	75.388	103.761	137.786	110.298		
21	T	5.9939	9.5103	3.6859	8.1414	8.8066	6.2126	4.9979	7.3463	5.2679	7.2916	8.2278	4.2695	79.7517		
	S	152.655	95.710	105.994	102.674	139.513	96.029	93.039	100.514	133.441	75.273	104.082	138.615	110.097		
22	T	5.9656	9.4728	3.6983	8.2886	8.7031	6.3950	5.2350	7.7371	5.5304	7.9294	8.2725	4.3303	81.5581		
	S	153.379	96.089	105.638	100.850	141.172	93.290	88.825	95.437	127.107	69.219	103.519	136.669	107.658		
23	T	6.0483	10.3984	3.7626	8.1901	8.7314	6.3651	5.1517	7.5202	5.3764	7.8135	8.1239	4.2120	81.6936		
	S	151.282	87.535	103.833	102.063	140.715	93.728	90.261	98.190	130.748	70.246	105.413	140.508	107.480		
24	T	5.9166	9.6207	3.7306	8.4131	8.7728	6.2770	5.0476	7.3309	5.3176	7.4024	8.2243	4.2408	80.2944		
	S	154.650	94.611	104.724	99.358	140.051	95.044	92.123	100.726	132.194	74.147	104.126	139.553	109.353		
25	T	5.9571	12.4243													
	S	153.598	73.262													

**Event:** Indy Pro 2000 GP of Indianapolis

**Round 3 / 4**

**Track:** Indianapolis Motor Speedway RC

**2.439 mile(s)**



**Report:** Section Data Report

**Indy Pro 2000 Championship**

**Session:** Race 2

**May 11, 2019**

**Section Data for Car 28 - Kirkwood, Kyle (R)**

Lap	T/SF to PI
20	T
	S
21	T
	S
22	T
	S
23	T
	S
24	T
	S
25	T
	S

Event: Indy Pro 2000 GP of Indianapolis

Round 3 / 4

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 11, 2019

Section Data for Car 5 - Rodriguez, Ian (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF	
1	T	6.9650	11.0565	4.1604	9.4067	9.1930	6.6013	5.2211	7.6088	5.3208	7.3195	8.2444	4.3326	85.4301	141.4862
	S	131.371	82.325	93.905	88.863	133.649	90.375	89.062	97.047	132.114	74.986	103.872	136.597	102.779	56.972
2	T	6.0780	9.5000	3.7538	8.2208	8.8124	6.2943	4.9927	7.3527	5.2898	7.2484	8.2567	4.3164	80.1160	
	S	150.543	95.813	104.076	101.682	139.421	94.783	93.136	100.427	132.889	75.722	103.717	137.109	109.596	
3	T	6.0401	9.4377	3.7210	8.1508	8.7744	6.3881	4.9892	7.8343	5.4324	7.2667	8.2292	4.3072	80.5711	
	S	151.488	96.446	104.994	102.555	140.025	93.391	93.201	94.253	129.400	75.531	104.064	137.402	108.977	
4	T	6.0248	9.4511	3.7014	8.2720	8.8286	6.3525	4.9491	7.5431	5.3221	7.2089	8.2450	4.2991	80.1977	
	S	151.872	96.309	105.550	101.053	139.165	93.914	93.956	97.892	132.082	76.137	103.865	137.661	109.484	
5	T	5.9919	9.4766	3.7585	8.2336	8.8119	6.3766	5.0127	7.4359	5.2700	7.4331	8.1935	4.2670	80.2613	
	S	152.706	96.050	103.946	101.524	139.429	93.559	92.764	99.303	133.388	73.840	104.517	138.697	109.398	
6	T	5.9625	9.4934	3.7593	8.3287	8.8250	6.3539	4.9794	7.4370	5.2682	7.4681	8.1460	4.2550	80.2765	
	S	153.459	95.880	103.924	100.365	139.222	93.894	93.385	99.289	133.434	73.494	105.127	139.088	109.377	
7	T	5.9322	9.7558	3.8015	8.4194	8.8038	6.4338	4.9522	7.5258	5.3143	7.3535	8.2234	4.2715	80.7872	
	S	154.243	93.301	102.770	99.284	139.558	92.728	93.898	98.117	132.276	74.640	104.137	138.550	108.686	
8	T	5.9421	9.5892	3.7486	8.3670	8.7786	6.4119	5.0024	7.5495	5.3060	7.7502	8.2647	4.2845	80.9947	
	S	153.986	94.922	104.221	99.905	139.958	93.044	92.955	97.809	132.483	70.819	103.617	138.130	108.407	
9	T	5.9850	9.4322	3.7290	8.3279	8.8481	6.4299	4.9797	7.4334	5.2814	7.3318	8.2267	4.2630	80.2681	
	S	152.882	96.502	104.769	100.375	138.859	92.784	93.379	99.337	133.100	74.861	104.096	138.827	109.388	
10	T	5.9496	9.5737	3.7434	8.3344	8.7634	6.4238	4.9806	7.5332	5.3026	7.2573	8.3464	4.2904	80.4988	
	S	153.792	95.076	104.366	100.296	140.201	92.872	93.362	98.021	132.568	75.629	102.603	137.940	109.075	
11	T	5.9767	9.5479	3.7595	8.3492	8.7853	6.3856	4.9586	7.4369	5.3056	7.2904	8.2760	4.2801	80.3518	
	S	153.095	95.333	103.919	100.118	139.851	93.428	93.776	99.290	132.493	75.286	103.476	138.272	109.274	
12	T	5.9678	9.5615	3.7667	8.2585	8.7579	6.4258	5.0056	7.4654	5.3189	7.3687	8.2253	4.2727	80.3948	
	S	153.323	95.197	103.720	101.218	140.289	92.843	92.896	98.911	132.162	74.486	104.113	138.512	109.216	
13	T	5.9672	9.6485	3.7546	8.3198	8.7846	6.4648	4.9673	7.6034	5.3536	7.4073	8.2133	4.2773	80.7617	
	S	153.338	94.339	104.054	100.472	139.863	92.283	93.612	97.116	131.305	74.098	104.265	138.363	108.720	
14	T	5.9765	9.5617	3.7541	8.2451	8.8026	6.4772	5.0364	7.5214	5.3065	7.3248	8.3331	4.3296	80.6690	
	S	153.100	95.195	104.068	101.383	139.577	92.106	92.328	98.174	132.470	74.932	102.767	136.691	108.845	
15	T	6.0116	9.6333	3.7660	8.5136	8.8678	6.5991	5.1866	7.6599	5.3490	7.4221	8.4387	4.3477	81.7954	
	S	152.206	94.488	103.739	98.185	138.550	90.405	89.654	96.399	131.418	73.950	101.481	136.122	107.346	
16	T	6.0504	9.7433	3.7581	8.5039	8.8981	6.5398	5.1036	7.6517	5.3699	7.3752	8.4153	4.3369	81.7462	
	S	151.230	93.421	103.957	98.297	138.079	91.225	91.112	96.503	130.906	74.420	101.763	136.461	107.410	
17	T	6.0731	9.6680	3.7509	8.4271	8.8937	6.4560	5.2224	7.8285	5.3758	7.3959	8.3860	4.3510	81.8284	
	S	150.664	94.148	104.157	99.193	138.147	92.409	89.040	94.323	130.763	74.212	102.118	136.019	107.303	
18	T	6.1001	9.7687	3.7672	8.5217	8.9442	6.4617	5.2037	7.8067	5.4055	7.5326	8.3263	4.3536	82.1920	
	S	149.998	93.178	103.706	98.092	137.367	92.327	89.359	94.587	130.044	72.865	102.850	135.938	106.828	
19	T	6.0903	9.8311	3.7866	8.5740	8.8533	6.4948	5.1345	7.9747	5.3897	7.3716	8.4714	4.3577	82.3297	
	S	150.239	92.587	103.175	97.493	138.777	91.857	90.564	92.594	130.426	74.457	101.089	135.810	106.649	

Event: Indy Pro 2000 GP of Indianapolis

Round 3 / 4

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 11, 2019

Section Data for Car 5 - Rodriguez, Ian (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF
20	T	6.0811	9.8501	3.7446	8.5571	8.8995	6.4112	5.1064	7.6753	5.3472	7.5077	8.2911	4.3563	81.8276
	S	150.466	92.408	104.332	97.686	138.057	93.054	91.062	96.206	131.462	73.107	103.287	135.853	107.304
21	T	6.0971	9.7173	3.7034	8.5320	8.8753	6.8760	5.4584	8.0965	5.3343	7.5384	8.4809	4.4283	83.1379
	S	150.071	93.671	105.493	97.973	138.433	86.764	85.190	91.201	131.780	72.809	100.976	133.645	105.612
22	T	6.0625	9.7075	3.7725	8.6089	8.8977	6.5028	5.1249	7.7509	5.3193	7.5551	8.3449	4.3569	82.0039
	S	150.928	93.765	103.560	97.098	138.085	91.744	90.733	95.268	132.152	72.648	102.621	135.835	107.073
23	T	6.0776	10.6328	4.6952	8.9759	8.6854	6.5644	5.4484	10.8519	6.0424	7.5219	8.4023	4.3659	88.2641
	S	150.553	85.606	83.209	93.128	141.460	90.883	85.346	68.044	116.337	72.969	101.920	135.555	99.479
24	T	6.0342	9.6514	3.7693	8.6357	8.9373	6.5311	5.2284	8.0077	5.3975	7.4436	8.2927	4.3460	82.2749
	S	151.636	94.310	103.648	96.797	137.473	91.346	88.937	92.212	130.237	73.736	103.267	136.175	106.720
25	T	6.0411	9.7460	3.8092	8.6069	8.9629	6.5516	5.1530	8.0897	5.3694	7.8513	8.8561	4.4820	83.5192
	S	151.462	93.395	102.563	97.121	137.080	91.060	90.239	91.278	130.919	69.907	96.698	132.043	105.130
26	T	6.1646												
	S	148.428												

Event: Indy Pro 2000 GP of Indianapolis

Round 3 / 4

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 11, 2019

Section Data for Car 51 - Abel, Jacob (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF	
1	T	7.0481	11.4954	3.8953	9.1342	9.2416	6.9642	5.7567	7.8085	5.4595	7.6778	8.9646	4.3618	87.8077	139.9645
	S	129.822	79.182	100.296	91.514	132.946	85.665	80.775	94.565	128.758	71.487	95.527	135.682	99.996	57.592
2	T	5.9799	10.3971	3.8454	8.3996	8.8026	6.6107	5.1304	7.5104	5.3953	7.4884	8.2731	4.3403	82.1732	
	S	153.013	87.546	101.597	99.518	139.577	90.246	90.636	98.318	130.290	73.295	103.512	136.354	106.852	
3	T	6.1142	9.8597	3.7950	8.3012	8.8841	6.4342	4.9811	7.4918	5.3496	7.6961	8.2537	4.3391	81.4998	
	S	149.652	92.318	102.946	100.697	138.296	92.722	93.353	98.562	131.403	71.317	103.755	136.392	107.735	
4	T	6.1122	9.7282	3.7816	8.4191	8.9434	6.5536	5.0212	7.4928	5.3695	7.4227	8.3263	4.3760	81.5466	
	S	149.701	93.566	103.311	99.287	137.379	91.033	92.607	98.549	130.916	73.944	102.850	135.242	107.673	
5	T	6.1292	9.9402	3.8507	8.2687	8.9285	6.4154	5.0170	7.4678	5.3219	7.4140	8.2732	4.3489	81.3755	
	S	149.285	91.570	101.457	101.093	137.608	92.994	92.685	98.879	132.087	74.031	103.511	136.085	107.900	
6	T	6.1276	9.3959	3.7939	8.2636	8.9488	6.3388	5.0032	7.4334	5.3789	7.2886	8.2867	4.3481	80.6075	
	S	149.324	96.875	102.976	101.156	137.296	94.117	92.941	99.337	130.687	75.304	103.342	136.110	108.928	
7	T	6.1198	9.4396	3.7317	8.2392	8.9688	6.3157	4.9943	7.4420	5.4072	7.2949	8.2958	4.3575	80.6065	
	S	149.515	96.426	104.693	101.455	136.990	94.462	93.106	99.222	130.003	75.239	103.229	135.816	108.929	
8	T	6.1194	9.4083	3.7831	8.2554	8.9661	6.3436	5.0212	7.4437	5.3923	7.3257	8.3417	4.3424	80.7429	
	S	149.524	96.747	103.270	101.256	137.031	94.046	92.607	99.199	130.363	74.923	102.661	136.288	108.745	
9	T	6.1172	9.3960	3.7627	8.2972	8.9764	6.3428	4.9766	7.4430	5.2933	7.6387	8.2940	4.3430	80.8809	
	S	149.578	96.874	103.830	100.746	136.874	94.058	93.437	99.209	132.801	71.853	103.251	136.269	108.560	
10	T	6.1124	9.3948	3.7512	8.2671	8.9321	6.3109	4.9995	7.4264	5.3421	7.3111	8.3151	4.3414	80.5041	
	S	149.696	96.886	104.148	101.113	137.553	94.533	93.009	99.430	131.588	75.073	102.989	136.320	109.068	
11	T	6.1080	9.4070	3.7709	8.2921	8.9275	6.3250	4.9825	7.4096	5.3517	7.3562	8.3125	4.3196	80.5626	
	S	149.804	96.761	103.604	100.808	137.624	94.323	93.327	99.656	131.352	74.612	103.021	137.008	108.989	
12	T	6.0808	9.2822	3.7507	8.3240	8.9153	6.2853	4.9826	7.4369	5.3822	7.3821	8.2870	4.3219	80.4310	
	S	150.474	98.062	104.162	100.422	137.812	94.918	93.325	99.290	130.607	74.351	103.338	136.935	109.167	
13	T	6.0851	9.4166	3.7340	8.3165	8.9194	6.2820	4.9461	7.5352	5.3603	7.3622	8.3430	4.3237	80.6241	
	S	150.367	96.662	104.628	100.512	137.749	94.968	94.013	97.995	131.141	74.552	102.645	136.878	108.905	
14	T	6.0679	9.4464	3.7606	8.2546	8.8873	6.3597	5.0226	7.4593	5.3810	7.3950	8.2593	4.3425	80.6362	
	S	150.794	96.357	103.888	101.266	138.246	93.808	92.582	98.992	130.636	74.221	103.685	136.285	108.889	
15	T	6.0931	9.3710	3.7688	8.2687	8.9307	6.3538	5.0126	7.5448	5.3751	7.5424	8.3251	4.3361	80.9222	
	S	150.170	97.132	103.662	101.093	137.574	93.895	92.766	97.870	130.780	72.770	102.865	136.486	108.504	
16	T	6.0570	9.5734	3.7384	8.3174	8.8918	6.3300	5.1116	7.4506	5.3792	7.3906	8.3369	4.3108	80.8877	
	S	151.065	95.079	104.505	100.501	138.176	94.248	90.970	99.107	130.680	74.265	102.720	137.287	108.550	
17	T	6.0293	9.4636	3.7490	8.3549	8.8475	6.3161	5.0515	7.6927	5.3827	7.4157	8.2947	4.2996	80.8973	
	S	151.759	96.182	104.210	100.050	138.868	94.456	92.052	95.988	130.595	74.014	103.242	137.645	108.538	
18	T	6.0334	9.4481	3.7915	8.3141	8.8300	6.4655	5.0428	7.5394	5.3252	7.4868	8.3666	4.3255	80.9689	
	S	151.656	96.340	103.041	100.541	139.143	92.273	92.211	97.940	132.005	73.311	102.355	136.821	108.442	
19	T	6.0448	9.5953	3.7919	8.2714	8.8359	6.2924	4.9994	7.4427	5.3179	7.4998	8.2470	4.3207	80.6592	
	S	151.370	94.862	103.031	101.060	139.051	94.811	93.011	99.213	132.186	73.184	103.839	136.973	108.858	

Event: Indy Pro 2000 GP of Indianapolis

Round 3 / 4

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 11, 2019

Section Data for Car 51 - Abel, Jacob (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF
20	T	6.0371	10.1100	3.8804	8.6297	8.7965	6.4372	5.1271	7.4887	5.3395	7.3289	8.2890	4.3311	81.7952
	S	151.563	90.032	100.681	96.864	139.673	92.679	90.695	98.603	131.652	74.890	103.313	136.644	107.346
21	T	6.0498	9.5735	3.7213	8.2696	8.8903	6.3823	5.0182	7.5310	5.3365	7.4539	8.2418	4.3193	80.7875
	S	151.245	95.078	104.985	101.082	138.200	93.476	92.663	98.049	131.726	73.634	103.905	137.017	108.685
22	T	6.0337	9.6478	3.7719	8.4101	8.8776	6.4388	5.0837	7.6171	5.3777	7.5916	8.3583	4.2868	81.4951
	S	151.648	94.346	103.577	99.393	138.397	92.656	91.469	96.941	130.717	72.299	102.457	138.056	107.741
23	T	5.9955	10.3794	4.0904	8.6311	8.8019	6.7202	5.2887	7.5510	5.3563	7.3325	8.2957	4.3303	82.7730
	S	152.614	87.696	95.512	96.849	139.588	88.776	87.923	97.790	131.239	74.854	103.230	136.669	106.078
24	T	6.0402	9.5844	3.7529	8.3262	8.9085	6.3555	5.0613	7.4934	5.3309	7.3390	8.4027	4.3359	80.9309
	S	151.485	94.970	104.101	100.395	137.917	93.870	91.874	98.541	131.864	74.787	101.915	136.493	108.493
25	T	6.0814	10.0375	3.8426	8.2639	8.9147	6.4052	5.0188	7.4873	5.3498	7.3866	8.2435	4.3454	81.3767
	S	150.459	90.683	101.671	101.152	137.821	93.142	92.652	98.622	131.398	74.305	103.884	136.194	107.898
26	T	6.3272	10.7050	4.3711										
	S	144.614	85.028	89.378										

Event: Indy Pro 2000 GP of Indianapolis

Round 3 / 4

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 11, 2019

Section Data for Car 6 - de la Vara, Moises

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF	
1	T	6.9636	11.0590	4.0079	9.2821	9.1381	7.1483	6.0476	7.5910	5.3829	7.4397	8.3906	4.3863	86.8371	139.7635
	S	131.398	82.306	97.478	90.056	134.452	83.459	76.890	97.274	130.590	73.775	102.062	134.924	101.113	57.675
2	T	6.1465	9.6487	3.7720	8.2689	8.9201	6.3942	5.0875	7.3455	5.3189	7.2926	8.3007	4.3454	80.8410	
	S	148.865	94.337	103.574	101.091	137.738	93.302	91.400	100.525	132.162	75.263	103.168	136.194	108.613	
3	T	6.1370	9.5748	3.7187	8.2602	8.9288	6.3543	5.0912	7.3753	5.3265	7.2850	8.7129	4.3738	81.1385	
	S	149.096	95.065	105.059	101.197	137.604	93.888	91.334	100.119	131.973	75.342	98.287	135.310	108.215	
4	T	6.1469	9.6260	3.8092	8.2975	8.9789	6.2972	5.0887	7.5019	5.3687	7.4113	8.2823	4.3441	81.1527	
	S	148.856	94.559	102.563	100.742	136.836	94.739	91.379	98.430	130.936	74.058	103.397	136.235	108.196	
5	T	6.1210	9.5196	3.7242	8.2501	8.9537	6.3472	5.1041	7.4244	5.3469	7.2927	8.2789	4.3302	80.6930	
	S	149.485	95.616	104.904	101.321	137.221	93.993	91.103	99.457	131.470	75.262	103.439	136.672	108.812	
6	T	6.1125	9.3814	3.7264	8.2191	8.9692	6.2943	5.0725	7.4000	5.3474	7.2667	8.3624	4.3284	80.4803	
	S	149.693	97.025	104.842	101.703	136.984	94.783	91.671	99.785	131.457	75.531	102.406	136.729	109.100	
7	T	6.1032	9.4143	3.9265	8.2963	8.9994	6.3001	5.0632	7.4328	5.3416	7.2989	8.3025	4.3505	80.8293	
	S	149.921	96.686	99.499	100.757	136.524	94.695	91.839	99.345	131.600	75.198	103.145	136.035	108.629	
8	T	6.1093	9.5601	3.7493	8.2685	8.9903	6.3213	5.0367	7.4464	5.3560	7.3292	8.3790	4.3243	80.8704	
	S	149.772	95.211	104.201	101.096	136.662	94.378	92.322	99.163	131.246	74.887	102.204	136.859	108.574	
9	T	6.1123	9.4701	3.7596	8.2128	9.0033	6.3126	5.0459	7.4142	5.3182	7.2960	8.3658	4.3251	80.6359	
	S	149.698	96.116	103.916	101.781	136.465	94.508	92.154	99.594	132.179	75.228	102.365	136.833	108.889	
10	T	6.1079	9.4974	3.7464	8.2291	8.9635	6.3354	5.0464	7.4631	5.3102	7.4001	8.2711	4.3406	80.7112	
	S	149.806	95.840	104.282	101.580	137.071	94.168	92.145	98.941	132.378	74.170	103.537	136.345	108.788	
11	T	6.1139	9.5429	3.7689	8.2610	8.9386	6.2948	5.0153	7.4172	5.3412	7.2354	8.3915	4.3274	80.6481	
	S	149.659	95.383	103.659	101.187	137.453	94.775	92.716	99.554	131.610	75.858	102.051	136.761	108.873	
12	T	6.0982	9.4842	3.8126	8.1783	8.9127	6.2749	5.0545	7.3742	5.3306	7.3988	8.3132	4.3281	80.5603	
	S	150.044	95.973	102.471	102.211	137.852	95.076	91.997	100.134	131.872	74.183	103.013	136.739	108.992	
13	T	6.1039	9.4461	3.7806	8.2353	8.9501	6.2808	5.0343	7.4090	5.3303	7.2835	8.3431	4.3183	80.5153	
	S	149.904	96.360	103.339	101.503	137.276	94.986	92.366	99.664	131.879	75.357	102.643	137.049	109.053	
14	T	6.0625	9.4266	3.7964	8.2178	8.8409	6.4203	5.4717	7.4992	5.3429	7.3763	8.2893	4.3199	81.0638	
	S	150.928	96.559	102.908	101.719	138.972	92.923	84.983	98.465	131.568	74.409	103.310	136.998	108.315	
15	T	6.0189	9.6722	3.7470	8.3170	8.9117	6.4317	5.1053	8.0131	5.5425	7.5268	8.5937	4.3730	82.2529	
	S	152.021	94.108	104.265	100.506	137.868	92.758	91.082	92.150	126.830	72.921	99.650	135.335	106.749	
16	T	6.1376	9.5616	3.7732	8.1959	8.9908	6.3778	5.0434	7.4497	5.3545	7.4277	8.3025	4.3283	80.9430	
	S	149.081	95.196	103.541	101.991	136.655	93.542	92.200	99.119	131.283	73.894	103.145	136.732	108.476	
17	T	6.1129	9.3884	3.7548	8.2471	8.9789	6.3299	5.1114	7.4708	5.3486	7.2599	8.3230	4.3324	80.6581	
	S	149.683	96.952	104.049	101.358	136.836	94.250	90.973	98.839	131.428	75.602	102.891	136.603	108.859	
18	T	6.1378	9.5067	3.7396	8.2471	8.9411	6.3129	5.0669	7.4613	5.3361	7.5362	8.3203	4.3324	80.9384	
	S	149.076	95.746	104.472	101.358	137.414	94.503	91.772	98.965	131.736	72.830	102.925	136.603	108.483	
19	T	6.1157	9.4245	3.7576	8.2215	8.9322	6.2779	5.0166	7.4190	5.3046	7.5140	8.2925	4.2899	80.5660	
	S	149.615	96.581	103.971	101.674	137.551	95.030	92.692	99.529	132.518	73.045	103.270	137.956	108.984	

Event: Indy Pro 2000 GP of Indianapolis

Round 3 / 4

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 11, 2019

Section Data for Car 6 - de la Vara, Moises

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF
20	T	5.9871	9.8106	3.8022	8.3020	8.9146	6.3038	5.0368	7.4296	5.3167	7.4286	8.3038	4.3167	80.9525
	S	152.829	92.780	102.752	100.688	137.823	94.640	92.321	99.387	132.216	73.885	103.129	137.100	108.464
21	T	6.0467	9.7590	3.7335	8.2724	8.7761	6.6144	5.2560	7.4684	5.3596	7.3876	8.2612	4.3611	81.2960
	S	151.322	93.271	104.642	101.048	139.998	90.196	88.470	98.871	131.158	74.295	103.661	135.704	108.005
22	T	6.1489	9.5258	3.8080	8.2275	9.0004	6.3343	5.1072	7.3884	5.3253	7.3024	8.3713	4.3702	80.9097
	S	148.807	95.554	102.595	101.599	136.509	94.184	91.048	99.942	132.003	75.162	102.298	135.421	108.521
23	T	6.1835	12.9661	4.4537	8.4510	8.9758	6.5188	5.0819	7.3838	5.3289	7.3039	8.3413	4.3695	85.3582
	S	147.974	70.201	87.721	98.912	136.883	91.519	91.501	100.004	131.914	75.147	102.665	135.443	102.865
24	T	6.1518	9.4560	3.7829	8.1673	8.9900	6.3950	5.1271	7.3829	5.3307	7.3674	8.3452	4.3567	80.8530
	S	148.737	96.259	103.276	102.348	136.667	93.290	90.695	100.016	131.869	74.499	102.618	135.841	108.597
25	T	6.1433	9.4221	3.7782	8.1729	8.9787	6.3766	5.0696	7.4462	5.3453	7.4233	8.2741	4.3835	80.8138
	S	148.943	96.606	103.404	102.278	136.839	93.559	91.723	99.166	131.509	73.938	103.499	135.010	108.650
26	T	6.4901	10.6319	4.1762										
	S	140.984	85.613	93.550										



**Event:** Indy Pro 2000 GP of Indianapolis  
**Track:** Indianapolis Motor Speedway RC  
**Report:** Section Data Report  
**Session:** Race 2

**Round 3 / 4**  
**2.439 mile(s)**



**Indy Pro 2000 Championship**  
**May 11, 2019**

**Section Data for Car 68 - Frost, Danial (R)**

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF	
1	T	7.0789	11.2113	4.0088	8.8435	8.9131	6.5029	5.0521	7.4544	5.3100	7.2598	8.2083	4.2987	84.1418	141.6682
	S	129.257	81.188	97.456	94.522	137.846	91.742	92.041	99.057	132.383	75.603	104.329	137.674	104.352	56.899
2	T	6.0164	9.4190	3.7605	8.1400	8.6879	6.4492	5.0059	7.3747	5.2609	7.2308	8.2411	4.3195	79.9059	
	S	152.084	96.637	103.891	102.692	141.419	92.506	92.890	100.127	133.619	75.906	103.914	137.011	109.884	
3	T	6.0916	9.3684	3.6852	8.0482	8.8063	6.3376	4.8784	7.3319	5.2686	7.3139	8.1960	4.2926	79.6187	
	S	150.207	97.159	106.014	103.863	139.518	94.135	95.318	100.712	133.423	75.044	104.486	137.869	110.281	
4	T	6.0381	9.3211	3.7043	8.1531	8.8271	6.4158	4.9782	7.3458	5.2609	7.1891	8.3324	4.2955	79.8614	
	S	151.538	97.652	105.467	102.527	139.189	92.988	93.407	100.521	133.619	76.347	102.775	137.776	109.945	
5	T	6.0062	9.3468	3.7107	8.1182	8.7583	6.3163	4.9361	7.4803	5.3222	7.3192	8.3145	4.2807	79.9095	
	S	152.343	97.384	105.285	102.967	140.283	94.453	94.204	98.714	132.080	74.990	102.996	138.253	109.879	
6	T	5.9711	9.5586	3.8641	8.2021	8.7794	6.2666	5.0292	7.3910	5.3116	7.3550	8.2207	4.2715	80.2209	
	S	153.238	95.226	101.106	101.914	139.945	95.202	92.460	99.907	132.343	74.625	104.172	138.550	109.453	
7	T	5.9671	9.5227	3.7459	8.2327	8.8312	6.3467	4.9552	7.4317	5.3129	7.2851	8.2307	4.2714	80.1333	
	S	153.341	95.585	104.296	101.535	139.125	94.000	93.841	99.359	132.311	75.341	104.045	138.554	109.572	
8	T	5.9613	9.4965	3.7410	8.1424	8.7822	6.3050	4.9947	7.4040	5.3239	7.2930	8.2881	4.2675	79.9996	
	S	153.490	95.849	104.432	102.661	139.901	94.622	93.099	99.731	132.038	75.259	103.324	138.680	109.756	
9	T	5.9576	9.5496	3.8133	8.1865	8.8005	6.2932	4.9350	7.4610	5.2983	7.4578	8.2146	4.2583	80.2257	
	S	153.585	95.316	102.452	102.108	139.610	94.799	94.225	98.969	132.675	73.596	104.249	138.980	109.446	
10	T	5.9717	9.5205	3.7448	8.1537	8.7489	6.2370	4.9817	7.4207	5.3307	7.3593	8.3170	4.2827	80.0687	
	S	153.223	95.607	104.326	102.519	140.433	95.654	93.342	99.507	131.869	74.581	102.965	138.188	109.661	
11	T	5.9851	9.4874	3.7292	8.1631	8.7379	6.2288	4.9521	7.3683	5.2880	7.3311	8.2696	4.2708	79.8114	
	S	152.880	95.941	104.763	102.401	140.610	95.779	93.900	100.214	132.934	74.868	103.556	138.573	110.014	
12	T	5.9496	9.5586	3.7167	8.1728	8.7357	6.3107	4.9876	7.3521	5.2647	8.1111	8.2728	4.2723	80.7047	
	S	153.792	95.226	105.115	102.279	140.645	94.536	93.231	100.435	133.522	67.668	103.516	138.524	108.797	
13	T	5.9937	9.5030	3.6969	8.1495	8.7884	6.2350	4.9553	7.3571	5.3139	7.3065	8.2335	4.2734	79.8062	
	S	152.660	95.783	105.678	102.572	139.802	95.684	93.839	100.367	132.286	75.120	104.010	138.489	110.022	
14	T	5.9854	9.4576	3.7477	8.1937	8.8059	6.2267	4.9371	7.3604	5.2955	7.2771	8.2773	4.2924	79.8568	
	S	152.872	96.243	104.246	102.019	139.524	95.812	94.185	100.322	132.746	75.423	103.459	137.876	109.952	
15	T	5.9874	9.5533	3.7155	8.1781	8.7832	6.1878	4.9057	7.4197	5.3364	7.3989	8.2474	4.2878	80.0012	
	S	152.821	95.279	105.149	102.213	139.885	96.414	94.788	99.520	131.728	74.182	103.834	138.024	109.753	
16	T	5.9917	9.5370	3.7626	8.1798	8.7867	6.2317	4.9457	7.3613	5.3373	7.4227	8.1557	4.2564	79.9686	
	S	152.711	95.442	103.833	102.192	139.829	95.735	94.021	100.310	131.706	73.944	105.002	139.042	109.798	
17	T	5.9590	9.5606	3.7659	8.2000	8.7880	6.3041	4.9585	7.4067	5.3267	7.3298	8.2651	4.2658	80.1302	
	S	153.549	95.206	103.742	101.940	139.808	94.635	93.778	99.695	131.968	74.881	103.612	138.736	109.577	
18	T	5.9853	9.4255	3.7964	8.1997	8.7478	6.2557	4.9626	7.3565	5.2950	7.4510	8.2886	4.2528	80.0169	
	S	152.875	96.571	102.908	101.944	140.451	95.368	93.701	100.375	132.758	73.663	103.318	139.160	109.732	
19	T	5.9243	9.6050	3.7714	8.2245	8.7424	6.2862	4.9679	7.4512	5.2709	7.7213	8.1978	4.2744	80.4373	
	S	154.449	94.766	103.591	101.636	140.538	94.905	93.601	99.099	133.365	71.084	104.463	138.456	109.158	

Event: Indy Pro 2000 GP of Indianapolis

Round 3 / 4

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 11, 2019

Section Data for Car 68 - Frost, Danial (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF
20	T	5.9689	9.4592	3.7215	8.1534	8.7600	6.3518	4.9023	7.3651	5.2705	7.4506	8.3582	4.2953	80.0568
	S	153.295	96.227	104.980	102.523	140.255	93.925	94.853	100.258	133.375	73.667	102.458	137.783	109.677
21	T	5.9949	9.5139	3.7232	8.1776	8.7857	6.2239	4.9290	7.5014	5.3052	7.4080	8.2021	4.2651	80.0300
	S	152.630	95.673	104.932	102.219	139.845	95.855	94.340	98.436	132.503	74.091	104.408	138.758	109.714
22	T	5.9574	9.5092	3.7135	8.2105	8.8200	6.2246	4.9426	7.4125	5.2908	7.3413	8.1833	4.2729	79.8786
	S	153.590	95.721	105.206	101.810	139.301	95.844	94.080	99.617	132.864	74.764	104.648	138.505	109.922
23	T	5.9729	9.4422	3.8684	8.1732	8.7509	6.2540	4.9406	7.3950	5.2698	7.4407	8.1561	4.2593	79.9231
	S	153.192	96.400	100.993	102.274	140.401	95.393	94.118	99.852	133.393	73.765	104.997	138.947	109.861
24	T	5.9407	9.5468	3.7336	8.1651	8.7206	6.7457	4.9634	7.4960	5.3060	7.2344	8.3223	4.2852	80.4598
	S	154.022	95.344	104.639	102.376	140.889	88.440	93.686	98.507	132.483	75.869	102.900	138.107	109.128
25	T	5.9757	9.4746	3.7165	8.1774	8.7840	6.2082	4.9329	7.4929	5.3191	7.4410	8.2635	4.2783	80.0641
	S	153.120	96.070	105.121	102.222	139.872	96.097	94.265	98.548	132.157	73.762	103.632	138.330	109.667
26	T	7.0285	12.1431	4.9971	12.7117	14.8329								
	S	130.184	74.958	78.182	65.759	82.832								

Event: Indy Pro 2000 GP of Indianapolis

Round 3 / 4

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 11, 2019

Section Data for Car 7 - Enders, Kory (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF	
1	T	7.0461	11.5700	4.0236	9.4199	9.6983	7.4098	5.5950	7.7813	5.4790	7.6327	8.3245	4.2849	88.2651	140.5940
	S	129.859	78.671	97.098	88.739	126.686	80.514	83.110	94.895	128.300	71.909	102.873	138.117	99.478	57.334
2	T	5.9450	10.4266	3.9910	8.4282	8.7903	6.5546	5.2075	7.6129	5.3418	7.4129	8.2461	4.2817	82.2386	
	S	153.911	87.299	97.891	99.180	139.772	91.019	89.294	96.994	131.595	74.042	103.851	138.220	106.767	
3	T	5.9949	10.0858	3.8070	8.3540	8.8077	6.6237	5.1009	7.5477	5.3340	7.2438	8.3158	4.2906	81.5059	
	S	152.630	90.248	102.622	100.061	139.496	90.069	91.160	97.832	131.788	75.770	102.980	137.934	107.727	
4	T	5.9882	9.8112	3.7450	8.4548	8.8007	6.7744	5.1438	7.5640	5.3817	7.3069	8.2465	4.2761	81.4933	
	S	152.801	92.774	104.321	98.868	139.607	88.065	90.400	97.622	130.619	75.116	103.846	138.401	107.744	
5	T	5.9720	10.0892	3.8415	8.4585	8.8576	6.4960	5.0598	7.7066	5.3830	7.1615	8.3117	4.2902	81.6276	
	S	153.215	90.218	101.700	98.825	138.710	91.840	91.901	95.815	130.588	76.641	103.031	137.947	107.567	
6	T	6.0172	9.5054	3.7989	8.3239	8.8577	6.4007	5.0236	7.5059	5.3268	7.2195	8.4194	4.2992	80.6982	
	S	152.064	95.759	102.841	100.423	138.708	93.207	92.563	98.377	131.966	76.025	101.713	137.658	108.805	
7	T	6.0155	9.5301	3.7349	8.3018	8.8866	6.3440	5.0606	7.9199	5.4800	7.2464	8.2828	4.3258	81.1284	
	S	152.107	95.511	104.603	100.690	138.257	94.040	91.886	93.235	128.276	75.743	103.391	136.811	108.228	
8	T	6.0517	9.5406	3.7912	8.2721	8.9648	6.4759	5.0313	7.5122	5.2842	9.9012	8.6550	4.3298	83.8100	
	S	151.197	95.406	103.050	101.052	137.051	92.125	92.421	98.295	133.030	55.434	98.944	136.685	104.766	
9	T	6.1123	9.5255	3.7789	8.1947	8.9640	6.4530	4.9783	7.4732	5.3022	7.8016	8.3854	4.3143	81.2834	
	S	149.698	95.557	103.385	102.006	137.063	92.452	93.405	98.808	132.578	70.353	102.126	137.176	108.022	
10	T	6.0970	9.4488	3.7701	8.2732	8.9324	6.4679	4.9691	7.3595	5.3554	7.3121	8.3752	4.3393	80.7000	
	S	150.074	96.333	103.626	101.038	137.548	92.239	93.578	100.334	131.261	75.062	102.250	136.386	108.803	
11	T	6.1127	9.5803	3.7446	8.1770	8.9272	6.3619	5.0327	7.4861	5.3720	7.2335	8.3486	4.3270	80.7036	
	S	149.688	95.010	104.332	102.227	137.628	93.776	92.396	98.637	130.855	75.878	102.576	136.773	108.798	
12	T	6.1055	9.5924	3.7940	8.1965	8.9205	6.4064	5.0188	7.4533	5.3868	7.3599	8.3680	4.3241	80.9262	
	S	149.865	94.890	102.974	101.984	137.732	93.124	92.652	99.071	130.496	74.575	102.338	136.865	108.499	
13	T	6.1115	9.5979	3.7416	8.2585	8.9407	6.3329	4.9643	7.4489	5.3340	7.3283	8.2844	4.3146	80.6576	
	S	149.718	94.836	104.416	101.218	137.421	94.205	93.669	99.130	131.788	74.896	103.371	137.166	108.860	
14	T	6.0863	9.5173	3.7576	8.2475	8.9087	6.3109	5.0529	7.3685	5.3011	7.2200	8.3953	4.3493	80.5154	
	S	150.338	95.639	103.971	101.353	137.914	94.533	92.026	100.212	132.605	76.020	102.005	136.072	109.052	
15	T	6.1173	9.5580	3.8192	8.1807	8.9276	6.3578	5.0391	7.4184	5.3342	7.1541	8.3843	4.3413	80.6320	
	S	149.576	95.232	102.294	102.181	137.622	93.836	92.278	99.538	131.783	76.720	102.139	136.323	108.895	
16	T	6.1221	9.5398	3.7396	8.1245	8.9468	6.3863	5.1309	7.3954	5.3140	7.8074	8.2430	4.3231	81.0729	
	S	149.459	95.414	104.472	102.887	137.327	93.417	90.627	99.847	132.284	70.300	103.890	136.897	108.303	
17	T	6.1123	9.4364	3.7929	8.0770	8.9241	6.4292	5.0460	7.3917	5.3329	7.2765	8.2906	4.3148	80.4244	
	S	149.698	96.459	103.003	103.493	137.676	92.794	92.152	99.897	131.815	75.430	103.293	137.160	109.176	
18	T	6.1281	9.4166	3.7384	8.0977	8.9163	6.3155	4.9792	7.4089	5.3158	7.2017	8.5012	4.3289	80.3483	
	S	149.312	96.662	104.505	103.228	137.797	94.465	93.388	99.665	132.239	76.213	100.734	136.713	109.279	
19	T	6.1027	9.4515	3.7229	8.1863	8.9228	6.3326	4.9907	7.3184	5.3248	7.2120	8.3568	4.3361	80.2576	
	S	149.934	96.305	104.940	102.111	137.696	94.209	93.173	100.898	132.015	76.104	102.475	136.486	109.403	

Event: Indy Pro 2000 GP of Indianapolis

Round 3 / 4

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 11, 2019

Section Data for Car 7 - Enders, Kory (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF
20	T	6.0949	9.5428	3.7066	8.2598	8.8888	6.3051	5.0195	7.3997	5.2837	7.4625	8.4660	4.3325	80.7619
	S	150.126	95.384	105.402	101.202	138.223	94.620	92.639	99.789	133.042	73.550	101.153	136.600	108.720
21	T	6.0755	9.5704	3.7699	8.4798	8.9829	6.4088	5.0747	7.4657	5.2769	7.5129	8.2532	4.3034	81.1741
	S	150.605	95.109	103.632	98.577	136.775	93.089	91.631	98.907	133.214	73.056	103.761	137.523	108.168
22	T	6.0369	9.5439	3.7204	8.2439	8.8704	6.4122	4.9919	7.4347	5.2676	7.6669	8.1642	4.2802	80.6332
	S	151.568	95.373	105.011	101.397	138.510	93.040	93.151	99.319	133.449	71.589	104.893	138.269	108.893
23	T	5.9947	9.7501	3.8040	8.7329	8.7455	6.5888	5.4133	7.8820	5.4062	7.6905	8.4603	4.3061	82.7744
	S	152.635	93.356	102.703	95.720	140.488	90.546	85.900	93.683	130.027	71.369	101.221	137.437	106.076
24	T	6.0084	9.9513	3.7761	8.2689	8.9190	6.3877	5.1064	7.4808	5.3489	7.4221	8.2887	4.3094	81.2677
	S	152.287	91.468	103.462	101.091	137.755	93.397	91.062	98.707	131.420	73.950	103.317	137.332	108.043
25	T	6.0353	9.5244	3.7893	8.2940	8.9018	6.4235	5.0750	7.4714	5.3597	7.3405	8.3483	4.3087	80.8719
	S	151.608	95.568	103.101	100.785	138.021	92.876	91.626	98.831	131.156	74.772	102.579	137.354	108.572
26	T	6.0718	11.6789											
	S	150.697	77.938											

Event: **Indy Pro 2000 GP of Indianapolis**  
Track: **Indianapolis Motor Speedway RC**  
Report: **Section Data Report**  
Session: **Race 2**

**Round 3 / 4**  
**2.439 mile(s)**  
**Indy Pro 2000 Championship**  
**May 11, 2019**



**Section Data for Car 8 - Thompson, Parker**

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF	
1	T	6.9741	11.6186	3.8031	9.0534	9.1253	6.7693	5.3359	7.5358	5.3829	7.2469	8.3580	4.3712	85.5745	139.9822
	S	131.200	78.342	102.727	92.331	134.641	88.132	87.146	97.987	130.590	75.738	102.460	135.390	102.605	57.584
2	T	6.1466	9.6007	3.7489	8.2250	8.8791	6.2438	5.0059	7.4952	5.4227	7.2002	8.3461	4.3580	80.6722	
	S	148.863	94.808	104.212	101.630	138.374	95.549	92.890	98.518	129.632	76.229	102.606	135.800	108.840	
3	T	6.1376	9.4725	3.7597	8.2440	8.9018	6.3449	5.0258	7.4455	5.4010	7.1942	8.3454	4.3249	80.5973	
	S	149.081	96.092	103.913	101.396	138.021	94.027	92.523	99.175	130.153	76.293	102.615	136.840	108.942	
4	T	6.0839	9.5417	3.7665	8.2396	8.9123	6.3023	4.9871	7.4690	5.3902	7.2520	8.3006	4.3397	80.5849	
	S	150.397	95.395	103.725	101.450	137.859	94.662	93.241	98.863	130.413	75.684	103.169	136.373	108.958	
5	T	6.0977	9.5530	3.7545	8.2177	8.9127	6.3515	4.9990	7.5252	5.3827	7.2116	8.2947	4.3117	80.6120	
	S	150.057	95.282	104.057	101.721	137.852	93.929	93.019	98.125	130.595	76.108	103.242	137.259	108.922	
6	T	6.0231	9.6860	3.7550	8.2550	8.8858	6.2689	5.0366	7.5062	5.4062	7.2777	8.2765	4.3131	80.6901	
	S	151.915	93.973	104.043	101.261	138.270	95.167	92.324	98.373	130.027	75.417	103.469	137.214	108.816	
7	T	6.0382	9.5629	3.7525	8.2896	8.9010	6.3207	4.9867	7.4549	5.4222	7.2396	8.3191	4.3226	80.6100	
	S	151.535	95.183	104.112	100.838	138.034	94.387	93.248	99.050	129.644	75.814	102.939	136.913	108.924	
8	T	6.0227	9.6559	3.7246	8.3662	8.9256	6.3314	4.9972	7.5388	5.3967	7.2362	8.3144	4.3067	80.8164	
	S	151.925	94.266	104.892	99.915	137.653	94.227	93.052	97.948	130.256	75.850	102.998	137.418	108.646	
9	T	6.0438	9.5974	3.7537	8.3011	8.9406	6.3399	5.0032	7.4920	5.3753	7.2701	8.2816	4.3163	80.7150	
	S	151.395	94.841	104.079	100.699	137.422	94.101	92.941	98.560	130.775	75.496	103.406	137.112	108.783	
10	T	6.0418	9.5788	3.7740	8.2818	8.8681	6.3613	5.0067	7.4684	5.4472	7.3862	8.2788	4.3259	80.8190	
	S	151.445	95.025	103.519	100.933	138.546	93.784	92.876	98.871	129.049	74.309	103.441	136.808	108.643	
11	T	6.0291	9.6087	3.7659	8.2393	8.8496	6.3864	5.0535	7.4639	5.4042	7.2762	8.3097	4.3152	80.7017	
	S	151.764	94.729	103.742	101.454	138.835	93.416	92.015	98.931	130.076	75.433	103.056	137.147	108.801	
12	T	6.0445	9.5980	3.7637	8.2448	8.8444	6.3568	5.0253	7.4803	5.3950	7.2707	8.3392	4.3129	80.6756	
	S	151.377	94.835	103.803	101.386	138.917	93.851	92.532	98.714	130.297	75.490	102.691	137.220	108.836	
13	T	6.0371	9.6862	3.7423	8.2718	8.8689	6.4345	5.0020	7.4712	5.4276	7.3743	8.2558	4.3062	80.8779	
	S	151.563	93.972	104.396	101.055	138.533	92.718	92.963	98.834	129.515	74.429	103.729	137.434	108.564	
14	T	6.0025	9.8922	3.7612	8.7404	8.7924	6.9187	5.1587	7.5284	5.3706	7.2652	8.2951	4.3544	82.0798	
	S	152.436	92.015	103.872	95.637	139.738	86.229	90.139	98.083	130.889	75.547	103.237	135.913	106.974	
15	T	6.1033	9.4905	3.7512	8.2668	8.8809	6.3520	5.0433	7.5024	5.3971	7.1979	8.3860	4.3484	80.7198	
	S	149.919	95.909	104.148	101.116	138.346	93.922	92.202	98.423	130.247	76.253	102.118	136.100	108.776	
16	T	6.0816	9.5421	3.7948	8.3266	8.9219	6.3730	5.0401	7.5084	5.4134	7.3087	8.2858	4.3243	80.9207	
	S	150.454	95.391	102.952	100.390	137.710	93.612	92.260	98.344	129.855	75.097	103.353	136.859	108.506	
17	T	6.0711	9.5348	3.7297	8.2917	8.9079	6.3208	4.9536	7.4577	5.3636	7.2855	8.2387	4.3118	80.4669	
	S	150.714	95.464	104.749	100.813	137.927	94.385	93.871	99.013	131.060	75.336	103.944	137.255	109.118	
18	T	6.0706	9.5511	3.7492	8.3036	8.8385	6.3380	4.9717	7.4404	5.3746	7.4134	8.2932	4.2863	80.6306	
	S	150.726	95.301	104.204	100.668	139.010	94.129	93.529	99.243	130.792	74.037	103.261	138.072	108.897	
19	T	5.9731	9.8242	3.6731	8.7857	8.7885	6.4847	5.1397	7.8274	5.3947	7.6711	8.6027	4.3715	82.5364	
	S	153.187	92.652	106.363	95.144	139.800	92.000	90.472	94.336	130.305	71.550	99.546	135.381	106.382	

Event: Indy Pro 2000 GP of Indianapolis

Round 3 / 4

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 11, 2019

Section Data for Car 8 - Thompson, Parker

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF
20	T	6.1662	10.0913	3.9139	8.4982	8.8212	6.3712	5.1127	7.4854	5.3725	7.2943	8.3398	4.3259	81.7926
	S	148.390	90.199	99.819	98.363	139.282	93.639	90.950	98.647	130.843	75.246	102.684	136.808	107.350
21	T	6.0375	9.7259	3.7679	8.3222	8.8868	6.4073	5.3067	7.7880	5.3867	7.2904	8.2969	4.3299	81.5462
	S	151.553	93.588	103.687	100.443	138.254	93.111	87.625	94.814	130.498	75.286	103.215	136.682	107.674
22	T	6.0499	9.5536	3.7558	8.2965	8.8890	6.2828	5.0170	7.4422	5.3627	7.3315	8.2528	4.3231	80.5569
	S	151.242	95.276	104.021	100.754	138.220	94.956	92.685	99.219	131.082	74.864	103.766	136.897	108.996
23	T	6.0232	10.7323	3.8887	8.3455	8.9549	6.2998	4.9564	7.4532	5.4002	7.2163	8.3569	4.3749	82.0023
	S	151.913	84.812	100.466	100.163	137.203	94.700	93.818	99.073	130.172	76.059	102.474	135.276	107.075
24	T	6.1607	9.5183	3.7421	8.1812	8.9441	6.4101	5.0439	7.3990	5.4225	7.2516	8.4063	4.3889	80.8687
	S	148.522	95.629	104.402	102.174	137.368	93.070	92.191	99.798	129.637	75.689	101.872	134.844	108.576
25	T	6.1733	9.6371	3.7438	8.2875	8.9830	6.4575	5.0591	7.5047	5.4271	7.2149	8.3917	4.3997	81.2794
	S	148.219	94.450	104.354	100.864	136.774	92.387	91.914	98.393	129.527	76.074	102.049	134.513	108.027
26	T	6.6080	11.3139	4.9408										
	S	138.469	80.452	79.073										

Event: Indy Pro 2000 GP of Indianapolis

Round 3 / 4

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 11, 2019

Section Data for Car 83 - Finelli, Charles

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PI to PO	PO to SF
1	T	7.0537	11.9289	4.1343	9.1873	8.9910	7.3341	5.7769	7.9366	5.5339	7.7119	8.3932	4.3401	88.3219	139.8672
	S	129.719	76.304	94.498	90.985	136.652	81.345	80.493	93.038	127.027	71.171	102.031	136.360	99.414	57.632
2	T	6.0878	10.0273	3.9756	8.8028	9.0237	7.7035	5.7277	7.5489	5.4067	7.6976	8.4965	4.3946	84.8927	
	S	150.301	90.775	98.270	94.959	136.157	77.444	81.184	97.817	130.015	71.303	100.790	134.669	103.429	
3	T	6.1771	9.7164	3.9036	8.6105	9.0216	6.7469	5.4539	7.4642	5.4949	7.4772	8.5523	4.3693	82.9879	
	S	148.128	93.679	100.082	97.080	136.188	88.424	85.260	98.927	127.929	73.405	100.133	135.449	105.803	
4	T	6.1364	9.7851	3.8887	8.5365	9.1075	6.6562	5.4438	7.6419	5.4716	7.3912	8.5758	4.3906	83.0253	
	S	149.110	93.022	100.466	97.922	134.904	89.629	85.418	96.626	128.473	74.259	99.858	134.792	105.756	
5	T	6.1483	9.9275	3.8341	8.5725	9.1187	6.7231	5.7231	7.6459	5.4373	7.4655	8.5412	4.3715	83.5087	
	S	148.822	91.687	101.897	97.511	134.738	88.737	81.250	96.576	129.284	73.520	100.263	135.381	105.144	
6	T	6.1494	9.5695	3.9132	8.6687	9.0645	6.6533	5.4119	7.6218	5.4819	7.4431	8.4485	4.3755	82.8013	
	S	148.795	95.118	99.837	96.428	135.544	89.668	85.922	96.881	128.232	73.741	101.363	135.257	106.042	
7	T	6.1549	9.5986	3.8945	8.6338	9.1082	6.6153	5.5030	7.6476	5.4843	7.4905	8.4576	4.3973	82.9856	
	S	148.662	94.829	100.316	96.818	134.893	90.184	84.499	96.554	128.176	73.275	101.254	134.587	105.806	
8	T	6.1732	9.8004	3.9769	8.5984	9.0635	6.5767	5.5232	7.6763	5.5030	7.7191	15.1914	4.4568	90.2589	
	S	148.221	92.877	98.238	97.217	135.559	90.713	84.190	96.193	127.740	71.105	56.372	132.790	97.280	
9	T	6.2014	10.0218	3.9398	8.5863	9.0999	6.7363	5.4443	7.7423	5.4077	8.4071	8.4568	4.3721	84.4158	
	S	147.547	90.825	99.163	97.354	135.016	88.564	85.410	95.373	129.991	65.286	101.263	135.362	104.014	
10	T	6.1556	9.8439	3.8684	8.7146	9.0623	6.6534	5.5593	7.6501	5.4440	7.7595	8.6003	4.4010	83.7124	
	S	148.645	92.466	100.993	95.921	135.577	89.667	83.644	96.523	129.125	70.734	99.574	134.474	104.888	
11	T	6.1696	9.7762	3.9238	8.7487	9.0373	6.7256	5.5634	7.6634	5.5006	7.7161	8.4951	4.3948	83.7146	
	S	148.308	93.106	99.567	95.547	135.952	88.704	83.582	96.355	127.796	71.132	100.807	134.663	104.885	
12	T	6.1866	10.0077	3.8609	8.6892	9.0909	6.7629	5.4679	7.7404	5.4086	8.2061	8.5018	4.3903	84.3133	
	S	147.900	90.953	101.189	96.201	135.150	88.215	85.042	95.397	129.970	66.885	100.727	134.801	104.140	
13	T	6.1881	9.8390	4.0080	8.6610	9.1078	6.7809	5.3599	7.8307	5.4770	8.0169	8.4409	4.3849	84.0951	
	S	147.864	92.512	97.476	96.514	134.899	87.981	86.755	94.297	128.347	68.463	101.454	134.967	104.410	
14	T	6.1780	10.0163	3.8285	8.7119	9.0975	6.7547	5.4334	7.6782	5.4758	7.6608	8.5119	4.4317	83.7787	
	S	148.106	90.875	102.046	95.950	135.052	88.322	85.582	96.170	128.375	71.646	100.608	133.542	104.805	
15	T	6.2317	10.0119	3.8438	8.5661	9.0707	6.6861	5.5504	7.7618	5.4713	7.6738	8.4089	4.4081	83.6846	
	S	146.830	90.915	101.639	97.583	135.451	89.229	83.778	95.134	128.480	71.524	101.840	134.257	104.923	
16	T	6.2265	9.9999	3.8574	8.6922	9.0976	6.9501	5.5918	7.5644	5.4598	7.7587	8.4876	4.3986	84.0846	
	S	146.953	91.024	101.281	96.168	135.051	85.839	83.157	97.616	128.751	70.742	100.896	134.547	104.423	
17	T	6.2378	9.9214	3.9183	8.6030	9.0734	6.8040	5.4151	7.7491	5.4523	7.5876	8.4848	4.3991	83.6459	
	S	146.686	91.744	99.707	97.165	135.411	87.682	85.871	95.290	128.928	72.337	100.929	134.532	104.971	
18	T	6.2040	9.8546	3.8741	8.6978	9.0467	6.7349	5.5256	7.7672	5.6205				100.1237	39.2078
	S	147.485	92.366	100.845	96.106	135.810	88.582	84.154	95.068	125.070				87.696	36.232
19	T			3.9144	8.6989	9.0581	6.7062	5.2874	7.7473	5.4369	7.6036	8.4999	4.4011	102.3496	82.1608
	S			99.806	96.094	135.640	88.961	87.945	95.312	129.293	72.185	100.750	134.471	85.788	98.110

Event: Indy Pro 2000 GP of Indianapolis

Round 3 / 4

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 11, 2019

Section Data for Car 83 - Finelli, Charles

Lap	T/SF to PI	
1	T	
	S	
2	T	
	S	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	
	S	
7	T	
	S	
8	T	
	S	
9	T	
	S	
10	T	
	S	
11	T	
	S	
12	T	
	S	
13	T	
	S	
14	T	
	S	
15	T	
	S	
16	T	
	S	
17	T	
	S	
18	T	81.1047
	S	98.677
19	T	
	S	



Event: Indy Pro 2000 GP of Indianapolis

Round 3 / 4

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 11, 2019

Section Data for Car 83 - Finelli, Charles

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PI to PO	PO to SF	
20	T	6.1636	9.7659	3.8845	8.7296	9.1081	6.8947	5.3187	7.6243	5.5364	7.6220	8.4363	4.4207	83.5048		
	S	148.452	93.205	100.575	95.756	134.895	86.529	87.427	96.849	126.970	72.010	101.509	133.874	105.148		
21	T	6.1819	9.8449	4.0465	8.6415	9.1779	6.7310	5.1880	7.7928	5.4297	7.4781	8.4295	4.3974	83.3392		
	S	148.013	92.457	96.548	96.732	133.869	88.633	89.630	94.755	129.465	73.396	101.591	134.584	105.357		
22	T	6.1721	9.9676	3.8880	8.4869	9.0609	6.5654	5.5008	7.7595	5.5209	7.5931	8.4194	4.4013	83.3359		
	S	148.248	91.319	100.484	98.494	135.598	90.869	84.533	95.162	127.326	72.285	101.713	134.464	105.362		
23	T	6.1698	9.7600	3.9207	8.5641	9.0494	6.6617	5.2854	7.6687	5.4380	7.5380	8.3545	4.3993	82.8096		
	S	148.303	93.261	99.646	97.606	135.770	89.555	87.978	96.289	129.267	72.813	102.503	134.526	106.031		
24	T	6.1772	9.6876	3.9024	8.5344	9.0910	6.5972	5.2162	8.0218	5.5235	7.5775	8.4595	4.4105	83.1988		
	S	148.125	93.958	100.113	97.946	135.149	90.431	89.145	92.050	127.266	72.433	101.231	134.184	105.535		

**Event:** Indy Pro 2000 GP of Indianapolis

**Round 3 / 4**

**Track:** Indianapolis Motor Speedway RC

**2.439 mile(s)**



**Report:** Section Data Report

**Indy Pro 2000 Championship**

**Session:** Race 2

**May 11, 2019**

**Section Data for Car 83 - Finelli, Charles**

Lap	T/SF to PI
20	T
	S
21	T
	S
22	T
	S
23	T
	S
24	T
	S

Event: Indy Pro 2000 GP of Indianapolis

Round 3 / 4

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 11, 2019

Section Data for Car 9 - Loomis, Jacob (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF	
1	T	7.0106	11.4926	3.9376	9.1154	9.0608	6.7246	5.3331	7.5399	5.3706	7.2915	8.2904	4.3383	85.5054	140.0892
	S	130.517	79.201	99.218	91.703	135.599	88.718	87.191	97.934	130.889	75.274	103.296	136.417	102.688	57.540
2	T	6.0710	9.6232	3.7794	8.3524	8.9250	6.2709	5.0412	7.4881	5.3423	7.1900	8.2943	4.3527	80.7305	
	S	150.717	94.587	103.371	100.080	137.662	95.136	92.240	98.611	131.583	76.337	103.247	135.966	108.762	
3	T	6.1425	9.4049	3.7833	8.1399	8.9440	6.3742	5.0178	7.4500	5.3660	7.2027	8.4506	4.3456	80.6215	
	S	148.962	96.782	103.265	102.693	137.370	93.595	92.670	99.115	131.002	76.202	101.338	136.188	108.909	
4	T	6.1029	9.4995	3.7692	8.2349	8.9863	6.1727	4.9361	7.4511	5.3308	7.2623	8.3272	4.3557	80.4287	
	S	149.929	95.818	103.651	101.508	136.723	96.650	94.204	99.101	131.867	75.577	102.839	135.872	109.170	
5	T	6.1150	9.4355	3.7925	8.2103	8.9553	6.2686	5.0462	7.4778	5.3142	7.8047	8.2807	4.3444	81.0452	
	S	149.632	96.468	103.014	101.812	137.197	95.171	92.149	98.747	132.279	70.325	103.417	136.226	108.340	
6	T	6.1187	9.4015	3.7708	8.2485	8.9976	6.2447	4.9375	7.5840	5.3870	7.2367	8.3410	4.3208	80.5888	
	S	149.542	96.817	103.607	101.341	136.552	95.536	94.177	97.364	130.491	75.844	102.669	136.970	108.953	
7	T	6.0991	9.4664	3.7969	8.2605	8.9816	6.2046	4.9549	7.4559	5.3914	7.3620	8.4557	4.3533	80.7823	
	S	150.022	96.153	102.895	101.194	136.795	96.153	93.846	99.037	130.384	74.554	101.276	135.947	108.692	
8	T	6.1251	9.4370	3.8245	8.1757	9.0145	6.2693	4.9619	7.5700	5.4416	7.3062	8.2473	4.3287	80.7018	
	S	149.385	96.453	102.152	102.243	136.296	95.161	93.714	97.544	129.182	75.123	103.836	136.720	108.801	
9	T	6.1117	9.4217	3.7275	8.2405	9.0298	6.2400	4.9817	7.4951	5.3790	7.4221	8.3123	4.3340	80.6954	
	S	149.713	96.610	104.811	101.439	136.065	95.608	93.342	98.519	130.685	73.950	103.024	136.552	108.809	
10	T	6.1229	9.5566	3.7633	8.2598	9.0049	6.2890	4.9667	7.5751	5.4498	7.3728	8.2047	4.3454	80.9110	
	S	149.439	95.246	103.814	101.202	136.441	94.863	93.624	97.478	128.987	74.444	104.375	136.194	108.519	
11	T	6.1307	9.4530	3.7410	8.2720	9.0089	6.2896	4.9615	7.4769	5.3954	7.1901	8.2694	4.3331	80.5216	
	S	149.249	96.290	104.432	101.053	136.380	94.854	93.722	98.759	130.288	76.336	103.558	136.581	109.044	
12	T	6.1199	9.5990	3.7979	8.2256	8.9782	6.2478	4.9804	7.4848	5.3813	7.3723	8.2853	4.3286	80.8011	
	S	149.512	94.825	102.868	101.623	136.847	95.488	93.366	98.654	130.629	74.449	103.359	136.723	108.667	
13	T	6.1179	9.5599	3.7774	8.2567	9.0464	6.3060	4.9999	7.5671	5.3782	7.3835	8.2466	4.3249	80.9645	
	S	149.561	95.213	103.426	101.240	135.815	94.607	93.002	97.582	130.704	74.337	103.844	136.840	108.448	
14	T	6.1023	9.9122	3.8498	8.6794	8.9619	6.5634	5.0367	7.4469	5.3526	7.1808	8.2661	4.3549	81.7070	
	S	149.943	91.829	101.481	96.310	137.096	90.897	92.322	99.157	131.330	76.435	103.599	135.897	107.462	
15	T	6.1386	9.4067	3.8069	8.1802	8.9780	6.2355	4.9646	7.5807	5.3801	7.4424	8.3202	4.3538	80.7877	
	S	149.057	96.764	102.625	102.187	136.850	95.677	93.663	97.406	130.658	73.748	102.926	135.931	108.685	
16	T	6.1365	9.5090	3.7816	8.2083	9.0046	6.3690	4.9873	7.5230	5.3740	7.3339	8.2439	4.3303	80.8014	
	S	149.108	95.723	103.311	101.837	136.445	93.671	93.237	98.154	130.807	74.839	103.878	136.669	108.666	
17	T	6.1239	9.3545	3.7854	8.2331	8.9634	6.2967	5.0070	7.5486	5.3918	7.3500	8.2223	4.3281	80.6048	
	S	149.415	97.304	103.208	101.530	137.073	94.747	92.870	97.821	130.375	74.675	104.151	136.739	108.931	
18	T	6.1311	9.5309	3.7278	8.4545	8.9443	6.2275	4.9684	7.5428	5.3605	7.4252	8.3705	4.2999	80.9834	
	S	149.239	95.503	104.802	98.871	137.365	95.799	93.591	97.896	131.136	73.919	102.307	137.635	108.422	
19	T	5.9984	9.8637	3.7273	8.6825	8.8502	6.4078	5.1087	8.1249	5.4359	7.8879	8.4930	4.2767	82.8570	
	S	152.541	92.281	104.816	96.275	138.826	93.104	91.021	90.882	129.317	69.583	100.832	138.382	105.971	

Event: Indy Pro 2000 GP of Indianapolis

Round 3 / 4

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 11, 2019

Section Data for Car 9 - Loomis, Jacob (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF
20	T	6.0776	12.7425	4.8732	8.4290	8.8889	6.4996	5.0063	7.5077	5.3105	7.3441	8.3466	4.2794	85.3054
	S	150.553	71.432	80.169	99.171	138.221	91.789	92.883	98.354	132.371	74.735	102.600	138.295	102.929
21	T	5.9506	9.6621	3.8152	8.3914	8.8566	6.3710	5.0328	7.4762	5.2952	7.7167	8.3489	4.3112	81.2279
	S	153.766	94.206	102.401	99.615	138.726	93.642	92.394	98.768	132.753	71.127	102.572	137.275	108.096
22	T	5.9906	9.5758	3.7901	8.2675	8.7427	6.6932	5.1471	7.4534	5.2487	7.8781	8.5572	4.2803	81.6247
	S	152.739	95.055	103.080	101.108	140.533	89.134	90.342	99.070	133.929	69.670	100.075	138.266	107.570
23	T	5.9361	9.8413	3.9416	9.0352	8.6417	6.7305	5.3774	7.7140	5.2394	8.3458	8.7045	4.2872	83.7947
	S	154.142	92.491	99.118	92.517	142.175	88.640	86.473	95.723	134.167	65.765	98.382	138.043	104.785
24	T	5.9826	9.9361	3.7230	8.4177	8.8236	6.2917	5.2053	7.5818	5.3553	7.5831	8.4185	4.3215	81.6402
	S	152.944	91.608	104.937	99.304	139.244	94.822	89.332	97.392	131.263	72.380	101.724	136.947	107.550
25	T	6.0206	9.9244	3.7577	8.3465	8.8218	6.3862	5.1008	7.6784	5.3905	7.3857	8.3010	4.3348	81.4484
	S	151.978	91.716	103.968	100.151	139.273	93.419	91.162	96.167	130.406	74.314	103.164	136.527	107.803
26	T	6.5450	12.3785											
	S	139.801	73.533											

Event: Indy Pro 2000 GP of Indianapolis

Round 3 / 4

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 11, 2019

Section Data for Car 90 - Lastochkin, Nikita

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF	
1	T	6.9921	10.9226	4.0059	8.4952	8.8601	6.4606	5.0975	7.4263	5.3085	7.3370	8.2130	4.3155	83.4343	140.8694
	S	130.862	83.334	97.527	98.398	138.671	92.343	91.221	99.432	132.421	74.808	104.269	137.138	105.237	57.222
2	T	6.0688	9.4954	3.7395	8.2874	8.8979	6.7506	5.1896	7.5432	5.3083	7.2648	8.4301	4.3119	81.2875	
	S	150.771	95.860	104.474	100.865	138.082	88.376	89.602	97.891	132.426	75.551	101.584	137.252	108.017	
3	T	6.0444	9.5309	3.7814	8.1674	8.8412	6.3243	5.0230	7.4376	5.3093	7.3945	8.2674	4.3118	80.4332	
	S	151.380	95.503	103.317	102.347	138.967	94.333	92.574	99.281	132.401	74.226	103.583	137.255	109.164	
4	T	6.0562	9.4406	3.7307	8.1774	8.8877	6.2858	4.9589	7.4921	5.2915	7.2160	8.3379	4.3176	80.1924	
	S	151.085	96.416	104.721	102.222	138.240	94.911	93.771	98.558	132.846	76.062	102.707	137.071	109.492	
5	T	6.0478	9.6034	3.7603	8.2391	8.8694	6.3624	4.9852	7.4504	5.3362	7.3176	8.3395	4.2998	80.6111	
	S	151.295	94.782	103.896	101.456	138.525	93.768	93.276	99.110	131.733	75.006	102.688	137.639	108.923	
6	T	6.0416	9.4427	3.7711	8.2117	8.9032	6.3574	5.0090	7.4642	5.3352	7.3806	8.3639	4.3129	80.5935	
	S	151.450	96.395	103.599	101.795	137.999	93.842	92.833	98.927	131.758	74.366	102.388	137.220	108.947	
7	T	6.0615	9.8007	3.7918	8.2031	8.8831	6.3195	4.9599	7.4387	5.3282	7.4078	8.2307	4.3173	80.7423	
	S	150.953	92.874	103.033	101.902	138.312	94.405	93.752	99.266	131.931	74.093	104.045	137.081	108.746	
8	T	6.0723	9.6142	3.7740	8.1927	8.8905	6.3247	4.9298	7.4964	5.3325	7.3069	8.2329	4.2939	80.4608	
	S	150.684	94.675	103.519	102.031	138.197	94.327	94.324	98.502	131.825	75.116	104.017	137.828	109.126	
9	T	6.0527	9.6122	3.8058	8.2299	8.9125	6.3261	4.9281	7.5963	5.3232	7.3303	8.3636	4.2977	80.7784	
	S	151.172	94.695	102.654	101.570	137.855	94.306	94.357	97.206	132.055	74.876	102.392	137.706	108.697	
10	T	6.0626	9.4392	3.7912	8.1916	8.8594	6.3041	4.9851	7.4837	5.3103	7.3405	8.2473	4.3084	80.3234	
	S	150.925	96.431	103.050	102.045	138.682	94.635	93.278	98.669	132.376	74.772	103.836	137.364	109.313	
11	T	6.0668	9.5004	3.7924	8.2010	8.8670	6.3176	4.9730	7.4002	5.3179	7.3070	8.3225	4.3031	80.3689	
	S	150.821	95.809	103.017	101.928	138.563	94.433	93.505	99.782	132.186	75.115	102.897	137.533	109.251	
12	T	6.0570	9.5430	3.7692	8.2438	8.8765	6.3181	4.9317	7.4581	5.3221	7.3040	8.2613	4.3076	80.3924	
	S	151.065	95.382	103.651	101.399	138.415	94.426	94.288	99.008	132.082	75.146	103.660	137.389	109.219	
13	T	6.0713	9.5353	3.7487	8.2182	8.8896	6.3493	4.9920	7.4216	5.3235	7.3330	8.1926	4.2965	80.3716	
	S	150.709	95.459	104.218	101.714	138.211	93.962	93.149	99.495	132.047	74.848	104.529	137.744	109.248	
14	T	6.0532	9.4635	3.7578	8.2450	8.8653	6.3494	4.8963	7.5741	5.3449	7.2823	8.2963	4.3340	80.4621	
	S	151.160	96.183	103.966	101.384	138.589	93.960	94.970	97.491	131.519	75.370	103.222	136.552	109.125	
15	T	6.0783	9.4151	3.7534	8.1746	8.8464	6.4405	4.9376	7.4627	5.3764	7.3232	8.2959	4.3290	80.4331	
	S	150.536	96.677	104.087	102.257	138.885	92.631	94.175	98.947	130.748	74.949	103.227	136.710	109.164	
16	T	6.0743	9.4808	3.7730	8.2236	8.9165	6.3272	4.9475	7.4686	5.3029	7.4450	8.3171	4.3158	80.5923	
	S	150.635	96.007	103.547	101.648	137.794	94.290	93.987	98.868	132.560	73.722	102.964	137.128	108.948	
17	T	6.0751	9.4736	3.7747	8.1322	8.8665	6.3285	4.9154	7.5500	5.3557	7.2917	8.3016	4.3155	80.3805	
	S	150.615	96.080	103.500	102.790	138.571	94.271	94.601	97.803	131.254	75.272	103.156	137.138	109.235	
18	T	6.0990	9.6755	3.7748	8.1300	8.8441	6.3578	4.9231	7.4182	5.3084	7.3601	8.4388	4.3253	80.6551	
	S	150.025	94.075	103.497	102.818	138.922	93.836	94.453	99.540	132.423	74.573	101.479	136.827	108.864	
19	T	6.0907	9.4842	3.7538	8.1518	8.8713	6.4580	4.9594	7.4739	5.3560	7.4964	8.2115	4.3234	80.6304	
	S	150.229	95.973	104.076	102.543	138.496	92.380	93.761	98.798	131.246	73.217	104.288	136.887	108.897	

Event: Indy Pro 2000 GP of Indianapolis

Round 3 / 4

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 11, 2019

Section Data for Car 90 - Lastochkin, Nikita

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF
20	T	6.0825	9.4246	3.7558	8.1920	8.8834	6.3960	4.9513	7.4971	5.3142	7.3801	8.3044	4.3426	80.5240
	S	150.432	96.580	104.021	102.040	138.307	93.276	93.915	98.493	132.279	74.371	103.122	136.282	109.041
21	T	6.1115	9.5170	3.8160	8.2012	8.9197	6.3786	5.0093	7.4936	5.3713	7.5340	8.2839	4.3325	80.9686
	S	149.718	95.642	102.380	101.925	137.744	93.530	92.827	98.539	130.872	72.852	103.377	136.600	108.442
22	T	6.1010	9.5869	3.8024	8.3062	8.9726	6.5329	5.0286	7.4730	5.3622	7.4088	8.2787	4.3478	81.2011
	S	149.975	94.945	102.746	100.637	136.932	91.321	92.471	98.810	131.094	74.083	103.442	136.119	108.132
23	T	6.1182	9.5742	3.7461	8.2461	8.9092	6.4893	4.9806	7.5829	5.4088	7.4630	8.2371	4.3412	81.0967
	S	149.554	95.071	104.290	101.370	137.906	91.935	93.362	97.378	129.965	73.545	103.964	136.326	108.271
24	T	6.1021	9.5288	3.7654	8.2858	8.9088	6.4404	5.0725	7.5594	5.3628	7.6500	8.2918	4.3581	81.3259
	S	149.948	95.524	103.756	100.885	137.913	92.633	91.671	97.681	131.080	71.747	103.278	135.797	107.966
25	T	6.1319	9.8200	3.7962	8.4369	9.1193	6.5606	5.2601	7.7053	5.4996	7.7560	8.3356	4.3808	82.8023
	S	149.220	92.691	102.914	99.078	134.729	90.935	88.401	95.831	127.819	70.766	102.736	135.094	106.041
26	T	6.1892	10.4754	3.8972	8.7535									
	S	147.838	86.892	100.247	95.494									

Event: Indy Pro 2000 GP of Indianapolis

Round 3 / 4

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 11, 2019

Section Data for Car 98 - Denes, Phillippe (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF	
1	T	6.8940	12.1417	4.0706	8.9365	9.0521	7.1398	5.5922	7.8966	5.5357	7.5781	8.3495	4.2845	87.4713	139.0589
	S	132.724	74.967	95.976	93.539	135.729	83.558	83.152	93.510	126.986	72.428	102.565	138.130	100.380	57.967
2	T	5.9445	10.2500	3.8890	8.4032	8.8540	6.4613	5.0988	7.4513	5.3282	7.3167	8.2337	4.2843	81.5150	
	S	153.924	88.803	100.458	99.475	138.766	92.333	91.198	99.098	131.931	75.015	104.007	138.136	107.715	
3	T	5.9762	9.9164	3.7575	8.2769	8.8182	6.3949	5.0770	7.5434	5.3408	7.2981	8.2953	4.2954	80.9901	
	S	153.107	91.790	103.974	100.993	139.330	93.292	91.590	97.888	131.620	75.206	103.235	137.780	108.413	
4	T	5.9836	9.5233	3.8165	8.2997	8.9206	6.3051	5.0608	7.5505	5.4192	7.3095	8.2747	4.2916	80.7551	
	S	152.918	95.579	102.367	100.716	137.730	94.620	91.883	97.796	129.716	75.089	103.492	137.902	108.729	
5	T	5.9753	9.5786	3.8009	8.3204	8.8646	6.3442	5.0802	7.4667	5.3576	7.3474	8.2501	4.2600	80.6460	
	S	153.130	95.027	102.787	100.465	138.600	94.037	91.532	98.894	131.207	74.702	103.800	138.924	108.876	
6	T	5.9394	9.6074	3.8111	8.4020	8.8801	6.2823	5.1154	7.4882	5.3263	7.3123	8.3294	4.2856	80.7795	
	S	154.056	94.742	102.512	99.489	138.358	94.964	90.902	98.610	131.978	75.060	102.812	138.095	108.696	
7	T	5.9690	9.5375	3.7746	8.3629	8.9127	6.2835	5.0852	7.4782	5.3280	7.3178	8.2497	4.2826	80.5817	
	S	153.292	95.437	103.503	99.954	137.852	94.946	91.442	98.742	131.936	75.004	103.805	138.191	108.963	
8	T	5.9552	9.5435	3.7900	8.4004	8.9168	6.2800	5.1097	7.5468	5.3344	7.4067	8.2630	4.2808	80.8273	
	S	153.647	95.377	103.082	99.508	137.789	94.999	91.003	97.844	131.778	74.104	103.638	138.249	108.632	
9	T	5.9667	9.5687	3.7732	8.3880	8.8878	6.3411	5.0930	7.4925	5.2976	7.4148	8.2190	4.2607	80.7031	
	S	153.351	95.125	103.541	99.655	138.239	94.083	91.302	98.553	132.693	74.023	104.193	138.902	108.799	
10	T	5.9204	9.7204	3.7998	8.4643	8.8757	6.3249	5.0916	7.5450	5.3480	7.3221	8.2719	4.2903	80.9744	
	S	154.550	93.641	102.816	98.757	138.427	94.324	91.327	97.867	131.443	74.960	103.527	137.943	108.434	
11	T	5.9690	9.5922	3.7747	8.5027	8.9161	6.3055	5.1143	7.4804	5.3138	7.3085	8.3136	4.2850	80.8758	
	S	153.292	94.892	103.500	98.311	137.800	94.614	90.922	98.713	132.288	75.099	103.008	138.114	108.566	
12	T	5.9737	9.5357	3.7690	8.3762	8.8863	6.2846	5.0848	7.5171	5.3310	7.3064	8.2740	4.2840	80.6228	
	S	153.171	95.455	103.657	99.796	138.262	94.929	91.449	98.231	131.862	75.121	103.501	138.146	108.907	
13	T	5.9779	9.5134	3.7346	8.3012	8.8495	6.2754	5.1035	7.5402	5.3326	7.2817	8.2544	4.2876	80.4520	
	S	153.064	95.678	104.611	100.697	138.837	95.068	91.114	97.930	131.822	75.376	103.746	138.030	109.138	
14	T	5.9737	9.4663	3.7710	8.3927	8.8771	6.3681	5.1010	7.5910	5.3556	7.2958	8.3272	4.3060	80.8255	
	S	153.171	96.154	103.602	99.600	138.405	93.684	91.159	97.274	131.256	75.230	102.839	137.440	108.634	
15	T	5.9837	9.4754	3.8156	8.4090	8.8631	6.3266	5.1014	7.5039	5.3966	7.6390	8.6100	4.3090	81.4333	
	S	152.915	96.062	102.391	99.406	138.624	94.299	91.151	98.403	130.259	71.850	99.462	137.345	107.823	
16	T	5.9886	9.5402	3.7906	8.4377	8.9152	6.3987	5.0677	7.5211	5.3114	7.4090	8.2811	4.2841	80.9454	
	S	152.790	95.410	103.066	99.068	137.814	93.236	91.758	98.178	132.348	74.081	103.412	138.143	108.473	
17	T	5.9802	9.5717	3.7658	8.3702	8.9117	6.2414	5.0987	7.4931	5.2972	7.7767	8.3038	4.2777	81.0882	
	S	153.005	95.096	103.745	99.867	137.868	95.586	91.200	98.545	132.703	70.578	103.129	138.350	108.282	
18	T	6.0086	9.5300	3.7366	8.3742	8.8586	6.2609	5.0857	7.4246	5.3100	7.2691	8.3129	4.2822	80.4534	
	S	152.282	95.512	104.555	99.820	138.694	95.288	91.433	99.454	132.383	75.506	103.016	138.204	109.136	
19	T	5.9609	9.5074	3.7873	8.4110	8.8361	6.2977	5.0776	7.5207	5.3148	7.4899	8.2758	4.2878	80.7670	
	S	153.500	95.739	103.156	99.383	139.047	94.732	91.579	98.184	132.264	73.281	103.478	138.024	108.713	

Event: Indy Pro 2000 GP of Indianapolis

Round 3 / 4

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 11, 2019

Section Data for Car 98 - Denes, Phillippe (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to SF	Lap	PO to SF
20	T	5.9558	10.8924	4.1272	8.5544	8.8781	6.2769	5.0355	7.4631	5.3165	7.2474	8.3637	4.3141	82.4251
	S	153.632	83.565	94.660	97.717	138.390	95.045	92.344	98.941	132.221	75.732	102.391	137.182	106.526
21	T	6.0194	9.5484	3.7184	8.3395	8.8909	6.2880	5.0554	7.6235	5.3268	7.3533	8.4010	4.2905	80.8551
	S	152.009	95.328	105.067	100.235	138.190	94.878	91.981	96.860	131.966	74.642	101.936	137.937	108.594
22	T	5.9332	9.8511	3.7999	8.4950	8.8590	6.5124	5.2298	7.6103	5.3760	7.6612	8.2810	4.2949	81.9038
	S	154.217	92.399	102.814	98.400	138.688	91.608	88.914	97.028	130.758	71.642	103.413	137.796	107.204
23	T	5.9517	10.4033	4.8686	8.6933	8.8175	6.5231	5.2404	7.6321	5.3364	7.4343	8.2509	4.2727	83.4243
	S	153.738	87.494	80.245	96.156	139.341	91.458	88.734	96.750	131.728	73.829	103.790	138.512	105.250
24	T	5.9226	9.7702	3.7739	8.3264	8.8540	6.3446	5.1610	7.4778	5.3053	7.3938	8.2775	4.2568	80.8639
	S	154.493	93.164	103.522	100.393	138.766	94.031	90.099	98.747	132.500	74.233	103.457	139.029	108.582
25	T	5.9182	10.3881	3.8869	8.4552	8.8629	6.2909	5.0997	7.5043	5.2938	7.3209	8.2338	4.2892	81.5439
	S	154.608	87.622	100.512	98.863	138.627	94.834	91.182	98.398	132.788	74.972	104.006	137.979	107.677
26	T	6.4972	10.9578	4.2465										
	S	140.830	83.067	92.001										



Event: Indy Pro 2000 GP of Indianapolis

Round 3 / 4

Track: Indianapolis Motor Speedway RC

2.439 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

May 11, 2019

Section Data for Car

Report Support Information

Section Legend	
Name	Length
SF to I1	0.254167 miles
I1 to I2	0.252841 miles
I2 to I3A	0.108523 miles
I3A to I3	0.232197 miles
I3 to I4	0.341288 miles
I4 to I5A	0.165720 miles
I5A to I5	0.129167 miles
I5 to I6	0.205114 miles
I6 to I7	0.195265 miles
I7 to I8	0.152462 miles
I8 to I9	0.237879 miles
I9 to SF	0.164394 miles
I2 to I3	0.340720 miles
I4 to I5	0.294886 miles
Lap	2.439000 miles
PI to PO	0.394602 miles
PO to SF	2.239110 miles
SF to PI	2.223106 miles
PO to I2	0.307102 miles
I7 to PI	0.338826 miles
PO to PI	2.023201 miles

Color Legend	
	Fastest Lap
	Section Under Caution
	Section Under Green
	Section Time Data
	Section Speed Data

