

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 3

September 3, 2022

Section Data for Car 1 - Porto, Kiko (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF	
1	T	2.3183	6.2065	3.8777	6.4824	5.0938	5.1140	8.2743	5.4573	4.4758	7.5838	5.8127	7.2887	6.4233	74.4086	134.4988
	S	100.877	85.358	46.068	96.240	87.406	82.394	76.634	67.716	108.919	132.160	122.107	87.558	123.980	95.021	51.444
2	T	1.6965	5.2966	3.1269	6.3727	4.6581	4.9589	7.9935	4.9653	4.3933	7.4930	5.6941	7.2909	6.4242	70.3640	
	S	137.851	100.021	57.129	97.896	95.581	84.971	79.326	74.426	110.964	133.761	124.651	87.531	123.963	100.483	
3	T	1.6979	5.1312	3.1590	6.3501	4.6014	4.8822	7.8068	5.1260	4.4078	7.4924	5.6292	7.2222	6.3981	69.9043	
	S	137.737	103.245	56.548	98.245	96.759	86.306	81.223	72.092	110.599	133.772	126.088	88.364	124.469	101.144	
4	T	1.6915	5.2113	3.0664	6.3353	4.5488	4.9166	7.8508	4.9116	4.3882	7.4875	5.6204	7.2292	6.4071	69.6647	
	S	138.258	101.658	58.256	98.474	97.878	85.702	80.768	75.239	111.093	133.859	126.285	88.278	124.294	101.492	
5	T	1.6940	5.1673	3.0350	6.3036	4.5008	4.8156	7.8872	4.8952	4.3790	7.4899	5.6221	7.2535	6.4077	69.4509	
	S	138.054	102.524	58.859	98.969	98.922	87.500	80.395	75.491	111.327	133.817	126.247	87.983	124.282	101.804	
6	T	1.6963	5.1448	3.0250	6.3257	4.5123	4.8279	7.7973	4.9318	4.3869	7.5012	5.6044	7.2926	6.4391	69.4853	
	S	137.867	102.972	59.053	98.624	98.670	87.277	81.322	74.931	111.126	133.615	126.646	87.511	123.676	101.754	
7	T	1.6994	5.2015	3.0909	6.3379	4.5229	4.8831	7.8011	4.8858	4.3864	7.5118	5.6178	7.1602	6.4030	69.5018	
	S	137.615	101.850	57.794	98.434	98.438	86.290	81.282	75.637	111.139	133.426	126.344	89.129	124.374	101.730	
8	T	1.6982	5.2507	3.0029	6.2817	4.4814	4.8002	7.8290	4.9102	4.3944	7.5210	5.6242	7.1971	6.4182	69.4092	
	S	137.713	100.896	59.488	99.314	99.350	87.780	80.993	75.261	110.937	133.263	126.200	88.672	124.079	101.865	
9	T	1.6972	5.3003	3.0642	6.3254	4.5283	4.8492	7.8101	4.9087	4.3897	7.5004	5.6039	7.1284	6.4099	69.5157	
	S	137.794	99.951	58.298	98.628	98.321	86.893	81.189	75.284	111.055	133.629	126.657	89.527	124.240	101.709	
10	T	1.6964	5.2286	3.0355	6.3166	4.4691	4.8459	7.7452	4.9290	4.3890	7.5160	5.6449	7.1911	6.4099	69.4172	
	S	137.859	101.322	58.849	98.766	99.623	86.953	81.869	74.974	111.073	133.352	125.737	88.746	124.240	101.854	
11	T	1.6941	5.2876	2.9705	6.2803	4.5013	4.8439	7.8005	4.8936	4.3920	7.5026	5.6319	7.2299	6.4146	69.4428	
	S	138.046	100.192	60.137	99.337	98.911	86.989	81.288	75.516	110.997	133.590	126.027	88.270	124.149	101.816	
12	T	1.6936	5.1764	3.0494	6.3354	4.5238	4.8104	7.8467	4.8955	4.3786	7.5029	5.6446	7.1555	6.3869	69.3997	
	S	138.087	102.344	58.581	98.473	98.419	87.594	80.810	75.487	111.337	133.585	125.744	89.188	124.687	101.879	
13	T	1.6951	5.3299	2.9600	6.2518	4.5023	4.8004	7.9071	4.9753	4.3952	7.5214	5.6252	7.2136	6.3972	69.5745	
	S	137.965	99.396	60.350	99.789	98.889	87.777	80.193	74.276	110.916	133.256	126.177	88.469	124.486	101.623	
14	T	1.6972	5.2259	3.0121	6.3170	4.5308	4.8449	7.8554	5.0147	4.3958	7.5110	5.6232	7.1963	6.3919	69.6162	
	S	137.794	101.374	59.306	98.759	98.267	86.971	80.720	73.692	110.901	133.441	126.222	88.682	124.590	101.563	
15	T	1.6937	5.1855	3.0962	6.3656	4.5008	4.8369	7.8098	4.8687	4.3783	7.5063	5.6363	7.1567	6.3954	69.4302	
	S	138.079	102.164	57.695	98.005	98.922	87.114	81.192	75.902	111.345	133.524	125.929	89.173	124.521	101.835	
16	T	1.6932	5.2643	3.0199	6.3040	4.5052	4.7849	7.8599	4.9171	4.3868	7.5397	5.6592	7.1674	6.4095	69.5111	
	S	138.119	100.635	59.153	98.963	98.825	88.061	80.674	75.155	111.129	132.933	125.419	89.040	124.247	101.716	
17	T	1.6980	5.2514	2.9820	6.2793	4.4860	4.8326	7.8212	4.9782	4.3846	7.5192	5.5949	7.1729	6.4081	69.4084	
	S	137.729	100.882	59.905	99.352	99.248	87.192	81.073	74.233	111.185	133.295	126.861	88.971	124.275	101.867	
18	T	1.6977	5.1914	2.9782	6.2720	4.4798	4.8255	7.9301	4.9426	4.3973	7.5200	5.6433	7.2158	6.4019	69.4956	
	S	137.753	102.048	59.981	99.468	99.386	87.320	79.960	74.767	110.863	133.281	125.773	88.442	124.395	101.739	
19	T	1.6952	5.1833	3.0318	6.2898	4.4863	4.8237	7.8298	4.9475	4.3999	7.5267	5.5945	7.1813	6.4179	69.4077	
	S	137.956	102.208	58.921	99.187	99.242	87.353	80.984	74.693	110.798	133.162	126.870	88.867	124.085	101.868	

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 3

September 3, 2022

Section Data for Car 1 - Porto, Kiko (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF
20	T	1.6956	5.2010	3.0334	6.2915	4.4955	4.8142	7.8357	4.9034	4.3772	7.4980	5.5978	7.1267	6.3891	69.2591
	S	137.924	101.860	58.890	99.160	99.038	87.525	80.923	75.365	111.373	133.672	126.795	89.548	124.644	102.086
21	T	1.6881	5.2083	2.9918	6.2698	4.5125	4.8023	7.9357	4.8961	4.3750	7.5056	5.6237	7.2391	6.4100	69.4580
	S	138.537	101.717	59.709	99.503	98.665	87.742	79.904	75.478	111.429	133.537	126.211	88.158	124.238	101.794
22	T	1.6943	5.2259	2.9755	6.2681	4.4890	4.8154	7.8915	4.9760	4.3939	7.5130	5.6684	7.1806	6.4033	69.4949
	S	138.030	101.374	60.036	99.530	99.182	87.503	80.351	74.266	110.949	133.405	125.216	88.876	124.368	101.740
23	T	1.6947	5.1836	3.0175	6.2996	4.4994	4.8503	7.9050	4.9200	4.3813	7.5067	5.6249	7.1471	6.3945	69.4246
	S	137.997	102.202	59.200	99.032	98.953	86.874	80.214	75.111	111.268	133.517	126.184	89.292	124.539	101.843
24	T	1.6972	5.2554	2.9697	6.2600	4.4838	4.8285	7.8954	4.9593	4.3891	7.5058	5.6171	7.1658	6.4021	69.4292
	S	137.794	100.805	60.153	99.659	99.297	87.266	80.311	74.516	111.071	133.533	126.359	89.059	124.391	101.836
25	T	1.6963	5.3013	2.9850	6.2746	4.4950	4.8255	7.9474	4.9392	4.3910	7.5004	5.6492	7.2000	6.4027	69.6076
	S	137.867	99.933	59.845	99.427	99.049	87.320	79.786	74.819	111.023	133.629	125.641	88.636	124.379	101.575
26	T	1.6998	5.3428	3.0219	6.2991	4.5190	4.8395	7.8932	4.9123	4.3879	7.5041	5.6244	7.2494	6.4354	69.7288
	S	137.583	99.156	59.114	99.040	98.523	87.068	80.334	75.229	111.101	133.563	126.195	88.032	123.747	101.399
27	T	1.7019	5.2777	3.0400	6.2734	4.5051	4.8539	7.8817	5.0393	4.4038	7.5101	5.6017	7.1640	6.4140	69.6666
	S	137.413	100.379	58.762	99.446	98.827	86.809	80.451	73.333	110.700	133.457	126.707	89.082	124.160	101.489
28	T	1.6995	5.2100	3.0233	6.2993	4.5181	4.7984	7.9036	5.0517	4.3804	7.4884	5.6300	7.2226	6.4196	69.6449
	S	137.607	101.684	59.087	99.037	98.543	87.813	80.228	73.153	111.291	133.843	126.070	88.359	124.052	101.521
29	T	1.6996	5.2886	3.0041	6.2600	4.5439	4.8330	8.0357	4.8912	4.3600	7.4821	5.6379	7.1749	6.3995	69.6105
	S	137.599	100.173	59.464	99.659	97.984	87.185	78.909	75.553	111.812	133.956	125.893	88.946	124.442	101.571
30	T	1.6963	5.2383	3.0968	6.3390	4.5657	4.8916	7.9261	4.9936	4.3665	7.4860	5.7329	7.2588	6.5718	70.1634
	S	137.867	101.134	57.684	98.417	97.516	86.140	80.000	74.004	111.645	133.886	123.807	87.918	121.179	100.770
31	T	2.0815	6.8623	3.4380	7.4676	6.1536	6.8445	12.6088	6.6356						
	S	112.353	77.200	51.959	83.543	72.352	61.562	50.290	55.691						

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 3

September 3, 2022

Section Data for Car 18 - Sundaramoorthy, Yuven (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF	
1	T	2.2358	7.1534	3.9768	6.7302	5.3227	5.5517	8.1247	5.3442	4.4243	7.4069	6.4701	7.7249	6.4129	76.8786	124.8767
	S	104.600	74.059	44.920	92.696	83.647	75.898	78.045	69.149	110.187	135.316	109.700	82.614	124.182	91.968	55.407
2	T	1.6844	5.5276	3.2339	7.2129	4.8148	4.9737	8.1861	4.9771	4.3715	7.3729	6.3698	7.6229	6.3433	72.6909	
	S	138.841	95.841	55.239	86.493	92.471	84.718	77.459	74.249	111.518	135.940	111.428	83.719	125.544	97.267	
3	T	1.6733	5.5238	3.7484	6.5015	5.0055	5.0233	8.0774	5.0846	4.4084	7.3640	5.7170	7.7857	6.6503	72.5632	
	S	139.762	95.907	47.657	95.957	88.948	83.882	78.502	72.679	110.584	136.104	124.151	81.968	119.749	97.438	
4	T	1.6952	5.5380	3.2723	6.3909	4.6010	4.9207	8.0606	4.9858	4.3892	7.4277	5.5888	7.3255	6.4459	70.6416	
	S	137.956	95.661	54.590	97.617	96.768	85.631	78.665	74.120	111.068	134.937	126.999	87.118	123.546	100.088	
5	T	1.6996	5.3879	3.0655	6.3036	4.6041	4.9987	7.9584	5.2299	4.6022	7.6383	6.3760	7.4101	6.3719	71.6462	
	S	137.599	98.326	58.273	98.969	96.702	84.295	79.676	70.660	105.928	131.217	111.319	86.123	124.981	98.685	
6	T	1.6743	5.3499	3.0245	6.2690	4.7209	4.9317	7.9450	5.0097	4.4142	7.4281	5.5560	7.5091	6.4421	70.2745	
	S	139.678	99.025	59.063	99.516	94.310	85.440	79.810	73.766	110.439	134.930	127.749	84.988	123.619	100.611	
7	T	1.6911	5.4483	2.9741	6.2525	4.6163	4.9476	7.9590	4.9306	4.3746	7.4218	5.5792	7.3223	6.3812	69.8986	
	S	138.291	97.236	60.064	99.778	96.447	85.165	79.670	74.949	111.439	135.044	127.218	87.156	124.798	101.152	
8	T	1.6859	5.3488	3.0335	6.3043	4.5501	4.9686	7.9366	5.0423	4.4232	7.4503	5.5055	7.2708	6.4164	69.9363	
	S	138.717	99.045	58.888	98.958	97.850	84.805	79.895	73.289	110.214	134.528	128.921	87.773	124.114	101.098	
9	T	1.6881	5.3442	3.0202	6.3186	4.5480	4.8875	7.9320	4.9392	4.3567	7.4208	5.5285	7.4212	7.3269	70.7319	
	S	138.537	99.130	59.147	98.734	97.895	86.213	79.941	74.819	111.897	135.063	128.384	85.994	108.690	99.961	
10	T	1.7937	5.5225	3.0082	6.2410	4.5463	4.8867	7.9058	4.9186	4.3818	7.4831	5.5991	7.2369	6.4101	69.9338	
	S	130.381	95.930	59.383	99.962	97.932	86.227	80.206	75.132	111.256	133.938	126.766	88.184	124.236	101.101	
11	T	1.6884	5.2502	2.9534	6.2618	4.5388	4.8612	7.9201	4.9784	4.3934	7.4292	5.5438	7.2867	6.3591	69.4645	
	S	138.512	100.905	60.485	99.630	98.094	86.679	80.061	74.230	110.962	134.910	128.030	87.582	125.232	101.784	
12	T	1.6784	5.2789	2.9861	6.2421	4.6059	4.9065	7.8035	5.1328	4.3779	7.3993	5.5403	7.2994	6.3295	69.5806	
	S	139.337	100.357	59.823	99.945	96.665	85.879	81.257	71.997	111.355	135.455	128.111	87.429	125.818	101.615	
13	T	1.6672	5.4100	3.0262	6.3081	4.7121	4.9538	7.8987	5.0676	4.4293	7.4344	5.5307	7.3323	6.3963	70.1667	
	S	140.273	97.925	59.030	98.899	94.486	85.059	80.278	72.923	110.063	134.816	128.333	87.037	124.504	100.766	
14	T	1.6852	5.3291	2.9586	6.2470	4.5547	4.9307	7.8337	5.1151	4.4288	7.4416	5.5686	7.3222	6.3708	69.7861	
	S	138.775	99.411	60.379	99.866	97.751	85.457	80.944	72.246	110.075	134.685	127.460	87.157	125.002	101.315	
15	T	1.6812	5.2707	3.0716	6.3424	4.5909	4.8948	7.8973	4.9932	4.3984	7.5448	5.5629	7.4362	6.4187	70.1031	
	S	139.105	100.513	58.157	98.364	96.980	86.084	80.292	74.010	110.836	132.843	127.590	85.821	124.069	100.857	
16	T	1.6864	5.3209	2.9616	6.2880	4.6072	4.8859	7.8870	4.9513	4.3703	7.4126	5.5299	7.3882	6.4031	69.6924	
	S	138.676	99.564	60.318	99.215	96.637	86.241	80.397	74.636	111.548	135.212	128.352	86.379	124.372	101.452	
17	T	1.6840	5.3676	2.9777	6.2534	4.6261	4.8911	7.9027	5.0636	4.3665	7.3936	5.6494	7.2535	6.3270	69.7562	
	S	138.874	98.698	59.991	99.764	96.242	86.149	80.237	72.981	111.645	135.560	125.637	87.983	125.867	101.359	
18	T	1.6721	5.4625	3.2275	6.3181	4.5883	4.8883	8.0651	5.0350	4.4245	7.4985	5.6727	7.3920	6.4542	70.6988	
	S	139.862	96.984	55.348	98.742	97.035	86.198	78.622	73.395	110.182	133.663	125.121	86.334	123.387	100.007	
19	T	1.6999	5.3820	3.0038	6.2854	4.5505	4.8637	7.7763	5.0097	4.4631	7.5150	5.5614	7.2235	6.4167	69.7510	
	S	137.575	98.434	59.470	99.256	97.841	86.634	81.541	73.766	109.229	133.370	127.625	88.348	124.108	101.366	

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 3

September 3, 2022

Section Data for Car 18 - Sundaramoorthy, Yuven (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF
20	T	1.6952	5.2895	2.9893	6.2835	4.5523	4.8924	7.8840	4.9156	4.3874	7.4792	5.5419	7.1975	6.4122	69.5200
	S	137.956	100.156	59.759	99.286	97.803	86.126	80.428	75.178	111.114	134.008	128.074	88.667	124.195	101.703
21	T	1.6941	5.2493	3.0157	6.2866	4.5002	4.8630	7.8940	4.9352	4.3719	7.4695	5.5006	7.2372	6.4201	69.4374
	S	138.046	100.923	59.235	99.237	98.935	86.647	80.326	74.880	111.508	134.182	129.036	88.181	124.042	101.824
22	T	1.6929	5.2514	3.0345	6.3079	4.4895	4.8536	7.8009	4.9415	4.3836	7.4606	5.4565	7.2732	6.4509	69.3970
	S	138.144	100.882	58.868	98.902	99.171	86.815	81.284	74.784	111.210	134.342	130.078	87.744	123.450	101.883
23	T	1.6968	5.2328	3.0131	6.3004	4.5408	4.8899	7.8650	4.9223	4.3873	7.4438	5.4810	7.2629	6.4528	69.4889
	S	137.826	101.241	59.287	99.020	98.050	86.170	80.622	75.076	111.116	134.645	129.497	87.869	123.414	101.749
24	T	1.6957	5.2186	3.0282	6.2919	4.5708	4.9357	7.8623	4.9449	4.4024	7.4710	5.4755	7.2849	6.4557	69.6376
	S	137.916	101.516	58.991	99.153	97.407	85.371	80.650	74.733	110.735	134.155	129.627	87.603	123.358	101.531
25	T	1.6988	5.2933	3.0357	6.2824	4.5724	4.9218	7.8988	5.0276	4.4561	7.4732	5.4742	7.4471	6.4539	70.0353
	S	137.664	100.084	58.845	99.303	97.373	85.612	80.277	73.503	109.401	134.116	129.658	85.695	123.393	100.955
26	T	1.6956	5.2742	2.9986	6.2834	4.5467	4.9007	7.9621	5.0252	4.4198	7.4896	5.4936	7.1880	6.3989	69.6764
	S	137.924	100.446	59.573	99.288	97.923	85.980	79.639	73.538	110.299	133.822	129.200	88.784	124.453	101.475
27	T	1.6904	5.3153	2.9579	6.2798	4.5457	4.8581	7.8877	5.0782	4.4379	7.4964	5.4744	7.1823	6.4031	69.6072
	S	138.348	99.669	60.393	99.345	97.945	86.734	80.390	72.771	109.849	133.701	129.653	88.855	124.372	101.576
28	T	1.6929	5.2753	2.9742	6.2521	4.5768	4.9108	7.9027	5.0361	4.3932	7.4313	5.4999	7.2225	6.3823	69.5501
	S	138.144	100.425	60.062	99.785	97.279	85.803	80.237	73.379	110.967	134.872	129.052	88.360	124.777	101.659
29	T	1.6916	5.2516	3.0181	6.3037	4.6206	4.9037	7.9332	4.9598	4.3895	7.4488	5.4915	7.1726	6.3679	69.5526
	S	138.250	100.878	59.188	98.968	96.357	85.928	79.929	74.508	111.060	134.555	129.249	88.975	125.059	101.655
30	T	1.6876	5.2222	2.9877	6.2484	4.5681	4.9261	7.9071	4.9713	4.3810	7.4188	5.4352	7.4080	6.4237	69.5852
	S	138.578	101.446	59.791	99.844	97.464	85.537	80.193	74.336	111.276	135.099	130.588	86.148	123.973	101.608
31	T	1.7022	6.7734	3.3470	7.3814	5.9766	6.3090								
	S	137.389	78.214	53.372	84.518	74.495	66.788								

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 3

September 3, 2022

Section Data for Car 19 - Missig, Jordan (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF	
1	T	2.2082	6.7113	3.8377	6.8235	5.1420	5.3501	8.3039	5.4269	4.4284	7.3713	6.3981	7.6349	6.3914	76.0277	120.0706
	S	105.907	78.937	46.548	91.429	86.586	78.758	76.361	68.095	110.085	135.970	110.935	83.587	124.599	92.998	57.625
2	T	1.6760	5.6047	3.1990	6.4561	4.8458	5.1715	8.2651	5.3399	4.4739	7.5831	6.3106	7.5577	6.3898	72.8732	
	S	139.537	94.523	55.841	96.632	91.879	81.478	76.719	69.205	108.965	132.172	112.473	84.441	124.630	97.023	
3	T	1.6852	5.3420	3.2182	6.3660	4.7133	4.9794	8.1401	5.0115	4.3585	7.3603	5.6822	7.3967	6.3455	70.5989	
	S	138.775	99.171	55.508	97.999	94.462	84.621	77.897	73.739	111.850	136.173	124.912	86.279	125.501	100.149	
4	T	1.6667	5.4011	3.1262	6.2888	4.7391	4.9671	8.1153	4.9603	4.3555	7.3833	5.6571	7.3842	6.3896	70.4343	
	S	140.315	98.086	57.142	99.202	93.948	84.831	78.135	74.501	111.927	135.749	125.466	86.425	124.634	100.383	
5	T	1.6802	5.2468	3.0937	6.3220	4.6673	4.9422	8.1532	5.0195	4.3669	7.3961	5.8098	7.4358	6.4014	70.5349	
	S	139.188	100.971	57.742	98.681	95.393	85.258	77.772	73.622	111.635	135.514	122.168	85.826	124.405	100.240	
6	T	1.6859	5.1589	3.0326	6.2917	4.6285	4.8889	8.0379	4.8990	4.3405	7.4348	5.7227	7.3094	6.3875	69.8183	
	S	138.717	102.691	58.905	99.157	96.193	86.188	78.888	75.433	112.314	134.808	124.028	87.310	124.675	101.269	
7	T	1.6893	5.2149	3.0325	6.3638	4.6499	4.8689	8.0678	4.9400	4.3638	7.4598	5.7083	7.2816	6.4139	70.0545	
	S	138.438	101.588	58.907	98.033	95.750	86.542	78.595	74.807	111.715	134.357	124.340	87.643	124.162	100.927	
8	T	1.6942	5.2376	3.0268	6.3146	4.6399	4.8415	8.0647	4.9212	4.3448	7.4570	5.6820	7.3035	6.4166	69.9444	
	S	138.038	101.148	59.018	98.797	95.956	87.032	78.625	75.093	112.203	134.407	124.916	87.380	124.110	101.086	
9	T	1.6952	5.1932	3.0346	6.3324	4.6258	4.8907	7.9828	4.9527	4.3507	7.4493	5.6857	7.2736	6.4039	69.8706	
	S	137.956	102.013	58.867	98.519	96.249	86.156	79.432	74.615	112.051	134.546	124.835	87.739	124.356	101.193	
10	T	1.6912	5.2549	3.1308	6.3391	4.6463	4.8467	8.0578	4.9324	4.3760	7.4831	5.7308	7.2974	6.4041	70.1906	
	S	138.283	100.815	57.058	98.415	95.824	86.938	78.693	74.922	111.403	133.938	123.852	87.453	124.352	100.731	
11	T	1.6938	5.1856	3.0443	6.2700	4.6221	4.8438	7.9648	4.9255	4.3498	7.4614	5.6617	7.2544	6.3829	69.6601	
	S	138.070	102.162	58.679	99.500	96.326	86.990	79.612	75.027	112.074	134.328	125.364	87.972	124.765	101.499	
12	T	1.6906	5.1740	3.1239	6.3240	4.6277	4.8529	8.0352	5.0673	4.3750	7.4851	6.1590	7.4296	6.3545	70.6988	
	S	138.332	102.391	57.184	98.650	96.209	86.827	78.914	72.927	111.429	133.902	115.242	85.897	125.323	100.007	
13	T	1.6780	5.1551	3.1316	6.3498	4.6022	4.9054	8.0326	4.9364	4.3476	7.4278	5.6283	7.2749	6.3776	69.8473	
	S	139.370	102.767	57.043	98.249	96.742	85.898	78.940	74.861	112.131	134.935	126.108	87.724	124.869	101.227	
14	T	1.6906	5.3247	3.0005	6.2700	4.5971	4.9128	8.0293	4.9885	4.3493	7.4604	5.6889	7.2664	6.3837	69.9622	
	S	138.332	99.493	59.536	99.500	96.850	85.769	78.972	74.079	112.087	134.346	124.764	87.826	124.750	101.060	
15	T	1.6930	5.2542	3.0114	6.2831	4.5959	4.8303	7.9882	4.9487	4.3352	7.4681	5.6678	7.2371	6.3993	69.7123	
	S	138.136	100.828	59.320	99.292	96.875	87.233	79.378	74.675	112.452	134.207	125.229	88.182	124.445	101.423	
16	T	1.6936	5.2605	2.9909	6.2660	4.5802	4.8687	7.9902	4.9477	4.3581	7.4853	5.6805	7.2682	6.4221	69.8120	
	S	138.087	100.708	59.727	99.563	97.207	86.545	79.359	74.690	111.861	133.899	124.949	87.805	124.004	101.278	
17	T	1.7092	5.3113	2.9976	6.2536	4.5539	4.8388	8.0072	4.9663	4.3554	7.4967	5.6710	7.1981	6.3889	69.7480	
	S	136.826	99.744	59.593	99.761	97.768	87.080	79.190	74.411	111.930	133.695	125.158	88.660	124.648	101.371	
18	T	1.6988	5.2705	2.9864	6.2375	4.5850	4.8425	7.9719	4.9433	4.3671	7.4871	5.6922	7.2672	6.4177	69.7672	
	S	137.664	100.517	59.817	100.018	97.105	87.014	79.541	74.757	111.630	133.867	124.692	87.817	124.089	101.343	
19	T	1.6975	5.2915	3.0039	6.2495	4.5513	4.8652	7.9447	4.9787	4.3769	7.4994	5.6804	7.2327	6.4056	69.7773	
	S	137.769	100.118	59.468	99.826	97.824	86.608	79.813	74.225	111.380	133.647	124.951	88.236	124.323	101.328	

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 3

September 3, 2022

Section Data for Car 19 - Missig, Jordan (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF
20	T	1.6959	5.1860	3.0469	6.2646	4.5640	4.8352	8.0444	4.9336	4.3646	7.4855	5.7016	7.2509	6.4110	69.7842
	S	137.899	102.154	58.629	99.586	97.552	87.145	78.824	74.904	111.694	133.895	124.487	88.014	124.218	101.318
21	T	1.6983	5.1963	3.0007	6.2597	4.5579	4.8062	8.0186	4.9337	4.3596	7.4993	5.7129	7.2509	6.4143	69.7084
	S	137.705	101.952	59.532	99.664	97.683	87.671	79.078	74.902	111.822	133.649	124.240	88.014	124.154	101.428
22	T	1.6954	5.2626	3.0306	6.3377	4.5823	4.7790	8.0478	4.9569	4.3602	7.4843	5.6528	7.3135	6.4291	69.9322
	S	137.940	100.667	58.944	98.437	97.162	88.170	78.791	74.552	111.807	133.917	125.561	87.261	123.869	101.104
23	T	1.6984	5.2797	3.0322	6.2746	4.5648	4.8490	7.9164	5.1339	4.3399	7.4474	5.7004	7.2532	6.4195	69.9094
	S	137.696	100.341	58.913	99.427	97.535	86.897	80.098	71.981	112.330	134.580	124.513	87.986	124.054	101.137
24	T	1.6999	5.2675	3.0267	6.2739	4.5759	4.8845	8.0093	4.9133	4.3698	7.4794	5.6511	7.2612	6.4229	69.8354
	S	137.575	100.574	59.020	99.438	97.298	86.265	79.169	75.213	111.561	134.004	125.599	87.889	123.988	101.244
25	T	1.7004	5.2649	3.0181	6.2606	4.6039	4.8423	8.0252	4.9564	4.3608	7.4526	5.6223	7.2577	6.3997	69.7649
	S	137.534	100.624	59.188	99.649	96.707	87.017	79.012	74.559	111.791	134.486	126.242	87.932	124.438	101.346
26	T	1.6946	5.2287	3.0644	6.2808	4.5710	4.8829	8.0419	5.0255	4.3709	7.4714	5.6561	7.3270	6.4234	70.0386
	S	138.005	101.320	58.294	99.329	97.403	86.294	78.848	73.534	111.533	134.148	125.488	87.100	123.979	100.950
27	T	1.6995	5.2643	3.0275	6.2760	4.5930	4.8526	8.0325	4.9177	4.3749	7.4717	5.6380	7.1803	6.3904	69.7184
	S	137.607	100.635	59.005	99.405	96.936	86.833	78.941	75.146	111.431	134.143	125.891	88.880	124.619	101.414
28	T	1.7006	5.2316	3.0223	6.2510	4.5995	4.8826	7.9842	5.1221	4.3835	7.4623	5.6631	7.2889	6.4051	69.9968
	S	137.518	101.264	59.106	99.802	96.799	86.299	79.418	72.147	111.213	134.312	125.333	87.555	124.333	101.010
29	T	1.6996	5.2708	3.0105	6.2618	4.5896	4.9318	8.0729	4.9782	4.3361	7.4445	5.6639	7.2808	6.4092	69.9497
	S	137.599	100.511	59.338	99.630	97.008	85.438	78.546	74.233	112.428	134.633	125.315	87.653	124.253	101.078
30	T	1.6999	5.2714	3.0059	6.2511	4.5900	4.9026	8.0661	4.9839	4.3450	7.4468	5.6791	7.3084	6.4044	69.9546
	S	137.575	100.499	59.429	99.801	96.999	85.947	78.612	74.148	112.198	134.591	124.980	87.322	124.346	101.071
31	T	1.7584	6.2753	3.3635	8.0316	6.0187	6.2767								
	S	132.998	84.422	53.110	77.676	73.974	67.131								

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 3

September 3, 2022

Section Data for Car 2 - Browne, Jonathan (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF	
1	T	2.2100	7.3988	4.0340	6.5829	5.3508	5.3873	8.5162	5.3054	4.4759	7.5226	6.4515	8.0085	6.5651	77.8090	121.1859
	S	105.821	71.603	44.283	94.770	83.208	78.214	74.457	69.655	108.917	133.235	110.017	79.688	121.303	90.869	57.095
2	T	1.7246	5.7158	3.5853	6.3955	4.8732	5.0500	8.0834	5.1899	4.4009	7.4405	5.9490	7.4455	6.3983	72.2519	
	S	135.605	92.686	49.825	97.547	91.362	83.438	78.444	71.205	110.773	134.705	119.310	85.714	124.465	97.858	
3	T	1.6931	5.4404	3.5090	6.4611	5.1386	5.1053	8.1279	5.0149	4.3767	7.3832	5.9329	7.3961	6.3638	71.9430	
	S	138.127	97.378	50.908	96.557	86.644	82.535	78.014	73.689	111.385	135.750	119.633	86.286	125.140	98.278	
4	T	1.6893	5.4298	3.5542	6.3795	4.6922	5.0507	7.9978	4.9279	4.3504	7.3530	5.7849	7.3487	6.4033	70.9617	
	S	138.438	97.568	50.261	97.792	94.887	83.427	79.283	74.990	112.059	136.308	122.694	86.843	124.368	99.637	
5	T	1.6916	5.3288	3.1448	6.3304	4.6011	5.0054	8.0716	4.9432	4.3991	7.5279	6.1376	7.3486	6.4650	70.9951	
	S	138.250	99.417	56.804	98.550	96.765	84.182	78.558	74.758	110.818	133.141	115.643	86.844	123.181	99.590	
6	T	1.7092	5.2108	3.1065	6.3403	4.4941	4.8492	7.9776	4.9077	4.3830	7.5290	5.7045	7.2978	6.4666	69.9763	
	S	136.826	101.668	57.504	98.397	99.069	86.893	79.484	75.299	111.225	133.122	124.423	87.449	123.150	101.040	
7	T	1.7096	5.2827	2.9694	6.2508	4.5451	4.8760	7.9495	4.9250	4.3688	7.5025	5.7300	7.2620	6.4151	69.7865	
	S	136.794	100.284	60.159	99.805	97.958	86.416	79.765	75.035	111.587	133.592	123.870	87.880	124.139	101.315	
8	T	1.7050	5.2338	2.9947	6.2732	4.5177	4.9085	7.9618	4.9026	4.3765	7.4991	5.7004	7.2612	6.4078	69.7423	
	S	137.163	101.221	59.651	99.449	98.552	85.844	79.642	75.377	111.390	133.652	124.513	87.889	124.280	101.379	
9	T	1.7014	5.2269	2.9842	6.2774	4.5406	4.9572	7.9622	4.8794	4.3736	7.4922	5.6747	7.2831	6.4186	69.7715	
	S	137.454	101.355	59.861	99.382	98.055	85.000	79.638	75.736	111.464	133.775	125.077	87.625	124.071	101.337	
10	T	1.7030	5.2089	3.0400	6.2793	4.6629	5.0029	7.9206	4.9414	4.3614	7.4385	5.8038	7.3547	6.3833	70.1007	
	S	137.325	101.705	58.762	99.352	95.483	84.224	80.056	74.786	111.776	134.741	122.294	86.772	124.757	100.861	
11	T	1.6891	5.3505	3.4124	6.3966	4.5338	4.9986	7.8750	4.9504	4.3931	7.4983	5.7422	7.2818	6.4131	70.5349	
	S	138.455	99.014	52.349	97.531	98.202	84.296	80.519	74.650	110.969	133.667	123.606	87.641	124.178	100.240	
12	T	1.6975	5.2231	3.0037	6.2765	4.5358	4.9481	7.9643	4.9202	4.3853	7.5079	5.7597	7.2508	6.3970	69.8699	
	S	137.769	101.429	59.472	99.397	98.158	85.157	79.617	75.108	111.167	133.496	123.231	88.015	124.490	101.194	
13	T	1.6984	5.1698	3.1227	6.3454	4.5093	4.8648	7.9542	4.9120	4.3825	7.4854	5.7102	7.2097	6.3889	69.7533	
	S	137.696	102.475	57.206	98.317	98.735	86.615	79.718	75.233	111.238	133.897	124.299	88.517	124.648	101.363	
14	T	1.6943	5.2226	2.9818	6.3032	4.5010	4.9241	8.0593	4.9365	4.3796	7.5162	5.7140	7.3056	6.4226	69.9608	
	S	138.030	101.439	59.909	98.976	98.917	85.572	78.678	74.860	111.312	133.348	124.216	87.355	123.994	101.062	
15	T	1.7029	5.2684	3.0316	6.2714	4.5483	4.9111	7.9338	4.9407	4.3867	7.5273	5.7220	7.3013	6.4494	69.9949	
	S	137.333	100.557	58.925	99.478	97.889	85.798	79.923	74.796	111.131	133.152	124.043	87.407	123.479	101.013	
16	T	1.7078	5.2415	3.0092	6.2794	4.5410	4.9277	7.9190	4.9678	4.3856	7.5386	5.6790	7.2278	6.4460	69.8704	
	S	136.939	101.073	59.363	99.351	98.046	85.509	80.072	74.388	111.159	132.952	124.982	88.295	123.544	101.193	
17	T	1.7119	5.2425	3.0251	6.2808	4.5248	4.9267	7.9872	5.0150	4.3953	7.5460	5.6975	7.2756	6.4559	70.0843	
	S	136.611	101.053	59.051	99.329	98.397	85.527	79.388	73.688	110.914	132.822	124.576	87.715	123.354	100.884	
18	T	1.7130	5.7853	3.2077	6.2959	4.8608	5.0747	8.0711	4.9572	4.3820	7.4567	5.7723	7.3450	6.3841	71.3058	
	S	136.523	91.572	55.690	99.090	91.595	83.032	78.563	74.547	111.251	134.412	122.962	86.887	124.742	99.156	
19	T	1.6905	5.3838	3.0714	6.2629	4.5989	5.0198	7.9317	4.9826	4.3831	7.4803	5.7362	7.3219	6.3983	70.2614	
	S	138.340	98.401	58.161	99.613	96.812	83.940	79.944	74.167	111.223	133.988	123.736	87.161	124.465	100.630	

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 3

September 3, 2022

Section Data for Car 2 - Browne, Jonathan (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF
20	T	1.6951	5.3145	3.0352	6.2830	4.5618	4.9952	7.9622	5.0482	4.3902	7.5079	5.7407	7.2734	6.3985	70.2059
	S	137.965	99.684	58.855	99.294	97.599	84.354	79.638	73.203	111.043	133.496	123.639	87.742	124.461	100.709
21	T	1.6996	5.2459	3.0532	6.2824	4.5455	4.9664	7.9542	4.9305	4.3818	7.5181	5.7565	7.2801	6.4441	70.0583
	S	137.599	100.988	58.508	99.303	97.949	84.843	79.718	74.951	111.256	133.315	123.299	87.661	123.580	100.922
22	T	1.7031	5.2849	2.9964	6.2740	4.5580	4.9425	7.9579	4.9443	4.3893	7.5243	5.7026	7.2955	6.4485	70.0213
	S	137.316	100.243	59.617	99.436	97.680	85.253	79.681	74.742	111.066	133.205	124.465	87.476	123.496	100.975
23	T	1.7072	5.2024	3.0329	6.2936	4.5218	4.8685	7.9571	4.9913	4.3881	7.5046	5.7082	7.2861	6.4586	69.9204
	S	136.987	101.832	58.900	99.127	98.462	86.549	79.689	74.038	111.096	133.554	124.343	87.589	123.303	101.121
24	T	1.7094	5.2105	3.0618	6.2951	4.5418	4.9472	7.9378	4.9832	4.4137	7.5570	5.6978	7.2065	6.4479	70.0097
	S	136.810	101.674	58.344	99.103	98.029	85.172	79.882	74.158	110.452	132.628	124.570	88.556	123.507	100.992
25	T	1.7161	5.3441	3.0449	6.3047	4.5568	4.9508	7.9525	4.9511	4.3990	7.5226	5.7404	7.2915	6.4422	70.2167
	S	136.276	99.132	58.667	98.952	97.706	85.110	79.735	74.639	110.821	133.235	123.645	87.524	123.617	100.694
26	T	1.7119	5.2836	3.0387	6.2880	4.5241	4.9670	7.9892	4.9558	4.3774	7.5320	5.7158	7.2430	6.4314	70.0579
	S	136.611	100.267	58.787	99.215	98.412	84.833	79.369	74.568	111.367	133.069	124.177	88.110	123.824	100.922
27	T	1.7118	5.3209	3.0195	6.2713	4.5627	4.9708	7.9518	5.1585	4.3953	7.5384	5.7527	7.2255	6.4204	70.2996
	S	136.619	99.564	59.161	99.479	97.580	84.768	79.742	71.638	110.914	132.956	123.381	88.324	124.036	100.575
28	T	1.7143	5.2545	3.0398	6.3031	4.6027	4.9973	8.0317	4.9430	4.3926	7.5158	5.7293	7.2868	6.4382	70.2491
	S	136.419	100.823	58.766	98.977	96.732	84.318	78.949	74.761	110.982	133.355	123.885	87.581	123.694	100.648
29	T	1.7104	5.3422	3.1634	6.3175	4.5537	4.9771	7.9899	4.9446	4.3776	7.5219	5.7274	7.2726	6.4389	70.3372
	S	136.730	99.168	56.470	98.752	97.773	84.660	79.362	74.737	111.362	133.247	123.926	87.752	123.680	100.521
30	T	1.7132	5.3938	3.1494	6.3417	4.7575	4.9718	7.9410	5.0105	4.3754	7.5340	5.7709	7.2761	6.4398	70.6751
	S	136.507	98.219	56.721	98.375	93.584	84.751	79.850	73.754	111.418	133.033	122.992	87.709	123.663	100.041
31	T	1.8265	6.6064	3.3766	7.9464	6.2193									
	S	128.039	80.191	52.904	78.509	71.588									

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 3

September 3, 2022

Section Data for Car 3 - Green, Josh (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF	
1	T	2.2691	6.8661	3.8454	6.7249	5.2540	5.4204	8.4569	5.3716	4.4750	7.4523	6.4257	7.7562	6.3918	76.7094	128.2746
	S	103.064	77.158	46.455	92.769	84.741	77.737	74.979	68.796	108.939	134.492	110.458	82.280	124.591	92.171	53.940
2	T	1.6823	5.5197	3.1928	6.4074	4.9023	5.1191	8.1712	5.2786	4.5130	7.5103	6.0789	7.3993	6.4634	72.2383	
	S	139.014	95.979	55.950	97.366	90.820	82.312	77.601	70.008	108.021	133.453	116.760	86.249	123.211	97.876	
3	T	1.7131	5.2973	3.0906	6.3439	4.6405	4.9282	8.1921	5.0468	4.3427	7.3248	5.8098	7.5352	6.4110	70.6760	
	S	136.515	100.008	57.800	98.341	95.944	85.501	77.403	73.224	112.257	136.833	122.168	84.693	124.218	100.040	
4	T	1.6886	5.3122	3.0730	6.2798	4.6088	4.9407	8.0598	5.0002	4.3542	7.3685	5.6688	7.4528	6.4557	70.2631	
	S	138.496	99.728	58.131	99.345	96.604	85.284	78.673	73.906	111.961	136.021	125.207	85.630	123.358	100.627	
5	T	1.7006	5.2416	3.1059	6.3341	4.5752	4.8575	8.1684	4.9392	4.3919	7.4785	5.7050	7.3068	6.4289	70.2336	
	S	137.518	101.071	57.515	98.493	97.313	86.745	77.627	74.819	111.000	134.021	124.412	87.341	123.872	100.670	
6	T	1.6999	5.2030	3.0140	6.2929	4.5129	4.8350	7.9365	4.9047	4.3790	7.4811	5.6754	7.2287	6.4009	69.5640	
	S	137.575	101.821	59.269	99.138	98.657	87.149	79.896	75.345	111.327	133.974	125.061	88.284	124.414	101.639	
7	T	1.7016	5.1954	3.0004	6.2761	4.5282	4.7999	7.9877	4.9220	4.3885	7.4864	5.5992	7.2567	6.4199	69.5620	
	S	137.437	101.970	59.538	99.403	98.323	87.786	79.383	75.080	111.086	133.879	126.763	87.944	124.046	101.642	
8	T	1.6972	5.1476	2.9743	6.2711	4.6327	4.8445	8.0148	4.9188	4.3761	7.4810	5.5439	7.3112	6.4494	69.6626	
	S	137.794	102.916	60.060	99.482	96.105	86.978	79.115	75.129	111.401	133.976	128.028	87.288	123.479	101.495	
9	T	1.6996	5.2538	3.2989	6.3847	4.5465	4.8411	7.9999	4.8836	4.3930	7.5193	5.6155	7.2362	6.4354	70.1075	
	S	137.599	100.836	54.150	97.712	97.927	87.039	79.262	75.671	110.972	133.293	126.395	88.193	123.747	100.851	
10	T	1.7020	5.2058	3.0294	6.3383	4.5284	4.8338	7.8262	4.9356	4.4172	7.5453	5.6090	7.3326	6.4612	69.7648	
	S	137.405	101.766	58.968	98.428	98.319	87.170	81.022	74.873	110.364	132.834	126.542	87.033	123.253	101.346	
11	T	1.7018	5.1991	3.0877	6.3273	4.5611	4.8231	7.9071	4.9524	4.4091	7.5254	5.6277	7.2578	6.4270	69.8066	
	S	137.421	101.897	57.854	98.599	97.614	87.364	80.193	74.619	110.567	133.185	126.121	87.930	123.909	101.286	
12	T	1.6999	5.1995	3.0294	6.3066	4.5085	4.8407	7.8896	4.9145	4.3965	7.5106	5.5922	7.2235	6.3996	69.5111	
	S	137.575	101.889	58.968	98.922	98.753	87.046	80.370	75.195	110.884	133.448	126.922	88.348	124.440	101.716	
13	T	1.6982	5.2281	3.0123	6.2906	4.5515	4.8598	7.9019	4.9701	4.3952	7.5013	5.6080	7.2917	6.4246	69.7333	
	S	137.713	101.332	59.302	99.174	97.820	86.704	80.245	74.354	110.916	133.613	126.564	87.522	123.955	101.392	
14	T	1.6983	5.2617	3.0146	6.2902	4.5887	4.8692	7.9194	4.9012	4.3783	7.5070	5.6306	7.2384	6.4141	69.7117	
	S	137.705	100.685	59.257	99.180	97.027	86.537	80.068	75.399	111.345	133.512	126.056	88.166	124.158	101.423	
15	T	1.6949	5.1841	3.0268	6.3028	4.5477	4.8585	7.8864	4.8996	4.3793	7.5041	5.5837	7.2224	6.4186	69.5089	
	S	137.981	102.192	59.018	98.982	97.902	86.727	80.403	75.424	111.319	133.563	127.115	88.361	124.071	101.719	
16	T	1.6978	5.1935	3.0313	6.3039	4.5510	4.8593	7.8880	4.9120	4.3842	7.5208	5.5875	7.2297	6.4105	69.5695	
	S	137.745	102.007	58.931	98.965	97.831	86.713	80.387	75.233	111.195	133.267	127.029	88.272	124.228	101.631	
17	T	1.6971	5.1999	3.0028	6.2827	4.5452	4.8854	7.9206	4.9390	4.3886	7.5049	5.5509	7.2765	6.4388	69.6324	
	S	137.802	101.881	59.490	99.299	97.955	86.250	80.056	74.822	111.083	133.549	127.866	87.705	123.682	101.539	
18	T	1.6967	5.1674	3.0881	6.3120	4.5588	4.8703	7.8769	4.9720	4.3718	7.4878	5.6296	7.2396	6.4075	69.6785	
	S	137.834	102.522	57.847	98.838	97.663	86.517	80.500	74.325	111.510	133.854	126.079	88.152	124.286	101.472	
19	T	1.6967	5.2716	2.9791	6.2631	4.5279	4.8638	7.8821	4.9796	4.4196	7.5256	5.6350	7.2713	6.4125	69.7279	
	S	137.834	100.496	59.963	99.609	98.330	86.633	80.447	74.212	110.304	133.182	125.958	87.767	124.189	101.400	

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 3

September 3, 2022

Section Data for Car 3 - Green, Josh (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF
20	T	1.7071	5.2987	3.3176	6.4562	4.9210	5.0029	7.9848	4.9314	4.3699	7.4512	5.6127	7.3356	6.4080	70.7971
	S	136.995	99.982	53.845	96.630	90.475	84.224	79.412	74.937	111.559	134.512	126.458	86.998	124.276	99.868
21	T	1.6894	5.2493	3.0818	6.3122	4.6154	4.8527	7.9943	4.8967	4.3787	7.4983	5.5907	7.2434	6.4105	69.8134
	S	138.430	100.923	57.965	98.835	96.466	86.831	79.318	75.468	111.334	133.667	126.956	88.105	124.228	101.276
22	T	1.6946	5.1857	3.0967	6.2999	4.5312	4.8656	7.9232	4.9736	4.4156	7.5205	5.5712	7.2400	6.4135	69.7313
	S	138.005	102.160	57.686	99.028	98.258	86.601	80.030	74.301	110.404	133.272	127.400	88.147	124.170	101.395
23	T	1.6942	5.1843	3.0230	6.3176	4.5245	4.8759	7.9110	4.9945	4.3980	7.4926	5.5708	7.2987	6.4446	69.7297
	S	138.038	102.188	59.092	98.750	98.404	86.418	80.153	73.990	110.846	133.768	127.409	87.438	123.571	101.397
24	T	1.6981	5.2399	3.0291	6.2918	4.5845	4.9232	7.9442	4.9402	4.4208	7.5321	5.6005	7.3407	6.4442	69.9893
	S	137.721	101.104	58.973	99.155	97.116	85.587	79.818	74.804	110.274	133.067	126.734	86.937	123.578	101.021
25	T	1.6997	5.3307	3.0275	6.2920	4.5548	4.9157	7.9378	4.9568	4.3881	7.4972	5.5531	7.2497	6.4131	69.8162
	S	137.591	99.381	59.005	99.152	97.749	85.718	79.882	74.553	111.096	133.686	127.816	88.029	124.178	101.272
26	T	1.7001	5.1610	3.0234	6.2864	4.5859	4.8495	7.8866	5.0879	4.3796	7.5031	5.5649	7.2945	6.4316	69.7545
	S	137.559	102.649	59.085	99.240	97.086	86.888	80.401	72.632	111.312	133.581	127.545	87.488	123.820	101.361
27	T	1.7022	5.1836	3.0432	6.3253	4.6215	4.8821	8.0068	4.9672	4.3935	7.5192	5.6346	7.2542	6.4188	69.9522
	S	137.389	102.202	58.700	98.630	96.338	86.308	79.194	74.397	110.959	133.295	125.967	87.974	124.067	101.075
28	T	1.7057	5.2462	3.0339	6.2893	4.6262	4.9093	7.9539	5.0175	4.3890	7.4932	5.6067	7.2561	6.4109	69.9379
	S	137.107	100.982	58.880	99.194	96.240	85.830	79.721	73.651	111.073	133.758	126.594	87.951	124.220	101.095
29	T	1.7025	5.2682	3.0045	6.2684	4.5871	4.9608	7.9697	4.9818	4.3707	7.4880	5.6390	7.2910	6.4277	69.9594
	S	137.365	100.560	59.456	99.525	97.061	84.939	79.563	74.179	111.538	133.851	125.869	87.530	123.896	101.064
30	T	1.7084	5.3507	2.9964	6.2705	4.6013	4.9871	7.9841	5.0619	4.3648	7.4490	5.6254	7.2463	6.3759	70.0218
	S	136.890	99.010	59.617	99.492	96.761	84.491	79.419	73.005	111.689	134.551	126.173	88.070	124.902	100.974
31	T	1.9711	7.1274	3.4054	7.4130	5.5488	5.7502								
	S	118.646	74.329	52.457	84.158	80.238	73.278								

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 3

September 3, 2022

Section Data for Car 4 - Eves, Braden

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF	
1	T	2.2394	7.3446	3.9477	6.7369	5.3007	5.5863	8.5052	5.3254	4.4068	7.3871	6.3510	7.7992	6.5187	77.4490	122.6031
	S	104.431	72.131	45.251	92.604	83.994	75.428	74.553	69.393	110.624	135.679	111.758	81.827	122.166	91.291	56.435
2	T	1.7014				4.9382	5.1031	8.3849	5.0673	4.3677	7.5028	6.4588	7.6745	6.4508	72.0246	
	S	137.454				90.160	82.570	75.623	72.927	111.615	133.586	109.892	83.156	123.452	98.166	
3	T	1.7084	5.8117	3.4578	6.4277	4.8343	4.9552	8.1106	4.9444	4.3885	7.4458	5.8221	7.3462	6.4273	71.6800	
	S	136.890	91.156	51.662	97.059	92.098	85.035	78.181	74.740	111.086	134.609	121.910	86.872	123.903	98.638	
4	T	1.7028	5.1652	3.1769	6.3673	4.6528	4.9027	8.0411	4.8980	4.3706	7.4497	5.7761	7.3295	6.4063	70.2390	
	S	137.341	102.566	56.230	97.979	95.690	85.945	78.856	75.448	111.541	134.539	122.881	87.070	124.309	100.662	
5	T	1.6970	5.1507	3.2040	6.3485	4.6534	4.9166	7.9788	4.9201	4.3601	7.4528	5.7826	7.3589	6.4072	70.2307	
	S	137.810	102.855	55.754	98.269	95.678	85.702	79.472	75.109	111.809	134.483	122.743	86.722	124.292	100.674	
6	T	1.6922	5.1240	3.0926	6.3037	4.6274	4.8148	7.9518	4.9655	4.3623	7.4738	5.7564	7.2883	6.3914	69.8442	
	S	138.201	103.390	57.763	98.968	96.215	87.514	79.742	74.423	111.753	134.105	123.301	87.563	124.599	101.231	
7	T	1.6918	5.1242	3.0863	6.3367	4.5973	4.8435	8.0143	4.9234	4.3544	7.4429	5.7995	7.2995	6.3765	69.8903	
	S	138.234	103.386	57.880	98.452	96.845	86.996	79.120	75.059	111.956	134.662	122.385	87.428	124.890	101.164	
8	T	1.6907	5.1712	3.0398	6.2774	4.6391	4.8690	8.0220	4.9839	4.3653	7.4491	6.0102	7.2808	6.3914	70.1899	
	S	138.324	102.447	58.766	99.382	95.973	86.540	79.044	74.148	111.676	134.550	118.095	87.653	124.599	100.732	
9	T	1.6903	5.2423	3.0344	6.2807	4.6028	4.8534	7.9543	4.8920	4.3507	7.4424	5.7034	7.3050	6.4094	69.7611	
	S	138.356	101.057	58.870	99.330	96.730	86.818	79.717	75.541	112.051	134.671	124.447	87.362	124.249	101.352	
10	T	1.7045	5.4838	3.8573	6.6986	4.6951	4.9427	7.9615	4.9891	4.3726	7.4797	5.7658	7.3679	6.4232	71.7418	
	S	137.204	96.607	46.311	93.133	94.828	85.250	79.645	74.071	111.490	133.999	123.100	86.617	123.982	98.553	
11	T	1.6954	5.1074	3.0874	6.3060	4.6029	4.8569	7.8775	4.9082	4.3722	7.4865	5.7661	7.2578	6.3894	69.7137	
	S	137.940	103.727	57.860	98.932	96.728	86.756	80.494	75.291	111.500	133.877	123.094	87.930	124.638	101.421	
12	T	1.6933	5.1320	3.0321	6.2799	4.5628	4.8137	7.8981	4.9322	4.3633	7.4619	5.7539	7.2524	6.3669	69.5425	
	S	138.111	103.229	58.915	99.343	97.578	87.534	80.284	74.925	111.727	134.319	123.355	87.996	125.079	101.670	
13	T	1.6915	5.1112	3.0527	6.2710	4.6041	4.8317	7.9471	4.9756	4.3586	7.4342	5.7813	7.2032	6.3488	69.6110	
	S	138.258	103.649	58.517	99.484	96.702	87.208	79.789	74.272	111.848	134.819	122.770	88.597	125.435	101.570	
14	T	1.6862	5.1762	2.9911	6.2452	4.5359	4.8306	7.9820	5.0292	4.3702	7.4553	5.7534	7.2202	6.3528	69.6283	
	S	138.693	102.348	59.723	99.895	98.156	87.228	79.440	73.480	111.551	134.438	123.366	88.388	125.356	101.545	
15	T	1.6852	5.1283	3.0619	6.2791	4.5538	4.8709	7.9243	4.8970	4.3465	7.4204	5.7384	7.2753	6.3588	69.5399	
	S	138.775	103.304	58.342	99.356	97.770	86.506	80.019	75.464	112.159	135.070	123.688	87.719	125.238	101.674	
16	T	1.6832	5.1213	3.0310	6.2698	4.5375	4.9056	8.0118	5.0180	4.3623	7.4403	5.7514	7.2372	6.3579	69.7273	
	S	138.940	103.445	58.936	99.503	98.122	85.894	79.145	73.644	111.753	134.709	123.409	88.181	125.256	101.401	
17	T	1.6845	5.2248	3.0079	6.2407	4.5776	4.8952	7.9741	4.9526	4.3439	7.4104	5.7171	7.3050	6.3594	69.6932	
	S	138.833	101.396	59.389	99.967	97.262	86.077	79.519	74.616	112.226	135.252	124.149	87.362	125.226	101.450	
18	T	1.6829	5.2760	2.9936	6.2315	4.5764	4.9327	7.9775	4.9918	4.3557	7.4264	5.7310	7.3170	6.3769	69.8694	
	S	138.965	100.412	59.673	100.115	97.288	85.423	79.485	74.031	111.922	134.961	123.848	87.219	124.883	101.195	
19	T	1.6865	5.3143	3.0180	6.2695	4.5796	4.9068	7.9421	5.0471	4.3769	7.4431	5.7196	7.3096	6.3869	70.0000	
	S	138.668	99.688	59.190	99.508	97.220	85.873	79.839	73.219	111.380	134.658	124.095	87.307	124.687	101.006	

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 3

September 3, 2022

Section Data for Car 4 - Eves, Braden

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF
20	T	1.6898	5.1036	3.0119	6.2527	4.5674	4.8573	7.9332	5.0070	4.3528	7.4369	5.7640	7.2604	6.3390	69.5760
	S	138.397	103.804	59.310	99.775	97.479	86.749	79.929	73.806	111.997	134.770	123.139	87.899	125.629	101.621
21	T	1.6848	5.1053	3.0288	6.2505	4.5899	4.9153	7.9383	4.9323	4.3366	7.4180	5.7785	7.2935	6.3706	69.6424
	S	138.808	103.769	58.979	99.810	97.002	85.725	79.877	74.924	112.415	135.114	122.830	87.500	125.006	101.524
22	T	1.6820	5.1836	3.0275	6.2346	4.7036	4.9087	7.9942	4.9583	4.3435	7.4105	5.7486	7.2613	6.3455	69.8019
	S	139.039	102.202	59.005	100.065	94.657	85.840	79.319	74.531	112.237	135.250	123.469	87.888	125.501	101.292
23	T	1.6773	5.2208	3.0375	6.2563	4.7024	4.8599	8.0460	4.9484	4.3218	7.3620	5.7847	7.3257	6.3728	69.9156
	S	139.429	101.473	58.810	99.718	94.681	86.702	78.808	74.680	112.800	136.141	122.698	87.115	124.963	101.128
24	T	1.6806	5.1785	3.0424	6.2427	4.6088	4.9296	7.9808	4.9599	4.3707	7.3950	5.8301	7.2864	6.3543	69.8598
	S	139.155	102.302	58.716	99.935	96.604	85.476	79.452	74.507	111.538	135.534	121.743	87.585	125.327	101.208
25	T	1.6810	5.2203	3.0409	6.2391	4.6105	4.9896	8.0212	4.9590	4.3562	7.3981	5.7686	7.3690	6.4048	70.0583
	S	139.122	101.483	58.745	99.993	96.568	84.448	79.052	74.520	111.909	135.477	123.041	86.604	124.339	100.922
26	T	1.6902	5.2570	3.0448	6.2749	4.6515	4.9025	7.9764	4.9402	4.3431	7.4200	5.7857	7.2438	6.3406	69.8707
	S	138.364	100.775	58.669	99.422	95.717	85.949	79.496	74.804	112.247	135.077	122.677	88.100	125.598	101.193
27	T	1.6826	5.2727	3.0042	6.2336	4.5806	4.9014	7.9971	4.9669	4.3555	7.4053	5.7265	7.2661	6.3649	69.7574
	S	138.989	100.475	59.462	100.081	97.198	85.968	79.290	74.402	111.927	135.345	123.945	87.830	125.118	101.357
28	T	1.6886	5.2246	2.9888	6.2278	4.6429	4.9064	8.0303	4.9770	4.3342	7.3718	5.7491	7.3101	6.3482	69.7998
	S	138.496	101.400	59.769	100.174	95.894	85.880	78.962	74.251	112.478	135.960	123.458	87.301	125.447	101.295
29	T	1.6850	5.2778	2.9914	6.2135	4.6418	4.9286	8.0367	5.0103	4.3351	7.3683	5.7360	7.3574	6.3794	69.9613
	S	138.791	100.378	59.717	100.405	95.917	85.494	78.899	73.757	112.454	136.025	123.740	86.740	124.834	101.062
30	T	1.6876	5.1866	3.0965	6.2394	4.6940	4.9154	8.0707	4.9236	4.3305	7.3802	5.7124	7.3891	6.3773	70.0033
	S	138.578	102.143	57.690	99.988	94.850	85.723	78.567	75.056	112.574	135.806	124.251	86.368	124.875	101.001
31	T	1.7089	6.6664	3.3321	7.6632	6.0507	6.3469								
	S	136.850	79.469	53.611	81.410	73.583	66.389								

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 3

September 3, 2022

Section Data for Car 40 - Miller, Jack William

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF	
1	T	2.2699		3.6785	14.0371	5.3391	5.2737	8.3079	5.5455	4.4719	7.5608	6.0192	7.5559	6.4067	75.8897	130.2951
	S	103.028		48.562	44.444	83.390	79.899	76.324	66.639	109.014	132.562	117.918	84.461	124.302	93.167	53.103
2	T	1.6953	5.3937	3.3519	6.4840	4.9369	4.9576	8.2846	4.9224	4.3597	7.4007	5.7923	7.6122	6.5434	71.7347	
	S	137.948	98.221	53.294	96.216	90.184	84.993	76.539	75.074	111.820	135.429	122.537	83.837	121.705	98.563	
3	T	1.7100	5.3882	3.3286	6.3932	4.7459	5.0558	8.1557	4.8891	4.3406	7.3832	5.7657	7.2906	6.3832	70.8298	
	S	136.762	98.321	53.667	97.582	93.813	83.343	77.748	75.586	112.312	135.750	123.103	87.535	124.759	99.822	
4	T	1.6929	5.4527	2.9927	6.2647	4.6234	4.9798	8.0292	4.9342	4.3785	7.4266	5.7055	7.3057	6.4109	70.1968	
	S	138.144	97.158	59.691	99.584	96.299	84.615	78.973	74.895	111.339	134.957	124.401	87.354	124.220	100.723	
5	T	1.6953	5.3683	2.9715	6.2521	4.5276	4.9547	7.9666	4.8395	4.3431	7.3984	5.6370	7.2020	6.3715	69.5276	
	S	137.948	98.685	60.117	99.785	98.336	85.043	79.594	76.360	112.247	135.472	125.913	88.612	124.988	101.692	
6	T	1.6865	5.2656	2.9972	6.2573	4.5223	4.9145	7.9378	4.8440	4.3379	7.3959	5.5834	7.1618	6.3561	69.2603	
	S	138.668	100.610	59.601	99.702	98.452	85.739	79.882	76.289	112.382	135.517	127.122	89.109	125.291	102.084	
7	T	1.6879	5.3586	3.0490	6.2882	4.5354	4.8814	7.9193	4.8636	4.3606	7.4246	5.6405	7.2228	6.3883	69.6202	
	S	138.553	98.864	58.589	99.212	98.167	86.320	80.069	75.982	111.797	134.993	125.835	88.357	124.660	101.557	
8	T	1.6895	5.3478	2.9706	6.2302	4.5417	4.8747	7.9372	4.9056	4.3626	7.4084	5.5853	7.2031	6.3892	69.4459	
	S	138.422	99.064	60.135	100.135	98.031	86.439	79.888	75.331	111.745	135.289	127.079	88.598	124.642	101.812	
9	T	1.6924	5.4008	2.9528	6.2396	4.5101	4.9368	7.9501	4.8859	4.3521	7.4131	5.6497	7.2359	6.3921	69.6114	
	S	138.185	98.092	60.497	99.985	98.718	85.352	79.759	75.635	112.015	135.203	125.630	88.197	124.586	101.570	
10	T	1.6917	5.2772	2.9702	6.2230	4.5205	4.9189	7.8903	4.8656	4.3609	7.4264	5.7089	7.2970	6.3929	69.5435	
	S	138.242	100.389	60.143	100.251	98.491	85.662	80.363	75.951	111.789	134.961	124.327	87.458	124.570	101.669	
11	T	1.6869	5.4199	3.0386	6.2829	4.5600	4.9271	7.8950	4.9340	4.3606	7.4227	5.5887	7.3346	6.4134	69.8644	
	S	138.635	97.746	58.789	99.295	97.638	85.520	80.316	74.898	111.797	135.028	127.001	87.010	124.172	101.202	
12	T	1.6952	5.2507	2.9544	6.2223	4.5896	4.9080	7.9658	4.9658	4.4081	7.4391	5.6781	7.3056	6.3613	69.7440	
	S	137.956	100.896	60.465	100.263	97.008	85.852	79.602	74.418	110.592	134.730	125.002	87.355	125.189	101.376	
13	T	1.6858	5.3706	3.0261	6.2514	4.5779	4.9512	8.0023	4.9424	4.3651	7.4195	5.6349	7.4927	6.4178	70.1377	
	S	138.726	98.643	59.032	99.796	97.256	85.103	79.239	74.770	111.681	135.086	125.960	85.174	124.087	100.807	
14	T	1.6933	5.3236	3.1781	6.2966	4.5805	4.9413	7.9493	4.9190	4.3288	7.4101	5.6230	7.2252	6.3622	69.8310	
	S	138.111	99.514	56.209	99.079	97.201	85.274	79.767	75.126	112.618	135.258	126.227	88.327	125.171	101.250	
15	T	1.6893	5.3368	2.9678	6.1916	4.5269	4.9148	7.8872	4.9178	4.3513	7.4418	5.6734	7.3085	6.3833	69.5905	
	S	138.438	99.268	60.192	100.760	98.351	85.734	80.395	75.144	112.035	134.681	125.105	87.320	124.757	101.600	
16	T	1.6899	5.4802	2.9593	6.1945	4.5451	4.9238	7.9502	4.9546	4.3465	7.4497	5.6354	7.2355	6.3735	69.7382	
	S	138.389	96.670	60.364	100.713	97.958	85.577	79.758	74.586	112.159	134.539	125.949	88.201	124.949	101.385	
17	T	1.6927	5.2279	3.0041	6.2741	4.5751	4.9509	7.9505	4.9507	4.3598	7.4438	5.6256	7.2740	6.3814	69.7106	
	S	138.160	101.336	59.464	99.435	97.315	85.108	79.755	74.645	111.817	134.645	126.168	87.735	124.795	101.425	
18	T	1.6856	5.2861	2.9730	6.2057	4.5032	4.8948	7.9198	4.9969	4.3791	7.4489	5.5950	7.2171	6.3780	69.4832	
	S	138.742	100.220	60.086	100.531	98.869	86.084	80.064	73.955	111.324	134.553	126.858	88.426	124.861	101.757	
19	T	1.6938	5.2576	2.9686	6.2140	4.5169	4.9487	7.8989	4.9553	4.3827	7.4414	5.6684	7.2433	6.3935	69.5831	
	S	138.070	100.763	60.175	100.396	98.569	85.146	80.276	74.576	111.233	134.689	125.216	88.107	124.558	101.611	

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 3

September 3, 2022

Section Data for Car 40 - Miller, Jack William

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF	
20	T	1.6904	5.3049	3.0241	6.2491	4.5114	4.9081	7.9184	4.9269	4.3906	7.4599	5.6676	7.2545	6.3808	69.6867	
	S	138.348	99.865	59.071	99.833	98.689	85.851	80.078	75.006	111.033	134.355	125.233	87.970	124.806	101.460	
21	T	1.6896	5.2865	3.0092	6.2074	4.5027	4.8848	8.0228	4.8756	4.3575	7.4478	5.5601	7.5967	6.4837	69.9244	
	S	138.414	100.212	59.363	100.503	98.880	86.260	79.036	75.795	111.876	134.573	127.655	84.008	122.825	101.115	
22	T	1.6973	5.3794	3.0441	6.2501	4.5443	4.9490	7.9866	4.9759	4.3959	7.4760	5.6119	7.2590	6.3851	69.9546	
	S	137.786	98.482	58.683	99.817	97.975	85.141	79.394	74.267	110.899	134.065	126.476	87.916	124.722	101.071	
23	T	1.6928	5.2964	2.9821	6.2259	4.5449	4.9566	7.9217	4.9872	4.3876	7.4585	5.6753	7.2254	6.3817	69.7361	
	S	138.152	100.025	59.903	100.205	97.962	85.011	80.045	74.099	111.109	134.380	125.063	88.325	124.789	101.388	
24	T	1.6919	5.3064	2.9888	6.2259	4.5452	4.9250	7.9580	4.9385	4.3700	7.4620	5.6486	7.2290	6.3838	69.6731	
	S	138.225	99.837	59.769	100.205	97.955	85.556	79.680	74.829	111.556	134.317	125.655	88.281	124.748	101.480	
25	T	1.6931	5.2707	2.9904	6.2729	4.5261	4.8998	7.9237	4.9295	4.3610	7.4356	5.6473	7.2614	6.3774	69.5889	
	S	138.127	100.513	59.737	99.454	98.369	85.996	80.025	74.966	111.786	134.794	125.684	87.887	124.873	101.602	
26	T	1.6984	5.3571	3.0151	6.2355	4.5273	4.9266	7.9229	4.9510	4.3878	7.4588	5.6250	7.2393	6.3963	69.7411	
	S	137.696	98.892	59.247	100.050	98.343	85.528	80.033	74.641	111.104	134.375	126.182	88.155	124.504	101.381	
27	T	1.6930	5.3122	3.0263	6.2371	4.5507	4.9467	7.8866	5.0069	4.3725	7.4425	5.6603	7.2755	6.3942	69.8045	
	S	138.136	99.728	59.028	100.025	97.837	85.181	80.401	73.807	111.492	134.669	125.395	87.717	124.545	101.289	
28	T	1.6943	5.2717	3.0086	6.2338	4.5483	4.9253	7.9607	5.0123	4.3844	7.4504	5.6078	7.2013	6.3671	69.6660	
	S	138.030	100.494	59.375	100.078	97.889	85.551	79.653	73.728	111.190	134.526	126.569	88.620	125.075	101.490	
29	T	1.6951	5.2255	2.9720	6.2431	4.5944	4.9655	7.9203	4.9798	4.3636	7.4267	5.6322	7.2463	6.3711	69.6356	
	S	137.965	101.382	60.106	99.929	96.907	84.858	80.059	74.209	111.720	134.955	126.021	88.070	124.996	101.534	
30	T	1.6897	5.3651	3.0376	6.2492	4.5475	4.9345	7.9770	5.0137	4.3584	7.4378	5.7092	7.3022	6.3636	69.9855	
	S	138.405	98.744	58.808	99.831	97.906	85.391	79.490	73.707	111.853	134.754	124.321	87.396	125.144	101.027	
31	T	1.7179	6.0104	3.2123	7.2078	6.2373	7.0067									
	S	136.133	88.143	55.610	86.554	71.381	60.137									

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 3

September 3, 2022

Section Data for Car 47 - Ahmed, Enaam

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF	
1	T	2.2976	6.4651	3.6669	6.6407	5.0572	5.1796	8.0809	5.4935	4.5092	7.5995	6.2556	7.5157	6.4006	75.1621	132.1410
	S	101.786	81.943	48.716	93.945	88.038	81.351	78.468	67.270	108.112	131.887	113.462	84.913	124.420	94.069	52.361
2	T	1.6901	5.4393	3.0973	6.3541	4.8160	4.9589	8.0545	4.9937	4.3687	7.4254	5.7532	7.3819	6.4143	70.7474	
	S	138.373	97.397	57.675	98.183	92.448	84.971	78.725	74.002	111.589	134.979	123.370	86.452	124.154	99.939	
3	T	1.7005	5.1771	3.1311	6.3367	4.7132	4.9019	7.9088	4.9987	4.3662	7.4319	5.6954	7.2682	6.3910	70.0207	
	S	137.526	102.330	57.052	98.452	94.464	85.959	80.175	73.928	111.653	134.861	124.622	87.805	124.607	100.976	
4	T	1.6934	5.2048	3.0007	6.2800	4.6301	4.9588	7.8936	5.0795	4.3533	7.4341	5.6394	7.3270	6.4176	69.9123	
	S	138.103	101.785	59.532	99.341	96.159	84.973	80.330	72.752	111.984	134.821	125.860	87.100	124.091	101.132	
5	T	1.7022	5.2815	2.9984	6.2891	4.5813	4.8696	7.8591	5.0623	4.3509	7.4395	5.6295	7.3108	6.4177	69.7919	
	S	137.389	100.307	59.577	99.198	97.184	86.529	80.682	73.000	112.046	134.723	126.081	87.293	124.089	101.307	
6	T	1.7027	5.2084	3.0112	6.3176	4.5436	4.8871	7.8813	4.9277	4.3516	7.4571	5.5708	7.2008	6.3916	69.4515	
	S	137.349	101.715	59.324	98.750	97.990	86.220	80.455	74.993	112.028	134.405	127.409	88.627	124.595	101.803	
7	T	1.7030	5.1860	2.9506	6.2613	4.5836	4.8982	7.8712	4.9156	4.3527	7.4455	5.5275	7.2151	6.3892	69.2995	
	S	137.325	102.154	60.542	99.638	97.135	86.024	80.558	75.178	111.999	134.615	128.408	88.451	124.642	102.027	
8	T	1.6992	5.1284	3.0953	6.3011	4.5904	4.9359	7.8427	4.9104	4.3619	7.4525	5.5780	7.2887	6.4171	69.6016	
	S	137.632	103.302	57.712	99.009	96.991	85.367	80.851	75.258	111.763	134.488	127.245	87.558	124.100	101.584	
9	T	1.7035	5.2810	2.9475	6.2462	4.5144	4.9006	7.8595	4.9399	4.3620	7.4572	5.5229	7.2296	6.3824	69.3467	
	S	137.284	100.317	60.606	99.879	98.624	85.982	80.678	74.808	111.761	134.403	128.514	88.273	124.775	101.957	
10	T	1.6964	5.1281	3.0080	6.4112	4.5775	4.8614	7.8421	4.9716	4.3802	7.4555	5.6020	7.2601	6.3414	69.5355	
	S	137.859	103.308	59.387	97.308	97.264	86.675	80.857	74.331	111.296	134.434	126.700	87.903	125.582	101.680	
11	T	1.6763	5.4712	3.0765	6.3138	4.9364	4.9541	7.8617	5.1012	4.3454	7.4235	5.5807	7.3305	6.3703	70.4416	
	S	139.512	96.829	58.065	98.810	90.193	85.054	80.656	72.443	112.188	135.014	127.183	87.058	125.012	100.373	
12	T	1.6869	5.2148	2.9701	6.2274	4.5855	4.9736	7.8781	4.9616	4.3655	7.4358	5.5669	7.3616	6.3950	69.6228	
	S	138.635	101.590	60.145	100.180	97.095	84.720	80.488	74.481	111.671	134.790	127.499	86.691	124.529	101.553	
13	T	1.6894	5.1519	3.0367	6.2775	4.5731	4.9377	7.7591	5.0607	4.3806	7.4542	5.5802	7.2607	6.3651	69.5269	
	S	138.430	102.831	58.826	99.381	97.358	85.336	81.722	73.023	111.286	134.457	127.195	87.895	125.114	101.693	
14	T	1.6912	5.2484	3.0311	6.2754	4.5446	4.9295	7.8952	4.9964	4.3546	7.4337	5.5531	7.2799	6.3805	69.6136	
	S	138.283	100.940	58.935	99.414	97.968	85.478	80.313	73.962	111.951	134.828	127.816	87.664	124.812	101.566	
15	T	1.6921	5.1938	2.9895	6.2746	4.5365	4.8338	7.7963	4.9142	4.3478	7.4387	5.5379	7.2570	6.3769	69.1891	
	S	138.209	102.001	59.755	99.427	98.143	87.170	81.332	75.200	112.126	134.738	128.166	87.940	124.883	102.190	
16	T	1.6911	5.1456	3.1466	6.3124	4.5713	4.8660	7.8314	4.9846	4.3735	7.4570	5.5596	7.2292	6.3816	69.5499	
	S	138.291	102.956	56.771	98.831	97.396	86.593	80.968	74.137	111.467	134.407	127.666	88.278	124.791	101.659	
17	T	1.6953	5.1952	2.9546	6.2208	4.5470	4.9113	7.9331	4.9720	4.3405	7.4236	5.5984	7.3165	6.3868	69.4951	
	S	137.948	101.974	60.460	100.287	97.917	85.795	79.930	74.325	112.314	135.012	126.781	87.225	124.689	101.740	
18	T	1.6956	5.2059	3.0154	6.2559	4.5263	4.8429	7.8694	5.0184	4.3583	7.4202	5.5506	7.3013	6.3825	69.4427	
	S	137.924	101.764	59.241	99.724	98.365	87.006	80.577	73.638	111.856	135.074	127.873	87.407	124.773	101.816	
19	T	1.6936	5.2289	2.9951	6.2594	4.5657	4.9698	7.8586	5.0037	4.3764	7.4450	5.5605	7.2786	6.3830	69.6183	
	S	138.087	101.316	59.643	99.668	97.516	84.785	80.688	73.854	111.393	134.624	127.645	87.679	124.763	101.560	

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 3

September 3, 2022

Section Data for Car 47 - Ahmed, Enaam

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF
20	T	1.6918	5.2517	2.9957	6.2330	4.5862	4.9321	7.8142	5.0257	4.3618	7.4424	5.5223	7.2508	6.3791	69.4868
	S	138.234	100.876	59.631	100.090	97.080	85.433	81.146	73.531	111.766	134.671	128.528	88.015	124.839	101.752
21	T	1.6944	5.2306	2.9977	6.3281	4.5918	4.8931	7.8593	4.9851	4.3657	7.4599	5.6030	7.2059	6.3800	69.5946
	S	138.022	101.283	59.591	98.586	96.961	86.114	80.680	74.130	111.666	134.355	126.677	88.564	124.822	101.594
22	T	1.6928	5.1723	3.0424	6.2995	4.5611	4.8714	7.9041	4.9272	4.3482	7.4494	5.5366	7.2242	6.3837	69.4129
	S	138.152	102.425	58.716	99.034	97.614	86.497	80.223	75.001	112.115	134.544	128.196	88.339	124.750	101.860
23	T	1.6942	5.1607	3.1168	6.3057	4.6048	4.8866	7.9096	4.9763	4.3477	7.4140	5.5303	7.2751	6.3925	69.6143
	S	138.038	102.655	57.314	98.936	96.688	86.228	80.167	74.261	112.128	135.187	128.343	87.721	124.578	101.565
24	T	1.6947	5.3435	2.9874	6.2443	4.5930	4.8880	7.8592	4.9289	4.3770	7.4478	5.5410	7.2569	6.3765	69.5382
	S	137.997	99.143	59.797	99.909	96.936	86.204	80.681	74.975	111.378	134.573	128.095	87.941	124.890	101.676
25	T	1.6918	5.2847	3.0035	6.2446	4.6476	4.8788	7.8948	4.9544	4.3673	7.4343	5.5170	7.2033	6.3436	69.4657
	S	138.234	100.247	59.476	99.904	95.797	86.366	80.318	74.589	111.625	134.817	128.652	88.596	125.538	101.783
26	T	1.6880	5.3707	2.9974	6.2048	4.5564	4.8674	7.9629	5.0107	4.3420	7.4107	5.4960	7.3246	6.3993	69.6309
	S	138.545	98.641	59.597	100.545	97.715	86.569	79.631	73.751	112.275	135.247	129.144	87.129	124.445	101.541
27	T	1.6946	5.2608	2.9968	6.2259	4.6264	4.9108	7.8687	5.0409	4.3469	7.4243	5.4985	7.2881	6.3781	69.5608
	S	138.005	100.702	59.609	100.205	96.236	85.803	80.584	73.309	112.149	134.999	129.085	87.565	124.859	101.643
28	T	1.6981	5.2583	3.0072	6.2449	4.5891	4.9084	7.9376	4.9515	4.3517	7.4079	5.5321	7.2547	6.3528	69.4943
	S	137.721	100.750	59.403	99.900	97.018	85.845	79.884	74.633	112.025	135.298	128.301	87.968	125.356	101.741
29	T	1.6938	5.2668	2.9957	6.2462	4.5998	4.8977	8.0320	4.9702	4.3546	7.4369	5.5658	7.2380	6.3684	69.6659
	S	138.070	100.587	59.631	99.879	96.793	86.033	78.946	74.352	111.951	134.770	127.524	88.171	125.049	101.490
30	T	1.6935	5.2882	2.9975	6.2165	4.5410	4.9270	7.9149	4.9970	4.3237	7.3888	5.5811	7.2427	6.4019	69.5138
	S	138.095	100.180	59.595	100.356	98.046	85.521	80.114	73.953	112.751	135.648	127.174	88.114	124.395	101.712
31	T	1.8160	6.8072	3.7185	9.3578	7.3627	7.8462	12.0592							
	S	128.780	77.825	48.040	66.668	60.471	53.703	52.582							

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 3

September 3, 2022

Section Data for Car 5 - Flack, Marcos (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PI to PO	
1	T	2.2031	6.7075	3.7184	6.5957	5.4081	5.3454	8.4820	5.3557	4.4496	7.4258	6.1467	11.2614	12.1914	75.9334	
	S	106.152	78.982	48.041	94.586	82.326	78.827	74.757	69.000	109.560	134.972	115.472	56.670	65.322	93.113	
2	T	1.6745	5.5071	3.0669	6.3606	5.1555	5.1327	8.2547	5.0621	4.3707	7.3396	5.9381			71.6618	
	S	139.662	96.198	58.247	98.083	86.360	82.094	76.816	73.002	111.538	136.557	119.529			98.663	
3	T	1.6947	5.5602	3.2379	6.3602	4.8696	5.1019	8.1677	5.0888	4.3483	7.3431	5.7623			71.3289	
	S	137.997	95.279	55.170	98.089	91.430	82.590	77.634	72.619	112.113	136.492	123.175			99.124	
4	T	1.6837	5.3680	3.0421	6.2885	4.6794	4.9382	8.1158	4.9434	4.3560	7.4115	5.7632			87.6116	27.2328
	S	138.899	98.691	58.721	99.207	95.146	85.327	78.130	74.755	111.915	135.232	123.156			80.702	34.475
5	T			3.0480	6.3256	4.6499	4.9684	7.9891	4.9591	4.3927	7.5270	5.8228			77.5406	
	S			58.608	98.625	95.750	84.809	79.370	74.519	110.980	133.157	121.895			91.183	
6	T	1.7251	5.3605	3.0202	6.3186	4.6310	5.0093	7.8890	5.0281	4.3942	7.5396	5.8024			70.4942	
	S	135.565	98.829	59.147	98.734	96.141	84.116	80.377	73.496	110.942	132.934	122.324			100.298	
7	T	1.7143	5.3351	2.9783	6.2922	4.5919	4.9322	7.7801	5.0180	4.3974	7.5409	5.7274			70.0448	
	S	136.419	99.299	59.979	99.149	96.959	85.431	81.502	73.644	110.861	132.912	123.926			100.941	
8	T	1.7117	5.2669	2.9880	6.2971	4.4888	4.8773	7.8098	4.9539	4.3766	7.5382	5.7566			69.7565	
	S	136.627	100.585	59.785	99.072	99.186	86.393	81.192	74.597	111.388	132.959	123.297			101.358	
9	T	1.7096	5.2374	3.0258	6.3342	4.5497	4.8547	7.8790	4.8927	4.3934	7.5449	5.6790			69.8160	
	S	136.794	101.152	59.038	98.491	97.859	86.795	80.479	75.530	110.962	132.841	124.982			101.272	
10	T	1.7150	5.3073	2.9854	6.2772	4.4987	4.8237	7.8902	4.9262	4.3782	7.5352	5.7106			69.7327	
	S	136.364	99.820	59.837	99.386	98.968	87.353	80.364	75.016	111.347	133.012	124.290			101.393	
11	T	1.7064	5.2720	3.0666	6.3131	4.5406	4.8860	7.7452	5.0291	4.4228	7.5572	5.7368			69.9722	
	S	137.051	100.488	58.252	98.820	98.055	86.239	81.869	73.481	110.224	132.625	123.723			101.046	
12	T	1.7063	5.2850	3.0263	6.3056	4.5037	4.8560	7.7985	5.0390	4.4136	7.5477	5.7132			69.8042	
	S	137.059	100.241	59.028	98.938	98.858	86.772	81.309	73.337	110.454	132.792	124.234			101.289	
13	T	1.7046	5.2672	2.9375	6.2490	4.5026	4.7772	7.9845	4.9710	4.4397	7.5553	5.6701			69.6968	
	S	137.196	100.580	60.812	99.834	98.882	88.203	79.415	74.340	109.805	132.658	125.178			101.445	
14	T	1.7055	5.1485	3.1030	6.4001	4.5040	4.8682	7.8805	4.9762	4.4142	7.5635	5.7479			69.9599	
	S	137.123	102.898	57.569	97.477	98.852	86.554	80.463	74.263	110.439	132.514	123.484			101.064	
15	T	1.7045	5.3106	2.9994	6.2679	4.5435	4.8184	7.8720	4.9548	4.4176	7.5693	5.7161			69.9974	
	S	137.204	99.758	59.557	99.533	97.992	87.449	80.550	74.583	110.354	132.413	124.171			101.009	
16	T	1.7105	5.3801	3.0203	6.3038	4.5270	4.9064	7.7988	5.0699	4.4030	7.5541	5.7153			70.0691	
	S	136.722	98.469	59.145	98.966	98.349	85.880	81.306	72.890	110.720	132.679	124.188			100.906	
17	T	1.7099	5.2921	2.9388	6.2385	4.5469	4.8247	7.8479	5.0563	4.3914	7.5452	5.6915			69.7798	
	S	136.770	100.106	60.785	100.002	97.919	87.335	80.798	73.086	111.012	132.836	124.707			101.324	
18	T	1.7083	5.2972	3.1082	6.3157	4.5822	4.8228	7.9227	4.9861	4.3981	7.5429	5.7372			70.0054	
	S	136.898	100.010	57.473	98.780	97.165	87.369	80.035	74.115	110.843	132.876	123.714			100.998	
19	T	1.7062	5.3827	2.9927	6.2476	4.5156	4.9060	7.8353	4.9442	4.4169	7.5528	5.7016			69.8115	
	S	137.067	98.421	59.691	99.857	98.598	85.887	80.927	74.743	110.372	132.702	124.487			101.278	

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 3

September 3, 2022

Section Data for Car 5 - Flack, Marcos (R)

Lap	T/SPO to SF	SF to PI
1	T	115.6052
	S	59.851
2	T	
	S	
3	T	
	S	
4	T	64.8657
	S	96.724
5	T	73.0537
	S	94.712
6	T	
	S	
7	T	
	S	
8	T	
	S	
9	T	
	S	
10	T	
	S	
11	T	
	S	
12	T	
	S	
13	T	
	S	
14	T	
	S	
15	T	
	S	
16	T	
	S	
17	T	
	S	
18	T	
	S	
19	T	
	S	

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 3

September 3, 2022

Section Data for Car 5 - Flack, Marcos (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PI to PO
20	T	1.7043	5.2988	2.9638	6.2418	4.5604	4.9249	7.8946	4.9244	4.3990	7.5381	5.7158			69.8780
	S	137.220	99.980	60.273	99.949	97.629	85.558	80.320	75.044	110.821	132.961	124.177			101.182
21	T	1.7057	5.2142	3.3030	6.4431	4.6518	4.9474	7.8182	5.1239	4.4027	7.5588	5.7598			70.6136
	S	137.107	101.602	54.083	96.827	95.711	85.169	81.104	72.122	110.728	132.597	123.229			100.128
22	T	1.7044	5.3629	2.9844	6.2600	4.5844	4.9029	7.7917	4.9857	4.4109	7.5477	5.7070			69.8636
	S	137.212	98.785	59.857	99.659	97.118	85.942	81.380	74.121	110.522	132.792	124.369			101.203
23	T	1.7025	5.3246	3.0240	6.2819	4.5824	4.8753	7.8389	5.0849	4.4176	7.5461	5.7313			70.1860
	S	137.365	99.495	59.073	99.311	97.160	86.428	80.890	72.675	110.354	132.820	123.841			100.738
24	T	1.7156	5.3430	3.0451	6.2855	4.5939	5.0370	8.0091	5.0329	4.4666	7.5975	5.6887			70.6064
	S	136.316	99.153	58.664	99.254	96.917	83.654	79.171	73.426	109.143	131.921	124.769			100.138
25	T	1.7107	5.3920	2.9669	6.2631	4.6733	4.9603	7.8650	4.9558	4.4090	7.5365	5.7362			70.1745
	S	136.706	98.252	60.210	99.609	95.270	84.947	80.622	74.568	110.569	132.989	123.736			100.755
26	T	1.7077	5.3406	3.0796	6.3034	4.6219	4.8988	7.9863	5.0129	4.4174	7.5419	5.7363			70.3413
	S	136.947	99.197	58.006	98.973	96.330	86.014	79.397	73.719	110.359	132.894	123.734			100.516
27	T	1.7208	5.3886	2.9380	6.2603	4.6118	4.9403	7.9595	5.0297	4.4250	7.5495	5.7926			70.3847
	S	135.904	98.314	60.802	99.654	96.541	85.291	79.665	73.473	110.169	132.760	122.531			100.454
28	T	1.7188	5.4526	3.0057	6.2751	4.5896	4.9509	7.8495	5.0481	4.3778	7.4935	5.6837			70.0676
	S	136.062	97.160	59.433	99.419	97.008	85.108	80.781	73.205	111.357	133.752	124.879			100.908
29	T	1.7119	5.3316	3.0270	6.3026	4.6389	4.8859	7.9569	4.9567	4.3990	7.5103	5.7292			70.1597
	S	136.611	99.365	59.014	98.985	95.977	86.241	79.691	74.555	110.821	133.453	123.887			100.776
30	T	1.7089	5.3319	2.9918	6.3046	4.5672	5.0315	7.9214	5.0231	4.4057	7.5199	5.7304			70.1981
	S	136.850	99.359	59.709	98.954	97.484	83.745	80.048	73.569	110.652	133.283	123.861			100.721
31	T	1.7283	6.5088												
	S	135.314	81.393												

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 3

September 3, 2022

Section Data for Car 5 - Flack, Marcos (R)

Lap	T/SPO to SF	SF to PI
20	T	
	S	
21	T	
	S	
22	T	
	S	
23	T	
	S	
24	T	
	S	
25	T	
	S	
26	T	
	S	
27	T	
	S	
28	T	
	S	
29	T	
	S	
30	T	
	S	
31	T	
	S	

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 3

September 3, 2022

Section Data for Car 55 - Gold, Reece

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF	
1	T	2.3379	6.3877	3.6184	6.5560	4.8496	5.0820	8.0028	5.0387	4.4146	7.5759	5.7849	7.3637	6.4698	73.4820	138.3552
	S	100.031	82.936	49.369	95.159	91.807	82.913	79.234	73.341	110.429	132.298	122.694	86.666	123.089	96.219	50.010
2	T	1.7183	5.4165	3.0251	6.3065	4.7218	4.9447	7.8954	4.9288	4.3801	7.4959	5.7477	7.3759	6.4269	70.3836	
	S	136.102	97.807	59.051	98.924	94.292	85.215	80.311	74.977	111.299	133.709	123.488	86.523	123.911	100.455	
3	T	1.7021	5.2424	3.0701	6.3359	4.5943	4.9107	7.8263	4.9428	4.3784	7.4925	5.6888	7.3678	6.4260	69.9781	
	S	137.397	101.055	58.186	98.465	96.909	85.805	81.021	74.764	111.342	133.770	124.767	86.618	123.928	101.037	
4	T	1.6996	5.3324	2.9694	6.2866	4.5286	4.8382	7.7749	4.9111	4.3936	7.4958	5.6424	7.2312	6.4064	69.5102	
	S	137.599	99.350	60.159	99.237	98.315	87.091	81.556	75.247	110.957	133.711	125.793	88.254	124.308	101.717	
5	T	1.7065	5.2361	2.9372	6.2614	4.5147	4.8199	7.7091	4.9137	4.3750	7.4884	5.6576	7.2058	6.3929	69.2183	
	S	137.043	101.177	60.819	99.636	98.617	87.422	82.252	75.207	111.429	133.843	125.455	88.565	124.570	102.146	
6	T	1.6948	5.2644	2.9342	6.2534	4.5219	4.8649	7.7237	4.9113	4.3617	7.4879	5.6512	7.2335	6.4117	69.3146	
	S	137.989	100.633	60.881	99.764	98.460	86.613	82.097	75.244	111.768	133.852	125.597	88.226	124.205	102.004	
7	T	1.7085	5.2740	2.9352	6.2668	4.4974	4.8478	7.7945	4.8920	4.3826	7.4958	5.6373	7.1491	6.4029	69.2839	
	S	136.882	100.450	60.860	99.551	98.997	86.919	81.351	75.541	111.235	133.711	125.907	89.267	124.375	102.050	
8	T	1.7060	5.3719	2.9039	6.2122	4.4825	4.8453	7.7470	4.8686	4.3603	7.4914	5.6813	7.2225	6.4173	69.3102	
	S	137.083	98.619	61.516	100.426	99.326	86.963	81.850	75.904	111.804	133.790	124.931	88.360	124.096	102.011	
9	T	1.7034	5.3157	2.9135	6.2453	4.4451	4.8853	7.7532	4.8793	4.3603	7.4895	5.6047	7.1369	6.3936	69.1258	
	S	137.292	99.662	61.313	99.893	100.161	86.251	81.784	75.737	111.804	133.824	126.639	89.420	124.556	102.283	
10	T	1.7006	5.3555	2.9217	6.2231	4.4889	4.8435	7.7253	4.9320	4.3684	7.4851	5.6056	7.1467	6.3936	69.1900	
	S	137.518	98.921	61.141	100.250	99.184	86.996	82.080	74.928	111.597	133.902	126.619	89.297	124.556	102.188	
11	T	1.7045	5.3047	2.9216	6.2398	4.5122	4.9150	7.7272	4.9266	4.3842	7.5040	5.7459	7.2785	6.4242	69.5884	
	S	137.204	99.869	61.143	99.981	98.672	85.730	82.060	75.010	111.195	133.565	123.527	87.680	123.963	101.603	
12	T	1.7070	5.3074	2.9255	6.1993	4.4952	4.8729	7.7059	4.9016	4.3865	7.4873	5.6142	7.1894	6.3877	69.1799	
	S	137.003	99.818	61.062	100.635	99.045	86.471	82.286	75.393	111.136	133.863	126.425	88.767	124.671	102.203	
13	T	1.7034	5.3035	2.9269	6.2445	4.5258	4.8591	7.6906	5.0552	4.3935	7.5141	5.6861	7.1858	6.3729	69.4614	
	S	137.292	99.891	61.033	99.906	98.375	86.716	82.450	73.102	110.959	133.386	124.826	88.812	124.961	101.789	
14	T	1.7015	5.3666	2.9716	6.2608	4.5232	4.8543	7.7728	4.9635	4.3527	7.4745	5.6709	7.2092	6.4048	69.5264	
	S	137.446	98.717	60.115	99.646	98.432	86.802	81.578	74.453	111.999	134.092	125.161	88.523	124.339	101.694	
15	T	1.7034	5.3775	2.9480	6.2641	4.4784	4.8696	7.7174	4.8874	4.3702	7.4822	5.6297	7.1758	6.3809	69.2846	
	S	137.292	98.517	60.596	99.593	99.417	86.529	82.164	75.612	111.551	133.954	126.076	88.935	124.804	102.049	
16	T	1.7000	5.4215	2.9465	6.2190	4.4809	4.8745	7.7274	4.9763	4.3957	7.5217	5.6740	7.1911	6.3808	69.5094	
	S	137.567	97.717	60.627	100.316	99.361	86.442	82.057	74.261	110.904	133.251	125.092	88.746	124.806	101.719	
17	T	1.7015	5.2485	2.9571	6.2637	4.4785	4.8389	7.7166	4.9220	4.3820	7.5134	5.6295	7.1699	6.3944	69.2160	
	S	137.446	100.938	60.409	99.600	99.414	87.078	82.172	75.080	111.251	133.398	126.081	89.008	124.541	102.150	
18	T	1.7045	5.2889	2.9209	6.2166	4.5226	4.8755	7.7778	4.9282	4.3749	7.4913	5.6127	7.2260	6.4097	69.3496	
	S	137.204	100.167	61.158	100.354	98.445	86.425	81.526	74.986	111.431	133.792	126.458	88.317	124.244	101.953	
19	T	1.7096	5.4158	2.9492	6.2247	4.5177	4.8659	7.7582	4.9588	4.3859	7.4937	5.5966	7.1579	6.3937	69.4277	
	S	136.794	97.820	60.571	100.224	98.552	86.595	81.732	74.523	111.152	133.749	126.822	89.158	124.554	101.838	

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 3

September 3, 2022

Section Data for Car 55 - Gold, Reece

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF
20	T	1.7020	5.2835	2.9393	6.2381	4.5086	4.8243	7.7711	4.9583	4.3840	7.4973	5.6513	7.1417	6.3792	69.2787
	S	137.405	100.269	60.775	100.009	98.751	87.342	81.596	74.531	111.200	133.684	125.595	89.360	124.838	102.057
21	T	1.7029	5.4042	2.9049	6.2184	4.5339	4.8660	7.7815	4.9200	4.3607	7.4825	5.6496	7.2064	6.3822	69.4132
	S	137.333	98.030	61.495	100.325	98.200	86.593	81.487	75.111	111.794	133.949	125.632	88.558	124.779	101.860
22	T	1.6988	5.2989	2.9416	6.2226	4.5456	4.8611	7.7450	4.8896	4.3580	7.4927	5.6303	7.1797	6.3971	69.2610
	S	137.664	99.978	60.728	100.258	97.947	86.681	81.871	75.578	111.863	133.767	126.063	88.887	124.488	102.083
23	T	1.7010	5.2968	2.9388	6.2176	4.5090	4.8262	7.7585	5.0348	4.3636	7.4787	5.6417	7.2208	6.4068	69.3943
	S	137.486	100.018	60.785	100.338	98.742	87.308	81.729	73.398	111.720	134.017	125.808	88.381	124.300	101.887
24	T	1.7041	5.3049	2.9506	6.2372	4.4975	4.8490	7.8192	4.8983	4.3811	7.5023	5.6600	7.1886	6.3885	69.3813
	S	137.236	99.865	60.542	100.023	98.994	86.897	81.094	75.444	111.273	133.595	125.402	88.777	124.656	101.906
25	T	1.7046	5.2916	2.9470	6.2557	4.5165	4.9071	7.8395	4.9141	4.3853	7.4871	5.6207	7.2389	6.3919	69.5000
	S	137.196	100.116	60.616	99.727	98.578	85.868	80.884	75.201	111.167	133.867	126.278	88.160	124.590	101.732
26	T	1.7039	5.4285	2.9523	6.2231	4.5350	4.9290	7.7843	4.9235	4.3840	7.4934	5.6788	7.2270	6.4158	69.6786
	S	137.252	97.591	60.508	100.250	98.176	85.487	81.458	75.057	111.200	133.754	124.986	88.305	124.125	101.472
27	T	1.7124	5.4100	2.9353	6.2309	4.5031	4.8783	7.7188	5.0460	4.3977	7.4881	5.6871	7.2332	6.4061	69.6470
	S	136.571	97.925	60.858	100.124	98.871	86.375	82.149	73.235	110.853	133.849	124.804	88.230	124.313	101.518
28	T	1.7082	5.2990	2.9550	6.2648	4.5448	4.9088	7.7467	5.0442	4.3762	7.4874	5.7229	7.2535	6.4081	69.7196
	S	136.906	99.976	60.452	99.582	97.964	85.838	81.853	73.261	111.398	133.861	124.023	87.983	124.275	101.412
29	T	1.7115	5.4144	2.9567	6.2471	4.5325	4.9370	7.8507	4.9494	4.3714	7.4686	5.7185	7.2405	6.3984	69.7967
	S	136.642	97.845	60.417	99.865	98.230	85.348	80.769	74.665	111.520	134.198	124.119	88.141	124.463	101.300
30	T	1.7107	5.3924	2.9530	6.2396	4.5310	4.9650	7.8562	4.9314	4.3655	7.4753	5.8816	7.2734	6.4505	70.0256
	S	136.706	98.244	60.493	99.985	98.262	84.867	80.712	74.937	111.671	134.078	120.677	87.742	123.458	100.969
31	T	1.8706	6.9385	4.0277	8.5059	6.4419	6.8640	9.9827	7.0471						
	S	125.021	76.353	44.352	73.345	69.114	61.387	63.519	52.439						

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 3

September 3, 2022

Section Data for Car 6 - De Alba, Salvador (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF	
1	T	2.2843	6.6826	3.7267	6.8074	5.1163	5.2904	8.5394	5.5363	4.4666	7.4112	6.1518	7.6550	6.3896	76.0576	129.3420
	S	102.379	79.276	47.934	91.645	87.021	79.647	74.255	66.750	109.143	135.238	115.376	83.368	124.634	92.961	53.495
2	T	1.6769				5.3190	5.0771	8.2125	5.1375	4.3887	7.3691	5.8228	7.3842	6.3875	71.5578	
	S	139.462				83.705	82.993	77.210	71.931	111.081	136.010	121.895	86.425	124.675	98.807	
3	T	1.6697	5.6131	3.3316	6.3209	4.8505	5.0838	8.1150	5.1011	4.3695	7.3596	5.7634	7.2995	6.3450	71.2227	
	S	140.063	94.381	53.619	98.699	91.790	82.884	78.138	72.444	111.569	136.186	123.152	87.428	125.510	99.272	
4	T	1.6772	5.4397	3.0080	6.2585	4.6391	4.9387	8.0138	5.0062	4.3556	7.3436	5.7575	7.2972	6.3334	70.0685	
	S	139.437	97.390	59.387	99.683	95.973	85.319	79.125	73.818	111.925	136.482	123.278	87.456	125.740	100.907	
5	T	1.6779	5.3109	3.0910	6.2723	4.6396	4.9149	7.9900	4.9991	4.3550	7.3730	5.6414	7.2259	6.3558	69.8468	
	S	139.379	99.752	57.792	99.463	95.962	85.732	79.361	73.922	111.940	135.938	125.815	88.319	125.297	101.227	
6	T	1.6801	5.2833	2.9971	6.2477	4.6347	4.9302	7.9013	5.0670	4.3616	7.3933	5.6106	7.1649	6.3543	69.6261	
	S	139.196	100.273	59.603	99.855	96.064	85.466	80.251	72.932	111.771	135.565	126.506	89.071	125.327	101.548	
7	T	1.6821	5.2325	3.0720	6.3367	4.5585	4.9283	7.8343	5.0087	4.3867	7.4169	5.6216	7.2608	6.3818	69.7209	
	S	139.031	101.247	58.150	98.452	97.670	85.499	80.938	73.781	111.131	135.134	126.258	87.894	124.787	101.410	
8	T	1.6905	5.2367	3.0252	6.2431	4.5779	4.9033	7.8760	5.0007	4.3690	7.3925	5.5991	7.1316	6.3538	69.3994	
	S	138.340	101.165	59.049	99.929	97.256	85.935	80.509	73.899	111.582	135.580	126.766	89.486	125.337	101.880	
9	T	1.6856	5.2509	3.0058	6.2360	4.5813	4.8714	7.8530	5.0174	4.3678	7.4196	5.6090	7.2326	6.3642	69.4946	
	S	138.742	100.892	59.431	100.042	97.184	86.497	80.745	73.653	111.612	135.084	126.542	88.237	125.132	101.740	
10	T	1.6817	5.2406	2.9863	6.2364	4.5605	4.9249	7.7979	5.0377	4.3838	7.4240	5.6573	7.3190	6.3842	69.6343	
	S	139.064	101.090	59.819	100.036	97.627	85.558	81.316	73.356	111.205	135.004	125.461	87.195	124.740	101.536	
11	T	1.6879	5.2890	2.9987	6.2295	4.5973	4.9027	7.8430	5.0851	4.3682	7.4009	5.6202	7.2179	6.3586	69.5990	
	S	138.553	100.165	59.571	100.147	96.845	85.945	80.848	72.672	111.602	135.426	126.290	88.417	125.242	101.588	
12	T	1.6809	5.2297	3.0575	6.2849	4.5808	4.8747	7.8668	5.0185	4.3778	7.3860	5.6673	7.2865	6.3607	69.6721	
	S	139.130	101.301	58.426	99.264	97.194	86.439	80.603	73.637	111.357	135.699	125.240	87.584	125.201	101.481	
13	T	1.6795	5.2590	3.0452	6.2564	4.5740	4.9129	7.9246	5.0250	4.3623	7.3686	5.6591	7.2321	6.2860	69.5847	
	S	139.246	100.736	58.662	99.716	97.339	85.767	80.016	73.541	111.753	136.019	125.421	88.243	126.688	101.609	
14	T	1.6600	5.3851	3.2331	6.2682	4.7038	4.9562	7.9848	5.0731	4.3547	7.3697	5.6105	7.2072	6.3367	70.1431	
	S	140.882	98.378	55.252	99.528	94.653	85.017	79.412	72.844	111.948	135.999	126.508	88.548	125.675	100.800	
15	T	1.6736	5.3045	2.9824	6.2133	4.6025	4.8723	8.0335	5.0138	4.3659	7.4281	5.5775	7.1874	6.3221	69.5769	
	S	139.737	99.872	59.897	100.408	96.736	86.481	78.931	73.706	111.661	134.930	127.256	88.792	125.965	101.620	
16	T	1.6731	5.2716	3.0557	6.2299	4.6556	4.9218	7.9542	5.1732	4.3870	7.4238	5.5902	7.3108	6.3993	70.0462	
	S	139.779	100.496	58.460	100.140	95.633	85.612	79.718	71.435	111.124	135.008	126.967	87.293	124.445	100.939	
17	T	1.6865	5.2217	3.0141	6.2520	4.5760	4.9167	7.8964	5.0937	4.3732	7.4139	5.5764	7.3314	6.4011	69.7531	
	S	138.668	101.456	59.267	99.786	97.296	85.700	80.301	72.550	111.474	135.188	127.282	87.048	124.410	101.363	
18	T	1.6840	5.2797	2.9890	6.2129	4.5595	4.9065	7.8533	5.0781	4.3522	7.3843	5.6443	7.2734	6.3879	69.6051	
	S	138.874	100.341	59.765	100.414	97.648	85.879	80.742	72.772	112.012	135.730	125.750	87.742	124.668	101.579	
19	T	1.6838	5.3262	2.9747	6.2060	4.5639	4.9127	7.8689	5.0560	4.3935	7.4414	5.5995	7.2119	6.3513	69.5898	
	S	138.890	99.465	60.052	100.526	97.554	85.770	80.582	73.090	110.959	134.689	126.756	88.490	125.386	101.601	

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 3

September 3, 2022

Section Data for Car 6 - De Alba, Salvador (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF
20	T	1.6844	5.2856	3.0164	6.2334	4.6023	4.8754	7.9830	5.0024	4.3791	7.4306	5.5993	7.3007	6.3606	69.7532
	S	138.841	100.229	59.222	100.084	96.740	86.426	79.430	73.874	111.324	134.884	126.761	87.414	125.203	101.363
21	T	1.6809	5.2204	3.0399	6.2352	4.5841	4.8782	7.9092	5.0458	4.3473	7.4133	5.6329	7.2341	6.5116	69.7329
	S	139.130	101.481	58.764	100.055	97.124	86.377	80.171	73.238	112.139	135.199	126.005	88.219	122.299	101.393
22	T	1.7078	5.1968	3.0434	6.2191	4.5689	4.9212	7.9726	5.0617	4.3709	7.4216	5.6226	7.2664	6.3393	69.7123
	S	136.939	101.942	58.696	100.314	97.447	85.622	79.534	73.008	111.533	135.048	126.236	87.826	125.623	101.423
23	T	1.6732	5.2204	3.0219	6.2346	4.6216	4.8948	7.9285	5.0882	4.3645	7.3900	5.5647	7.3084	6.3688	69.6796
	S	139.770	101.481	59.114	100.065	96.336	86.084	79.976	72.628	111.697	135.626	127.549	87.322	125.041	101.470
24	T	1.6822	5.3814	3.5247	6.4027	4.5861	4.9730	7.7970	5.0343	4.3792	7.4258	5.5646	7.2013	6.3687	70.3210
	S	139.022	98.445	50.681	97.438	97.082	84.730	81.325	73.406	111.322	134.972	127.551	88.620	125.043	100.545
25	T	1.6862	5.2715	2.9985	6.2229	4.5969	4.8563	7.8996	5.0347	4.3626	7.4088	5.5815	7.1731	6.3363	69.4289
	S	138.693	100.498	59.575	100.253	96.854	86.766	80.269	73.400	111.745	135.281	127.165	88.969	125.683	101.837
26	T	1.6808	5.2084	3.0341	6.2297	4.5779	4.9825	7.9275	5.0191	4.3657	7.4181	5.6338	7.3344	6.3719	69.7839
	S	139.138	101.715	58.876	100.143	97.256	84.569	79.986	73.628	111.666	135.112	125.985	87.012	124.981	101.318
27	T	1.6869	5.2262	3.0143	6.2462	4.5995	4.9258	7.9038	5.0522	4.3818	7.4113	5.6511	7.1885	6.3385	69.6261
	S	138.635	101.369	59.263	99.879	96.799	85.542	80.226	73.145	111.256	135.236	125.599	88.778	125.639	101.548
28	T	1.6856	5.2658	3.0098	6.2258	4.5743	4.9234	7.8850	5.0555	4.3534	7.3934	5.6472	7.3201	6.3842	69.7235
	S	138.742	100.606	59.352	100.206	97.332	85.584	80.417	73.098	111.981	135.563	125.686	87.182	124.740	101.406
29	T	1.6945	5.5488	3.4192	6.3501	4.7221	5.0275	7.9396	5.0592	4.3466	7.4243	5.7310	7.3413	6.4418	71.0460
	S	138.013	95.475	52.245	98.245	94.286	83.812	79.864	73.044	112.157	134.999	123.848	86.930	123.624	99.519
30	T	1.7039			6.8521	4.9477	5.0352	8.3408	5.2001	4.3752	7.3817	5.6532	7.4672	6.6026	71.7239
	S	137.252			91.047	89.987	83.684	76.023	71.065	111.423	135.778	125.552	85.465	120.614	98.578
31	T	2.1026	6.4720	3.3273	7.8428	5.7202	5.5679								
	S	111.226	81.856	53.688	79.546	77.834	75.677								

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 3

September 3, 2022

Section Data for Car 7 - Garg, Bijoy (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF	
1	T	2.2645	7.2118	3.7944	6.8980	5.2574	5.3568	8.5352	5.2459	4.4601	7.4922	6.7030	8.2980	6.5974	78.1147	127.0687
	S	103.274	73.459	47.079	90.441	84.686	78.660	74.291	70.445	109.302	133.775	105.889	76.908	120.709	90.513	54.452
2	T	1.7175	5.9752	3.6567	6.5295	4.8816	5.0534	8.1412	5.0056	4.3517	7.3000	6.2347	7.4407	6.3496	72.6374	
	S	136.165	88.662	48.852	95.545	91.205	83.382	77.887	73.826	112.025	137.298	113.842	85.769	125.419	97.338	
3	T	1.6726	5.5894	3.3444	6.4019	5.1329	5.2601	8.1818	5.0043	4.3917	7.3399	5.8899	7.5075	6.4118	72.1282	
	S	139.820	94.782	53.414	97.450	86.740	80.106	77.500	73.846	111.005	136.551	120.507	85.006	124.203	98.025	
4	T	1.6825	5.5125	3.2134	6.3668	4.8734	5.0231	8.0492	4.9477	4.3501	7.3805	5.7412	7.3076	6.3697	70.8177	
	S	138.998	96.104	55.591	97.987	91.359	83.885	78.777	74.690	112.066	135.800	123.628	87.331	125.024	99.839	
5	T	1.6805	5.3972	3.0472	6.2546	4.7146	5.0396	8.0916	4.9525	4.3775	7.4179	6.4079	7.4156	6.3458	71.1425	
	S	139.163	98.157	58.623	99.745	94.436	83.611	78.364	74.618	111.365	135.115	110.765	86.059	125.495	99.384	
6	T	1.6664	5.4495	3.0236	6.2472	4.7111	4.9728	8.1354	4.9562	4.3759	7.3889	5.6906	7.3054	6.3554	70.2784	
	S	140.341	97.215	59.081	99.863	94.506	84.734	77.942	74.562	111.406	135.646	124.727	87.358	125.305	100.606	
7	T	1.6676	5.5460	3.0359	6.2840	4.6059	4.9699	7.9387	4.9921	4.3569	7.3781	5.6925	7.2523	6.3458	70.0657	
	S	140.240	95.523	58.841	99.278	96.665	84.783	79.873	74.026	111.891	135.844	124.686	87.997	125.495	100.911	
8	T	1.6752	5.4446	2.9624	6.2270	4.6343	4.9700	7.9863	5.0022	4.3786	7.3799	5.6358	7.4098	6.4171	70.1232	
	S	139.603	97.302	60.301	100.187	96.072	84.781	79.397	73.877	111.337	135.811	125.940	86.127	124.100	100.828	
9	T	1.6855				4.7477	4.9134	7.8846	5.1126	4.4179	7.5382	5.6849	7.2676	6.4415	73.0225	
	S	138.750				93.777	85.758	80.421	72.281	110.347	132.959	124.852	87.812	123.630	96.825	
10	T	1.6991	5.4405	3.0942	6.3001	4.5696	4.9014	7.9649	4.9267	4.3908	7.5399	5.7051	7.2675	6.4215	70.2213	
	S	137.640	97.376	57.733	99.024	97.432	85.968	79.611	75.009	111.028	132.929	124.410	87.813	124.015	100.687	
11	T	1.6984	5.3787	2.9556	6.2763	4.5579	4.8535	7.9362	4.8959	4.4107	7.5509	5.7315	7.2221	6.4284	69.8961	
	S	137.696	98.495	60.440	99.400	97.683	86.816	79.899	75.481	110.527	132.736	123.837	88.365	123.882	101.156	
12	T	1.7003	5.4110	2.9749	6.2661	4.6015	4.8518	8.0196	4.9411	4.4050	7.5333	5.7669	7.2411	6.4010	70.1136	
	S	137.543	97.907	60.048	99.562	96.757	86.847	79.068	74.790	110.670	133.046	123.077	88.133	124.412	100.842	
13	T	1.6988	5.3868	2.9932	6.2623	4.5576	4.8575	7.8984	4.8893	4.3909	7.5119	5.7764	7.2804	6.4121	69.9156	
	S	137.664	98.346	59.681	99.622	97.689	86.745	80.281	75.582	111.025	133.425	122.875	87.658	124.197	101.128	
14	T	1.6967	5.3013	2.9428	6.2572	4.5766	4.8513	7.9773	4.8921	4.4008	7.5283	5.8011	7.2285	6.4188	69.8728	
	S	137.834	99.933	60.703	99.703	97.283	86.856	79.487	75.539	110.775	133.134	122.351	88.287	124.067	101.190	
15	T	1.6996	5.3348	2.9622	6.3006	4.5166	4.8182	7.9155	4.9310	4.4044	7.5300	5.6957	7.1546	6.4115	69.6747	
	S	137.599	99.305	60.305	99.017	98.576	87.453	80.107	74.943	110.685	133.104	124.616	89.199	124.209	101.477	
16	T	1.6982	5.2334	3.0202	6.2921	4.5316	4.8889	7.8537	4.9090	4.4031	7.5449	5.6583	7.1847	6.4240	69.6421	
	S	137.713	101.229	59.147	99.150	98.249	86.188	80.738	75.279	110.717	132.841	125.439	88.825	123.967	101.525	
17	T	1.7022	5.2746	2.9751	6.2707	4.5408	4.9170	7.8640	4.8942	4.3914	7.5246	5.7193	7.2129	6.4031	69.6899	
	S	137.389	100.438	60.044	99.489	98.050	85.695	80.632	75.507	111.012	133.199	124.101	88.478	124.372	101.455	
18	T	1.6979	5.3577	2.9759	6.2411	4.5343	4.8435	8.0241	4.9189	4.4021	7.5376	5.6973	7.2398	6.4066	69.8768	
	S	137.737	98.881	60.028	99.961	98.191	86.996	79.023	75.128	110.743	132.970	124.581	88.149	124.304	101.184	
19	T	1.7005	5.3893	2.9612	6.2477	4.5455	4.8554	7.9749	4.9122	4.4149	7.5309	5.7438	7.1701	6.3884	69.8348	
	S	137.526	98.301	60.326	99.855	97.949	86.782	79.511	75.230	110.422	133.088	123.572	89.006	124.658	101.245	

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 3

September 3, 2022

Section Data for Car 7 - Garg, Bijoy (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF
20	T	1.6942	5.2606	2.9997	6.2864	4.5262	4.8169	7.9329	4.9104	4.3861	7.4901	5.7178	7.2209	6.3755	69.6177
	S	138.038	100.706	59.551	99.240	98.367	87.476	79.932	75.258	111.147	133.813	124.134	88.380	124.910	101.560
21	T	1.6899	5.3681	2.9502	6.2039	4.5538	4.8991	7.9417	4.8765	4.3799	7.4664	5.6908	7.2461	6.3779	69.6443
	S	138.389	98.689	60.551	100.560	97.770	86.008	79.843	75.781	111.304	134.238	124.723	88.072	124.863	101.522
22	T	1.6834	5.3031	2.9737	6.2716	4.5360	4.8600	7.8864	5.0343	4.3807	7.4497	5.7034	7.2688	6.3754	69.7265
	S	138.923	99.899	60.072	99.474	98.154	86.700	80.403	73.406	111.284	134.539	124.447	87.797	124.912	101.402
23	T	1.6809	5.3611	2.9549	6.2172	4.5369	4.9154	8.0136	4.9967	4.3594	7.4435	5.6659	7.3025	6.3755	69.8235
	S	139.130	98.818	60.454	100.345	98.135	85.723	79.127	73.958	111.827	134.651	125.271	87.392	124.910	101.261
24	T	1.6769	5.3374	3.0668	6.2648	4.6083	4.9252	7.9969	4.9306	4.3810	7.4201	5.7024	7.5310	6.4480	70.2894
	S	139.462	99.257	58.248	99.582	96.614	85.553	79.292	74.949	111.276	135.075	124.469	84.741	123.506	100.590
25	T	1.6948	5.4096	3.0545	6.2998	4.5047	4.9219	8.1288	4.9460	4.3917	7.4625	5.6973	7.3249	6.4047	70.2412
	S	137.989	97.932	58.483	99.029	98.836	85.610	78.005	74.716	111.005	134.308	124.581	87.125	124.341	100.659
26	T	1.6933	5.4337	2.9477	6.2273	4.5844	4.8870	7.9309	4.9510	4.3921	7.4465	5.6788	7.2362	6.3359	69.7448
	S	138.111	97.498	60.602	100.182	97.118	86.221	79.952	74.641	110.995	134.596	124.986	88.193	125.691	101.375
27	T	1.6755	5.4130	3.0699	6.2739	4.7355	4.8554	7.9752	5.0614	4.3725	7.4244	5.7820	7.4773	6.4355	70.5515
	S	139.578	97.870	58.190	99.438	94.019	86.782	79.508	73.012	111.492	134.997	122.756	85.349	123.745	100.216
28	T	1.6929	5.3186	3.0044	6.2840	4.4984	4.9312	8.0986	5.0772	4.3795	7.4416	5.6667	7.2124	6.3473	69.9528
	S	138.144	99.608	59.458	99.278	98.975	85.448	78.296	72.785	111.314	134.685	125.253	88.484	125.465	101.074
29	T	1.6752	5.5052	3.0906	6.2568	4.6359	5.0613	8.0195	4.9926	4.3790	7.4391	5.7227	7.2175	6.3482	70.3436
	S	139.603	96.231	57.800	99.710	96.039	83.252	79.069	74.019	111.327	134.730	124.028	88.421	125.447	100.512
30	T	1.6769	5.4856	3.0411	6.2947	4.9765	4.9860	8.0965	5.0618	4.3890	7.4641	5.6981	7.3085	6.3724	70.8512
	S	139.462	96.575	58.741	99.109	89.466	84.509	78.317	73.007	111.073	134.279	124.563	87.320	124.971	99.792
31	T	1.7248	7.2385	3.3449	6.7458	5.3561									
	S	135.589	73.188	53.406	92.482	83.125									

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 3

September 3, 2022

Section Data for Car 8 - Siegel, Nolan (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF	
1	T	2.3299	6.5071	3.6458	7.0005	5.1671	5.1495	8.2330	5.1115	4.4032	7.4963	6.0269	7.4224	6.4514	74.9446	133.6157
	S	100.375	81.415	48.998	89.117	86.166	81.826	77.018	72.297	110.715	133.702	117.767	85.981	123.440	94.342	51.784
2	T	1.7034	5.3311	3.1505	6.3455	4.6395	4.9518	7.9590	4.9382	4.3794	7.4815	5.7700	7.3038	6.4197	70.3734	
	S	137.292	99.374	56.701	98.316	95.964	85.093	79.670	74.834	111.317	133.967	123.011	87.377	124.050	100.470	
3	T	1.6974	5.2453	3.0487	6.3123	4.6151	4.9262	7.8750	4.8819	4.3675	7.4470	5.7091	7.3512	6.4176	69.8943	
	S	137.778	101.000	58.594	98.833	96.472	85.535	80.519	75.697	111.620	134.587	124.323	86.813	124.091	101.158	
4	T	1.6964	5.2984	2.9728	6.2660	4.5878	4.8910	7.9310	4.8782	4.3650	7.4637	5.6790	7.2772	6.3896	69.6961	
	S	137.859	99.987	60.090	99.563	97.046	86.151	79.951	75.754	111.684	134.286	124.982	87.696	124.634	101.446	
5	T	1.6940	5.2350	2.9922	6.2625	4.5434	4.9018	7.9311	4.8480	4.3609	7.4648	5.6282	7.3235	6.4090	69.5944	
	S	138.054	101.198	59.701	99.619	97.994	85.961	79.950	76.226	111.789	134.267	126.110	87.142	124.257	101.594	
6	T	1.6944	5.2494	2.9709	6.2645	4.5042	4.8396	8.0024	4.8659	4.3655	7.4997	5.5959	7.2611	6.4003	69.5138	
	S	138.022	100.921	60.129	99.587	98.847	87.066	79.238	75.946	111.671	133.642	126.838	87.891	124.426	101.712	
7	T	1.6954	5.3182	2.9717	6.2542	4.5480	4.8728	7.9544	4.8847	4.3784	7.5041	5.6029	7.2247	6.4126	69.6221	
	S	137.940	99.615	60.113	99.751	97.895	86.473	79.716	75.654	111.342	133.563	126.680	88.333	124.187	101.554	
8	T	1.6993	5.2699	2.9764	6.2450	4.5673	4.8732	7.7973	4.8825	4.3563	7.5033	5.6253	7.2445	6.4130	69.4533	
	S	137.624	100.528	60.018	99.898	97.482	86.465	81.322	75.688	111.907	133.578	126.175	88.092	124.180	101.801	
9	T	1.6998	5.3200	2.9518	6.2567	4.4827	4.8551	7.8347	4.8827	4.3721	7.5070	5.6590	7.2084	6.3979	69.4279	
	S	137.583	99.581	60.518	99.711	99.321	86.788	80.934	75.685	111.502	133.512	125.424	88.533	124.473	101.838	
10	T	1.6970	5.2215	2.9609	6.2283	4.4772	4.8065	7.8862	5.0431	4.6096	7.6137	5.8663	7.3522	6.4228	70.1853	
	S	137.810	101.460	60.332	100.166	99.443	87.665	80.405	73.277	105.758	131.641	120.992	86.801	123.990	100.739	
11	T	1.7025	5.2772	3.2787	6.4137	4.6992	4.9185	7.7757	4.9227	4.3775	7.5341	5.6938	7.2587	6.4136	70.2659	
	S	137.365	100.389	54.484	97.270	94.745	85.669	81.548	75.070	111.365	133.032	124.657	87.920	124.168	100.623	
12	T	1.7023	5.1971	2.9869	6.2319	4.5045	4.8501	7.8455	4.8760	4.3656	7.5188	5.5991	7.2144	6.4060	69.2982	
	S	137.381	101.936	59.807	100.108	98.841	86.877	80.822	75.789	111.668	133.302	126.766	88.459	124.315	102.029	
13	T	1.6991	5.2407	2.9864	6.2585	4.4983	4.8418	7.8491	4.9196	4.4021	7.5504	5.6452	7.2010	6.3854	69.4776	
	S	137.640	101.088	59.817	99.683	98.977	87.026	80.785	75.117	110.743	132.744	125.730	88.624	124.716	101.765	
14	T	1.6956	5.3488	2.9613	6.2274	4.5131	4.8875	7.8211	4.9555	4.3746	7.5275	5.6025	7.1568	6.3852	69.4569	
	S	137.924	99.045	60.324	100.180	98.652	86.213	81.074	74.573	111.439	133.148	126.689	89.171	124.720	101.796	
15	T	1.6985	5.1916	2.9909	6.2692	4.4875	4.8067	7.8595	4.8446	4.3676	7.5224	5.6542	7.2099	6.3928	69.2954	
	S	137.688	102.044	59.727	99.512	99.215	87.662	80.678	76.280	111.617	133.238	125.530	88.515	124.572	102.033	
16	T	1.6989	5.2388	3.0060	6.2656	4.5506	4.8800	7.8389	4.8717	4.3723	7.5417	5.6013	7.3079	6.4712	69.6449	
	S	137.656	101.125	59.427	99.570	97.839	86.345	80.890	75.856	111.497	132.897	126.716	87.328	123.063	101.521	
17	T	1.7075	5.2223	3.0302	6.2875	4.5378	4.8513	7.8609	4.8902	4.3602	7.5341	5.6092	7.2215	6.4058	69.5185	
	S	136.963	101.444	58.952	99.223	98.115	86.856	80.664	75.569	111.807	133.032	126.537	88.372	124.319	101.705	
18	T	1.6994	5.2317	3.0028	6.2509	4.4776	4.8383	7.8565	4.9141	4.4069	7.5251	5.6391	7.1906	6.3889	69.4219	
	S	137.615	101.262	59.490	99.804	99.434	87.089	80.709	75.201	110.622	133.191	125.866	88.752	124.648	101.847	
19	T	1.7016	5.2246	2.9918	6.2552	4.4922	4.8276	7.8353	4.8916	4.3858	7.5240	5.6197	7.1657	6.3979	69.3130	
	S	137.437	101.400	59.709	99.735	99.111	87.282	80.927	75.547	111.154	133.210	126.301	89.061	124.473	102.007	

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 3

September 3, 2022

Section Data for Car 8 - Siegel, Nolan (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF
20	T	1.6980	5.2501	2.9956	6.2577	4.5350	4.8526	7.8183	4.8950	4.3712	7.5231	5.6145	7.2111	6.4055	69.4277
	S	137.729	100.907	59.633	99.695	98.176	86.833	81.103	75.494	111.525	133.226	126.418	88.500	124.325	101.838
21	T	1.6977	5.2239	2.9917	6.2548	4.5085	4.8637	7.9173	4.8650	4.3710	7.5277	5.5991	7.1935	6.4055	69.4194
	S	137.753	101.413	59.711	99.742	98.753	86.634	80.089	75.960	111.531	133.145	126.766	88.716	124.325	101.850
22	T	1.6971	5.1896	3.0145	6.2608	4.5243	4.8693	7.8636	4.9232	4.3761	7.5314	5.5964	7.3805	6.4917	69.7185
	S	137.802	102.084	59.259	99.646	98.408	86.535	80.636	75.062	111.401	133.079	126.827	86.469	122.674	101.414
23	T	1.7079	5.3018	3.0348	6.2792	4.5684	4.8797	7.8359	4.9390	4.3701	7.5120	5.6220	7.2870	6.4300	69.7678
	S	136.931	99.923	58.863	99.354	97.458	86.350	80.921	74.822	111.554	133.423	126.249	87.578	123.851	101.342
24	T	1.7064	5.2696	2.9451	6.2494	4.5262	4.8856	7.8614	4.8997	4.3985	7.5449	5.5900	7.2745	6.4329	69.5842
	S	137.051	100.534	60.655	99.828	98.367	86.246	80.659	75.422	110.833	132.841	126.972	87.729	123.795	101.609
25	T	1.7071	5.2611	2.9687	6.2524	4.4910	4.8571	7.9105	4.9145	4.4079	7.5467	5.6074	7.2959	6.4154	69.6357
	S	136.995	100.696	60.173	99.780	99.138	86.752	80.158	75.195	110.597	132.809	126.578	87.471	124.133	101.534
26	T	1.7047	5.3178	2.9878	6.2236	4.4900	4.8418	7.8957	4.9231	4.3712	7.5197	5.5786	7.2973	6.4495	69.6008
	S	137.188	99.623	59.789	100.242	99.160	87.026	80.308	75.064	111.525	133.286	127.231	87.455	123.477	101.585
27	T	1.7079	5.2676	2.9988	6.2559	4.5190	4.8281	7.7973	5.0093	4.3889	7.5359	5.6312	7.1614	6.4086	69.5099
	S	136.931	100.572	59.569	99.724	98.523	87.273	81.322	73.772	111.076	133.000	126.043	89.114	124.265	101.718
28	T	1.7058	5.2610	3.0018	6.2345	4.5158	4.8275	7.8202	4.9568	4.3751	7.5146	5.5834	7.2399	6.4200	69.4564
	S	137.099	100.698	59.510	100.066	98.593	87.284	81.084	74.553	111.426	133.377	127.122	88.148	124.044	101.796
29	T	1.7071	5.2930	2.9445	6.2361	4.5663	4.8492	7.9366	4.9485	4.3741	7.5145	5.6363	7.2707	6.4305	69.7074
	S	136.995	100.089	60.668	100.041	97.503	86.893	79.895	74.678	111.451	133.378	125.929	87.774	123.842	101.430
30	T	1.7096	5.3382	2.9538	6.2085	4.5479	4.9064	7.8964	4.8913	4.3553	7.5035	5.6235	7.2025	6.3981	69.5350
	S	136.794	99.242	60.477	100.485	97.897	85.880	80.301	75.552	111.933	133.574	126.215	88.606	124.469	101.681
31	T	1.7194	6.6304	3.6211	7.5374	5.6562	6.4912	11.9318	6.8273						
	S	136.015	79.901	49.332	82.769	78.715	64.913	53.143	54.128						

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 3

September 3, 2022

Section Data for Car 90 - Foster, Louis (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF	
1	T	2.3555		3.7106	13.3082	5.2929	5.3721	8.3699	5.2264	4.4008	7.3315	6.3868	7.8375	6.5437	78.6120	137.0962
	S	99.284		48.142	46.878	84.118	78.436	75.758	70.707	110.775	136.708	111.131	81.427	121.699	89.940	50.469
2	T	1.7175	5.6017	3.4776	6.3602	4.8032	5.0090	8.0711	5.0657	4.3582	7.3619	6.0247	7.5762	6.3596	71.7866	
	S	136.165	94.574	51.368	98.089	92.694	84.121	78.563	72.951	111.858	136.143	117.810	84.235	125.222	98.492	
3	T	1.6871	5.6619	3.6582	6.4193	5.1123	5.0612	8.0470	4.9884	4.3533	7.3547	5.9424	7.3763	6.4486	72.1107	
	S	138.619	93.568	48.832	97.186	87.089	83.254	78.798	74.081	111.984	136.276	119.442	86.518	123.494	98.049	
4	T	1.6937	5.2189	3.0376	6.2955	4.7564	4.9015	7.9780	4.8786	4.3546	7.3587	5.7128	7.3501	6.3474	69.8838	
	S	138.079	101.510	58.808	99.097	93.606	85.966	79.480	75.748	111.951	136.202	124.243	86.826	125.463	101.174	
5	T	1.6733	5.3691	3.0198	6.2799	4.6203	5.0608	8.0294	4.8993	4.3412	7.3417	5.7486	7.5319	6.4144	70.3297	
	S	139.762	98.671	59.155	99.343	96.363	83.260	78.971	75.428	112.296	136.518	123.469	84.731	124.152	100.532	
6	T	1.6815	5.3756	3.1201	6.3451	4.5374	4.8896	7.8849	4.9025	4.3532	7.3872	5.6668	7.3176	6.3694	69.8309	
	S	139.080	98.551	57.253	98.322	98.124	86.175	80.418	75.379	111.987	135.677	125.251	87.212	125.030	101.250	
7	T	1.6774	5.2870	2.9769	6.2707	4.6564	4.9420	7.8746	4.8896	4.3363	7.3330	5.7101	7.5307	6.3462	69.8309	
	S	139.420	100.203	60.008	99.489	95.616	85.262	80.524	75.578	112.423	136.680	124.301	84.744	125.487	101.250	
8	T	1.6759	5.2467	2.9710	6.2434	4.6019	5.0033	7.9364	4.9894	4.3245	7.2919	6.2131	7.3704	6.3217	70.1896	
	S	139.545	100.973	60.127	99.924	96.749	84.217	79.897	74.066	112.730	137.450	114.238	86.587	125.973	100.733	
9	T	1.6676	5.3161	2.9573	6.2492	4.6421	4.9433	7.9183	4.9364	4.3627	7.3538	5.5615	7.3178	6.2932	69.5193	
	S	140.240	99.654	60.405	99.831	95.911	85.239	80.079	74.861	111.743	136.293	127.623	87.210	126.544	101.704	
10	T	1.6683	5.3989	3.6003	6.4439	4.5677	4.8759	7.8840	4.8389	4.3659	7.4700	5.6276	7.2511	6.3760	70.3685	
	S	140.181	98.126	49.617	96.815	97.473	86.418	80.428	76.370	111.661	134.173	126.124	88.012	124.900	100.477	
11	T	1.6856	5.1591	2.9755	6.2992	4.4722	4.8031	7.9009	4.8349	4.3602	7.4239	5.5576	7.1938	6.3461	69.0121	
	S	138.742	102.687	60.036	99.039	99.554	87.727	80.256	76.433	111.807	135.006	127.712	88.713	125.489	102.452	
12	T	1.6772	5.1764	2.9826	6.2497	4.5331	4.9494	7.9740	4.8815	4.3159	7.4067	5.7089	7.2149	6.3630	69.4333	
	S	139.437	102.344	59.893	99.823	98.217	85.134	79.520	75.703	112.954	135.320	124.327	88.453	125.155	101.830	
13	T	1.6873	5.2387	2.9393	6.2825	4.5183	4.8695	7.8252	4.9181	4.3767	7.4638	5.4981	7.2712	6.3755	69.2642	
	S	138.602	101.127	60.775	99.302	98.539	86.531	81.032	75.140	111.385	134.285	129.094	87.768	124.910	102.079	
14	T	1.6845	5.1965	2.9516	6.2644	4.4628	4.8358	7.8189	4.8584	4.3594	7.4526	5.4889	7.2198	6.3658	68.9594	
	S	138.833	101.948	60.522	99.589	99.764	87.134	81.097	76.063	111.827	134.486	129.311	88.393	125.100	102.530	
15	T	1.6827	5.2260	2.9270	6.3003	4.4671	4.8056	7.7920	5.0606	4.3638	7.4338	5.5057	7.5379	6.5054	69.6079	
	S	138.981	101.373	61.031	99.021	99.668	87.682	81.377	73.024	111.715	134.826	128.916	84.663	122.416	101.575	
16	T	1.6980	5.1826	2.9553	6.2569	4.5125	4.9062	7.8806	4.8898	4.3794	7.4472	5.5598	7.2306	6.3763	69.2752	
	S	137.729	102.221	60.446	99.708	98.665	85.884	80.462	75.575	111.317	134.584	127.662	88.261	124.894	102.062	
17	T	1.6867	5.2373	2.9548	6.2633	4.4947	4.8743	7.8432	5.0228	4.3671	7.4281	5.5713	7.2139	6.3585	69.3160	
	S	138.652	101.154	60.456	99.606	99.056	86.446	80.846	73.574	111.630	134.930	127.398	88.466	125.244	102.002	
18	T	1.6824	5.2644	3.0161	6.2820	4.5112	4.8925	7.8786	4.8926	4.3649	7.3794	5.5534	7.3314	6.3297	69.3786	
	S	139.006	100.633	59.228	99.310	98.694	86.124	80.483	75.532	111.686	135.820	127.809	87.048	125.814	101.910	
19	T	1.6680	5.4407	2.9693	6.2315	4.5489	4.8842	7.9020	4.9039	4.3816	7.3766	5.6765	7.3110	6.2871	69.5813	
	S	140.206	97.372	60.161	100.115	97.876	86.271	80.244	75.357	111.261	135.872	125.037	87.291	126.666	101.614	

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 3

September 3, 2022

Section Data for Car 90 - Foster, Louis (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF
20	T	1.6643	5.3883	3.1933	6.3174	4.6544	4.8802	7.8503	4.8870	4.3752	7.4758	5.5104	7.2098	6.3865	69.7929
	S	140.518	98.319	55.941	98.753	95.657	86.341	80.773	75.618	111.423	134.069	128.806	88.516	124.695	101.305
21	T	1.6895	5.1897	2.9520	6.2672	4.4812	4.9039	7.8270	4.9404	4.3546	7.4576	5.5086	7.2164	6.3932	69.1813
	S	138.422	102.082	60.514	99.544	99.354	85.924	81.013	74.801	111.951	134.396	128.848	88.435	124.564	102.201
22	T	1.6870	5.1813	2.9767	6.2482	4.5191	4.8681	7.9385	4.8480	4.3701	7.4370	5.5629	7.2196	6.3500	69.2065
	S	138.627	102.247	60.012	99.847	98.521	86.556	79.875	76.226	111.554	134.768	127.590	88.396	125.412	102.164
23	T	1.6773	5.1677	2.9801	6.2666	4.5324	4.9228	7.8803	4.8498	4.3333	7.3212	5.6211	7.3098	6.2939	69.1563
	S	139.429	102.516	59.943	99.554	98.232	85.594	80.465	76.198	112.501	136.900	126.269	87.305	126.529	102.238
24	T	1.6562	5.1514	3.9016	6.4380	4.7050	4.9938	7.9319	4.9414	4.4078	7.4320	5.4881	7.3495	6.3774	70.7741
	S	141.205	102.841	45.785	96.903	94.629	84.377	79.942	74.786	110.599	134.859	129.329	86.833	124.873	99.901
25	T	1.6848	5.2221	2.9805	6.2737	4.5190	4.9325	7.9188	4.8781	4.3932	7.4067	5.5507	7.2160	6.3277	69.3038
	S	138.808	101.448	59.935	99.441	98.523	85.426	80.074	75.756	110.967	135.320	127.871	88.440	125.854	102.020
26	T	1.6786	5.2069	3.0086	6.2482	4.5060	4.9140	7.9598	4.9179	4.3224	7.3058	5.6458	7.5239	6.3662	69.6041
	S	139.321	101.744	59.375	99.847	98.808	85.748	79.662	75.143	112.785	137.189	125.717	84.821	125.092	101.580
27	T	1.6769	5.3077	3.0010	6.2484	4.6257	4.9472	7.8351	5.0583	4.3584	7.3637	5.5952	7.2809	6.3137	69.6122
	S	139.462	99.812	59.526	99.844	96.251	85.172	80.930	73.057	111.853	136.110	126.854	87.652	126.133	101.568
28	T	1.6726	5.2980	2.9940	6.2601	4.5975	4.9870	7.9332	4.9837	4.3302	7.3418	5.5754	7.2450	6.2785	69.4970
	S	139.820	99.995	59.665	99.657	96.841	84.492	79.929	74.151	112.581	136.516	127.304	88.086	126.840	101.737
29	T	1.6834	5.7927	3.3314	6.4186	4.6449	5.0659	8.0709	4.9828	4.3146	7.3231	5.7569	7.3209	6.2890	70.9951
	S	138.923	91.455	53.622	97.196	95.853	83.176	78.565	74.164	112.988	136.865	123.291	87.173	126.628	99.590
30	T	1.6770	5.2878	3.2923	6.4601	4.8296	5.0973	8.1351	5.0001	4.3719	7.4717	5.5913	7.3191	6.4406	70.9739
	S	139.454	100.188	54.259	96.572	92.187	82.664	77.945	73.908	111.508	134.143	126.942	87.194	123.647	99.620
31	T	2.0993													
	S	111.401													

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 3

September 3, 2022

Section Data for Car 93 - Brewer, Lindsay (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF	
1	T	2.1897	7.6961	3.8083	6.8461	5.2632	5.5128	8.6908	5.3399	4.3708	7.3229	6.4679	8.0381	6.4416	77.9882	119.3218
	S	106.802	68.837	46.907	91.127	84.593	76.434	72.961	69.205	111.536	136.868	109.738	79.395	123.628	90.660	57.987
2	T	1.7002	5.9322	3.6321	6.4985	5.0549	5.0891	8.2775	5.1390	4.4052	7.3965	5.9341	7.4825	6.3981	72.9399	
	S	137.551	89.305	49.183	96.001	88.078	82.797	76.604	71.910	110.665	135.506	119.609	85.290	124.469	96.935	
3	T	1.6852	6.2821	3.5700	6.4796	4.7244	5.0035	8.0792	5.0170	4.4036	7.3970	5.9705	7.4103	6.4028	72.4252	
	S	138.775	84.331	50.038	96.281	94.240	84.214	78.484	73.659	110.705	135.497	118.880	86.121	124.377	97.623	
4	T	1.6850	5.3846	3.0244	6.3230	4.7620	5.0712	8.0838	5.0316	4.3859	7.3935	5.9016	7.3970	6.4050	70.8486	
	S	138.791	98.387	59.065	98.666	93.496	83.090	78.440	73.445	111.152	135.561	120.268	86.276	124.335	99.796	
5	T	1.6906	5.3288	3.0640	6.4004	4.6731	5.0311	8.0372	4.9769	4.3900	7.4192	5.9116	7.4334	6.3924	70.7487	
	S	138.332	99.417	58.302	97.473	95.275	83.752	78.895	74.252	111.048	135.092	120.064	85.853	124.580	99.937	
6	T	1.6840	5.5764	3.1244	6.3500	4.6366	5.0061	8.0211	5.0332	4.3982	7.4249	5.8770	7.3366	6.4236	70.8921	
	S	138.874	95.003	57.175	98.246	96.025	84.170	79.053	73.422	110.841	134.988	120.771	86.986	123.975	99.735	
7	T	1.6933	5.3350	3.0641	6.3663	4.6079	4.9785	7.9408	4.9843	4.3985	7.4382	5.8256	7.2681	6.3947	70.2953	
	S	138.111	99.301	58.300	97.995	96.623	84.637	79.852	74.142	110.833	134.747	121.837	87.806	124.535	100.581	
8	T	1.6902	5.3696	3.0577	6.3695	4.6393	4.9405	8.2048	4.9798	4.3981	7.4522	5.9285	7.3589	6.4293	70.8184	
	S	138.364	98.661	58.422	97.945	95.969	85.288	77.283	74.209	110.843	134.494	119.722	86.722	123.865	99.838	
9	T	1.6946	5.3012	3.0346	6.4066	4.6593	4.8945	8.6866	5.3842	4.4430	7.4412	5.8940	7.3817	6.4054	71.6269	
	S	138.005	99.934	58.867	97.378	95.557	86.089	72.996	68.635	109.723	134.692	120.423	86.455	124.327	98.712	
10	T	1.6841	5.3266	3.0601	6.3491	4.6214	4.9977	8.0172	4.9685	4.3968	7.4469	5.8533	7.3273	6.3969	70.4459	
	S	138.866	99.458	58.376	98.260	96.340	84.312	79.091	74.378	110.876	134.589	121.260	87.096	124.492	100.366	
11	T	1.6860	5.4248	3.0271	6.2957	4.7067	5.0591	7.9193	5.0256	4.4175	7.4788	5.9146	7.2926	6.4070	70.6548	
	S	138.709	97.658	59.012	99.094	94.594	83.288	80.069	73.533	110.357	134.015	120.004	87.511	124.296	100.070	
12	T	1.6910	5.3681	3.0432	6.3414	4.6266	4.9793	7.8888	5.0593	4.4322	7.4984	5.9476	7.2878	6.3893	70.5530	
	S	138.299	98.689	58.700	98.379	96.232	84.623	80.379	73.043	109.991	133.665	119.338	87.569	124.640	100.214	
13	T	1.6931	5.4676	3.0767	6.3730	4.6311	4.9679	7.8823	4.9781	4.4045	7.4720	5.8503	7.2937	6.3916	70.4819	
	S	138.127	96.893	58.061	97.892	96.139	84.817	80.445	74.234	110.682	134.137	121.322	87.498	124.595	100.315	
14	T	1.6936	5.4251	3.0513	6.3364	4.5501	4.9033	7.8068	5.0275	4.4055	7.4941	5.7965	7.2457	6.4064	70.1423	
	S	138.087	97.652	58.544	98.457	97.850	85.935	81.223	73.505	110.657	133.742	122.448	88.077	124.308	100.801	
15	T	1.6999	5.2781	3.0167	6.3000	4.5751	4.9263	7.8751	5.0419	4.4173	7.5191	5.8922	7.4189	6.4935	70.4541	
	S	137.575	100.372	59.216	99.026	97.315	85.533	80.518	73.295	110.362	133.297	120.460	86.021	122.640	100.355	
16	T	1.7056	5.3449	3.0201	6.3187	4.5520	4.9865	7.9796	5.0026	4.4247	7.5131	5.9105	7.2874	6.4339	70.4796	
	S	137.115	99.117	59.149	98.733	97.809	84.501	79.464	73.871	110.177	133.403	120.087	87.573	123.776	100.318	
17	T	1.7018	5.4368	2.9848	6.2955	4.5897	4.9849	7.9397	5.1819	4.4157	7.5122	5.8447	7.3665	6.4551	70.7093	
	S	137.421	97.442	59.849	99.097	97.006	84.528	79.863	71.315	110.402	133.419	121.439	86.633	123.370	99.993	
18	T	1.7023	5.2951	3.0816	6.3893	4.6576	5.0038	7.9119	4.9802	4.4082	7.5076	5.8949	7.2699	6.4026	70.5050	
	S	137.381	100.050	57.969	97.642	95.592	84.209	80.144	74.203	110.589	133.501	120.405	87.784	124.381	100.282	
19	T	1.6981	5.3746	3.0078	6.3075	4.5334	4.8241	7.9206	4.9994	4.4367	7.5248	5.8313	7.2979	6.4299	70.1861	
	S	137.721	98.570	59.391	98.908	98.210	87.346	80.056	73.918	109.879	133.196	121.718	87.447	123.853	100.738	

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 3

September 3, 2022

Section Data for Car 93 - Brewer, Lindsay (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF
20	T	1.7002	5.3197	2.9922	6.3389	4.5916	4.8378	7.9745	4.9358	4.4114	7.5124	5.7846	7.8128	6.5511	70.7630
	S	137.551	99.587	59.701	98.418	96.966	87.098	79.515	74.870	110.509	133.416	122.700	81.684	121.562	99.917
21	T	1.7159	5.3811	3.1377	6.3889	4.6894	5.0424	7.8894	4.9888	4.4156	7.5342	5.8668	7.3676	6.4500	70.8678
	S	136.292	98.451	56.932	97.648	94.943	83.564	80.373	74.075	110.404	133.030	120.981	86.620	123.467	99.769
22	T	1.7003	5.3816	3.0192	6.3179	4.5618	5.0044	7.9108	4.9941	4.4203	7.5144	5.8296	7.3023	6.4356	70.3923
	S	137.543	98.441	59.167	98.745	97.599	84.199	80.155	73.996	110.287	133.380	121.753	87.395	123.743	100.443
23	T	1.7020	5.3282	3.0317	6.4009	4.6255	4.9320	7.9063	5.0308	4.4255	7.5188	5.8623	7.3028	6.4597	70.5265
	S	137.405	99.428	58.923	97.465	96.255	85.435	80.201	73.457	110.157	133.302	121.074	87.389	123.282	100.252
24	T	1.7101	5.3815	3.0344	6.3072	4.6080	4.9489	7.8632	4.9783	4.4253	7.5103	5.8805	7.3228	6.4521	70.4226
	S	136.754	98.443	58.870	98.913	96.621	85.143	80.640	74.231	110.162	133.453	120.699	87.150	123.427	100.400
25	T	1.7046	5.3988	2.9816	6.2805	4.5510	4.9168	7.9634	5.0107	4.4398	7.5576	6.3256	7.6342	6.4865	71.2511
	S	137.196	98.128	59.913	99.333	97.831	85.699	79.626	73.751	109.802	132.618	112.206	83.595	122.772	99.232
26	T	1.7161	5.4842	3.0591	6.3265	4.7225	5.0378	8.0861	5.0923	4.4306	7.5386	5.9831	7.3253	6.4654	71.2676
	S	136.276	96.600	58.395	98.611	94.278	83.640	78.417	72.569	110.030	132.952	118.630	87.120	123.173	99.209
27	T	1.7090	5.4558	3.0096	6.3054	4.6421	4.9513	7.9127	5.1161	4.4469	7.5637	6.0217	7.2355	6.4257	70.7955
	S	136.842	97.103	59.356	98.941	95.911	85.102	80.136	72.232	109.627	132.511	117.869	88.201	123.934	99.871
28	T	1.7115	5.3605	3.8208	7.0627	4.8291	5.0993	7.9015	5.0037	4.4122	7.5014	5.9393	7.3024	6.4369	72.3813
	S	136.642	98.829	46.754	88.332	92.197	82.632	80.249	73.854	110.489	133.611	119.504	87.393	123.719	97.683
29	T	1.7063	5.4222	3.0500	6.3243	4.6223	5.0104	7.8494	5.2594	4.4102	7.5223	5.9266	7.2522	6.4373	70.7929
	S	137.059	97.704	58.569	98.645	96.322	84.098	80.782	70.264	110.539	133.240	119.761	87.998	123.711	99.874
30	T	1.7076	5.3573	3.0471	6.3599	4.5461	4.9432	8.0231	5.0248	4.4143	7.5188	6.1210	7.3642	6.4346	70.8620
	S	136.955	98.888	58.625	98.093	97.936	85.241	79.033	73.544	110.437	133.302	115.957	86.660	123.763	99.777
31	T	1.7288	5.6542												
	S	135.275	93.695												

Event: Cooper Tires Indy Pro 2000 GP of Portland

Rounds 16/17/18

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 3

September 3, 2022

Section Data for Car

Report Support Information

Section Legend	
Name	Length
SF to I1	0.064962 miles
I1 to I2A	0.147159 miles
I2A to I2	0.049621 miles
I2 to I3	0.173295 miles
I3 to I4	0.123674 miles
I4 to I5	0.117045 miles
I5 to I6	0.176136 miles
I6 to I7	0.102652 miles
I7 to I8	0.135417 miles
I8 to I9	0.278409 miles
I9 to I10	0.197159 miles
I10 to I11	0.177273 miles
I11 to SF	0.221212 miles
I1 to I2	0.196780 miles
Lap	1.964000 miles
PI to PO	0.260795 miles
PO to SF	1.921970 miles
SF to PI	1.742803 miles
PO to I2A	0.170076 miles
I10 to PI	0.177273 miles
PO to PI	1.681818 miles

Color Legend	
	Fastest Lap
	Section Under Caution
	Section Under Green
	Section Time Data
	Section Speed Data

