

Event: Indy Pro 2000 Oval Challenge of St Louis**Track:** World Wide Technology Raceway**Report:** Section Data Report**Session:** Race**Round 7****1.25 mile(s)****Indy Pro 2000 Championship****August 29, 2020****Section Data for Car 1 - Eves, Braden (R)**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
1	T	4.4197	3.6383	4.3955	4.2312	3.8870	4.9247	4.3496	3.9844	33.8304	64.9543
	S	131.282	119.187	118.510	134.552	146.643	134.157	135.122	144.940	133.016	61.606
2	T			4.3610	4.1898	3.8787	4.8732	4.3695	3.9091	33.1442	
	S			119.447	135.882	146.956	135.575	134.507	147.732	135.770	
3	T			4.2879	4.1387	3.8664	4.6852	4.2668	3.8571	32.2224	
	S			121.483	137.560	147.424	141.015	137.744	149.724	139.654	
4	T			4.3072	4.1097	3.8228	4.7091	4.2990	3.8689	32.1524	
	S			120.939	138.530	149.105	140.299	136.713	149.267	139.958	
5	T	3.7182	3.3424	4.2262	4.0979	3.8222	4.6816	4.2919	3.8664	32.0468	
	S	156.051	129.738	123.257	138.929	149.129	141.123	136.939	149.364	140.420	
6	T			4.2373	4.0512	3.7788	4.8196	4.3522	3.8382	32.1087	
	S			122.934	140.531	150.842	137.082	135.041	150.461	140.149	
7	T	3.6992	3.3590	4.2199	4.1066	3.8082	4.8027	4.2723	3.8229	32.0908	
	S	156.852	129.097	123.441	138.635	149.677	137.565	137.567	151.063	140.227	
8	T			4.2204	4.1542	3.8723	4.6573	4.2935	3.8835	32.1045	
	S			123.426	137.046	147.199	141.859	136.888	148.706	140.167	
9	T			4.1673	4.1014	3.8612	4.6361	4.2064	3.8561	31.8292	
	S			124.999	138.811	147.623	142.508	139.722	149.763	141.380	
10	T	3.7253	3.2873	4.1395	4.0873	3.8608	4.6501	4.2527	3.8745	31.8775	
	S	155.753	131.913	125.839	139.290	147.638	142.079	138.201	149.051	141.165	
11	T			4.1269	4.0714	3.8421	4.6270	4.2175	3.8467	31.7585	
	S			126.223	139.834	148.356	142.788	139.354	150.129	141.694	
12	T	3.7067	3.2880	4.1363	4.0717	3.8298	4.6698	4.2553	3.8566	31.8142	
	S	156.535	131.885	125.936	139.823	148.833	141.480	138.117	149.743	141.446	
13	T			4.1997	4.0737	3.8487	4.6304	4.2430	3.8509	31.8398	
	S			124.035	139.755	148.102	142.684	138.517	149.965	141.333	
14	T	3.7042	3.2728	4.1276	4.0565	3.8234	4.6636	4.2847	3.8501	31.7829	
	S	156.640	132.497	126.201	140.347	149.082	141.668	137.169	149.996	141.586	
15	T	3.6996	3.3174	4.2156	4.0716	3.8088	4.6919	4.2675	3.8411	31.9135	
	S	156.835	130.716	123.567	139.827	149.653	140.813	137.722	150.348	141.006	
16	T	3.6864	3.3416	4.1586	4.0350	3.7733	4.7846	4.2625	3.8324	31.8744	
	S	157.397	129.769	125.261	141.095	151.061	138.085	137.883	150.689	141.179	
17	T	3.7214	3.3853	4.2833	4.1899	3.9182	4.8604	4.3063	3.8945	32.5593	
	S	155.916	128.094	121.614	135.879	145.475	135.932	136.481	148.286	138.209	
18	T	3.7250	3.3391	4.2027	4.0591	3.7741	4.7657	4.2418	3.8426	31.9501	
	S	155.766	129.866	123.946	140.257	151.029	138.633	138.556	150.289	140.845	
19	T	3.6807	3.3553	4.2195	4.0686	3.8069	4.6736	4.2459	3.8187	31.8692	
	S	157.640	129.239	123.453	139.930	149.728	141.365	138.422	151.229	141.202	

Event: Indy Pro 2000 Oval Challenge of St Louis

Track: World Wide Technology Raceway

Report: Section Data Report

Session: Race

Round 7

1.25 mile(s)



Indy Pro 2000 Championship

August 29, 2020

Section Data for Car 1 - Eves, Braden (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	3.6567	3.3583	4.2570	4.1370	3.8343	4.7013	4.2534	3.8367	32.0347
	S	158.675	129.124	122.365	137.616	148.658	140.532	138.178	150.520	140.473
21	T	3.6792	3.3170	4.1657	4.0529	3.8147	4.6934	4.2412	3.8178	31.7819
	S	157.705	130.731	125.047	140.472	149.422	140.768	138.576	151.265	141.590
22	T	3.6678	3.3400	4.2146	4.0886	3.8394	4.6645	4.2428	3.8497	31.9074
	S	158.195	129.831	123.596	139.245	148.461	141.640	138.523	150.012	141.033
23	T	3.6966	3.3186	4.1455	4.0883	3.8516	4.6699	4.2428	3.8390	31.8523
	S	156.962	130.668	125.657	139.255	147.990	141.477	138.523	150.430	141.277
24	T	3.6918	3.2775	4.1156	4.0462	3.8162	4.5998	4.1937	3.7844	31.5252
	S	157.166	132.307	126.569	140.704	149.363	143.633	140.145	152.600	142.743
25	T	3.6426	3.3001	4.2719	4.0803	3.7620	4.7340	4.2375	3.8203	31.8487
	S	159.289	131.401	121.939	139.529	151.515	139.561	138.697	151.166	141.293
26	T	3.6670	3.3429	4.1190	4.1013	3.9178	4.8486	4.2938	3.8520	32.1424
	S	158.229	129.719	126.465	138.814	145.490	136.262	136.878	149.922	140.002
27	T	3.7265	3.4475	4.3138	4.0918	3.7586	4.7452	4.4524	3.9139	32.4497
	S	155.703	125.783	120.754	139.136	151.652	139.232	132.002	147.551	138.676
28	T	3.7190	3.3346	4.2084	4.1025	3.8141	4.9683	4.3640	3.8581	32.3690
	S	156.017	130.041	123.778	138.773	149.445	132.979	134.676	149.685	139.022
29	T	3.6827	3.3584	4.3009	4.0784	3.7865	4.7277	4.2370	3.8115	31.9831
	S	157.555	129.120	121.116	139.594	150.535	139.747	138.713	151.515	140.699
30	T	3.6753	3.5476	4.3830	4.1543	3.8207	4.7681	4.2322	3.8363	32.4175
	S	157.872	122.234	118.848	137.043	149.187	138.563	138.870	150.536	138.814
31	T	3.6774	3.3350	4.1632	4.0531	3.7734	4.8101	4.3148	3.9177	32.0447
	S	157.782	130.026	125.122	140.465	151.057	137.353	136.212	147.408	140.429
32	T	3.7143	3.2945	4.2117	4.1827	3.9554	4.7947	4.2947	3.8662	32.3142
	S	156.214	131.624	123.681	136.113	144.107	137.794	136.849	149.371	139.258
33	T	3.6907	3.3071	4.1818	4.1069	3.8554	4.6221	4.2263	3.8319	31.8222
	S	157.213	131.123	124.566	138.625	147.845	142.940	139.064	150.709	141.411
34	T	3.6708	3.2636	4.1835	4.0738	3.8228	4.6455	4.2330	3.8383	31.7313
	S	158.066	132.871	124.515	139.751	149.105	142.220	138.844	150.457	141.816
35	T	3.6757	3.2461	4.1731	4.0880	3.8464	4.6168	4.2122	3.8154	31.6737
	S	157.855	133.587	124.825	139.266	148.191	143.104	139.530	151.360	142.074
36	T	3.6609	3.3066	4.2068	4.0738	3.8249	4.6309	4.3050	3.8541	31.8630
	S	158.493	131.143	123.825	139.751	149.024	142.668	136.522	149.840	141.230
37	T	3.6818	3.2832	4.2305	4.0962	3.8606	4.6273	4.2095	3.8412	31.8303
	S	157.593	132.077	123.132	138.987	147.645	142.779	139.619	150.344	141.375
38	T	3.6823	3.2816	4.1251	4.0622	3.8374	4.6108	4.2389	3.8219	31.6602
	S	157.572	132.142	126.278	140.150	148.538	143.290	138.651	151.103	142.134

Event: Indy Pro 2000 Oval Challenge of St Louis**Track:** World Wide Technology Raceway**Report:** Section Data Report**Session:** Race**Round 7****1.25 mile(s)****Indy Pro 2000 Championship****August 29, 2020****Section Data for Car 1 - Eves, Braden (R)**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	3.6647	3.3457	4.1545	4.0657	3.7598	4.7247	4.2884	3.8300	31.8335
	S	158.329	129.610	125.384	140.030	151.604	139.836	137.050	150.783	141.361
40	T	3.6825	3.4170	4.2072	4.0977	3.7924	4.7075	4.2799	3.9424	32.1266
	S	157.563	126.906	123.814	138.936	150.301	140.347	137.323	146.484	140.071
41	T	3.6982	3.3685	4.2333	4.1366	3.8331	4.6653	4.2226	3.7982	31.9558
	S	156.895	128.733	123.050	137.629	148.705	141.616	139.186	152.046	140.820
42	T	3.6347	3.2436	4.1744	4.1518	3.8359	4.7567	4.2442	3.8797	31.9210
	S	159.636	133.690	124.787	137.126	148.596	138.895	138.478	148.852	140.973
43	T	3.7027	3.2932	4.1747	4.0697	3.8317	4.6752	4.2138	3.8232	31.7842
	S	156.704	131.676	124.778	139.892	148.759	141.316	139.477	151.051	141.580
44	T	3.6576	3.2879	4.2063	4.0787	3.8288	4.6213	4.1873	3.8112	31.6791
	S	158.636	131.889	123.840	139.583	148.872	142.964	140.359	151.527	142.049
45	T	3.6554	3.3311	4.2628	4.1022	3.8162	4.6456	4.1979	3.8122	31.8234
	S	158.732	130.178	122.199	138.784	149.363	142.217	140.005	151.487	141.405
46	T	3.6905	3.2153	4.2272	4.1705	3.9477	4.7871	4.3389	3.8882	32.2654
	S	157.222	134.867	123.228	136.511	144.388	138.013	135.455	148.526	139.468
47	T	3.6903	3.2998	4.1382	4.0734	3.8085	4.6259	4.2058	3.8008	31.6427
	S	157.230	131.413	125.878	139.765	149.665	142.822	139.742	151.942	142.213
48	T	3.6440	3.3329	4.1499	4.0332	3.7264	4.6264	4.3038	3.9098	31.7264
	S	159.228	130.108	125.523	141.158	152.963	142.807	136.560	147.706	141.838
49	T	3.7283	3.2708	4.1357	4.0490	3.8470	4.6553	4.2375	3.8272	31.7508
	S	155.628	132.578	125.954	140.607	148.167	141.920	138.697	150.894	141.729
50	T	3.6698	3.2347	4.2080	4.0556	3.8423	4.5894	4.1264	3.7903	31.5165
	S	158.109	134.058	123.790	140.378	148.349	143.958	142.431	152.363	142.782
51	T	3.6465	3.2190	4.1250	4.1296	3.9284	4.7072	4.2517	3.8520	31.8594
	S	159.119	134.712	126.281	137.863	145.097	140.356	138.233	149.922	141.246
52	T	3.6854	3.3172	4.2382	4.0870	3.8290	4.6140	4.2074	3.8223	31.8005
	S	157.439	130.724	122.908	139.300	148.864	143.191	139.689	151.087	141.507
53	T	3.6451	3.2509	4.2185	4.0843	3.8072	4.6513	4.3077	3.8508	31.8158
	S	159.180	133.390	123.482	139.392	149.716	142.042	136.436	149.969	141.439
54	T	3.6712	3.3572	4.1686	4.0807	3.7756	4.6882	4.3003	3.8562	31.8980
	S	158.048	129.166	124.960	139.515	150.969	140.924	136.671	149.759	141.075
55	T	3.6839	3.2477	4.2101	4.0706	3.7886	4.6319	4.2260	3.8772	31.7360
	S	157.504	133.521	123.728	139.861	150.451	142.637	139.074	148.948	141.795
56	T	3.9112	4.3958	7.2663	8.1429					
	S	148.350	98.648	71.688	69.916					

Event: Indy Pro 2000 Oval Challenge of St Louis**Track:** World Wide Technology Raceway**Report:** Section Data Report**Session:** Race**Round 7****1.25 mile(s)****Indy Pro 2000 Championship****August 29, 2020****Section Data for Car 17 - DeFrancesco, Devlin (R)**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
1	T	8.9118	7.1216	4.2630	4.1868	3.9265	4.7922	4.2835	3.9631	33.4521	68.4751
	S	65.108	60.890	122.193	135.979	145.167	137.866	137.207	145.719	134.521	58.439
2	T			4.1819	4.1290	3.8948	4.6505	4.2100	3.9209	32.2675	
	S			124.563	137.883	146.349	142.067	139.603	147.288	139.459	
3	T	3.7870	3.3903	4.1539	4.1155	3.8861	4.6465	4.2776	3.9274	32.1843	
	S	153.216	127.905	125.402	138.335	146.677	142.189	137.397	147.044	139.820	
4	T			4.1462	4.1081	3.8799	4.6468	4.2013	3.9019	32.1208	
	S			125.635	138.584	146.911	142.180	139.892	148.005	140.096	
5	T	3.7672	3.3397	4.1175	4.0921	3.8713	4.6175	4.1996	3.9034	31.9083	
	S	154.021	129.843	126.511	139.126	147.237	143.082	139.948	147.948	141.029	
6	T	3.7783	3.4124	4.1512	4.1061	3.8802	4.6387	4.2038	3.9011	32.0718	
	S	153.568	127.077	125.484	138.652	146.900	142.428	139.809	148.035	140.310	
7	T	3.7717	3.3674	4.1309	4.0969	3.8708	4.6282	4.2117	3.9110	31.9886	
	S	153.837	128.775	126.101	138.963	147.256	142.751	139.546	147.660	140.675	
8	T			4.1524	4.1127	3.8805	4.6601	4.2212	3.9153	32.1536	
	S			125.448	138.429	146.888	141.774	139.232	147.498	139.953	
9	T	3.7804	3.4141	4.1368	4.1178	3.8823	4.6424	4.2200	3.9144	32.1082	
	S	153.483	127.013	125.921	138.258	146.820	142.315	139.272	147.532	140.151	
10	T	3.7860	3.3942	4.1082	4.0954	3.8719	4.6095	4.2150	3.9110	31.9912	
	S	153.256	127.758	126.797	139.014	147.215	143.330	139.437	147.660	140.664	
11	T			4.1348	4.1040	3.8770	4.6229	4.2211	3.9093	32.0032	
	S			125.982	138.723	147.021	142.915	139.236	147.725	140.611	
12	T	3.7751	3.3470	4.1002	4.0847	3.8664	4.5950	4.2120	3.9015	31.8819	
	S	153.699	129.560	127.045	139.378	147.424	143.783	139.536	148.020	141.146	
13	T	3.7797	3.4377	4.1373	4.1040	3.8774	4.6254	4.1856	3.8856	32.0327	
	S	153.511	126.141	125.906	138.723	147.006	142.838	140.416	148.626	140.481	
14	T	3.7650	3.3646	4.1081	4.0846	3.8658	4.6060	4.2132	3.9009	31.9082	
	S	154.111	128.882	126.800	139.382	147.447	143.439	139.497	148.043	141.030	
15	T	3.7697	3.3619	4.1358	4.0969	3.8681	4.6156	4.2335	3.8887	31.9702	
	S	153.919	128.986	125.951	138.963	147.359	143.141	138.828	148.507	140.756	
16	T	3.7492	3.3585	4.1149	4.0751	3.8514	4.8756	4.3981	3.9390	32.3618	
	S	154.760	129.116	126.591	139.707	147.998	135.508	133.632	146.611	139.053	
17	T	3.7734	3.3546	4.1425	4.1061	3.8835	4.6295	4.2150	3.8960	32.0006	
	S	153.768	129.266	125.748	138.652	146.775	142.711	139.437	148.229	140.622	
18	T	3.7667	3.3418	4.0851	4.0777	3.8740	4.5953	4.2040	3.8970	31.8416	
	S	154.041	129.761	127.514	139.617	147.135	143.773	139.802	148.191	141.325	
19	T	3.7645	3.3674	4.1078	4.0956	3.8757	4.6167	4.2094	3.8961	31.9332	
	S	154.131	128.775	126.810	139.007	147.070	143.107	139.623	148.225	140.919	

Event: Indy Pro 2000 Oval Challenge of St Louis

Track: World Wide Technology Raceway

Report: Section Data Report

Session: Race

Round 7

1.25 mile(s)



Indy Pro 2000 Championship

August 29, 2020

Section Data for Car 17 - DeFrancesco, Devlin (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	3.7548	3.3544	4.0806	4.0831	3.8752	4.6325	4.2245	3.9007	31.9058
	S	154.529	129.274	127.655	139.433	147.089	142.619	139.124	148.050	141.040
21	T	3.7587	3.3188	4.0994	4.0930	3.8790	4.6181	4.1985	3.8835	31.8490
	S	154.369	130.661	127.070	139.096	146.945	143.064	139.985	148.706	141.292
22	T	3.7519	3.3798	4.1005	4.0902	3.8773	4.5788	4.2073	3.8762	31.8620
	S	154.649	128.302	127.036	139.191	147.010	144.291	139.692	148.986	141.234
23	T	3.7489	3.3468	4.0964	4.0867	3.8711	4.5863	4.1996	3.8857	31.8215
	S	154.773	129.567	127.163	139.310	147.245	144.056	139.948	148.622	141.414
24	T	3.7494	3.3549	4.1168	4.1013	3.8730	4.5837	4.2092	3.8868	31.8751
	S	154.752	129.255	126.533	138.814	147.173	144.137	139.629	148.580	141.176
25	T	3.7492	3.3289	4.1140	4.0877	3.8627	4.6263	4.2342	3.9015	31.9045
	S	154.760	130.264	126.619	139.276	147.565	142.810	138.805	148.020	141.046
26	T	3.7478	3.3482	4.1459	4.1163	3.8643	4.6197	4.2379	3.8749	31.9550
	S	154.818	129.513	125.644	138.308	147.504	143.014	138.684	149.036	140.823
27	T	3.7160	3.3869	4.1793	4.1035	3.8372	4.9163	4.3122	3.8598	32.3112
	S	156.143	128.033	124.640	138.740	148.546	134.386	136.294	149.619	139.271
28	T	3.7251	3.3575	4.2105	4.1469	3.8880	4.6511	4.2472	3.8726	32.0989
	S	155.762	129.155	123.717	137.288	146.605	142.049	138.380	149.125	140.192
29	T	3.7135	3.4628	4.2211	4.1813	3.9093	4.8068	4.2602	3.8900	32.4450
	S	156.248	125.227	123.406	136.158	145.806	137.447	137.958	148.458	138.696
30	T	3.7298	3.3062	4.1143	4.0793	3.8494	4.6791	4.2553	3.8545	31.8679
	S	155.565	131.159	126.609	139.563	148.075	141.198	138.117	149.825	141.208
31	T	3.7136	3.3590	4.2294	4.1438	3.8886	4.6543	4.2085	3.9011	32.0983
	S	156.244	129.097	123.164	137.390	146.582	141.951	139.652	148.035	140.194
32	T	3.7479	3.4458	4.3299	4.1723	3.9098	4.5916	4.2086	3.8987	32.3046
	S	154.814	125.845	120.305	136.452	145.788	143.889	139.649	148.126	139.299
33	T	3.7549	3.3125	4.1098	4.0948	3.8812	4.5929	4.2144	3.8990	31.8595
	S	154.525	130.909	126.748	139.034	146.862	143.849	139.457	148.115	141.245
34	T	3.7515	3.2866	4.0782	4.0748	3.8677	4.5798	4.2033	3.8917	31.7336
	S	154.665	131.941	127.730	139.717	147.374	144.260	139.825	148.393	141.806
35	T	3.7492	3.3210	4.0948	4.0870	3.8713	4.5995	4.2041	3.9005	31.8274
	S	154.760	130.574	127.212	139.300	147.237	143.642	139.799	148.058	141.388
36	T	3.7615	3.3274	4.1477	4.1053	3.8828	4.6244	4.2292	3.9148	31.9931
	S	154.254	130.323	125.590	138.679	146.801	142.869	138.969	147.517	140.655
37	T	3.7644	3.3226	4.0906	4.0747	3.8784	4.6073	4.1879	3.8914	31.8173
	S	154.135	130.511	127.343	139.720	146.968	143.399	140.339	148.404	141.432
38	T	3.7518	3.3206	4.1055	4.0871	3.8794	4.5948	4.2030	3.8894	31.8316
	S	154.653	130.590	126.881	139.296	146.930	143.789	139.835	148.480	141.369

Event: Indy Pro 2000 Oval Challenge of St Louis**Track:** World Wide Technology Raceway**Report:** Section Data Report**Session:** Race**Round 7****1.25 mile(s)****Indy Pro 2000 Championship****August 29, 2020****Section Data for Car 17 - DeFrancesco, Devlin (R)**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	3.7516	3.3704	4.1050	4.0961	3.8911	4.5963	4.2006	3.8881	31.8992
	S	154.661	128.660	126.896	138.990	146.488	143.742	139.915	148.530	141.069
40	T	3.7507	3.3484	4.1052	4.0989	3.8875	4.6056	4.2076	3.8994	31.9033
	S	154.698	129.506	126.890	138.895	146.624	143.452	139.682	148.100	141.051
41	T	3.7543	3.3168	4.0988	4.0985	3.8856	4.5936	4.2076	3.8940	31.8492
	S	154.550	130.739	127.088	138.909	146.695	143.827	139.682	148.305	141.291
42	T	3.7558	3.3548	4.1158	4.1008	3.8865	4.6037	4.1977	3.8903	31.9054
	S	154.488	129.258	126.563	138.831	146.662	143.511	140.012	148.446	141.042
43	T	3.7549	3.3554	4.1223	4.0959	3.8772	4.5758	4.1890	3.8908	31.8613
	S	154.525	129.235	126.364	138.997	147.013	144.386	140.303	148.427	141.237
44	T	3.7440	3.2951	4.1021	4.0827	3.8720	4.5673	4.1952	3.8855	31.7439
	S	154.975	131.600	126.986	139.446	147.211	144.655	140.095	148.630	141.760
45	T	3.7443	3.3414	4.1191	4.0962	3.8715	4.5846	4.2030	3.8893	31.8494
	S	154.963	129.777	126.462	138.987	147.230	144.109	139.835	148.484	141.290
46	T	3.7422	3.3078	4.1006	4.0876	3.8699	4.6084	4.2273	3.8982	31.8420
	S	155.050	131.095	127.032	139.279	147.291	143.365	139.031	148.145	141.323
47	T	3.7500	3.3557	4.1320	4.1048	3.8744	4.5641	4.1816	3.8752	31.8378
	S	154.727	129.224	126.067	138.696	147.120	144.756	140.551	149.025	141.341
48	T	3.7296	3.3099	4.0829	4.0674	3.8500	4.5713	4.2014	3.8855	31.6980
	S	155.574	131.012	127.583	139.971	148.052	144.528	139.888	148.630	141.965
49	T	3.7451	3.3148	4.1261	4.1028	3.8816	4.6219	4.2301	3.8979	31.9203
	S	154.930	130.818	126.247	138.763	146.847	142.946	138.939	148.157	140.976
50	T	3.7536	3.2972	4.1004	4.0811	3.8654	4.5974	4.2184	3.8930	31.8065
	S	154.579	131.517	127.039	139.501	147.462	143.708	139.325	148.343	141.481
51	T	3.7392	3.3408	4.0796	4.0745	3.8635	4.6265	4.2346	3.8896	31.8483
	S	155.174	129.800	127.686	139.727	147.535	142.804	138.792	148.473	141.295
52	T	3.7258	3.3419	4.1297	4.0782	3.8422	4.7296	4.2915	3.9268	32.0657
	S	155.732	129.757	126.137	139.600	148.353	139.691	136.951	147.066	140.337
53	T	3.7605	3.3436	4.1368	4.1092	3.8787	4.5694	4.2171	3.8983	31.9136
	S	154.295	129.691	125.921	138.547	146.956	144.588	139.368	148.141	141.006
54	T	3.7508	3.3090	4.1222	4.0883	3.8633	4.5603	4.1698	3.8633	31.7270
	S	154.694	131.048	126.367	139.255	147.542	144.877	140.949	149.484	141.835
55	T	3.7279	3.2951	4.0751	4.0561	3.8451	4.5807	4.2024	3.9065	31.6889
	S	155.645	131.600	127.827	140.361	148.241	144.232	139.855	147.831	142.006
56	T	4.0271	4.7267	7.1049	8.1519					
	S	144.081	91.742	73.317	69.839					

Event: Indy Pro 2000 Oval Challenge of St Louis

Track: World Wide Technology Raceway

Report: Section Data Report

Session: Race

Round 7

1.25 mile(s)



Indy Pro 2000 Championship

August 29, 2020

Section Data for Car 18 - McElrea, Hunter (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
1	T	8.8117	6.6100	4.6563	4.2265	3.8721	5.0895	4.5738	3.9929	34.6842	61.5285
	S	65.847	65.603	111.872	134.702	147.207	129.813	128.499	144.632	129.742	65.036
2	T	3.8466	3.7382	4.5189	4.2441	3.9234	5.1723	4.5007	3.9848	33.9290	
	S	150.842	116.001	115.273	134.143	145.282	127.735	130.586	144.926	132.630	
3	T			4.4443	4.2445	3.8895	5.0749	4.4514	3.9412	33.3994	
	S			117.208	134.131	146.548	130.186	132.032	146.529	134.733	
4	T	3.7896	3.4664	4.6148	4.2744	3.8906	5.0332	4.5345	4.0071	33.6106	
	S	153.110	125.097	112.878	133.193	146.507	131.265	129.612	144.119	133.886	
5	T	3.8812	3.4894	4.4137	4.2614	3.9109	5.0116	4.4459	3.9848	33.3989	
	S	149.497	124.272	118.021	133.599	145.747	131.831	132.195	144.926	134.735	
6	T	3.8855	3.5143	4.3314	4.1906	3.8738	4.8761	4.4389	3.9849	33.0955	
	S	149.331	123.392	120.263	135.856	147.142	135.494	132.404	144.922	135.970	
7	T			4.3572	4.2032	3.8829	4.8725	4.4189	3.9778	33.0018	
	S			119.551	135.449	146.797	135.594	133.003	145.181	136.356	
8	T	3.8436	3.4132	4.3380	4.1947	3.8838	4.8513	4.4442	4.0088	32.9776	
	S	150.959	127.047	120.080	135.723	146.763	136.187	132.246	144.058	136.456	
9	T	3.8760	3.4407	4.3546	4.2307	3.9064	4.9250	4.4360	4.0090	33.1784	
	S	149.697	126.031	119.623	134.568	145.914	134.149	132.490	144.051	135.630	
10	T	3.8551	3.3859	4.3595	4.2142	3.9120	4.9293	4.4315	3.9991	33.0866	
	S	150.509	128.071	119.488	135.095	145.706	134.032	132.625	144.407	136.007	
11	T	3.8530	3.4393	4.3144	4.1894	3.9062	4.8376	4.4248	3.9973	32.9620	
	S	150.591	126.083	120.737	135.895	145.922	136.572	132.826	144.473	136.521	
12	T			4.3432	4.2200	3.9226	4.9181	4.4196	3.9967	33.1016	
	S			119.937	134.910	145.312	134.337	132.982	144.494	135.945	
13	T	3.8639	3.4162	4.3264	4.1996	3.9155	4.8647	4.4071	3.9894	32.9828	
	S	150.166	126.935	120.402	135.565	145.575	135.811	133.359	144.759	136.435	
14	T	3.8428	3.3764	4.3396	4.1961	3.9157	4.8582	4.4167	3.9866	32.9321	
	S	150.991	128.432	120.036	135.678	145.568	135.993	133.069	144.860	136.645	
15	T	3.8437	3.4041	4.3448	4.2158	3.9280	4.8583	4.4152	3.9883	32.9982	
	S	150.955	127.386	119.893	135.044	145.112	135.990	133.115	144.799	136.371	
16	T	3.8570	3.4397	4.3074	4.1874	3.9174	4.8547	4.4021	3.9823	32.9480	
	S	150.435	126.068	120.934	135.960	145.505	136.091	133.511	145.017	136.579	
17	T	3.8394	3.3797	4.3115	4.1936	3.9218	4.8665	4.4100	3.9870	32.9095	
	S	151.124	128.306	120.819	135.759	145.341	135.761	133.271	144.846	136.739	
18	T	3.8359	3.3783	4.3071	4.1993	3.9206	4.8187	4.3878	3.9725	32.8202	
	S	151.262	128.359	120.942	135.575	145.386	137.108	133.946	145.374	137.111	
19	T	3.8479	3.4250	4.3118	4.1998	3.9230	4.8309	4.3798	3.9716	32.8898	
	S	150.791	126.609	120.810	135.558	145.297	136.762	134.190	145.407	136.821	

Event: Indy Pro 2000 Oval Challenge of St Louis

Track: World Wide Technology Raceway

Report: Section Data Report

Session: Race

Round 7

1.25 mile(s)



Indy Pro 2000 Championship

August 29, 2020

Section Data for Car 18 - McElrea, Hunter (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	3.8372	3.4416	4.3424	4.2038	3.9279	4.8530	4.4109	3.9961	33.0129
	S	151.211	125.998	119.959	135.429	145.116	136.139	133.244	144.516	136.310
21	T	3.8517	3.4163	4.3393	4.2147	3.9331	4.8202	4.3983	3.9752	32.9488
	S	150.642	126.932	120.044	135.079	144.924	137.065	133.626	145.276	136.576
22	T	3.8546	3.4593	4.3155	4.2043	3.9247	4.8257	4.4311	3.9922	33.0074
	S	150.529	125.354	120.707	135.413	145.234	136.909	132.637	144.657	136.333
23	T	3.8472	3.4291	4.5479	4.2835	3.9719	5.0164	4.4846	4.0077	33.5883
	S	150.818	126.458	114.538	132.910	143.508	131.704	131.055	144.098	133.975
24	T	3.8788	3.5180	4.3251	4.2046	3.9349	4.8045	4.3912	3.9643	33.0214
	S	149.589	123.262	120.439	135.404	144.858	137.513	133.842	145.675	136.275
25	T	3.8375	3.4147	4.3289	4.2133	3.9280	4.8107	4.4039	3.9821	32.9191
	S	151.199	126.991	120.333	135.124	145.112	137.336	133.456	145.024	136.699
26	T	3.8450	3.4144	4.3370	4.2112	3.9297	4.8235	4.4154	3.9889	32.9651
	S	150.904	127.002	120.108	135.191	145.049	136.971	133.109	144.777	136.508
27	T	3.8516	3.4210	4.3451	4.2240	3.9329	4.8345	4.3868	3.9814	32.9773
	S	150.646	126.757	119.884	134.782	144.931	136.660	133.976	145.049	136.458
28	T	3.8327	3.3863	4.3487	4.2160	3.9267	4.8750	4.4173	4.0020	33.0047
	S	151.389	128.056	119.785	135.038	145.160	135.524	133.051	144.303	136.344
29	T	3.8375	3.3618	4.3517	4.2169	3.9261	4.8627	4.3974	3.9764	32.9305
	S	151.199	128.989	119.702	135.009	145.182	135.867	133.653	145.232	136.651
30	T	3.8904	3.5584	4.4327	4.2463	3.9162	5.1100	4.6247	3.9820	33.7607
	S	149.143	121.863	117.515	134.074	145.549	129.292	127.084	145.028	133.291
31	T	3.9319	3.5750	4.3803	4.2080	3.9059	5.0446	4.4227	3.9519	33.4203
	S	147.569	121.297	118.921	135.294	145.933	130.968	132.889	146.132	134.649
32	T	3.8005	3.3767	4.3571	4.2081	3.9173	4.8174	4.4318	3.9843	32.8932
	S	152.671	128.420	119.554	135.291	145.508	137.145	132.616	144.944	136.806
33	T	3.8492	3.4591	4.3258	4.2169	3.9257	4.7720	4.4394	3.9846	32.9727
	S	150.740	125.361	120.419	135.009	145.197	138.450	132.389	144.933	136.477
34	T	3.8916	3.5567	4.4302	4.2593	3.9205	4.8103	4.4611	3.9724	33.3021
	S	149.097	121.921	117.581	133.665	145.390	137.347	131.745	145.378	135.127
35	T	3.8346	3.4346	4.3521	4.2204	3.9239	4.8594	4.4291	3.9809	33.0350
	S	151.314	126.255	119.691	134.897	145.264	135.960	132.697	145.068	136.219
36	T	3.9103	3.5748	4.3529	4.2247	3.9077	4.8749	4.4526	3.9777	33.2756
	S	148.384	121.304	119.669	134.759	145.866	135.527	131.996	145.184	135.234
37	T	3.8936	3.5755	4.4178	4.2381	3.9069	4.8755	4.4575	3.9812	33.3461
	S	149.021	121.280	117.911	134.333	145.896	135.511	131.851	145.057	134.948
38	T	3.8114	3.3800	4.3364	4.2122	3.9282	4.7960	4.4414	3.9634	32.8690
	S	152.235	128.295	120.125	135.159	145.105	137.757	132.329	145.708	136.907

Event: Indy Pro 2000 Oval Challenge of St Louis

Track: World Wide Technology Raceway

Report: Section Data Report

Session: Race

Round 7

1.25 mile(s)



Indy Pro 2000 Championship

August 29, 2020

Section Data for Car 18 - McElrea, Hunter (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	3.8071	3.3679	4.3390	4.2211	3.9260	4.8115	4.4004	3.9570	32.8300
	S	152.407	128.756	120.053	134.874	145.186	137.313	133.562	145.944	137.070
40	T	3.8542	3.5090	4.4082	4.2351	3.9349	4.8237	4.4649	3.9822	33.2122
	S	150.544	123.578	118.168	134.429	144.858	136.966	131.633	145.020	135.492
41	T	3.8278	3.3966	4.3497	4.2100	3.9181	4.7899	4.4108	3.9700	32.8729
	S	151.582	127.668	119.757	135.230	145.479	137.932	133.247	145.466	136.891
42	T	3.8092	3.3995	4.3327	4.1959	3.9211	4.8210	4.3886	3.9678	32.8358
	S	152.323	127.559	120.227	135.684	145.367	137.042	133.921	145.547	137.046
43	T	3.8119	3.3717	4.3172	4.1884	3.9103	4.7664	4.3792	3.9547	32.6998
	S	152.215	128.611	120.659	135.927	145.769	138.612	134.209	146.029	137.616
44	T	3.8166	3.3992	4.2766	4.1747	3.9107	4.7428	4.4251	3.9771	32.7228
	S	152.027	127.570	121.804	136.373	145.754	139.302	132.817	145.206	137.519
45	T	3.8209	3.3833	4.3295	4.2014	3.9140	4.7642	4.3944	3.9606	32.7683
	S	151.856	128.170	120.316	135.507	145.631	138.676	133.745	145.811	137.328
46	T	3.8098	3.3761	4.3065	4.1765	3.9066	4.7722	4.3879	3.9680	32.7036
	S	152.299	128.443	120.959	136.315	145.907	138.444	133.943	145.539	137.600
47	T	3.8199	3.3832	4.3022	4.1930	3.9166	4.7641	4.3697	3.9512	32.6999
	S	151.896	128.173	121.080	135.778	145.534	138.679	134.501	146.158	137.615
48	T	3.8182	3.3890	4.3132	4.1913	3.9078	4.8754	4.4096	3.9669	32.8714
	S	151.964	127.954	120.771	135.833	145.862	135.513	133.284	145.580	136.897
49	T	3.8142	3.3768	4.2787	4.1834	3.9243	4.7343	4.3954	3.9625	32.6696
	S	152.123	128.416	121.745	136.090	145.249	139.552	133.714	145.741	137.743
50	T	3.7994	3.3208	4.3636	4.2076	3.9256	4.7388	4.3956	3.9645	32.7159
	S	152.716	130.582	119.376	135.307	145.201	139.420	133.708	145.668	137.548
51	T	3.8265	3.4188	4.3132	4.1922	3.9153	4.7272	4.3788	3.9555	32.7275
	S	151.634	126.839	120.771	135.804	145.583	139.762	134.221	145.999	137.499
52	T	3.8150	3.4150	4.3058	4.1806	3.9129	4.7391	4.4101	3.9692	32.7477
	S	152.091	126.980	120.978	136.181	145.672	139.411	133.268	145.495	137.414
53	T	3.8138	3.4108	4.3133	4.1948	3.8961	4.8818	4.4315	3.9949	32.9370
	S	152.139	127.136	120.768	135.720	146.300	135.336	132.625	144.559	136.624
54	T	3.8222	3.3943	4.3024	4.1976	3.9083	4.8199	4.4470	4.0070	32.8987
	S	151.805	127.754	121.074	135.629	145.843	137.074	132.163	144.123	136.784
55	T	4.2146								
	S	137.671								

Event: Indy Pro 2000 Oval Challenge of St Louis

Track: World Wide Technology Raceway

Report: Section Data Report

Session: Race

Round 7

1.25 mile(s)



Indy Pro 2000 Championship

August 29, 2020

Section Data for Car 19 - Kaminsky, Colin (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
1	T	4.5413	3.9584	4.6551	4.3464	3.9705	5.2151	4.5705	3.9621	35.2194	61.3319
	S	127.767	109.548	111.901	130.986	143.559	126.686	128.591	145.756	127.770	65.245
2	T			4.5951	4.4206	3.9529	5.1206	4.5615	4.0172	34.1165	
	S			113.362	128.788	144.198	129.024	128.845	143.757	131.901	
3	T			4.4271	4.2217	3.8780	4.9664	4.5295	4.0051	33.3765	
	S			117.664	134.855	146.983	133.030	129.755	144.191	134.825	
4	T	3.8384	3.4757	4.4157	4.2115	3.8945	4.9245	4.5285	3.9988	33.2876	
	S	151.164	124.762	117.968	135.182	146.360	134.162	129.784	144.418	135.185	
5	T			4.5820	4.5395	4.0140	5.1010	4.5777	4.0409	34.2065	
	S			113.686	125.414	142.003	129.520	128.389	142.914	131.554	
6	T	3.8493	3.4790	4.4255	4.2140	3.8976	4.9277	4.5213	4.0306	33.3450	
	S	150.736	124.644	117.706	135.102	146.244	134.075	129.991	143.279	134.953	
7	T	3.8616	3.4417	4.3708	4.2047	3.9031	4.8941	4.4646	3.9995	33.1401	
	S	150.256	125.995	119.179	135.400	146.038	134.996	131.642	144.393	135.787	
8	T	3.8613	3.4437	4.3745	4.2116	3.9090	4.9915	4.4708	4.0006	33.2630	
	S	150.267	125.922	119.079	135.179	145.817	132.361	131.459	144.353	135.285	
9	T	3.8532	3.4377	4.3632	4.1989	3.9040	4.9593	4.4638	3.9901	33.1702	
	S	150.583	126.141	119.387	135.587	146.004	133.221	131.665	144.733	135.664	
10	T	3.8633	3.4408	4.3574	4.1998	3.9111	4.8791	4.4812	3.9988	33.1315	
	S	150.190	126.028	119.546	135.558	145.739	135.411	131.154	144.418	135.822	
11	T			4.3428	4.1960	3.9168	4.8554	4.4517	3.9883	33.0143	
	S			119.948	135.681	145.527	136.072	132.023	144.799	136.305	
12	T			4.3715	4.2041	3.9163	4.8545	4.4713	3.9913	33.0828	
	S			119.160	135.420	145.546	136.097	131.444	144.690	136.022	
13	T	3.8371	3.3988	4.3793	4.2624	3.9466	4.8739	4.4580	4.0025	33.1586	
	S	151.215	127.585	118.948	133.568	144.428	135.555	131.837	144.285	135.711	
14	T	3.8651	3.4550	4.3423	4.2060	3.9183	4.8315	4.4304	3.9874	33.0360	
	S	150.120	125.510	119.962	135.359	145.471	136.745	132.658	144.831	136.215	
15	T	3.8266	3.3964	4.3301	4.1968	3.9228	4.8510	4.4293	3.9763	32.9293	
	S	151.630	127.675	120.300	135.655	145.304	136.195	132.691	145.236	136.656	
16	T	3.8163	3.3714	4.3931	4.2594	3.9534	4.8549	4.4339	3.9860	33.0684	
	S	152.039	128.622	118.574	133.662	144.180	136.086	132.553	144.882	136.082	
17	T	3.8313	3.3967	4.3793	4.2942	3.9684	4.8618	4.4382	3.9893	33.1592	
	S	151.444	127.664	118.948	132.578	143.635	135.892	132.425	144.762	135.709	
18	T	3.8453	3.4024	4.3674	4.2398	3.9477	4.8388	4.4370	3.9872	33.0656	
	S	150.893	127.450	119.272	134.279	144.388	136.538	132.461	144.838	136.093	
19	T	3.8307	3.3741	4.3688	4.2390	3.9457	4.8039	4.4148	3.9783	32.9553	
	S	151.468	128.519	119.234	134.305	144.461	137.530	133.127	145.163	136.549	

Event: Indy Pro 2000 Oval Challenge of St Louis

Track: World Wide Technology Raceway

Report: Section Data Report

Session: Race

Round 7

1.25 mile(s)



Indy Pro 2000 Championship

August 29, 2020

Section Data for Car 19 - Kaminsky, Colin (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	3.8234	3.3745	4.3508	4.2228	3.9391	4.8289	4.4251	3.9835	32.9481
	S	151.757	128.504	119.727	134.820	144.703	136.818	132.817	144.973	136.578
21	T	3.8274	3.3666	4.3918	4.2479	3.9548	4.8347	4.4429	3.9837	33.0498
	S	151.598	128.805	118.609	134.023	144.129	136.654	132.285	144.966	136.158
22	T	3.8220	3.3639	4.3565	4.2226	3.9435	4.8077	4.4340	3.9879	32.9381
	S	151.812	128.909	119.571	134.826	144.542	137.422	132.550	144.813	136.620
23	T	3.8390	3.4153	4.3738	4.2291	3.9342	4.8509	4.4495	4.0003	33.0921
	S	151.140	126.969	119.098	134.619	144.883	136.198	132.088	144.364	135.984
24	T	3.8402	3.3890	4.3514	4.2286	3.9428	4.8069	4.4229	3.9796	32.9614
	S	151.093	127.954	119.711	134.635	144.567	137.444	132.883	145.115	136.523
25	T	3.8198	3.3731	4.3640	4.2349	3.9406	4.8295	4.4276	3.9846	32.9741
	S	151.900	128.557	119.365	134.435	144.648	136.801	132.742	144.933	136.471
26	T	3.8164	3.3640	4.3694	4.2357	3.9299	4.8475	4.4456	3.9876	32.9961
	S	152.035	128.905	119.218	134.409	145.042	136.293	132.204	144.824	136.380
27	T	3.8443	3.5096	4.5013	4.2323	3.8885	5.2405	4.9935	4.1886	34.3986
	S	150.932	123.557	115.724	134.517	146.586	126.072	117.698	137.874	130.819
28	T	3.9055	3.4707	4.4422	4.2533	3.9422	4.8658	4.4380	3.9745	33.2922
	S	148.567	124.942	117.264	133.853	144.589	135.781	132.431	145.301	135.167
29	T	3.8213	3.4062	4.3554	4.2284	3.9333	4.8560	4.4984	4.0449	33.1439
	S	151.840	127.308	119.601	134.642	144.916	136.055	130.653	142.772	135.772
30	T	3.8674	3.4338	4.4352	4.2832	3.9539	4.7943	4.5174	4.0061	33.2913
	S	150.030	126.285	117.449	132.919	144.161	137.806	130.103	144.155	135.170
31	T	3.8180	3.3439	4.4326	4.2424	3.9314	5.1999	4.5836	4.0959	33.6477
	S	151.972	129.680	117.518	134.197	144.987	127.057	128.224	140.995	133.739
32	T	4.0095	3.5415	4.4164	4.2407	3.9319	4.9033	4.4571	3.9933	33.4937
	S	144.713	122.444	117.949	134.251	144.968	134.742	131.863	144.617	134.354
33	T	3.8347	3.3975	4.3585	4.1888	3.9182	4.9276	4.4608	3.9806	33.0667
	S	151.310	127.634	119.516	135.914	145.475	134.078	131.754	145.079	136.089
34	T	3.8521	3.4365	4.3914	4.2403	3.9317	5.0006	4.4721	3.9972	33.3219
	S	150.626	126.185	118.620	134.264	144.975	132.121	131.421	144.476	135.046
35	T	3.8260	3.6722	4.4043	4.2050	3.9070	5.0837	4.5137	3.9903	33.6022
	S	151.654	118.086	118.273	135.391	145.892	129.961	130.210	144.726	133.920
36	T	3.8784	3.5239	4.4046	4.2154	3.9396	5.0899	4.4770	3.9841	33.5129
	S	149.605	123.056	118.265	135.057	144.685	129.803	131.277	144.951	134.277
37	T	3.8233	3.3828	4.4717	4.2623	3.9514	5.0026	4.4927	3.9841	33.3709
	S	151.761	128.189	116.490	133.571	144.253	132.068	130.818	144.951	134.848
38	T	3.8295	3.4354	4.4012	4.2080	3.8975	4.9905	4.4571	4.0105	33.2297
	S	151.515	126.226	118.356	135.294	146.248	132.388	131.863	143.997	135.421

Event: Indy Pro 2000 Oval Challenge of St Louis

Track: World Wide Technology Raceway

Report: Section Data Report

Session: Race

Round 7

1.25 mile(s)



Indy Pro 2000 Championship

August 29, 2020

Section Data for Car 19 - Kaminsky, Colin (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
39	T	3.8541	3.3991	4.3575	4.2306	3.9507	4.7737	4.4081	3.9738	32.9476	
	S	150.548	127.574	119.543	134.571	144.278	138.400	133.329	145.327	136.581	
40	T	3.8271	3.3760	4.3403	4.2243	3.9474	4.7628	4.4486	4.0056	32.9321	
	S	151.610	128.447	120.017	134.772	144.399	138.717	132.115	144.173	136.645	
41	T	3.8518	3.3944	4.3859	4.2284	3.9391	5.2288	4.7565	4.0751	33.8600	
	S	150.638	127.751	118.769	134.642	144.703	126.354	123.563	141.714	132.900	
42	T	3.9195	3.4896	4.3981	4.2255	3.9272	4.8782	4.4518	3.9868	33.2767	
	S	148.036	124.265	118.440	134.734	145.142	135.436	132.020	144.853	135.230	
43	T	3.8211	3.3626	4.3652	4.2223	3.9289	4.8236	4.4599	3.9799	32.9635	
	S	151.848	128.959	119.332	134.836	145.079	136.969	131.780	145.104	136.515	
44	T	3.8123	3.3438	4.3580	4.2227	3.9320	4.8578	4.4137	3.9878	32.9281	
	S	152.199	129.684	119.529	134.823	144.964	136.004	133.160	144.817	136.661	
45	T	3.8220	3.3520	4.3517	4.2553	3.9476	4.8466	4.4519	4.0105	33.0376	
	S	151.812	129.366	119.702	133.790	144.392	136.319	132.017	143.997	136.208	
46	T	3.8410	3.3653	4.3431	4.2086	3.9259	4.8179	4.4104	3.9754	32.8876	
	S	151.062	128.855	119.939	135.275	145.190	137.131	133.259	145.268	136.830	
47	T	3.8211	3.3537	4.3660	4.2232	3.9397	4.7880	4.4105	3.9784	32.8806	
	S	151.848	129.301	119.310	134.807	144.681	137.987	133.256	145.159	136.859	
48	T	3.8311	3.3714	4.3454	4.2173	3.9356	4.7800	4.4077	3.9764	32.8649	
	S	151.452	128.622	119.876	134.996	144.832	138.218	133.341	145.232	136.924	
49	T	3.8321	3.3630	4.3540	4.2210	3.9462	4.7884	4.4062	3.9756	32.8865	
	S	151.412	128.943	119.639	134.878	144.443	137.975	133.386	145.261	136.834	
50	T	3.8270	3.3602	4.3896	4.2482	3.9468	4.7857	4.4156	4.7894	33.7625	
	S	151.614	129.051	118.669	134.014	144.421	138.053	133.102	120.579	133.284	
51	T	4.8356	3.7209	4.4106	4.2404	3.9458	4.9929	4.4475	3.9971	34.5908	
	S	119.991	116.541	118.104	134.260	144.457	132.324	132.148	144.480	130.092	
52	T	3.8426	3.3781	4.3827	4.2255	3.9361	4.7939	4.4468	3.9884	32.9941	
	S	150.999	128.367	118.856	134.734	144.813	137.817	132.169	144.795	136.388	
53	T	3.8330	3.3801	4.3530	4.1973	3.9162	4.7650	4.4173	3.9910	32.8529	
	S	151.377	128.291	119.667	135.639	145.549	138.653	133.051	144.701	136.974	
54	T	4.5555	4.8491	6.1456	7.5349						
	S	127.369	89.426	84.761	75.557						

Event: Indy Pro 2000 Oval Challenge of St Louis**Track:** World Wide Technology Raceway**Report:** Section Data Report**Session:** Race**Round 7****1.25 mile(s)****Indy Pro 2000 Championship****August 29, 2020****Section Data for Car 2 - Robb, Sting Ray**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
1	T	4.4557	3.6088	4.3846	4.1804	3.8240	4.9866	4.4903	4.0278	33.9582	66.6174
	S	130.221	120.161	118.804	136.187	149.059	132.491	130.888	143.379	132.516	60.068
2	T	3.7647	3.5256	4.3374	4.1201	3.8145	4.7780	4.3659	3.9192	32.6254	
	S	154.123	122.996	120.097	138.181	149.430	138.276	134.618	147.352	137.929	
3	T			4.3013	4.1166	3.8236	4.6840	4.2955	3.8899	32.1547	
	S			121.105	138.298	149.074	141.051	136.824	148.461	139.948	
4	T			4.3076	4.1222	3.8233	4.7236	4.2384	3.8385	32.1035	
	S			120.928	138.110	149.086	139.868	138.667	150.449	140.172	
5	T	3.6841	3.3811	4.3290	4.1128	3.8181	4.6165	4.2960	3.8636	32.1012	
	S	157.495	128.253	120.330	138.426	149.289	143.113	136.808	149.472	140.182	
6	T			4.2487	4.0574	3.7494	4.8277	4.3431	3.9851	32.2756	
	S			122.604	140.316	152.024	136.852	135.324	144.915	139.424	
7	T	3.8192	3.3137	4.2557	4.1613	3.8846	4.6795	4.3207	3.8974	32.3321	
	S	151.924	130.862	122.403	136.813	146.733	141.186	136.026	148.176	139.181	
8	T			4.2189	4.1011	3.8625	4.5748	4.2138	3.8690	31.8200	
	S			123.470	138.821	147.573	144.418	139.477	149.263	141.420	
9	T			4.1619	4.0899	3.8565	4.5741	4.1927	3.8602	31.6959	
	S			125.161	139.201	147.802	144.440	140.179	149.604	141.974	
10	T	3.7192	3.2494	4.2166	4.0947	3.8395	4.6219	4.2722	3.8774	31.8909	
	S	156.009	133.451	123.538	139.038	148.457	142.946	137.570	148.940	141.106	
11	T			4.2219	4.1102	3.8470	4.6640	4.2730	3.9067	32.0532	
	S			123.383	138.513	148.167	141.656	137.544	147.823	140.392	
12	T			4.1523	4.0559	3.8104	4.6117	4.2386	3.8569	31.7016	
	S			125.451	140.368	149.591	143.262	138.661	149.732	141.949	
13	T			4.2288	4.0798	3.8079	4.6324	4.3058	3.8875	31.9051	
	S			123.181	139.546	149.689	142.622	136.497	148.553	141.043	
14	T	3.7103	3.2363	4.2153	4.0690	3.7876	4.7329	4.2952	3.8905	31.9371	
	S	156.383	133.991	123.576	139.916	150.491	139.593	136.834	148.439	140.902	
15	T	3.7131	3.2601	4.2457	4.0924	3.8180	4.6113	4.3505	3.8942	31.9853	
	S	156.265	133.013	122.691	139.116	149.293	143.275	135.094	148.297	140.690	
16	T	3.7112	3.2689	4.2565	4.0935	3.8383	4.7058	4.3076	3.8903	32.0721	
	S	156.345	132.655	122.380	139.079	148.503	140.397	136.440	148.446	140.309	
17	T	3.7623	3.3552	4.3123	4.0816	3.7894	4.7396	4.3473	3.9024	32.2901	
	S	154.221	129.243	120.796	139.484	150.420	139.396	135.194	147.986	139.362	
18	T	3.7086	3.3473	4.3010	4.0956	3.8033	4.6461	4.2643	3.8460	32.0122	
	S	156.455	129.548	121.113	139.007	149.870	142.201	137.825	150.156	140.571	
19	T	3.6750	3.3373	4.2010	4.0780	3.8066	4.6775	4.3183	3.8871	31.9808	
	S	157.885	129.936	123.996	139.607	149.740	141.247	136.102	148.568	140.709	

Event: Indy Pro 2000 Oval Challenge of St Louis

Track: World Wide Technology Raceway

Report: Section Data Report

Session: Race

Round 7

1.25 mile(s)



Indy Pro 2000 Championship

August 29, 2020

Section Data for Car 2 - Robb, Sting Ray

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	3.6880	3.3182	4.2213	4.0784	3.8253	4.6231	4.2933	3.8750	31.9226
	S	157.328	130.684	123.400	139.594	149.008	142.909	136.894	149.032	140.966
21	T	3.6961	3.2405	4.1216	4.0632	3.7996	4.7250	4.2862	3.8716	31.8038
	S	156.984	133.818	126.385	140.116	150.016	139.827	137.121	149.163	141.493
22	T	3.6958	3.2696	4.1548	4.0735	3.8173	4.6609	4.2644	3.8550	31.7913
	S	156.996	132.627	125.375	139.761	149.320	141.750	137.822	149.805	141.548
23	T	3.6908	3.2660	4.1367	4.0542	3.7993	4.6788	4.2521	3.8623	31.7402
	S	157.209	132.773	125.924	140.427	150.028	141.208	138.220	149.522	141.776
24	T	3.6899	3.2722	4.1771	4.0812	3.8081	4.6221	4.3228	3.8725	31.8459
	S	157.247	132.521	124.706	139.498	149.681	142.940	135.960	149.128	141.305
25	T	3.6807	3.2579	4.2667	4.0709	3.7847	4.5987	4.2413	3.8338	31.7347
	S	157.640	133.103	122.087	139.851	150.606	143.667	138.572	150.634	141.801
26	T	3.6351	3.2170	4.3855	4.2342	3.8444	4.7472	4.3249	3.8404	32.2287
	S	159.618	134.795	118.780	134.457	148.268	139.173	135.894	150.375	139.627
27	T	3.6984	3.2107	4.2237	4.1057	3.8416	4.6214	4.2396	3.8659	31.8070
	S	156.886	135.060	123.330	138.665	148.376	142.961	138.628	149.383	141.478
28	T	3.7076	3.4020	4.4338	4.2732	3.9625	5.0024	4.3920	3.9113	33.0848
	S	156.497	127.465	117.486	133.230	143.849	132.073	133.818	147.649	136.014
29	T	3.6980	3.3702	4.1913	4.0137	3.7472	4.6896	4.2908	3.9428	31.9436
	S	156.903	128.668	124.283	141.844	152.114	140.882	136.974	146.470	140.873
30	T	3.7607	3.4322	4.3524	4.1358	3.8586	4.6180	4.2312	3.8371	32.2260
	S	154.287	126.344	119.683	137.656	147.722	143.067	138.903	150.504	139.639
31	T	3.6801	3.3033	4.1732	4.0514	3.7806	4.8811	4.4091	3.9739	32.2527
	S	157.666	131.274	124.822	140.524	150.770	135.355	133.299	145.323	139.523
32	T	3.7844	3.2722	4.2855	4.1435	3.9081	4.6749	4.2363	3.8785	32.1834
	S	153.321	132.521	121.552	137.400	145.851	141.325	138.736	148.898	139.824
33	T	3.7182	3.2384	4.1423	4.0893	3.8686	4.6076	4.2313	3.8747	31.7704
	S	156.051	133.905	125.754	139.221	147.340	143.390	138.900	149.044	141.641
34	T	3.7168	3.2429	4.1350	4.0836	3.8468	4.5926	4.2154	3.8451	31.6782
	S	156.109	133.719	125.976	139.416	148.175	143.858	139.424	150.191	142.054
35	T	3.6847	3.2517	4.1681	4.0846	3.8380	4.6120	4.2741	3.8716	31.7848
	S	157.469	133.357	124.975	139.382	148.515	143.253	137.509	149.163	141.577
36	T	3.6988	3.2527	4.1803	4.0925	3.8493	4.6113	4.2651	3.8680	31.8180
	S	156.869	133.316	124.610	139.113	148.079	143.275	137.799	149.302	141.429
37	T	3.7011	3.2666	4.1144	4.0548	3.8151	4.6505	4.2733	3.8680	31.7438
	S	156.772	132.749	126.606	140.406	149.406	142.067	137.535	149.302	141.760
38	T	3.6903	3.2484	4.2032	4.0784	3.8161	4.6393	4.2534	3.8557	31.7848
	S	157.230	133.492	123.932	139.594	149.367	142.410	138.178	149.778	141.577

Event: Indy Pro 2000 Oval Challenge of St Louis

Track: World Wide Technology Raceway

Report: Section Data Report

Session: Race

Round 7

1.25 mile(s)



Indy Pro 2000 Championship

August 29, 2020

Section Data for Car 2 - Robb, Sting Ray

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	3.6753	3.3408	4.2451	4.0915	3.8045	4.7222	4.2360	3.8134	31.9288
	S	157.872	129.800	122.708	139.147	149.823	139.910	138.746	151.440	140.939
40	T	3.6575	3.3614	4.2637	4.1356	3.8727	4.7074	4.2823	3.8821	32.1627
	S	158.640	129.005	122.173	137.663	147.184	140.350	137.246	148.760	139.914
41	T	3.7162	3.2920	4.2377	4.0865	3.8468	4.6149	4.2790	3.8640	31.9371
	S	156.135	131.724	122.923	139.317	148.175	143.163	137.352	149.457	140.902
42	T	3.6866	3.2610	4.2054	4.0739	3.8350	4.5858	4.2282	3.8573	31.7332
	S	157.388	132.976	123.867	139.748	148.631	144.071	139.002	149.716	141.807
43	T	3.6941	3.2785	4.2409	4.1077	3.8503	4.5879	4.2196	3.8484	31.8274
	S	157.069	132.267	122.830	138.598	148.040	144.005	139.285	150.062	141.388
44	T	3.6824	3.2852	4.1618	4.0724	3.8219	4.6200	4.2216	3.8553	31.7206
	S	157.568	131.997	125.164	139.799	149.140	143.005	139.219	149.794	141.864
45	T	3.6789	3.3845	4.2006	4.0861	3.8212	4.6329	4.2961	3.8954	31.9957
	S	157.718	128.124	124.008	139.330	149.168	142.607	136.805	148.252	140.644
46	T	3.7087	3.2254	4.2923	4.1295	3.8856	4.7075	4.2531	3.8758	32.0779
	S	156.450	134.444	121.359	137.866	146.695	140.347	138.188	149.001	140.283
47	T	3.7004	3.2143	4.1792	4.0999	3.8450	4.6001	4.2049	3.8323	31.6761
	S	156.801	134.908	124.643	138.861	148.244	143.623	139.772	150.693	142.063
48	T	3.6700	3.2563	4.2239	4.0682	3.8114	4.6735	4.3963	3.9312	32.0308
	S	158.100	133.168	123.324	139.944	149.551	141.368	133.687	146.902	140.490
49	T	3.6664	3.2420	4.2509	4.0770	3.7566	4.6477	4.2610	3.8574	31.7590
	S	158.255	133.756	122.541	139.641	151.733	142.152	137.932	149.712	141.692
50	T	3.6429	3.2845	4.2328	4.0639	3.7539	4.6714	4.2815	3.8643	31.7952
	S	159.276	132.025	123.065	140.092	151.842	141.431	137.271	149.445	141.531
51	T	3.7002	3.2658	4.1493	4.0626	3.7970	4.6651	4.2934	3.8721	31.8055
	S	156.810	132.781	125.541	140.136	150.119	141.622	136.891	149.144	141.485
52	T	3.6765	3.3108	4.2997	4.1314	3.8326	4.6147	4.2364	3.8863	31.9884
	S	157.821	130.976	121.150	137.803	148.724	143.169	138.733	148.599	140.676
53	T	3.7085	3.3493	4.1561	4.0878	3.8540	4.5858	4.2272	3.8540	31.8227
	S	156.459	129.471	125.336	139.273	147.898	144.071	139.035	149.844	141.408
54	T	3.6893	3.2553	4.1400	4.0388	3.7987	4.6548	4.2839	3.8524	31.7132
	S	157.273	133.209	125.823	140.962	150.051	141.936	137.194	149.907	141.897
55	T	3.6792	3.2982	4.1752	4.0540	3.7804	4.6640	4.2963	3.9255	31.8728
	S	157.705	131.477	124.763	140.434	150.778	141.656	136.798	147.115	141.186
56	T	4.2632	4.4718	6.9179	8.0279					
	S	136.101	96.971	75.299	70.917					

Event: Indy Pro 2000 Oval Challenge of St Louis

Track: World Wide Technology Raceway

Report: Section Data Report

Session: Race

Round 7

1.25 mile(s)



Indy Pro 2000 Championship

August 29, 2020

Section Data for Car 20 - Swanson, Kody (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
1	T		4.5805	4.2117	3.9046	5.2151	4.6090	4.0293	34.9265	58.0490
	S		113.723	135.175	145.982	126.686	127.517	143.325	128.842	68.935
2	T		4.5814	4.2610	3.9027	5.1118	4.5900	4.0093	33.9507	
	S		113.701	133.611	146.053	129.246	128.045	144.040	132.545	
3	T		4.4414	4.1827	3.8752	4.9879	4.5325	4.0035	33.4071	
	S		117.285	136.113	147.089	132.457	129.670	144.249	134.702	
4	T	3.7983	3.5037	4.4508	4.2009	3.8813	4.9935	4.4540	4.0223	33.3048
	S	152.760	123.765	117.037	135.523	146.858	132.308	131.955	143.575	135.116
5	T		4.3950	4.2889	4.0066	5.0019	4.4058	3.9952	33.4811	
	S		118.523	132.742	142.265	132.086	133.399	144.548	134.404	
6	T	3.8537	3.4567	4.2351	4.1423	3.9058	4.8869	4.3728	3.9770	32.8303
	S	150.564	125.448	122.998	137.440	145.937	135.194	134.405	145.210	137.069
7	T		4.3707	4.2186	3.9474	4.9407	4.4539	4.0155	33.2306	
	S		119.182	134.954	144.399	133.722	131.958	143.818	135.417	
8	T	3.8545	3.5439	4.4015	4.2455	3.9815	4.9432	4.3952	4.0065	33.3718
	S	150.532	122.361	118.348	134.099	143.162	133.655	133.720	144.141	134.844
9	T	3.8660	3.4908	4.2773	4.1950	3.9360	4.9775	4.3825	3.9976	33.1227
	S	150.085	124.223	121.785	135.714	144.817	132.734	134.108	144.462	135.858
10	T	3.8600	3.4975	4.2297	4.1681	3.9478	4.9230	4.3598	3.9807	32.9666
	S	150.318	123.985	123.155	136.589	144.384	134.203	134.806	145.075	136.502
11	T		4.3108	4.2007	3.9608	4.9062	4.3713	3.9862	33.0340	
	S		120.838	135.529	143.910	134.663	134.451	144.875	136.223	
12	T		4.2405	4.1686	3.9557	4.8721	4.3810	3.9823	32.9332	
	S		122.841	136.573	144.096	135.605	134.154	145.017	136.640	
13	T	3.8447	3.4313	4.2673	4.1811	3.9484	4.9038	4.4195	4.0019	32.9980
	S	150.916	126.377	122.070	136.165	144.362	134.729	132.985	144.306	136.372
14	T	3.8642	3.4268	4.2268	4.1542	3.9422	4.9214	4.3428	3.9639	32.8423
	S	150.155	126.543	123.240	137.046	144.589	134.247	135.334	145.690	137.018
15	T	3.8318	3.4523	4.2369	4.1679	3.9413	4.8957	4.3622	3.9609	32.8490
	S	151.424	125.608	122.946	136.596	144.622	134.951	134.732	145.800	136.990
16	T	3.8463	3.4155	4.2924	4.1825	3.9430	4.9354	4.3596	3.9729	32.9476
	S	150.853	126.961	121.356	136.119	144.560	133.866	134.812	145.360	136.581
17	T	3.8418	3.4253	4.2714	4.1831	3.9562	4.8932	4.3197	3.9634	32.8541
	S	151.030	126.598	121.953	136.100	144.078	135.020	136.057	145.708	136.969
18	T	3.8161	3.3973	4.2401	4.1648	3.9424	4.8489	4.3199	3.9557	32.6852
	S	152.047	127.641	122.853	136.698	144.582	136.254	136.051	145.992	137.677
19	T	3.8091	3.4226	4.2481	4.1671	3.9265	4.9486	4.3798	3.9719	32.8737
	S	152.327	126.698	122.622	136.622	145.167	133.509	134.190	145.396	136.888

Event: Indy Pro 2000 Oval Challenge of St Louis**Track:** World Wide Technology Raceway**Report:** Section Data Report**Session:** Race**Round 7****1.25 mile(s)****Indy Pro 2000 Championship****August 29, 2020****Section Data for Car 20 - Swanson, Kody (R)**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	3.8205	3.4302	4.2245	4.1528	3.9089	4.8920	4.4043	3.9756	32.8088
	S	151.872	126.417	123.307	137.093	145.821	135.054	133.444	145.261	137.158
21	T	3.8096	3.4542	4.2692	4.1604	3.8919	4.8898	4.3813	3.9821	32.8385
	S	152.307	125.539	122.016	136.842	146.458	135.114	134.144	145.024	137.034
22	T	3.8362	3.4569	4.3249	4.1674	3.8848	4.9191	4.3880	3.9276	32.9049
	S	151.251	125.441	120.444	136.612	146.726	134.309	133.940	147.036	136.758
23	T	3.7715	3.5726	4.3745	4.3018	4.0391	5.0236	4.4754	4.0664	33.6249
	S	153.845	121.378	119.079	132.344	141.121	131.516	131.324	142.018	133.829
24	T	3.8757	3.5118	4.5006	4.3093	3.9833	4.9049	4.4576	4.0064	33.5496
	S	149.709	123.480	115.742	132.114	143.097	134.698	131.848	144.144	134.130
25	T	3.8441	3.4108	4.3470	4.2278	3.9899	4.9532	4.4330	4.0069	33.2127
	S	150.940	127.136	119.832	134.661	142.861	133.385	132.580	144.126	135.490
26	T	3.8511	3.4711	4.2974	4.2132	3.9797	4.9485	4.4147	4.0020	33.1777
	S	150.665	124.928	121.215	135.127	143.227	133.512	133.130	144.303	135.633
27	T	3.8422	3.4726	4.2835	4.2021	3.9796	4.8807	4.3718	3.9885	33.0210
	S	151.014	124.874	121.608	135.484	143.230	135.366	134.436	144.791	136.277
28	T	3.8471	3.4723	4.4057	4.2649	4.0336	5.0736	4.3854	3.9816	33.4642
	S	150.822	124.884	118.235	133.489	141.313	130.220	134.019	145.042	134.472
29	T	3.8982	3.8204	4.5086	4.1862	3.8990	4.8840	4.3537	3.9512	33.5013
	S	148.845	113.505	115.537	135.999	146.191	135.275	134.995	146.158	134.323
30	T	3.8154	3.4539	4.3353	4.2272	3.9781	4.9414	4.4078	3.9958	33.1549
	S	152.075	125.550	120.155	134.680	143.284	133.703	133.338	144.527	135.727
31	T	3.8423	3.4242	4.2163	4.1466	3.9032	4.9988	4.3990	3.9754	32.9058
	S	151.010	126.639	123.546	137.298	146.034	132.168	133.605	145.268	136.754
32	T	3.8926	3.5650	4.2955	4.1583	3.9081	4.8914	4.3269	3.9423	32.9801
	S	149.059	121.637	121.269	136.911	145.851	135.070	135.831	146.488	136.446
33	T	3.8038	3.5649	4.3131	4.2120	3.9797	4.9906	4.3827	3.9947	33.2415
	S	152.539	121.641	120.774	135.166	143.227	132.385	134.102	144.567	135.373
34	T	3.8353	3.4498	4.3321	4.2303	4.0034	5.0885	4.4045	3.9569	33.3008
	S	151.286	125.699	120.244	134.581	142.379	129.838	133.438	145.948	135.132
35	T	3.8056	3.4368	4.2786	4.2004	3.9943	5.1055	4.4365	3.9664	33.2241
	S	152.467	126.174	121.748	135.539	142.703	129.406	132.475	145.598	135.444
36	T	3.7954	3.4639	4.2485	4.1770	3.9429	4.9178	4.3446	3.9508	32.8409
	S	152.876	125.187	122.610	136.298	144.564	134.345	135.278	146.173	137.024
37	T	3.8195	3.3960	4.2517	4.1613	3.9479	4.9064	4.3916	3.9698	32.8442
	S	151.912	127.690	122.518	136.813	144.381	134.657	133.830	145.473	137.010
38	T	3.8358	3.4535	4.3211	4.2228	3.9886	4.9135	4.3538	3.9572	33.0463
	S	151.266	125.564	120.550	134.820	142.907	134.463	134.992	145.937	136.173

Event: Indy Pro 2000 Oval Challenge of St Louis

Track: World Wide Technology Raceway

Report: Section Data Report

Session: Race

Round 7

1.25 mile(s)



Indy Pro 2000 Championship

August 29, 2020

Section Data for Car 20 - Swanson, Kody (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	3.8997	3.5310	4.2524	4.1668	3.9541	4.9492	4.3612	3.9575	33.0719
	S	148.788	122.808	122.498	136.632	144.154	133.493	134.763	145.925	136.067
40	T	3.8173	3.4344	4.2300	4.1877	3.9807	4.8714	4.3374	3.9557	32.8146
	S	151.999	126.263	123.146	135.950	143.191	135.625	135.502	145.992	137.134
41	T	3.8175	3.4016	4.2394	4.1726	3.9508	4.8798	4.3460	3.9666	32.7743
	S	151.991	127.480	122.873	136.442	144.275	135.391	135.234	145.591	137.303
42	T	3.8176	3.4137	4.1951	4.1589	3.9460	4.8598	4.3201	3.9446	32.6558
	S	151.987	127.028	124.171	136.892	144.450	135.948	136.045	146.403	137.801
43	T	3.7941	3.4039	4.2151	4.1537	3.9142	4.8653	4.3296	3.9414	32.6173
	S	152.929	127.394	123.582	137.063	145.624	135.795	135.746	146.522	137.964
44	T	3.7924	3.4293	4.3325	4.2063	3.9640	4.9000	4.3488	3.9527	32.9260
	S	152.997	126.450	120.233	135.349	143.794	134.833	135.147	146.103	136.670
45	T	3.8104	3.4283	4.1884	4.1465	3.9243	4.8708	4.3272	3.9502	32.6461
	S	152.275	126.487	124.369	137.301	145.249	135.641	135.822	146.195	137.842
46	T	3.8022	3.4424	4.1637	4.1313	3.9033	4.8385	4.3453	3.9490	32.5757
	S	152.603	125.969	125.107	137.806	146.030	136.547	135.256	146.240	138.140
47	T	3.7962	3.3903	4.2645	4.1582	3.9011	4.8655	4.3448	3.9340	32.6546
	S	152.844	127.905	122.150	136.915	146.113	135.789	135.271	146.797	137.806
48	T	3.7858	3.3929	4.2399	4.1257	3.8859	4.8833	4.4868	4.0335	32.8338
	S	153.264	127.807	122.859	137.993	146.684	135.294	130.990	143.176	137.054
49	T	3.8399	3.4407	4.2304	4.1538	3.9311	4.8649	4.3484	3.9445	32.7537
	S	151.105	126.031	123.135	137.060	144.998	135.806	135.159	146.406	137.389
50	T	3.7873	3.4024	4.2749	4.1550	3.9204	4.7969	4.2776	3.9230	32.5375
	S	153.203	127.450	121.853	137.020	145.393	137.731	137.397	147.209	138.302
51	T	3.7773	3.4847	4.3542	4.2271	3.9405	4.8181	4.3433	3.9785	32.9237
	S	153.609	124.440	119.634	134.683	144.652	137.125	135.318	145.155	136.680
52	T	3.8247	3.4334	4.2237	4.1594	3.9098	4.7777	4.3626	3.9409	32.6322
	S	151.705	126.299	123.330	136.875	145.788	138.284	134.719	146.540	137.901
53	T	3.7972	3.4952	4.2253	4.1283	3.8673	4.9438	4.4324	3.9657	32.8552
	S	152.804	124.066	123.283	137.906	147.390	133.638	132.598	145.624	136.965
54	T	3.8020	3.4778	4.2793	4.1708	3.9752	4.9226	4.3546	3.9606	32.9429
	S	152.611	124.687	121.728	136.501	143.389	134.214	134.967	145.811	136.600
55	T	4.2050								
	S	137.985								

Event: Indy Pro 2000 Oval Challenge of St Louis

Track: World Wide Technology Raceway

Report: Section Data Report

Session: Race

Round 7

1.25 mile(s)



Indy Pro 2000 Championship

August 29, 2020

Section Data for Car 3 - Comeau, Antoine

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
1	T	4.4795	4.0127	4.5726	4.2557	3.9423	5.2378	4.5118	4.0969	35.1093	59.2121
	S	129.529	108.066	113.920	133.778	144.586	126.137	130.264	140.960	128.171	67.581
2	T	3.8767	3.5260	4.4453	4.2829	3.9144	4.8616	4.4880	3.9888	33.3837	
	S	149.670	122.983	117.182	132.928	145.616	135.898	130.955	144.780	134.796	
3	T	3.7931	3.4148	4.3482	4.1280	3.8555	4.8339	4.3253	3.9488	32.6476	
	S	152.969	126.987	119.799	137.916	147.841	136.677	135.881	146.247	137.836	
4	T	3.7817	3.3782	4.2226	4.1439	3.8765	4.7672	4.2973	3.9246	32.3920	
	S	153.430	128.363	123.362	137.387	147.040	138.589	136.767	147.149	138.923	
5	T			4.2024	4.1339	3.8564	4.7655	4.3251	3.9295	32.3748	
	S			123.955	137.719	147.806	138.639	135.888	146.965	138.997	
6	T	3.7589	3.3767	4.2021	4.1214	3.8594	4.7655	4.2889	3.9054	32.2783	
	S	154.361	128.420	123.964	138.137	147.691	138.639	137.035	147.872	139.413	
7	T			4.2052	4.0947	3.8181	4.7418	4.2677	3.8745	32.1360	
	S			123.873	139.038	149.289	139.331	137.715	149.051	140.030	
8	T			4.1801	4.0891	3.8168	4.9219	4.3439	3.9457	32.4183	
	S			124.616	139.228	149.340	134.233	135.299	146.362	138.810	
9	T			4.1929	4.0497	3.7849	4.7929	4.3381	3.9549	32.3558	
	S			124.236	140.583	150.598	137.846	135.480	146.021	139.079	
10	T	3.7964	3.3395	4.1611	4.1368	3.8945	4.7027	4.2690	3.9211	32.2211	
	S	152.836	129.851	125.185	137.623	146.360	140.490	137.673	147.280	139.660	
11	T			4.1580	4.1457	3.8925	4.6460	4.2455	3.9026	32.0847	
	S			125.279	137.327	146.435	142.204	138.435	147.978	140.254	
12	T	3.7714	3.3223	4.2142	4.1495	3.8733	4.6818	4.2609	3.9126	32.1860	
	S	153.849	130.523	123.608	137.202	147.161	141.117	137.935	147.600	139.812	
13	T	3.7815	3.3206	4.1653	4.1379	3.8985	4.6750	4.2720	3.9129	32.1637	
	S	153.438	130.590	125.059	137.586	146.210	141.322	137.577	147.589	139.909	
14	T	3.7709	3.2888	4.1480	4.1295	3.8921	4.6632	4.2511	3.8955	32.0391	
	S	153.870	131.852	125.581	137.866	146.451	141.680	138.253	148.248	140.453	
15	T	3.7647	3.2653	4.2384	4.1589	3.8921	4.6570	4.2311	3.9033	32.1108	
	S	154.123	132.801	122.902	136.892	146.451	141.869	138.906	147.952	140.140	
16	T	3.7673	3.3136	4.1950	4.1514	3.8939	4.6723	4.3036	3.9435	32.2406	
	S	154.017	130.866	124.174	137.139	146.383	141.404	136.566	146.444	139.576	
17	T	3.8158	3.3355	4.1938	4.1326	3.8928	4.6771	4.2637	3.9132	32.2245	
	S	152.059	130.006	124.209	137.763	146.424	141.259	137.844	147.577	139.645	
18	T	3.7909	3.3134	4.1930	4.1405	3.9034	4.8702	4.3502	4.0031	32.5647	
	S	153.058	130.874	124.233	137.500	146.027	135.658	135.104	144.263	138.186	
19	T	3.8328	3.3524	4.1831	4.1624	3.9290	4.7159	4.2626	3.9274	32.3656	
	S	151.385	129.351	124.527	136.776	145.075	140.097	137.880	147.044	139.037	

Event: Indy Pro 2000 Oval Challenge of St Louis

Track: World Wide Technology Raceway

Report: Section Data Report

Session: Race

Round 7

1.25 mile(s)



Indy Pro 2000 Championship

August 29, 2020

Section Data for Car 3 - Comeau, Antoine

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	3.7903	3.3027	4.1449	4.1506	3.9174	4.6731	4.2567	3.9126	32.1483
	S	153.082	131.298	125.675	137.165	145.505	141.380	138.071	147.600	139.976
21	T	3.7882	3.3023	4.1490	4.1313	3.9022	4.7055	4.2757	3.9347	32.1889
	S	153.167	131.313	125.551	137.806	146.071	140.406	137.458	146.771	139.800
22	T	3.7953	3.2591	4.1319	4.1297	3.9183	4.6956	4.2641	3.9313	32.1253
	S	152.880	133.054	126.070	137.859	145.471	140.702	137.831	146.898	140.077
23	T	3.8109	3.3454	4.1772	4.1585	3.9211	4.6652	4.2455	3.9157	32.2395
	S	152.255	129.622	124.703	136.905	145.367	141.619	138.435	147.483	139.580
24	T	3.7947	3.3154	4.2110	4.1826	3.9332	4.6887	4.2673	3.9276	32.3205
	S	152.905	130.795	123.702	136.116	144.920	140.909	137.728	147.036	139.231
25	T	3.7953	3.3535	4.2479	4.1962	3.9426	4.6826	4.2703	3.9287	32.4171
	S	152.880	129.309	122.627	135.675	144.575	141.093	137.631	146.995	138.816
26	T	3.8113	3.3184	4.1747	4.1606	3.9169	4.7424	4.3377	3.9769	32.4389
	S	152.239	130.676	124.778	136.836	145.523	139.314	135.493	145.214	138.722
27	T	3.8249	3.2860	4.1380	4.1431	3.9193	4.6778	4.2637	3.9313	32.1841
	S	151.697	131.965	125.884	137.414	145.434	141.238	137.844	146.898	139.821
28	T	3.8036	3.3125	4.1553	4.1494	3.9225	4.7158	4.2930	3.9504	32.3025
	S	152.547	130.909	125.360	137.205	145.315	140.100	136.904	146.188	139.308
29	T	3.8118	3.2795	4.1677	4.1414	3.9189	4.6941	4.2389	3.9253	32.1776
	S	152.219	132.226	124.987	137.470	145.449	140.747	138.651	147.123	139.849
30	T	3.8048	3.2875	4.1461	4.1405	3.9148	4.5998	4.2250	3.9117	32.0302
	S	152.499	131.905	125.638	137.500	145.601	143.633	139.107	147.634	140.492
31	T	3.7818	3.2977	4.1614	4.1457	3.9207	4.7069	4.2869	3.9429	32.2440
	S	153.426	131.497	125.176	137.327	145.382	140.365	137.098	146.466	139.561
32	T	3.7972	3.2374	4.1046	4.1067	3.9013	4.6665	4.2644	3.9267	32.0048
	S	152.804	133.946	126.909	138.632	146.105	141.580	137.822	147.070	140.604
33	T	3.7950	3.2820	4.1752	4.1430	3.9125	4.6539	4.2292	3.9183	32.1091
	S	152.893	132.126	124.763	137.417	145.687	141.963	138.969	147.385	140.147
34	T	3.7830	3.2797	4.1565	4.1273	3.9047	4.6369	4.2275	3.8993	32.0149
	S	153.378	132.218	125.324	137.940	145.978	142.484	139.025	148.104	140.560
35	T	3.7684	3.2529	4.0931	4.0957	3.8517	4.6903	4.2429	3.8683	31.8633
	S	153.972	133.308	127.265	139.004	147.987	140.861	138.520	149.290	141.228
36	T	3.7103	3.3065	4.2182	4.1517	3.9248	4.7328	4.3533	3.9729	32.3705
	S	156.383	131.147	123.491	137.129	145.230	139.596	135.007	145.360	139.015
37	T	3.8065	3.2925	4.1145	4.1167	3.9102	4.6475	4.2294	3.9058	32.0231
	S	152.431	131.704	126.603	138.295	145.773	142.159	138.962	147.857	140.524
38	T	3.7658	3.2365	4.1175	4.1097	3.8934	4.6557	4.2318	3.8990	31.9094
	S	154.078	133.983	126.511	138.530	146.402	141.908	138.884	148.115	141.024

Event: Indy Pro 2000 Oval Challenge of St Louis

Track: World Wide Technology Raceway

Report: Section Data Report

Session: Race

Round 7

1.25 mile(s)



Indy Pro 2000 Championship

August 29, 2020

Section Data for Car 3 - Comeau, Antoine

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	3.7570	3.2926	4.1217	4.0912	3.8514	4.8773	4.3423	3.8806	32.2141
	S	154.439	131.700	126.382	139.157	147.998	135.461	135.349	148.817	139.690
40	T	3.6913	3.3069	4.1042	4.0823	3.8567	4.7234	4.2447	3.8472	31.8567
	S	157.188	131.131	126.921	139.460	147.795	139.874	138.461	150.109	141.258
41	T	3.7039	3.2916	4.0963	4.1232	3.9082	4.6081	4.2243	3.9046	31.8602
	S	156.653	131.740	127.166	138.077	145.847	143.374	139.130	147.902	141.242
42	T	3.7823	3.3126	4.1500	4.1506	3.9130	4.6396	4.2311	3.9006	32.0798
	S	153.406	130.905	125.520	137.165	145.668	142.401	138.906	148.054	140.275
43	T	3.7539	3.2589	4.1108	4.1211	3.8920	4.6203	4.2075	3.8919	31.8564
	S	154.567	133.062	126.717	138.147	146.454	142.995	139.686	148.385	141.259
44	T	3.7551	3.2861	4.1096	4.1139	3.8847	4.6078	4.2061	3.8752	31.8385
	S	154.517	131.961	126.754	138.389	146.729	143.383	139.732	149.025	141.338
45	T	3.7384	3.2974	4.1516	4.1248	3.8748	4.6805	4.2595	3.9162	32.0432
	S	155.207	131.509	125.472	138.023	147.104	141.156	137.980	147.464	140.435
46	T	3.7634	3.3212	4.1889	4.1430	3.8811	4.6475	4.2133	3.8784	32.0368
	S	154.176	130.566	124.355	137.417	146.866	142.159	139.493	148.902	140.463
47	T	3.7324	3.2895	4.1394	4.1218	3.8768	4.9190	4.7229	4.0358	32.8376
	S	155.457	131.824	125.842	138.124	147.028	134.312	124.442	143.094	137.038
48	T	3.8359	3.3018	4.1409	4.1205	3.8938	4.6932	4.2621	3.9140	32.1622
	S	151.262	131.333	125.796	138.167	146.387	140.774	137.896	147.547	139.916
49	T	3.7891	3.2922	4.1317	4.1212	3.8963	4.7175	4.2983	3.9452	32.1915
	S	153.131	131.716	126.076	138.144	146.293	140.049	136.735	146.380	139.788
50	T	3.8111	3.3280	4.1422	4.1229	3.8978	4.6684	4.2485	3.9221	32.1410
	S	152.247	130.299	125.757	138.087	146.236	141.522	138.338	147.243	140.008
51	T	3.7922	3.3164	4.1616	4.1351	3.8931	4.6743	4.2601	3.9206	32.1534
	S	153.005	130.755	125.170	137.679	146.413	141.343	137.961	147.299	139.954
52	T	3.7913	3.3305	4.1476	4.1304	3.8914	4.8307	4.3538	3.9712	32.4469
	S	153.042	130.202	125.593	137.836	146.477	136.767	134.992	145.422	138.688
53	T	3.8234	3.3888	4.2188	4.1705	3.9322	4.7535	4.2965	3.9477	32.5314
	S	151.757	127.962	123.473	136.511	144.957	138.988	136.792	146.288	138.328
54	T	3.8090	3.3606	4.1965	4.1520	3.9155	4.8121	4.3651	3.9869	32.5977
	S	152.331	129.035	124.129	137.119	145.575	137.296	134.642	144.849	138.047
55	T	3.8474	3.4757	4.2802	4.2051	3.9515	5.0409	4.4905	4.0815	33.3728
	S	150.810	124.762	121.702	135.388	144.249	131.064	130.882	141.492	134.840
56	T	4.4387	4.7692							
	S	130.720	90.924							

Event: Indy Pro 2000 Oval Challenge of St Louis**Track:** World Wide Technology Raceway**Report:** Section Data Report**Session:** Race**Round 7****1.25 mile(s)****Indy Pro 2000 Championship****August 29, 2020****Section Data for Car 42 - Petrov, Artem**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
1	T		4.3069	4.1200	3.8408	4.8562	4.3133	3.9275	33.3894	67.1772
	S		120.948	138.184	148.407	136.049	136.259	147.040	134.773	59.568
2	T		4.3023	4.1503	3.8636	4.7133	4.2599	3.8914	32.4725	
	S		121.077	137.175	147.531	140.174	137.967	148.404	138.579	
3	T		4.1742	4.0865	3.8292	4.7687	4.3237	3.9283	32.2441	
	S		124.793	139.317	148.856	138.545	135.932	147.010	139.560	
4	T		4.1223	4.0484	3.7993	4.7796	4.2686	3.8855	32.0315	
	S		126.364	140.628	150.028	138.230	137.686	148.630	140.487	
5	T	3.7294	3.4758	4.1284	4.0601	3.8207	4.6977	4.2443	3.8867	32.0431
	S	155.582	124.759	126.177	140.223	149.187	140.639	138.474	148.584	140.436
6	T	3.7192	3.3691	4.1592	4.0655	3.8174	4.7888	4.3004	3.9129	32.1325
	S	156.009	128.710	125.243	140.036	149.316	137.964	136.668	147.589	140.045
7	T	3.7328	3.3931	4.1558	4.0675	3.8226	4.7544	4.2950	3.9105	32.1317
	S	155.440	127.799	125.345	139.968	149.113	138.962	136.840	147.679	140.049
8	T			4.1168	4.0612	3.8212	4.6436	4.2411	3.8814	31.8722
	S			126.533	140.185	149.168	142.278	138.579	148.787	141.189
9	T			4.1699	4.0746	3.8135	4.7138	4.2634	3.8758	31.9775
	S			124.921	139.724	149.469	140.159	137.854	149.001	140.724
10	T	3.7097	3.4030	4.2424	4.1133	3.8394	4.6811	4.2792	3.8861	32.1542
	S	156.408	127.428	122.786	138.409	148.461	141.138	137.345	148.607	139.951
11	T			4.1432	4.0635	3.8131	4.6900	4.2512	3.8707	31.8993
	S			125.726	140.105	149.485	140.870	138.250	149.198	141.069
12	T			4.1976	4.0877	3.8372	4.6787	4.2350	3.8655	32.0097
	S			124.097	139.276	148.546	141.211	138.779	149.399	140.582
13	T			4.1505	4.0705	3.8129	4.5860	4.2360	3.8609	31.7767
	S			125.505	139.864	149.493	144.065	138.746	149.577	141.613
14	T	3.6844	3.3977	4.2688	4.1026	3.8348	4.5856	4.2702	3.8745	32.0186
	S	157.482	127.626	122.027	138.770	148.639	144.078	137.635	149.051	140.543
15	T	3.7012	3.4250	4.1202	4.0502	3.8018	4.6620	4.2769	3.8818	31.9191
	S	156.767	126.609	126.428	140.565	149.929	141.716	137.419	148.771	140.981
16	T	3.6947	3.4023	4.1616	4.0577	3.8031	4.7283	4.3610	3.9706	32.1793
	S	157.043	127.454	125.170	140.306	149.878	139.729	134.769	145.444	139.841
17	T	3.7237	3.4545	4.3447	4.1837	3.8830	4.7077	4.2766	3.9010	32.4749
	S	155.820	125.528	119.895	136.080	146.794	140.341	137.429	148.039	138.569
18	T	3.7219	3.3569	4.1743	4.1030	3.8609	4.6331	4.2354	3.8748	31.9603
	S	155.895	129.178	124.790	138.757	147.634	142.600	138.765	149.040	140.800
19	T	3.7131	3.3092	4.1246	4.0784	3.8393	4.6452	4.2625	3.8913	31.8636
	S	156.265	131.040	126.293	139.594	148.465	142.229	137.883	148.408	141.227

Event: Indy Pro 2000 Oval Challenge of St Louis

Track: World Wide Technology Raceway

Report: Section Data Report

Session: Race

Round 7

1.25 mile(s)



Indy Pro 2000 Championship

August 29, 2020

Section Data for Car 42 - Petrov, Artem

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	3.7181	3.3616	4.0980	4.0630	3.8408	4.6267	4.2463	3.8709	31.8254
	S	156.055	128.997	127.113	140.123	148.407	142.798	138.409	149.190	141.396
21	T	3.6986	3.2803	4.1877	4.0840	3.8406	4.6251	4.2116	3.8547	31.7826
	S	156.878	132.194	124.390	139.402	148.414	142.847	139.550	149.817	141.587
22	T	3.6898	3.3470	4.1348	4.0687	3.8300	4.6056	4.2478	3.8602	31.7839
	S	157.252	129.560	125.982	139.926	148.825	143.452	138.360	149.604	141.581
23	T	3.6906	3.3662	4.1438	4.0738	3.8347	4.6064	4.2243	3.8622	31.8020
	S	157.218	128.821	125.708	139.751	148.643	143.427	139.130	149.526	141.501
24	T	3.6873	3.3197	4.2066	4.0791	3.8254	4.6204	4.2854	3.8789	31.9028
	S	157.358	130.625	123.831	139.570	149.004	142.992	137.146	148.882	141.053
25	T	3.7056	3.3773	4.1719	4.0836	3.8234	4.6782	4.2492	3.8601	31.9493
	S	156.581	128.397	124.861	139.416	149.082	141.226	138.315	149.608	140.848
26	T	3.6774	3.2974	4.3512	4.1554	3.8549	4.7359	4.3211	3.9216	32.3149
	S	157.782	131.509	119.716	137.007	147.864	139.505	136.013	147.261	139.255
27	T	3.7550	3.3476	4.3666	4.1320	3.8118	4.6906	4.2705	3.8589	32.2330
	S	154.521	129.536	119.294	137.783	149.536	140.852	137.625	149.654	139.608
28	T	3.6821	3.4052	4.2381	4.0853	3.8844	4.8210	4.3617	3.9666	32.4444
	S	157.581	127.345	122.911	139.358	146.741	137.042	134.747	145.591	138.699
29	T	3.7657	3.3813	4.1633	4.0952	3.8452	4.7060	4.2888	3.8752	32.1207
	S	154.082	128.245	125.119	139.021	148.237	140.391	137.038	149.025	140.097
30	T	3.6774	3.3225	4.1907	4.1090	3.8471	4.6566	4.2304	3.8832	31.9169
	S	157.782	130.515	124.301	138.554	148.164	141.881	138.929	148.718	140.991
31	T	3.7104	3.3361	4.1325	4.0643	3.8751	4.6941	4.2715	3.9179	32.0019
	S	156.379	129.983	126.052	140.078	147.093	140.747	137.593	147.400	140.617
32	T	3.7393	3.3542	4.1646	4.0867	3.8343	4.6550	4.2411	3.8716	31.9468
	S	155.170	129.282	125.080	139.310	148.658	141.929	138.579	149.163	140.859
33	T	3.6961	3.3385	4.1172	4.0465	3.8107	4.6597	4.2332	3.8518	31.7537
	S	156.984	129.890	126.520	140.694	149.579	141.786	138.838	149.930	141.716
34	T	3.6828	3.4035	4.2385	4.1088	3.8535	4.6457	4.2261	3.8781	32.0370
	S	157.551	127.409	122.899	138.561	147.917	142.214	139.071	148.913	140.463
35	T	3.7022	3.3398	4.1230	4.0832	3.8452	4.6325	4.2400	3.8725	31.8384
	S	156.725	129.839	126.342	139.429	148.237	142.619	138.615	149.128	141.339
36	T	3.7029	3.3300	4.1032	4.0617	3.8311	4.6341	4.2413	3.8678	31.7721
	S	156.695	130.221	126.952	140.167	148.782	142.570	138.572	149.310	141.634
37	T	3.6962	3.3576	4.1754	4.0668	3.8281	4.6309	4.2427	3.8617	31.8594
	S	156.979	129.151	124.757	139.992	148.899	142.668	138.527	149.546	141.246
38	T	3.6897	3.3438	4.1723	4.0904	3.8458	4.6653	4.2357	3.8662	31.9092
	S	157.256	129.684	124.849	139.184	148.214	141.616	138.756	149.371	141.025

Event: Indy Pro 2000 Oval Challenge of St Louis

Track: World Wide Technology Raceway

Report: Section Data Report

Session: Race

Round 7

1.25 mile(s)



Indy Pro 2000 Championship

August 29, 2020

Section Data for Car 42 - Petrov, Artem

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	3.6924	3.3529	4.1909	4.1273	3.8740	4.6430	4.2339	3.8648	31.9792
	S	157.141	129.332	124.295	137.940	147.135	142.296	138.815	149.426	140.716
40	T	3.6944	3.3600	4.1226	4.0833	3.8469	4.6621	4.2652	3.8893	31.9238
	S	157.056	129.058	126.355	139.426	148.171	141.713	137.796	148.484	140.961
41	T	3.7127	3.3909	4.1392	4.0937	3.8615	4.6283	4.2211	3.8732	31.9206
	S	156.282	127.882	125.848	139.072	147.611	142.748	139.236	149.102	140.975
42	T	3.7067	3.3570	4.0986	4.0584	3.8331	4.6394	4.2445	3.8693	31.8070
	S	156.535	129.174	127.094	140.281	148.705	142.407	138.468	149.252	141.478
43	T	3.7009	3.3588	4.0803	4.0426	3.8162	4.6566	4.2512	3.8775	31.7841
	S	156.780	129.105	127.664	140.830	149.363	141.881	138.250	148.936	141.580
44	T	3.6966	3.3612	4.1222	4.0647	3.8237	4.6987	4.2776	3.8901	31.9348
	S	156.962	129.012	126.367	140.064	149.070	140.609	137.397	148.454	140.912
45	T	3.7097	3.3324	4.0954	4.0593	3.8235	4.6369	4.2703	3.8918	31.8193
	S	156.408	130.127	127.194	140.250	149.078	142.484	137.631	148.389	141.424
46	T	3.7144	3.3449	4.1430	4.0793	3.8367	4.6633	4.2680	3.8888	31.9384
	S	156.210	129.641	125.732	139.563	148.565	141.677	137.706	148.503	140.896
47	T	3.7133	3.3531	4.0962	4.0511	3.8192	4.6753	4.2461	3.8999	31.8542
	S	156.257	129.324	127.169	140.534	149.246	141.313	138.416	148.081	141.269
48	T	3.7319	3.3256	4.0993	4.0544	3.8256	4.5993	4.2183	3.8728	31.7272
	S	155.478	130.393	127.073	140.420	148.996	143.648	139.328	149.117	141.834
49	T	3.7052	3.3256	4.1252	4.0760	3.8459	4.6572	4.2554	3.8920	31.8825
	S	156.598	130.393	126.275	139.676	148.210	141.862	138.113	148.381	141.143
50	T	3.7189	3.3295	4.1041	4.0705	3.8402	4.6198	4.2484	3.8952	31.8266
	S	156.021	130.241	126.924	139.864	148.430	143.011	138.341	148.259	141.391
51	T	3.7148	3.2804	4.1555	4.0522	3.8500	4.6192	4.2403	3.8888	31.8012
	S	156.193	132.190	125.354	140.496	148.052	143.029	138.605	148.503	141.504
52	T	3.7102	3.3395	4.0955	4.0513	3.8139	4.6422	4.2558	3.8958	31.8042
	S	156.387	129.851	127.191	140.527	149.453	142.321	138.100	148.237	141.491
53	T	3.6981	3.2948	4.1358	4.0285	3.8014	4.6994	4.2911	3.8848	31.8339
	S	156.899	131.612	125.951	141.323	149.945	140.589	136.964	148.656	141.359
54	T	3.6914	3.3117	4.1990	4.0715	3.8077	4.6088	4.2283	3.8526	31.7710
	S	157.184	130.941	124.056	139.830	149.697	143.352	138.998	149.899	141.639
55	T	3.6738	3.3816	4.2495	4.0990	3.8574	4.6581	4.2521	3.9230	32.0945
	S	157.937	128.234	122.581	138.892	147.768	141.835	138.220	147.209	140.211
56	T	4.2543	4.4647	7.0784	8.0893					
	S	136.386	97.126	73.591	70.379					

Event: Indy Pro 2000 Oval Challenge of St Louis**Track:** World Wide Technology Raceway**Report:** Section Data Report**Session:** Race**Round 7****1.25 mile(s)****Indy Pro 2000 Championship****August 29, 2020****Section Data for Car 51 - Abel, Jacob**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
1	T	8.5286	7.5853	4.5016	4.2169	3.9393	5.1632	4.4099	3.9007	34.4436	60.1361
	S	68.033	57.168	115.716	135.009	144.696	127.960	133.275	148.050	130.648	66.542
2	T			4.4235	4.1501	3.8934	4.9587	4.3618	3.9420	33.1085	
	S			117.759	137.182	146.402	133.237	134.744	146.499	135.917	
3	T			4.2930	4.1581	3.8703	4.8056	4.3270	3.9243	32.5757	
	S			121.339	136.918	147.275	137.482	135.828	147.160	138.140	
4	T	3.7502	3.4236	4.2260	4.1117	3.8475	4.7838	4.3607	3.9329	32.4364	
	S	154.719	126.661	123.263	138.463	148.148	138.108	134.778	146.838	138.733	
5	T			4.2732	4.1456	3.8641	4.7914	4.3450	3.9376	32.5209	
	S			121.901	137.331	147.512	137.889	135.265	146.663	138.373	
6	T	3.7724	3.4619	4.2161	4.1217	3.8477	4.7619	4.3396	3.9310	32.4523	
	S	153.809	125.260	123.552	138.127	148.140	138.743	135.434	146.909	138.665	
7	T			4.2049	4.1172	3.8548	4.7410	4.3121	3.9144	32.3416	
	S			123.881	138.278	147.868	139.355	136.297	147.532	139.140	
8	T			4.2503	4.1336	3.8619	4.8239	4.3736	3.9425	32.5666	
	S			122.558	137.729	147.596	136.960	134.381	146.481	138.178	
9	T			4.2301	4.1357	3.8775	5.0510	4.4947	3.9502	32.9369	
	S			123.143	137.659	147.002	130.802	130.760	146.195	136.625	
10	T	3.7640	3.4732	4.2725	4.1522	3.8658	4.8057	4.3520	3.9386	32.6240	
	S	154.152	124.852	121.921	137.112	147.447	137.479	135.048	146.626	137.935	
11	T			4.2057	4.1204	3.8543	4.7808	4.3281	3.9263	32.4313	
	S			123.858	138.171	147.887	138.195	135.793	147.085	138.755	
12	T	3.7613	3.4041	4.2238	4.1322	3.8618	4.7928	4.3406	3.9307	32.4473	
	S	154.262	127.386	123.327	137.776	147.600	137.849	135.402	146.920	138.686	
13	T	3.7672	3.4305	4.2140	4.1363	3.8847	4.7503	4.3189	3.9265	32.4284	
	S	154.021	126.406	123.614	137.639	146.729	139.082	136.083	147.078	138.767	
14	T	3.7655	3.3798	4.2345	4.1497	3.8898	4.7940	4.3634	3.9575	32.5342	
	S	154.090	128.302	123.015	137.195	146.537	137.814	134.695	145.925	138.316	
15	T	3.7864	3.4394	4.2249	4.1476	3.9006	4.8181	4.3408	3.9421	32.5999	
	S	153.240	126.079	123.295	137.264	146.131	137.125	135.396	146.496	138.037	
16	T	3.7664	3.3905	4.2306	4.1306	3.9008	4.7713	4.3183	3.9281	32.4366	
	S	154.054	127.897	123.129	137.829	146.124	138.470	136.102	147.018	138.732	
17	T	3.7680	3.4187	4.1808	4.1278	3.8960	4.7572	4.3082	3.9288	32.3855	
	S	153.988	126.842	124.596	137.923	146.304	138.880	136.421	146.991	138.951	
18	T	3.7743	3.3965	4.1970	4.1240	3.8848	4.7732	4.3092	3.9307	32.3897	
	S	153.731	127.672	124.115	138.050	146.726	138.415	136.389	146.920	138.933	
19	T	3.7634	3.3871	4.1630	4.1111	3.8865	4.8342	4.3228	3.9299	32.3980	
	S	154.176	128.026	125.128	138.483	146.662	136.668	135.960	146.950	138.897	

Event: Indy Pro 2000 Oval Challenge of St Louis

Track: World Wide Technology Raceway

Report: Section Data Report

Session: Race

Round 7

1.25 mile(s)



Indy Pro 2000 Championship

August 29, 2020

Section Data for Car 51 - Abel, Jacob

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	3.7626	3.4404	4.3632	4.1736	3.8785	4.8203	4.3448	3.9508	32.7342
	S	154.209	126.042	119.387	136.409	146.964	137.062	135.271	146.173	137.471
21	T	3.7854	3.4078	4.2294	4.1605	3.9147	4.7476	4.3197	3.9361	32.5012
	S	153.280	127.248	123.164	136.839	145.605	139.161	136.057	146.719	138.456
22	T	3.7681	3.3948	4.1920	4.1396	3.9046	4.7544	4.3543	3.9484	32.4562
	S	153.984	127.735	124.263	137.530	145.982	138.962	134.976	146.262	138.648
23	T	3.7857	3.4093	4.1824	4.1399	3.9102	4.7564	4.2989	3.9273	32.4101
	S	153.268	127.192	124.548	137.520	145.773	138.904	136.716	147.048	138.846
24	T	3.7679	3.3663	4.1907	4.1416	3.9118	4.7588	4.2785	3.9222	32.3378
	S	153.992	128.817	124.301	137.463	145.713	138.834	137.368	147.239	139.156
25	T	3.7614	3.3722	4.1353	4.1047	3.8924	4.7570	4.2937	3.9247	32.2414
	S	154.258	128.592	125.966	138.699	146.439	138.886	136.881	147.145	139.572
26	T	3.7696	3.3378	4.2125	4.1468	3.9066	4.7483	4.2867	3.9217	32.3300
	S	153.923	129.917	123.658	137.291	145.907	139.141	137.105	147.258	139.190
27	T	3.7642	3.3473	4.2093	4.1416	3.9051	4.7554	4.2951	3.9273	32.3453
	S	154.144	129.548	123.752	137.463	145.963	138.933	136.837	147.048	139.124
28	T	3.7629	3.3139	4.1740	4.1237	3.8984	4.7755	4.3014	3.9379	32.2877
	S	154.197	130.854	124.799	138.060	146.214	138.348	136.636	146.652	139.372
29	T	3.7745	3.3626	4.1753	4.1279	3.8994	4.6985	4.2942	3.9314	32.2638
	S	153.723	128.959	124.760	137.920	146.176	140.615	136.865	146.894	139.475
30	T	3.7775	3.3411	4.1872	4.1297	3.9019	4.7403	4.2862	3.9378	32.3017
	S	153.601	129.789	124.405	137.859	146.083	139.376	137.121	146.655	139.312
31	T	3.7693	3.3984	4.1857	4.1317	3.9060	4.7469	4.2514	3.9174	32.3068
	S	153.935	127.600	124.450	137.793	145.929	139.182	138.243	147.419	139.290
32	T	3.7726	3.3972	4.2565	4.1667	3.9184	4.7308	4.2734	3.9270	32.4426
	S	153.800	127.645	122.380	136.635	145.468	139.655	137.532	147.059	138.707
33	T	3.7651	3.3442	4.2038	4.1321	3.9007	4.7346	4.2740	3.9273	32.2818
	S	154.107	129.668	123.914	137.779	146.128	139.543	137.512	147.048	139.397
34	T	3.7697	3.3515	4.1864	4.1306	3.9005	4.6865	4.2684	3.9201	32.2137
	S	153.919	129.386	124.429	137.829	146.135	140.976	137.693	147.318	139.692
35	T	3.7744	3.3872	4.1820	4.1317	3.9046	4.7223	4.2477	3.9077	32.2576
	S	153.727	128.022	124.560	137.793	145.982	139.907	138.364	147.785	139.502
36	T	3.7622	3.3469	4.1810	4.1178	3.8921	4.7032	4.2904	3.9243	32.2179
	S	154.226	129.564	124.590	138.258	146.451	140.475	136.987	147.160	139.674
37	T	3.7623	3.3489	4.1823	4.1257	3.9077	4.7098	4.2845	3.9192	32.2404
	S	154.221	129.486	124.551	137.993	145.866	140.278	137.175	147.352	139.576
38	T	3.7605	3.3306	4.1699	4.1079	3.8965	4.7137	4.2817	3.9056	32.1664
	S	154.295	130.198	124.921	138.591	146.285	140.162	137.265	147.865	139.898

Event: Indy Pro 2000 Oval Challenge of St Louis

Track: World Wide Technology Raceway

Report: Section Data Report

Session: Race

Round 7

1.25 mile(s)



Indy Pro 2000 Championship

August 29, 2020

Section Data for Car 51 - Abel, Jacob

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	3.7410	3.3161	4.1813	4.1128	3.8894	4.7622	4.3140	3.9140	32.2308
	S	155.100	130.767	124.581	138.426	146.552	138.735	136.237	147.547	139.618
40	T	3.7459	3.4396	4.2959	4.1203	3.8604	4.8268	4.3504	3.9354	32.5747
	S	154.897	126.072	121.257	138.174	147.653	136.878	135.097	146.745	138.144
41	T	3.7508	3.4008	4.2400	4.1196	3.8553	4.8832	4.3550	3.9366	32.5413
	S	154.694	127.510	122.856	138.197	147.848	135.297	134.955	146.700	138.286
42	T	3.7640	3.5118	4.3612	4.1608	3.8430	5.0503	4.3879	3.9634	33.0424
	S	154.152	123.480	119.442	136.829	148.322	130.820	133.943	145.708	136.189
43	T	3.7858	3.3839	4.1564	4.1114	3.8971	4.7328	4.2757	3.9285	32.2716
	S	153.264	128.147	125.327	138.473	146.263	139.596	137.458	147.003	139.441
44	T	3.7679	3.3289	4.1786	4.1297	3.8959	4.6939	4.2583	3.9134	32.1666
	S	153.992	130.264	124.661	137.859	146.308	140.753	138.019	147.570	139.897
45	T	3.7639	3.3060	4.1574	4.1074	3.8885	4.7149	4.2604	3.9126	32.1111
	S	154.156	131.166	125.297	138.608	146.586	140.126	137.951	147.600	140.138
46	T	3.7597	3.2968	4.1672	4.1111	3.8893	4.7117	4.2805	3.9209	32.1372
	S	154.328	131.533	125.002	138.483	146.556	140.222	137.303	147.288	140.025
47	T	3.7627	3.3213	4.2006	4.1276	3.8964	4.6901	4.2716	3.9132	32.1835
	S	154.205	130.562	124.008	137.930	146.289	140.867	137.589	147.577	139.823
48	T	3.7531	3.2974	4.1646	4.1037	3.8908	4.7147	4.2808	3.9166	32.1217
	S	154.599	131.509	125.080	138.733	146.499	140.132	137.294	147.449	140.092
49	T	3.7620	3.3379	4.1700	4.1083	3.8764	4.6857	4.2482	3.8997	32.0882
	S	154.234	129.913	124.918	138.578	147.044	141.000	138.347	148.088	140.238
50	T	3.7413	3.3407	4.1624	4.0987	3.8801	4.7358	4.2850	3.9102	32.1542
	S	155.087	129.804	125.146	138.902	146.903	139.508	137.159	147.691	139.951
51	T	3.7387	3.3108	4.1417	4.0809	3.8498	4.7134	4.3187	3.9056	32.0596
	S	155.195	130.976	125.772	139.508	148.060	140.171	136.089	147.865	140.364
52	T	3.7236	3.3199	4.2466	4.0915	3.8216	4.9058	4.4079	3.9434	32.4603
	S	155.824	130.617	122.665	139.147	149.152	134.674	133.335	146.447	138.631
53	T	3.7419	3.4588	4.3149	4.1415	3.8482	4.8307	4.3807	3.9334	32.6501
	S	155.062	125.372	120.723	137.467	148.121	136.767	134.163	146.820	137.825
54	T	3.7254	3.4344	4.3024	4.1367	3.8545	4.9413	4.3869	3.9528	32.7344
	S	155.749	126.263	121.074	137.626	147.879	133.706	133.973	146.099	137.470
55	T	3.7866	3.4439	4.3080	4.1849	3.8766	5.0955	4.4155	3.9446	33.0556
	S	153.232	125.914	120.917	136.041	147.036	129.660	133.105	146.403	136.134
56	T	4.1080								
	S	141.243								

Event: Indy Pro 2000 Oval Challenge of St Louis**Track:** World Wide Technology Raceway**Report:** Section Data Report**Session:** Race**Round 7****1.25 mile(s)****Indy Pro 2000 Championship****August 29, 2020****Section Data for Car 6 - de la Vara, Moises**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	SF to PI
1	T	8.6573	4.5516	4.2740	3.8700	5.1082	4.5447	3.9639	34.6061	61.2702	
	S	50.089	114.445	133.205	147.287	129.338	129.321	145.690	130.035	65.311	
2	T		4.2865	4.1622	3.8937	4.7797	4.2385	3.8591	32.4539		
	S		121.523	136.783	146.390	138.227	138.664	149.646	138.658		
3	T		4.2742	4.1347	3.8393	4.7372	4.4061	3.9233	32.4461		
	S		121.873	137.693	148.465	139.467	133.389	147.198	138.692		
4	T	3.7319	3.4277	4.2555	4.1341	3.8675	4.7614	4.3099	3.9059	32.3939	
	S	155.478	126.509	122.408	137.713	147.382	138.758	136.367	147.853	138.915	
5	T	3.7507	3.4230	4.2248	4.1346	3.8713	4.7469	4.2700	3.8920	32.3133	
	S	154.698	126.683	123.298	137.696	147.237	139.182	137.641	148.381	139.262	
6	T	3.7433	3.3757	4.1546	4.0906	3.8415	4.6817	4.2290	3.8639	31.9803	
	S	155.004	128.458	125.381	139.177	148.380	141.120	138.975	149.460	140.712	
7	T	3.6923	3.3389	4.1588	4.0601	3.8061	4.6961	4.2634	3.8804	31.8961	
	S	157.145	129.874	125.255	140.223	149.760	140.687	137.854	148.825	141.083	
8	T		4.6166	4.2450	3.9071	4.8054	4.2754	3.9040	33.0158		
	S		112.834	134.115	145.888	137.487	137.467	147.925	136.298		
9	T		4.2012	4.1028	3.8255	4.7382	4.2627	3.8875	32.2145		
	S		123.991	138.763	149.000	139.437	137.877	148.553	139.689		
10	T	3.7326	3.4224	4.1667	4.1102	3.8733	4.7343	4.2498	3.8841	32.1734	
	S	155.449	126.705	125.017	138.513	147.161	139.552	138.295	148.683	139.867	
11	T		4.1373	4.0834	3.8394	4.7348	4.2647	3.8951	32.0900		
	S		125.906	139.423	148.461	139.537	137.812	148.263	140.231		
12	T	3.7286	3.4124	4.2090	4.1137	3.8696	4.6963	4.2477	3.8581	32.1354	
	S	155.615	127.077	123.761	138.396	147.302	140.681	138.364	149.685	140.032	
13	T		4.2895	4.1596	3.8832	4.7691	4.2576	3.8872	32.4243		
	S		121.438	136.868	146.786	138.534	138.042	148.565	138.785		
14	T	3.7370	3.4168	4.2452	4.1432	3.8824	4.6874	4.2235	3.8577	32.1932	
	S	155.266	126.913	122.705	137.410	146.816	140.948	139.156	149.701	139.781	
15	T		4.1714	4.1064	3.8793	4.7461	4.2401	3.8866	32.1413		
	S		124.876	138.642	146.934	139.205	138.612	148.587	140.007		
16	T	3.7336	3.3766	4.1312	4.1036	3.8888	4.7304	4.2324	3.8889	32.0855	
	S	155.407	128.424	126.091	138.736	146.575	139.667	138.864	148.500	140.250	
17	T	3.7507	3.3866	4.1374	4.1132	3.8976	4.7417	4.2551	3.8988	32.1811	
	S	154.698	128.045	125.903	138.412	146.244	139.334	138.123	148.122	139.834	
18	T	3.7657	3.5714	4.3541	4.2171	4.2404			54.7396		38.0951
	S	154.082	121.419	119.636	135.002	134.421			82.207		102.966

Event: Indy Pro 2000 Oval Challenge of St Louis

Track: World Wide Technology Raceway

Report: Section Data Report

Session: Race

Round 7

1.25 mile(s)



Indy Pro 2000 Championship

August 29, 2020

Section Data for Car 68 - Frost, Danial

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
1	T	8.8944	6.7488	4.3735	4.1053	3.7967	4.8204	4.4593	3.9653	33.6882	66.3230
	S	65.235	64.254	119.106	138.679	150.130	137.060	131.798	145.638	133.578	60.335
2	T	3.7489	3.4721	4.2927	4.1203	3.8316	4.7213	4.3564	3.9170	32.4603	
	S	154.773	124.892	121.348	138.174	148.763	139.936	134.911	147.434	138.631	
3	T			4.1914	4.0787	3.8100	4.7108	4.2982	3.8965	32.1580	
	S			124.280	139.583	149.606	140.248	136.738	148.210	139.934	
4	T			4.2298	4.0973	3.8232	4.6808	4.2781	3.8910	32.1549	
	S			123.152	138.950	149.090	141.147	137.380	148.419	139.948	
5	T	3.7230	3.4152	4.1957	4.0749	3.8100	4.6465	4.3287	3.9041	32.0981	
	S	155.849	126.972	124.153	139.713	149.606	142.189	135.775	147.921	140.195	
6	T			4.2316	4.1010	3.8301	4.8796	4.4279	3.9463	32.5389	
	S			123.100	138.824	148.821	135.397	132.733	146.340	138.296	
7	T			4.3497	4.1169	3.8210	4.7971	4.3830	3.9122	32.5044	
	S			119.757	138.288	149.176	137.725	134.092	147.615	138.443	
8	T			4.4427	4.2398	3.8596	4.7726	4.4108	3.9318	32.6913	
	S			117.251	134.279	147.684	138.432	133.247	146.879	137.651	
9	T	3.7546	3.4014	4.2700	4.1442	3.8553	4.6621	4.2880	3.9205	32.2961	
	S	154.538	127.488	121.993	137.377	147.848	141.713	137.063	147.303	139.336	
10	T	3.7328	3.3754	4.1905	4.1078	3.8569	4.7038	4.3140	3.9424	32.2236	
	S	155.440	128.470	124.307	138.594	147.787	140.457	136.237	146.484	139.649	
11	T			4.1580	4.0935	3.8523	4.6127	4.2383	3.8817	31.9014	
	S			125.279	139.079	147.964	143.231	138.671	148.775	141.060	
12	T	3.7289	3.3379	4.2211	4.1348	3.8749	4.6897	4.3184	3.9366	32.2423	
	S	155.603	129.913	123.406	137.689	147.101	140.879	136.098	146.700	139.568	
13	T			4.2293	4.1398	3.8812	4.7031	4.3011	3.9205	32.2986	
	S			123.167	137.523	146.862	140.478	136.646	147.303	139.325	
14	T	3.7494	3.3145	4.1557	4.0995	3.8658	4.6264	4.2344	3.8855	31.9312	
	S	154.752	130.830	125.348	138.875	147.447	142.807	138.798	148.630	140.928	
15	T	3.7279	3.2945	4.1608	4.1033	3.8629	4.6201	4.2330	3.8786	31.8811	
	S	155.645	131.624	125.194	138.746	147.558	143.002	138.844	148.894	141.149	
16	T	3.7225	3.2738	4.1890	4.1123	3.8658	4.6088	4.2307	3.8876	31.8905	
	S	155.870	132.457	124.352	138.443	147.447	143.352	138.920	148.549	141.108	
17	T	3.7478	3.3353	4.2082	4.0948	3.8425	4.8487	4.5737	3.9740	32.6250	
	S	154.818	130.014	123.784	139.034	148.341	136.260	128.501	145.320	137.931	
18	T	3.7654	3.3479	4.1817	4.1122	3.8750	4.5920	4.2207	3.8726	31.9675	
	S	154.094	129.525	124.569	138.446	147.097	143.877	139.249	149.125	140.768	
19	T	3.7148	3.2932	4.1533	4.1063	3.8724	4.6298	4.2403	3.8895	31.8996	
	S	156.193	131.676	125.421	138.645	147.196	142.702	138.605	148.477	141.068	

Event: Indy Pro 2000 Oval Challenge of St Louis

Track: World Wide Technology Raceway

Report: Section Data Report

Session: Race

Round 7

1.25 mile(s)



Indy Pro 2000 Championship

August 29, 2020

Section Data for Car 68 - Frost, Danial

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	3.7234	3.2516	4.1582	4.1038	3.8805	4.6319	4.2587	3.8923	31.9004
	S	155.833	133.361	125.273	138.730	146.888	142.637	138.006	148.370	141.064
21	T	3.7260	3.2768	4.1396	4.1027	3.8681	4.6571	4.2890	3.9092	31.9685
	S	155.724	132.335	125.836	138.767	147.359	141.865	137.031	147.728	140.764
22	T	3.7385	3.2807	4.1533	4.1049	3.8778	4.6170	4.2488	3.8907	31.9117
	S	155.203	132.178	125.421	138.692	146.991	143.098	138.328	148.431	141.014
23	T	3.7278	3.3063	4.1276	4.1009	3.8778	4.6451	4.2747	3.9075	31.9677
	S	155.649	131.155	126.201	138.828	146.991	142.232	137.490	147.793	140.767
24	T	3.7419	3.2857	4.2097	4.1415	3.8932	4.6203	4.2375	3.8926	32.0224
	S	155.062	131.977	123.740	137.467	146.409	142.995	138.697	148.358	140.527
25	T	3.7270	3.2610	4.1663	4.1144	3.8743	4.6208	4.2508	3.8990	31.9136
	S	155.682	132.976	125.029	138.372	147.123	142.980	138.263	148.115	141.006
26	T	3.7371	3.2648	4.1597	4.1075	3.8484	4.5493	4.2101	3.8783	31.7552
	S	155.261	132.822	125.228	138.605	148.114	145.227	139.599	148.905	141.709
27	T	3.7215	3.3217	4.1898	4.1333	3.8813	4.6576	4.2630	3.9076	32.0758
	S	155.912	130.547	124.328	137.739	146.858	141.850	137.867	147.789	140.293
28	T	3.7419	3.3146	4.1318	4.0834	3.8440	4.5837	4.2655	3.8942	31.8591
	S	155.062	130.826	126.073	139.423	148.283	144.137	137.786	148.297	141.247
29	T	3.7151	3.3007	4.2310	4.1081	3.8293	4.7560	4.4666	3.9645	32.3713
	S	156.181	131.377	123.117	138.584	148.852	138.915	131.583	145.668	139.012
30	T	3.7337	3.5353	4.3474	4.1687	3.8703	4.7793	4.3419	3.9287	32.7053
	S	155.403	122.659	119.821	136.570	147.275	138.238	135.362	146.995	137.592
31	T	3.7401	3.3257	4.2096	4.1380	3.8793	4.5954	4.2451	3.8745	32.0077
	S	155.137	130.390	123.743	137.583	146.934	143.770	138.448	149.051	140.591
32	T	3.7052	3.3100	4.1769	4.0670	3.8117	4.8570	4.3750	3.8758	32.1786
	S	156.598	131.008	124.712	139.985	149.540	136.027	134.338	149.001	139.844
33	T	3.6852	3.4056	4.2230	4.1237	3.8728	4.6597	4.2634	3.8967	32.1301
	S	157.448	127.330	123.350	138.060	147.180	141.786	137.854	148.202	140.056
34	T	3.7192	3.4603	4.3018	4.1646	3.8466	4.7863	4.3533	3.8817	32.5138
	S	156.009	125.318	121.091	136.704	148.183	138.036	135.007	148.775	138.403
35	T	3.7172	3.4360	4.1904	4.1407	3.8960	4.6171	4.2409	3.8981	32.1364
	S	156.093	126.204	124.310	137.493	146.304	143.095	138.586	148.149	140.028
36	T	3.7415	3.2802	4.2280	4.1492	3.9007	4.6488	4.2683	3.9160	32.1327
	S	155.079	132.198	123.205	137.212	146.128	142.119	137.696	147.472	140.044
37	T	3.7511	3.2726	4.1730	4.1122	3.8914	4.6396	4.2447	3.8885	31.9731
	S	154.682	132.505	124.828	138.446	146.477	142.401	138.461	148.515	140.743
38	T	3.7333	3.2805	4.1405	4.1159	3.8877	4.6224	4.2243	3.8762	31.8808
	S	155.419	132.186	125.808	138.322	146.616	142.930	139.130	148.986	141.151

Event: Indy Pro 2000 Oval Challenge of St Louis

Track: World Wide Technology Raceway

Report: Section Data Report

Session: Race

Round 7

1.25 mile(s)



Indy Pro 2000 Championship

August 29, 2020

Section Data for Car 68 - Frost, Danial

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	3.7280	3.3003	4.1586	4.1200	3.8965	4.5861	4.2203	3.8724	31.8822
	S	155.640	131.393	125.261	138.184	146.285	144.062	139.262	149.132	141.145
40	T	3.7191	3.2930	4.1160	4.0959	3.8809	4.6183	4.2328	3.8913	31.8473
	S	156.013	131.684	126.557	138.997	146.873	143.057	138.851	148.408	141.299
41	T	3.7299	3.2919	4.1755	4.1323	3.8979	4.6652	4.2905	3.9146	32.0978
	S	155.561	131.728	124.754	137.773	146.233	141.619	136.983	147.525	140.197
42	T	3.7504	3.3220	4.1819	4.1170	3.8879	4.6464	4.3021	3.9256	32.1333
	S	154.711	130.535	124.563	138.285	146.609	142.192	136.614	147.111	140.042
43	T	3.7539	3.2612	4.2618	4.1591	3.9006	4.6686	4.2814	3.9204	32.2070
	S	154.567	132.968	122.227	136.885	146.131	141.516	137.275	147.306	139.721
44	T	3.7534	3.3206	4.2511	4.1606	3.8984	4.6485	4.3054	3.9281	32.2661
	S	154.587	130.590	122.535	136.836	146.214	142.128	136.509	147.018	139.465
45	T	3.7590	3.3344	4.2935	4.1922	3.9151	4.6401	4.2798	3.9118	32.3259
	S	154.357	130.049	121.325	135.804	145.590	142.385	137.326	147.630	139.207
46	T	3.7537	3.3070	4.2259	4.1468	3.8885	4.6681	4.3173	3.9360	32.2433
	S	154.575	131.127	123.266	137.291	146.586	141.531	136.133	146.723	139.564
47	T	3.7714	3.3395	4.2808	4.1791	3.9123	4.6694	4.3220	3.9372	32.4117
	S	153.849	129.851	121.685	136.230	145.694	141.492	135.985	146.678	138.839
48	T	3.7705	3.3500	4.2612	4.1640	3.8999	4.6659	4.2907	3.9239	32.3261
	S	153.886	129.444	122.245	136.724	146.158	141.598	136.977	147.175	139.206
49	T	3.7642	3.3543	4.2386	4.1494	3.8990	4.6998	4.3064	3.9321	32.3438
	S	154.144	129.278	122.896	137.205	146.191	140.577	136.478	146.868	139.130
50	T	3.7596	3.3257	4.2437	4.1545	3.9003	4.7026	4.3205	3.9255	32.3324
	S	154.332	130.390	122.749	137.037	146.143	140.493	136.032	147.115	139.179
51	T	3.7549	3.3463	4.3158	4.1854	3.9036	4.7931	4.4321	4.0059	32.7371
	S	154.525	129.587	120.698	136.025	146.019	137.840	132.607	144.162	137.459
52	T	3.8005	3.3191	4.2079	4.1583	3.9036	4.7025	4.3078	3.9358	32.3355
	S	152.671	130.649	123.793	136.911	146.019	140.496	136.433	146.730	139.166
53	T	3.7665	3.3073	4.1882	4.1391	3.8941	4.6948	4.3173	3.9316	32.2389
	S	154.049	131.115	124.375	137.546	146.375	140.726	136.133	146.887	139.583
54	T	3.7653	3.3285	4.2859	4.1856	3.9087	4.6680	4.2888	3.9190	32.3498
	S	154.099	130.280	121.540	136.018	145.829	141.534	137.038	147.359	139.104
55	T	3.7562	3.3396	4.2900	4.1794	3.9058	4.6684	4.2848	3.9240	32.3482
	S	154.472	129.847	121.424	136.220	145.937	141.522	137.166	147.171	139.111
56	T	4.2997	4.2622	5.5769						
	S	134.946	101.740	93.405						

Event: Indy Pro 2000 Oval Challenge of St Louis

Round 7

Track: World Wide Technology Raceway

1.25 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race

August 29, 2020

Section Data for Car 7 - Enders, Kory

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
1	T	9.7322	7.6331	4.4931	4.1475	3.8398	5.1994	4.4547	3.9190	34.4562	61.3700
	S	59.619	56.810	115.935	137.268	148.445	127.069	131.934	147.359	130.601	65.204
2	T	3.7399	3.8068	4.4956	4.2933	3.9292	5.2046	4.6551	4.0326	34.1571	
	S	155.145	113.911	115.871	132.606	145.068	126.942	126.254	143.208	131.744	
3	T			4.4697	4.1740	3.8237	4.9506	4.3992	3.9323	33.1130	
	S			116.542	136.396	149.070	133.455	133.599	146.861	135.898	
4	T	3.7471	3.4964	4.3632	4.2192	3.8917	4.7981	4.2400	3.8911	32.6468	
	S	154.847	124.024	119.387	134.935	146.466	137.697	138.615	148.416	137.839	
5	T	3.7441	3.4217	4.2256	4.1225	3.8457	4.7215	4.2146	3.8588	32.1545	
	S	154.971	126.731	123.275	138.100	148.217	139.930	139.450	149.658	139.949	
6	T	3.7082	3.3953	4.2619	4.1299	3.8392	4.7670	4.2625	3.8733	32.2373	
	S	156.471	127.717	122.225	137.853	148.468	138.595	137.883	149.098	139.590	
7	T			4.2341	4.1081	3.8118	4.7994	4.2537	3.8675	32.2118	
	S			123.027	138.584	149.536	137.659	138.168	149.321	139.700	
8	T			4.1725	4.0982	3.8175	4.7722	4.2318	3.8276	32.0847	
	S			124.843	138.919	149.312	138.444	138.884	150.878	140.254	
9	T	3.6682	3.5521	4.5538	4.3036	3.9230	4.7735	4.2141	3.8599	32.8482	
	S	158.178	122.079	114.390	132.289	145.297	138.406	139.467	149.615	136.994	
10	T	3.7195	3.4842	4.4528	4.2156	3.8825	4.7774	4.2658	3.8800	32.6778	
	S	155.996	124.458	116.985	135.050	146.813	138.293	137.777	148.840	137.708	
11	T			4.3121	4.1445	3.8348	4.8140	4.3331	3.9079	32.5233	
	S			120.802	137.367	148.639	137.242	135.637	147.778	138.362	
12	T	3.7324	3.4028	4.2685	4.1360	3.8314	4.7901	4.2404	3.8496	32.2512	
	S	155.457	127.435	122.036	137.649	148.771	137.927	138.602	150.016	139.530	
13	T	3.7106	3.4939	4.4218	4.1941	3.8814	4.8039	4.2356	3.8788	32.6201	
	S	156.370	124.112	117.805	135.743	146.854	137.530	138.759	148.886	137.952	
14	T	3.7095	3.3942	4.3095	4.1478	3.8537	4.8358	4.3841	3.9420	32.5766	
	S	156.417	127.758	120.875	137.258	147.910	136.623	134.059	146.499	138.136	
15	T	3.7457	3.4072	4.4496	4.2341	3.9233	4.7531	4.2158	3.8545	32.5833	
	S	154.905	127.271	117.069	134.460	145.286	139.000	139.411	149.825	138.108	
16	T	3.7211	3.4729	4.4119	4.2231	3.9180	4.7361	4.2239	3.8692	32.5762	
	S	155.929	124.863	118.069	134.810	145.482	139.499	139.143	149.256	138.138	
17	T	3.7223	3.4640	4.2156	4.1203	3.8625	4.7338	4.2154	3.8615	32.1954	
	S	155.879	125.184	123.567	138.174	147.573	139.567	139.424	149.553	139.772	
18	T	3.7107	3.4738	4.1667	4.0676	3.8137	4.8489	4.3248	3.9302	32.3364	
	S	156.366	124.831	125.017	139.964	149.461	136.254	135.897	146.939	139.162	
19	T	3.7454	3.4318	4.2201	4.1134	3.8496	4.8265	4.2775	3.9022	32.3665	
	S	154.917	126.358	123.435	138.406	148.067	136.886	137.400	147.993	139.033	

Event: Indy Pro 2000 Oval Challenge of St Louis

Track: World Wide Technology Raceway

Report: Section Data Report

Session: Race

Round 7

1.25 mile(s)



Indy Pro 2000 Championship

August 29, 2020

Section Data for Car 7 - Enders, Kory

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	3.7242	3.4631	4.2115	4.1815	3.8985	4.9725	4.3768	3.9279	32.7560
	S	155.799	125.216	123.687	136.152	146.210	132.867	134.282	147.025	137.379
21	T	3.7574	3.4538	4.2290	4.1112	3.8449	4.7885	4.3936	3.9299	32.5083
	S	154.423	125.553	123.175	138.480	148.248	137.973	133.769	146.950	138.426
22	T	3.7332	3.4594	4.1955	4.1071	3.8475	4.8334	4.3048	3.8924	32.3733
	S	155.424	125.350	124.159	138.618	148.148	136.691	136.528	148.366	139.003
23	T	3.7201	3.4430	4.3805	4.1774	3.8836	4.8377	4.2780	3.9107	32.6310
	S	155.971	125.947	118.915	136.285	146.771	136.569	137.384	147.672	137.906
24	T	3.7328	3.4565	4.2250	4.1394	3.8818	4.8144	4.2637	3.9021	32.4157
	S	155.440	125.455	123.292	137.536	146.839	137.230	137.844	147.997	138.822
25	T	3.7294	3.4300	4.2117	4.1325	3.8767	4.7959	4.2587	3.9125	32.3474
	S	155.582	126.425	123.681	137.766	147.032	137.760	138.006	147.604	139.115
26	T	3.7630	3.4358	4.2099	4.1358	3.8806	4.7342	4.2117	3.8772	32.2482
	S	154.193	126.211	123.734	137.656	146.885	139.555	139.546	148.948	139.543
27	T	3.7330	3.4107	4.1564	4.1053	3.8545	4.7338	4.2322	3.8809	32.1068
	S	155.432	127.140	125.327	138.679	147.879	139.567	138.870	148.806	140.157
28	T	3.7269	3.4294	4.2154	4.1298	3.8685	4.7904	4.2531	3.8821	32.2956
	S	155.686	126.447	123.573	137.856	147.344	137.918	138.188	148.760	139.338
29	T	3.7295	3.4155	4.1863	4.0913	3.8396	4.8225	4.2768	3.8941	32.2556
	S	155.578	126.961	124.432	139.153	148.453	137.000	137.422	148.301	139.511
30	T	3.7190	3.4854	4.1543	4.0922	3.8402	4.7714	4.2566	3.8628	32.1819
	S	156.017	124.415	125.390	139.123	148.430	138.467	138.074	149.503	139.830
31	T	3.6895	3.4866	4.3779	4.1865	3.8929	4.7488	4.1853	3.8484	32.4159
	S	157.264	124.372	118.986	135.989	146.420	139.126	140.427	150.062	138.821
32	T	3.7202	3.4413	4.3057	4.1558	3.8689	4.7674	4.2263	3.8761	32.3617
	S	155.967	126.009	120.981	136.994	147.329	138.583	139.064	148.990	139.053
33	T	3.7192	3.4636	4.3538	4.1687	3.8814	4.7226	4.1962	3.8601	32.3656
	S	156.009	125.198	119.645	136.570	146.854	139.898	140.062	149.608	139.037
34	T	3.7203	3.4503	4.1787	4.1021	3.8436	4.7928	4.2297	3.8562	32.1737
	S	155.962	125.681	124.658	138.787	148.298	137.849	138.952	149.759	139.866
35	T	3.6968	3.4626	4.2403	4.1070	3.8395	4.8226	4.2819	3.9104	32.3611
	S	156.954	125.234	122.847	138.621	148.457	136.997	137.259	147.683	139.056
36	T	3.7376	3.4588	4.2001	4.1168	3.8649	4.7932	4.2447	3.8867	32.3028
	S	155.241	125.372	124.023	138.291	147.481	137.837	138.461	148.584	139.307
37	T	3.7232	3.4587	4.2152	4.1209	3.8763	4.8091	4.2755	3.8956	32.3745
	S	155.841	125.376	123.579	138.154	147.047	137.382	137.464	148.244	138.998
38	T	3.7457	3.4443	4.1961	4.1168	3.8787	4.8586	4.2829	3.9018	32.4249
	S	154.905	125.900	124.141	138.291	146.956	135.982	137.226	148.009	138.782

Event: Indy Pro 2000 Oval Challenge of St Louis

Track: World Wide Technology Raceway

Report: Section Data Report

Session: Race

Round 7

1.25 mile(s)



Indy Pro 2000 Championship

August 29, 2020

Section Data for Car 7 - Enders, Kory

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	3.7477	3.4257	4.1616	4.1218	3.8917	4.8050	4.2186	3.8820	32.2541
	S	154.822	126.583	125.170	138.124	146.466	137.499	139.318	148.764	139.517
40	T	3.7529	3.4820	4.2111	4.1302	3.8730	4.8483	4.2330	3.8597	32.3902
	S	154.608	124.537	123.699	137.843	147.173	136.271	138.844	149.623	138.931
41	T	3.7009	3.4584	4.2851	4.1756	3.9017	4.8141	4.2205	3.8683	32.4246
	S	156.780	125.386	121.563	136.344	146.090	137.239	139.255	149.290	138.784
42	T	3.7332	3.5098	4.2105	4.1034	3.8337	5.0012	4.3380	3.9310	32.6608
	S	155.424	123.550	123.717	138.743	148.681	132.105	135.483	146.909	137.780
43	T	3.7076	3.4454	4.3977	4.1750	3.8820	4.7436	4.1883	3.8621	32.4017
	S	156.497	125.860	118.450	136.364	146.832	139.279	140.326	149.530	138.882
44	T	3.7211	3.4572	4.2120	4.1127	3.8483	4.7388	4.2167	3.8547	32.1615
	S	155.929	125.430	123.673	138.429	148.117	139.420	139.381	149.817	139.919
45	T	3.7053	3.4191	4.1953	4.1086	3.8460	4.7697	4.2253	3.8686	32.1379
	S	156.594	126.828	124.165	138.567	148.206	138.516	139.097	149.279	140.022
46	T	3.7224	3.4020	4.2250	4.1152	3.8572	4.8066	4.2361	3.8765	32.2410
	S	155.875	127.465	123.292	138.345	147.776	137.453	138.743	148.975	139.574
47	T	3.7343	3.4224	4.1529	4.0819	3.8416	4.7674	4.2129	3.8685	32.0819
	S	155.378	126.705	125.433	139.474	148.376	138.583	139.507	149.283	140.266
48	T	3.7256	3.4100	4.1778	4.1054	3.8610	4.7938	4.2412	3.8878	32.2026
	S	155.741	127.166	124.685	138.675	147.630	137.820	138.576	148.542	139.740
49	T	3.7332	3.4242	4.1451	4.0807	3.8260	4.7471	4.1827	3.8502	31.9892
	S	155.424	126.639	125.669	139.515	148.981	139.176	140.514	149.992	140.672
50	T	3.6974	3.3783	4.3122	4.1915	3.8890	4.7544	4.2006	3.8542	32.2776
	S	156.928	128.359	120.799	135.827	146.567	138.962	139.915	149.837	139.416
51	T	3.7126	3.4082	4.0962	4.0493	3.8113	4.7406	4.1947	3.8561	31.8690
	S	156.286	127.233	127.169	140.597	149.555	139.367	140.112	149.763	141.203
52	T	3.7035	3.4315	4.1737	4.0772	3.7987	4.9552	4.3725	3.9195	32.4318
	S	156.670	126.369	124.808	139.635	150.051	133.331	134.414	147.340	138.753
53	T	3.7292	3.5070	4.2852	4.1012	3.8086	4.9038	4.3802	3.9234	32.6386
	S	155.590	123.649	121.560	138.817	149.661	134.729	134.178	147.194	137.874
54	T	3.7207	3.4206	4.3671	4.1311	3.8279	4.9322	4.3234	3.8688	32.5918
	S	155.946	126.772	119.280	137.813	148.907	133.953	135.941	149.271	138.072
55	T	3.7181	3.4746	4.2865	4.1334	3.9282	4.9678	4.2684	3.8738	32.6508
	S	156.055	124.802	121.523	137.736	145.105	132.993	137.693	149.078	137.822
56	T	4.2439								
	S	136.720								

Event: Indy Pro 2000 Oval Challenge of St Louis**Track:** World Wide Technology Raceway**Report:** Section Data Report**Session:** Race**Round 7****1.25 mile(s)****Indy Pro 2000 Championship****August 29, 2020****Section Data for Car 8 - Sulaiman, Manuel (R)**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
1	T		4.3627	4.0936	3.8288	4.9536	4.3312	3.8979	33.6786	63.7706
	S		119.401	139.075	148.872	133.374	135.696	148.157	133.616	62.750
2	T	3.7673	3.6109	4.3681	4.1351	3.8281	4.7823	4.3336	3.9081	32.7335
	S	154.017	120.091	119.253	137.679	148.899	138.151	135.621	147.770	137.474
3	T		4.2253	4.1102	3.8268	4.6643	4.3687	3.9317	32.3477	
	S		123.283	138.513	148.950	141.647	134.531	146.883	139.113	
4	T		4.2146	4.1273	3.8469	4.6386	4.2478	3.8843	32.1234	
	S		123.596	137.940	148.171	142.431	138.360	148.675	140.085	
5	T	3.7251	3.3730	4.2246	4.1002	3.8190	4.6263	4.2648	3.8832	32.0162
	S	155.762	128.561	123.304	138.851	149.254	142.810	137.809	148.718	140.554
6	T		4.2586	4.1471	3.8960	4.7684	4.2951	3.9107	32.4194	
	S		122.319	137.281	146.304	138.554	136.837	147.672	138.806	
7	T		4.3642	4.1354	3.8045	4.7683	4.2743	3.8817	32.3938	
	S		119.360	137.669	149.823	138.557	137.503	148.775	138.915	
8	T		4.1964	4.0886	3.8881	4.8152	4.3116	4.0122	32.4435	
	S		124.132	139.245	146.601	137.208	136.313	143.936	138.703	
9	T	3.8202	3.5103	4.3488	4.1834	3.8706	4.6322	4.1944	3.8496	32.4095
	S	151.884	123.533	119.782	136.090	147.264	142.628	140.122	150.016	138.848
10	T	3.6969	3.4571	4.2493	4.1250	3.8441	4.6636	4.3699	3.9536	32.3595
	S	156.950	125.434	122.587	138.017	148.279	141.668	134.494	146.069	139.063
11	T		4.2184	4.0840	3.8268	4.7478	4.3501	3.9298	32.3104	
	S		123.485	139.402	148.950	139.155	135.107	146.954	139.274	
12	T		4.1977	4.0420	3.8594	4.8229	4.3177	3.9707	32.4247	
	S		124.094	140.851	147.691	136.988	136.120	145.440	138.783	
13	T		4.1910	4.0826	3.8242	4.7338	4.3259	3.9322	32.3170	
	S		124.292	139.450	149.051	139.567	135.862	146.864	139.246	
14	T	3.7585	3.4057	4.1400	4.0964	3.8550	4.6512	4.2615	3.8962	32.0645
	S	154.377	127.327	125.823	138.980	147.860	142.045	137.916	148.221	140.342
15	T	3.7387	3.3851	4.1208	4.0843	3.8536	4.6575	4.2314	3.8934	31.9648
	S	155.195	128.101	126.410	139.392	147.914	141.853	138.897	148.328	140.780
16	T	3.7438	3.3881	4.1035	4.0726	3.8554	4.6441	4.2141	3.8756	31.8972
	S	154.984	127.988	126.943	139.792	147.845	142.263	139.467	149.009	141.078
17	T	3.7263	3.3845	4.1087	4.0628	3.8388	4.7353	4.2192	3.8954	31.9710
	S	155.711	128.124	126.782	140.130	148.484	139.523	139.298	148.252	140.753
18	T	3.7253	3.4464	4.1995	4.0688	3.8017	4.8212	4.3369	3.9908	32.3906
	S	155.753	125.823	124.041	139.923	149.933	137.037	135.518	144.708	138.929
19	T	3.7596	3.4741	4.2172	4.1113	3.8410	4.7169	4.2872	3.8995	32.3068
	S	154.332	124.820	123.520	138.476	148.399	140.067	137.089	148.096	139.290

Event: Indy Pro 2000 Oval Challenge of St Louis

Track: World Wide Technology Raceway

Report: Section Data Report

Session: Race

Round 7

1.25 mile(s)



Indy Pro 2000 Championship

August 29, 2020

Section Data for Car 8 - Sulaiman, Manuel (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	3.7340	3.4903	4.1957	4.1270	3.8592	4.6939	4.2663	3.8865	32.2529
	S	155.390	124.240	124.153	137.950	147.699	140.753	137.760	148.591	139.522
21	T	3.7450	3.4476	4.1199	4.0894	3.8425	4.6600	4.2310	3.8861	32.0215
	S	154.934	125.779	126.437	139.218	148.341	141.777	138.910	148.607	140.531
22	T	3.7306	3.4551	4.1209	4.0715	3.8237	4.7610	4.2803	3.9109	32.1540
	S	155.532	125.506	126.407	139.830	149.070	138.770	137.310	147.664	139.951
23	T	3.7445	3.4122	4.1286	4.0807	3.8390	4.6975	4.2462	3.8900	32.0387
	S	154.955	127.084	126.171	139.515	148.476	140.645	138.413	148.458	140.455
24	T	3.7181	3.4066	4.1861	4.1569	3.8766	4.6887	4.2920	3.9056	32.2306
	S	156.055	127.293	124.438	136.957	147.036	140.909	136.936	147.865	139.619
25	T	3.7602	3.4537	4.1245	4.0998	3.8596	4.6854	4.2277	3.8859	32.0968
	S	154.308	125.557	126.296	138.865	147.684	141.009	139.018	148.614	140.201
26	T	3.7486	3.3672	4.0982	4.0696	3.8236	4.6698	4.2632	3.8994	31.9396
	S	154.785	128.782	127.107	139.895	149.074	141.480	137.861	148.100	140.891
27	T	3.7310	3.4112	4.1152	4.0795	3.8364	4.6585	4.2116	3.8620	31.9054
	S	155.515	127.121	126.582	139.556	148.577	141.823	139.550	149.534	141.042
28	T	3.6719	3.4094	4.2497	4.2288	3.9266	4.8296	4.2784	3.9214	32.5158
	S	158.018	127.188	122.575	134.629	145.164	136.798	137.371	147.269	138.394
29	T	3.7529	3.4306	4.1834	4.1224	3.8601	4.6799	4.2272	3.8728	32.1293
	S	154.608	126.402	124.518	138.104	147.665	141.174	139.035	149.117	140.059
30	T	3.7378	3.4682	4.1463	4.0844	3.8274	4.7513	4.2424	3.8729	32.1307
	S	155.232	125.032	125.632	139.388	148.926	139.053	138.537	149.113	140.053
31	T	3.6972	3.4910	4.2070	4.1107	3.8269	4.7317	4.2893	3.9336	32.2874
	S	156.937	124.216	123.820	138.497	148.946	139.629	137.022	146.812	139.373
32	T	3.7713	3.4128	4.1308	4.0681	3.8209	4.8573	4.3572	4.0038	32.4222
	S	153.853	127.062	126.104	139.947	149.180	136.018	134.886	144.238	138.794
33	T	3.8168	3.4561	4.1168	4.0740	3.8397	4.6920	4.2380	3.8933	32.1267
	S	152.019	125.470	126.533	139.744	148.449	140.810	138.680	148.332	140.070
34	T	3.7775	3.5124	4.3065	4.2691	3.9541	4.7047	4.2446	3.9164	32.6853
	S	153.601	123.459	120.959	133.358	144.154	140.430	138.465	147.457	137.677
35	T	3.7809	3.4145	4.0919	4.1072	3.8807	4.6990	4.2568	3.9005	32.1315
	S	153.463	126.998	127.302	138.615	146.881	140.601	138.068	148.058	140.049
36	T	3.7527	3.4769	4.1342	4.0582	3.8388	4.8258	4.3104	3.9431	32.3401
	S	154.616	124.719	126.000	140.288	148.484	136.906	136.351	146.458	139.146
37	T	3.7861	3.4310	4.0821	4.0653	3.8598	4.7446	4.2301	3.9357	32.1347
	S	153.252	126.388	127.608	140.043	147.676	139.249	138.939	146.734	140.036
38	T	3.7766	3.4216	4.1237	4.1095	3.9009	4.6971	4.2823	3.9279	32.2396
	S	153.637	126.735	126.321	138.537	146.120	140.657	137.246	147.025	139.580

Event: Indy Pro 2000 Oval Challenge of St Louis

Track: World Wide Technology Raceway

Report: Section Data Report

Session: Race

Round 7

1.25 mile(s)



Indy Pro 2000 Championship

August 29, 2020

Section Data for Car 8 - Sulaiman, Manuel (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	3.7857	3.4101	4.1280	4.1213	3.9019	4.7594	4.3042	3.9479	32.3585
	S	153.268	127.162	126.189	138.140	146.083	138.816	136.547	146.280	139.067
40	T	3.7998	3.4138	4.1044	4.1068	3.8932	4.7430	4.2954	3.9344	32.2908
	S	152.699	127.025	126.915	138.628	146.409	139.296	136.827	146.782	139.359
41	T	3.7937	3.4814	4.1403	4.1385	3.9128	4.7675	4.3099	3.9471	32.4912
	S	152.945	124.558	125.814	137.566	145.676	138.580	136.367	146.310	138.499
42	T	3.8033	3.4269	4.1097	4.1099	3.8963	4.7150	4.2606	3.9212	32.2429
	S	152.559	126.539	126.751	138.524	146.293	140.123	137.945	147.276	139.566
43	T	3.7885	3.3770	4.0672	4.0800	3.8747	4.6889	4.2708	3.9371	32.0842
	S	153.155	128.409	128.076	139.539	147.108	140.903	137.615	146.682	140.256
44	T	3.7889	3.3817	4.0904	4.1060	3.8978	4.7013	4.2625	3.9321	32.1607
	S	153.139	128.230	127.349	138.655	146.236	140.532	137.883	146.868	139.922
45	T	3.7903	3.3827	4.0924	4.1033	3.8892	4.7007	4.2523	3.9211	32.1320
	S	153.082	128.192	127.287	138.746	146.560	140.550	138.214	147.280	140.047
46	T	3.7861	3.3786	4.0782	4.0853	3.8853	4.6598	4.2190	3.8941	31.9864
	S	153.252	128.348	127.730	139.358	146.707	141.783	139.305	148.301	140.685
47	T	3.7635	3.3717	4.0892	4.0843	3.8670	4.6781	4.2908	3.9198	32.0644
	S	154.172	128.611	127.387	139.392	147.401	141.229	136.974	147.329	140.343
48	T	3.7808	3.3893	4.0907	4.0814	3.8664	4.6850	4.2409	3.9124	32.0469
	S	153.467	127.943	127.340	139.491	147.424	141.021	138.586	147.608	140.419
49	T	3.7861	3.3652	4.0809	4.0768	3.8655	4.6931	4.2850	3.9349	32.0875
	S	153.252	128.859	127.646	139.648	147.458	140.777	137.159	146.764	140.242
50	T	3.7849	3.3991	4.1054	4.0925	3.8788	4.6991	4.2625	3.9159	32.1382
	S	153.301	127.574	126.884	139.113	146.953	140.598	137.883	147.476	140.020
51	T	3.7675	3.3468	4.0845	4.0699	3.8631	4.6998	4.2569	3.9150	32.0035
	S	154.009	129.567	127.533	139.885	147.550	140.577	138.065	147.510	140.610
52	T	3.7567	3.3670	4.0792	4.0635	3.8562	4.6934	4.2413	3.9052	31.9625
	S	154.451	128.790	127.699	140.105	147.814	140.768	138.572	147.880	140.790
53	T	3.7629	3.3726	4.0825	4.0643	3.8539	4.7020	4.2402	3.9007	31.9791
	S	154.197	128.576	127.596	140.078	147.902	140.511	138.608	148.050	140.717
54	T	3.7510	3.3938	4.0894	4.0608	3.8411	4.7214	4.2424	3.9098	32.0097
	S	154.686	127.773	127.380	140.199	148.395	139.933	138.537	147.706	140.582
55	T	3.7421	3.3775	4.0809	4.0288	3.7893	4.8150	4.3288	4.0040	32.1664
	S	155.054	128.390	127.646	141.312	150.424	137.213	135.771	144.231	139.898
56	T	4.2023	4.2227	5.9804						
	S	138.074	102.692	87.103						

Event: Indy Pro 2000 Oval Challenge of St Louis**Track:** World Wide Technology Raceway**Report:** Section Data Report**Session:** Race**Round 7****1.25 mile(s)****Indy Pro 2000 Championship****August 29, 2020****Section Data for Car 83 - Finelli, Charles**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
1	T		4.7326	4.4175	4.0351	5.1857	4.5520	4.0491	35.7635	55.1235
	S		110.068	128.878	141.260	127.405	129.114	142.624	125.827	72.593
2	T		4.4611	4.3055	3.9816	5.0484	4.3724	3.9800	33.7989	
	S		116.767	132.230	143.159	130.870	134.418	145.101	133.140	
3	T		4.4083	4.2563	3.9614	4.8844	4.4116	4.0012	33.3736	
	S		118.166	133.759	143.889	135.264	133.223	144.332	134.837	
4	T		4.4256	4.2689	3.9908	5.0675	4.3945	3.9989	33.8622	
	S		117.704	133.364	142.829	130.376	133.742	144.415	132.892	
5	T		4.4152	4.2567	3.9513	5.0004	4.4123	4.0055	33.5416	
	S		117.981	133.746	144.256	132.126	133.202	144.177	134.162	
6	T		4.5070	4.2789	3.9771	5.0654	4.4419	4.0020	33.6889	
	S		115.578	133.052	143.321	130.430	132.314	144.303	133.575	
7	T		4.4652	4.3115	3.9842	5.0276	4.4102	4.0086	33.6565	
	S		116.660	132.046	143.065	131.411	133.265	144.065	133.704	
8	T		4.8155	4.3785	4.0341	5.1124	4.3889	4.0157	34.1472	
	S		108.173	130.026	141.295	129.231	133.912	143.811	131.782	
9	T		4.4224	4.3350	4.0197	5.1158	4.3954	4.0090	33.8470	
	S		117.789	131.331	141.802	129.145	133.714	144.051	132.951	
10	T		4.4957	4.3535	4.0602	5.2111	4.5378	4.0777	34.2699	
	S		115.868	130.773	140.387	126.784	129.518	141.624	131.311	
11	T		4.5565	4.3879	4.0764	5.1812	4.4174	4.0279	34.3434	
	S		114.322	129.747	139.829	127.515	133.048	143.375	131.030	
12	T		4.4988	4.3400	4.0506	5.2140	4.4926	4.0591	34.2071	
	S		115.788	131.179	140.720	126.713	130.821	142.273	131.552	
13	T	4.0336	3.6765	4.6276	4.4013	4.0874	5.0852	4.6452	4.1254	34.6822
	S	143.848	117.948	112.566	129.352	139.453	129.922	126.524	139.986	129.750
14	T	4.0743	3.6885	4.6003	4.4118	4.0895	5.1400	4.5224	4.0758	34.6026
	S	142.412	117.564	113.234	129.044	139.381	128.537	129.959	141.690	130.048
15	T	4.0143	3.6313	4.5302	4.3752	4.1163	5.3322	4.7957	4.3493	35.1445
	S	144.540	119.416	114.986	130.124	138.474	123.904	122.553	132.780	128.043
16	T	4.2934	3.6997	4.6013	4.3609	4.0693	5.3607	4.7176	4.1777	35.2806
	S	135.144	117.209	113.209	130.551	140.073	123.245	124.582	138.234	127.549
17	T	4.4189	3.7062	4.5005	4.3405	4.2873	5.8239	4.7723	4.1644	36.0140
	S	131.306	117.003	115.745	131.164	132.951	113.443	123.154	138.675	124.951
18	T	4.0322	3.6076	4.6039	4.3389	4.0785	5.1890	4.5116	4.0431	34.4048
	S	143.898	120.201	113.145	131.213	139.757	127.324	130.270	142.836	130.796
19	T	3.9660	3.5857	4.5393	4.3215	4.1433	5.4180	4.5428	4.0137	34.5303
	S	146.300	120.935	114.755	131.741	137.572	121.942	129.376	143.882	130.320

Event: Indy Pro 2000 Oval Challenge of St Louis**Track:** World Wide Technology Raceway**Report:** Section Data Report**Session:** Race**Round 7****1.25 mile(s)****Indy Pro 2000 Championship****August 29, 2020****Section Data for Car 83 - Finelli, Charles**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	3.9226	3.5152	4.4959	4.3504	4.0776	5.1353	4.3955	4.0044	33.8969
	S	147.919	123.360	115.863	130.866	139.788	128.655	133.711	144.216	132.756
21	T	3.9351	3.5441	4.5073	4.3467	4.0712	5.0787	4.4266	4.0093	33.9190
	S	147.449	122.354	115.570	130.977	140.008	130.089	132.772	144.040	132.669
22	T	3.9464	3.5414	4.5108	4.3681	4.0848	5.1077	4.4803	4.0358	34.0753
	S	147.027	122.448	115.480	130.335	139.542	129.350	131.180	143.094	132.060
23	T	3.9983	3.6132	4.4679	4.3439	4.0603	5.0984	4.4493	4.0356	34.0669
	S	145.118	120.014	116.589	131.062	140.384	129.586	132.094	143.101	132.093
24	T	3.9590	3.4905	4.4425	4.3019	4.0435	5.0737	4.4202	4.0258	33.7571
	S	146.559	124.233	117.256	132.341	140.967	130.217	132.964	143.450	133.305
25	T	3.9638	3.5233	4.4096	4.3177	4.0436	5.0378	4.3767	4.0098	33.6823
	S	146.382	123.077	118.131	131.857	140.963	131.145	134.285	144.022	133.601
26	T	3.9520	3.5209	4.3417	4.2700	4.0229	4.9707	4.3705	4.0067	33.4554
	S	146.819	123.161	119.978	133.330	141.689	132.915	134.476	144.134	134.507
27	T	3.9322	3.4895	4.5472	4.3507	4.0558	5.0029	4.4005	4.0143	33.7931
	S	147.558	124.269	114.556	130.857	140.539	132.060	133.559	143.861	133.163
28	T	3.9361	3.4614	4.5260	4.3217	4.0451	4.9787	4.4741	4.0430	33.7861
	S	147.412	125.278	115.093	131.735	140.911	132.702	131.362	142.839	133.191
29	T	3.9600	3.5418	4.3629	4.2990	4.0433	5.1813	4.4687	4.0637	33.9207
	S	146.522	122.434	119.395	132.430	140.974	127.513	131.521	142.112	132.662
30	T	4.0433	3.6416	4.7874	5.0031	5.2168	5.4072	4.4753	4.2383	36.8130
	S	143.503	119.079	108.808	113.793	109.262	122.186	131.327	136.257	122.239
31	T	4.3731	3.7155	4.4600	4.3128	4.0298	5.0448	4.3618	3.9918	34.2896
	S	132.681	116.710	116.796	132.007	141.446	130.963	134.744	144.672	131.235
32	T	4.0815	3.6643	4.6527	4.4880	4.0430	5.1028	4.4090	3.9887	34.4300
	S	142.160	118.341	111.958	126.853	140.984	129.474	133.302	144.784	130.700
33	T	3.9148	3.5149	4.4348	4.3056	4.0348	4.9872	4.3294	3.9774	33.4989
	S	148.214	123.371	117.459	132.227	141.271	132.476	135.753	145.195	134.333
34	T	3.9168	3.5016	4.4543	4.3107	4.0806	5.1647	4.4371	3.9938	33.8596
	S	148.138	123.839	116.945	132.071	139.685	127.923	132.458	144.599	132.902
35	T	3.8952	3.4593	4.3722	4.2623	4.0180	4.9648	4.3679	3.9713	33.3110
	S	148.960	125.354	119.141	133.571	141.862	133.073	134.556	145.418	135.091
36	T	3.9090	3.4974	4.4134	4.2861	4.0342	4.9041	4.3246	3.9560	33.3248
	S	148.434	123.988	118.029	132.829	141.292	134.720	135.903	145.981	135.035
37	T	3.9142	3.4942	4.5545	4.3720	4.1246	5.3385	4.5132	4.0241	34.3353
	S	148.236	124.102	114.372	130.219	138.195	123.758	130.224	143.510	131.060
38	T	3.8923	3.4861	4.4396	4.2990	4.0369	5.1032	4.3797	3.9671	33.6039
	S	149.071	124.390	117.332	132.430	141.197	129.464	134.194	145.572	133.913

Event: Indy Pro 2000 Oval Challenge of St Louis

Track: World Wide Technology Raceway

Report: Section Data Report

Session: Race

Round 7

1.25 mile(s)



Indy Pro 2000 Championship

August 29, 2020

Section Data for Car 83 - Finelli, Charles

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	3.9554	3.6634	4.7180	4.3223	4.0173	5.0176	4.3441	3.9811	34.0192
	S	146.692	118.370	110.409	131.716	141.886	131.673	135.293	145.060	132.278
40	T	3.9010	3.4657	4.6448	4.3876	4.0667	5.0219	4.4085	4.0162	33.9124
	S	148.738	125.122	112.149	129.756	140.163	131.560	133.317	143.793	132.695
41	T	3.9344	3.4759	4.3792	4.2782	4.0105	4.9032	4.3131	3.9830	33.2775
	S	147.475	124.755	118.951	133.074	142.127	134.745	136.266	144.991	135.227
42	T	3.9387	3.4731	4.3919	4.2815	4.0099	4.9615	4.3353	3.9885	33.3804
	S	147.314	124.856	118.607	132.972	142.148	133.162	135.568	144.791	134.810
43	T	3.9130	3.4483	4.3760	4.2687	4.0057	4.9829	4.3515	3.9922	33.3383
	S	148.282	125.754	119.038	133.370	142.297	132.590	135.063	144.657	134.980
44	T	3.9056	3.4418	4.3745	4.3057	4.0301	5.0121	4.3315	3.9886	33.3899
	S	148.563	125.991	119.079	132.224	141.436	131.817	135.687	144.788	134.771
45	T	3.9193	3.4157	4.6842	4.5691	5.5930	6.5210	4.6949	4.1255	37.5227
	S	148.044	126.954	111.206	124.602	101.913	101.316	125.184	139.983	119.927
46	T	4.0012	3.5902	4.5627	4.3625	4.0768	5.0764	4.4644	4.0430	34.1772
	S	145.013	120.783	114.167	130.503	139.816	130.148	131.648	142.839	131.667
47	T	3.9787	3.5665	4.5224	4.3252	4.0560	5.0104	4.4418	4.0380	33.9390
	S	145.833	121.586	115.184	131.628	140.533	131.862	132.317	143.016	132.591
48	T	3.9651	3.5531	4.4543	4.3636	4.0762	5.2182	4.6729	4.2172	34.5206
	S	146.334	122.045	116.945	130.470	139.836	126.611	125.774	136.939	130.357
49	T	4.1125	3.6410	4.5455	4.3970	5.5366	8.7529	4.8018	4.1616	39.9489
	S	141.089	119.098	114.599	129.479	102.951	75.481	122.397	138.769	112.644
50	T	4.0423	3.5580	4.3736	4.2833	4.0333	5.0442	4.4304	4.0309	33.7960
	S	143.539	121.876	119.103	132.916	141.323	130.979	132.658	143.268	133.152
51	T	3.9941	3.4761	4.4748	4.3879	4.0756	5.0551	4.4608	4.0413	33.9657
	S	145.271	124.748	116.409	129.747	139.857	130.696	131.754	142.900	132.487
52	T	3.9518	3.4369	4.4991	4.3716	4.0736	5.0590	4.4945	4.0542	33.9407
	S	146.826	126.171	115.781	130.231	139.925	130.595	130.766	142.445	132.584
53	T	4.5782								
	S	126.737								

Event: Indy Pro 2000 Oval Challenge of St Louis**Track:** World Wide Technology Raceway**Report:** Section Data Report**Session:** Race**Round 7****1.25 mile(s)****Indy Pro 2000 Championship****August 29, 2020****Section Data for Car 9 - Thompson, Parker**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
1	T	4.4306	3.8496	4.5063	4.2020	3.8632	4.9694	4.3460	3.9237	34.0908	62.7323
	S	130.959	112.645	115.596	135.487	147.546	132.950	135.234	147.183	132.000	63.788
2	T			4.3400	4.1320	3.7971	4.9781	4.3588	3.9056	32.8321	
	S			120.025	137.783	150.115	132.718	134.837	147.865	137.061	
3	T			4.3032	4.1307	3.8000	4.8273	4.3349	3.8927	32.4448	
	S			121.052	137.826	150.000	136.864	135.580	148.355	138.697	
4	T			4.2009	4.1149	3.8166	4.7203	4.2728	3.8750	32.1036	
	S			123.999	138.355	149.348	139.966	137.551	149.032	140.171	
5	T	3.7052	3.4324	4.2377	4.1075	3.8218	4.7517	4.2730	3.8878	32.2171	
	S	156.598	126.336	122.923	138.605	149.144	139.041	137.544	148.542	139.677	
6	T	3.7446	3.4146	4.1667	4.0909	3.8215	4.7435	4.2571	3.8760	32.1149	
	S	154.950	126.995	125.017	139.167	149.156	139.282	138.058	148.994	140.122	
7	T			4.2350	4.0598	3.7631	4.7600	4.2839	3.8593	32.0801	
	S			123.001	140.233	151.471	138.799	137.194	149.639	140.274	
8	T			4.2288	4.0892	3.8050	4.8903	4.3068	3.8999	32.3449	
	S			123.181	139.225	149.803	135.100	136.465	148.081	139.125	
9	T			4.2747	4.1628	3.9036	4.9388	4.2802	3.8920	32.7825	
	S			121.859	136.763	146.019	133.774	137.313	148.381	137.268	
10	T	3.7439	3.3897	4.1469	4.0752	3.8073	4.6931	4.2844	3.8570	31.9975	
	S	154.979	127.928	125.614	139.703	149.712	140.777	137.178	149.728	140.636	
11	T	3.6772	3.4343	4.2102	4.0517	3.7667	4.7589	4.2877	3.9574	32.1441	
	S	157.791	126.266	123.725	140.513	151.326	138.831	137.073	145.929	139.995	
12	T	3.8019	3.3425	4.1602	4.1005	3.8812	4.7903	4.3126	3.9003	32.2895	
	S	152.615	129.734	125.213	138.841	146.862	137.921	136.281	148.066	139.364	
13	T			4.1091	4.1009	3.8526	4.7099	4.2388	3.8690	31.9668	
	S			126.770	138.828	147.952	140.275	138.654	149.263	140.771	
14	T	3.7163	3.3769	4.1485	4.0801	3.8399	4.6791	4.2281	3.8546	31.9235	
	S	156.130	128.413	125.566	139.535	148.441	141.198	139.005	149.821	140.962	
15	T			4.1497	4.0805	3.8376	4.6452	4.2799	3.8892	31.9436	
	S			125.529	139.522	148.530	142.229	137.323	148.488	140.873	
16	T	3.7252	3.3712	4.1242	4.0767	3.8324	4.7001	4.2353	3.8734	31.9385	
	S	155.757	128.630	126.305	139.652	148.732	140.568	138.769	149.094	140.896	
17	T	3.7360	3.3863	4.1290	4.0517	3.8134	4.7879	4.3865	3.9390	32.2298	
	S	155.307	128.056	126.159	140.513	149.473	137.990	133.985	146.611	139.622	
18	T	3.7142	3.4202	4.3396	4.1584	3.8735	4.8294	4.3355	3.9269	32.5977	
	S	156.219	126.787	120.036	136.908	147.154	136.804	135.562	147.063	138.047	
19	T	3.7439	3.3566	4.1307	4.1027	3.8701	4.7320	4.2836	3.9153	32.1349	
	S	154.979	129.189	126.107	138.767	147.283	139.620	137.204	147.498	140.035	

Event: Indy Pro 2000 Oval Challenge of St Louis

Track: World Wide Technology Raceway

Report: Section Data Report

Session: Race

Round 7

1.25 mile(s)



Indy Pro 2000 Championship

August 29, 2020

Section Data for Car 9 - Thompson, Parker

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	3.7575	3.3721	4.1737	4.1137	3.8918	4.6898	4.2517	3.8908	32.1411
	S	154.418	128.595	124.808	138.396	146.462	140.876	138.233	148.427	140.008
21	T	3.7416	3.3679	4.1337	4.1033	3.8781	4.7269	4.2892	3.9068	32.1475
	S	155.075	128.756	126.015	138.746	146.979	139.771	137.025	147.819	139.980
22	T	3.7604	3.3993	4.1148	4.0998	3.8857	4.6900	4.2576	3.8912	32.0988
	S	154.299	127.566	126.594	138.865	146.692	140.870	138.042	148.412	140.192
23	T	3.7488	3.3786	4.1096	4.1010	3.8877	4.6957	4.2696	3.9049	32.0959
	S	154.777	128.348	126.754	138.824	146.616	140.699	137.654	147.891	140.205
24	T	3.7667	3.3679	4.0969	4.1047	3.8933	4.6794	4.2372	3.8962	32.0423
	S	154.041	128.756	127.147	138.699	146.405	141.189	138.707	148.221	140.439
25	T	3.7465	3.3543	4.1349	4.1156	3.8986	4.6732	4.2510	3.9125	32.0866
	S	154.872	129.278	125.979	138.332	146.206	141.377	138.256	147.604	140.245
26	T	3.7664	3.3307	4.1352	4.1242	3.8856	4.6661	4.2773	3.9102	32.0957
	S	154.054	130.194	125.970	138.043	146.695	141.592	137.406	147.691	140.206
27	T	3.7656	3.3234	4.1235	4.1182	3.8949	4.6689	4.3161	3.9245	32.1351
	S	154.086	130.480	126.327	138.244	146.345	141.507	136.171	147.153	140.034
28	T	3.7652	3.4180	4.2393	4.1419	3.8990	4.7119	4.2563	3.9184	32.3500
	S	154.103	126.868	122.876	137.453	146.191	140.216	138.084	147.382	139.104
29	T	3.7757	3.3470	4.1324	4.1218	3.9018	4.6971	4.2697	3.9218	32.1673
	S	153.674	129.560	126.055	138.124	146.086	140.657	137.651	147.254	139.894
30	T	3.7705	3.3348	4.1395	4.1106	3.8910	4.7195	4.2807	3.9194	32.1660
	S	153.886	130.034	125.839	138.500	146.492	139.990	137.297	147.344	139.899
31	T	3.7501	3.3316	4.1494	4.1178	3.8753	4.7117	4.2691	3.9147	32.1197
	S	154.723	130.159	125.538	138.258	147.085	140.222	137.670	147.521	140.101
32	T	3.7428	3.3216	4.1749	4.0946	3.8100	4.7650	4.2857	3.9425	32.1371
	S	155.025	130.550	124.772	139.041	149.606	138.653	137.137	146.481	140.025
33	T	3.7790	3.3531	4.1944	4.1330	3.8834	4.7361	4.3070	3.9052	32.2912
	S	153.540	129.324	124.192	137.749	146.779	139.499	136.459	147.880	139.357
34	T	3.7095	3.4144	4.1875	4.1428	3.9097	4.7239	4.2918	3.9172	32.2968
	S	156.417	127.002	124.396	137.424	145.791	139.859	136.942	147.427	139.333
35	T	3.7429	3.3294	4.1763	4.0946	3.8162	4.7432	4.3251	3.9225	32.1502
	S	155.021	130.245	124.730	139.041	149.363	139.290	135.888	147.228	139.968
36	T	3.7515	3.3323	4.1422	4.0817	3.8580	4.6988	4.3338	3.9155	32.1138
	S	154.665	130.131	125.757	139.481	147.745	140.606	135.615	147.491	140.127
37	T	3.7017	3.3426	4.1677	4.1259	3.9149	4.6894	4.2924	3.9190	32.1536
	S	156.746	129.730	124.987	137.986	145.598	140.888	136.923	147.359	139.953
38	T	3.7702	3.3188	4.0959	4.0945	3.8972	4.6713	4.3176	3.9271	32.0926
	S	153.898	130.661	127.178	139.045	146.259	141.434	136.124	147.055	140.219

Event: Indy Pro 2000 Oval Challenge of St Louis

Track: World Wide Technology Raceway

Report: Section Data Report

Session: Race

Round 7

1.25 mile(s)



Indy Pro 2000 Championship

August 29, 2020

Section Data for Car 9 - Thompson, Parker

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	3.7720	3.3341	4.1659	4.1443	3.9249	4.6862	4.2920	3.9137	32.2331
	S	153.825	130.061	125.041	137.374	145.227	140.985	136.936	147.559	139.608
40	T	3.7688	3.3265	4.0965	4.1053	3.9045	4.7531	4.2803	3.9330	32.1680
	S	153.955	130.358	127.160	138.679	145.985	139.000	137.310	146.834	139.891
41	T	3.7807	3.3340	4.1171	4.1219	3.9120	4.7048	4.2638	3.9143	32.1486
	S	153.471	130.065	126.523	138.120	145.706	140.427	137.841	147.536	139.975
42	T	3.7688	3.3399	4.1468	4.1250	3.9099	4.6642	4.3001	3.9400	32.1947
	S	153.955	129.835	125.617	138.017	145.784	141.650	136.678	146.574	139.775
43	T	3.7787	3.3167	4.1262	4.1071	3.8998	4.6688	4.2713	3.9300	32.0986
	S	153.552	130.743	126.244	138.618	146.161	141.510	137.599	146.947	140.193
44	T	3.7725	3.3476	4.1834	4.1338	3.9149	4.6579	4.4359	4.0087	32.4547
	S	153.804	129.536	124.518	137.723	145.598	141.841	132.493	144.062	138.655
45	T	3.8207	3.3612	4.1518	4.1259	3.9080	4.7169	4.2767	3.9294	32.2906
	S	151.864	129.012	125.466	137.986	145.855	140.067	137.425	146.969	139.359
46	T	3.7814	3.3480	4.1422	4.1150	3.8996	4.6811	4.3134	3.9412	32.2219
	S	153.442	129.521	125.757	138.352	146.169	141.138	136.256	146.529	139.657
47	T	3.7915	3.3113	4.1439	4.1153	3.9070	4.6931	4.3155	3.9425	32.2201
	S	153.034	130.957	125.705	138.342	145.892	140.777	136.190	146.481	139.664
48	T	3.7836	3.2966	4.0939	4.0888	3.8889	4.6570	4.2631	3.9161	31.9880
	S	153.353	131.540	127.240	139.238	146.571	141.869	137.864	147.468	140.678
49	T	3.7714	3.3253	4.1447	4.1130	3.9056	4.7038	4.3468	3.9553	32.2659
	S	153.849	130.405	125.681	138.419	145.944	140.457	135.209	146.007	139.466
50	T	3.7885	3.3173	4.0993	4.0967	3.9046	4.6940	4.2940	3.9367	32.1311
	S	153.155	130.720	127.073	138.970	145.982	140.750	136.872	146.696	140.051
51	T	3.7826	3.3039	4.1214	4.1048	3.8969	4.6708	4.2706	3.9194	32.0704
	S	153.394	131.250	126.391	138.696	146.270	141.449	137.622	147.344	140.316
52	T	3.7631	3.3360	4.1556	4.1064	3.8813	4.6722	4.3120	3.9302	32.1568
	S	154.189	129.987	125.351	138.642	146.858	141.407	136.300	146.939	139.939
53	T	3.7666	3.3102	4.1240	4.0979	3.8913	4.6780	4.2861	3.9195	32.0736
	S	154.045	131.000	126.312	138.929	146.481	141.232	137.124	147.340	140.302
54	T	3.7598	3.3068	4.1028	4.0883	3.8875	4.7300	4.3361	3.9486	32.1599
	S	154.324	131.135	126.964	139.255	146.624	139.679	135.543	146.254	139.926
55	T	3.7732	3.3627	4.1642	4.1119	3.8910	4.8168	4.3226	3.9651	32.4075
	S	153.776	128.955	125.092	138.456	146.492	137.162	135.966	145.646	138.857
56	T	4.0339	3.9512	5.7760						
	S	143.838	109.748	90.185						

Event: Indy Pro 2000 Oval Challenge of St Louis

Round 7

Track: World Wide Technology Raceway

1.25 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship






Session: Race

August 29, 2020

Section Data for Car

Report Support Information

Section Legend	
Name	Length
SF to T1	0.161174 miles
T1 to SS1	0.120455 miles
SS1 to T2	0.144697 miles
T2 to BS	0.158144 miles
BS to T3	0.158333 miles
T3 to SS2	0.183523 miles
SS2 to T4	0.163258 miles
T4 to SF	0.160417 miles
T1 to T2	0.265152 miles
T2 to T3	0.316477 miles
T3 to T4	0.346780 miles
Lap	1.250000 miles
PI to PO	0.297538 miles
PO to SF	1.111553 miles
SF to PI	1.089583 miles
PO to T2	0.287879 miles
T3 to PI	0.346780 miles
PO to PI	0.951136 miles

Color Legend	
	Fastest Lap
	Section Under Caution
	Section Under Green
	Section Time Data
	Section Speed Data

